Shioaji

Usage Manual

yvictor, SsallyLin, ypochien

Copyright © 2025 SinoPac

Table of contents

1. Shioaji 4
1.1 安裝 4
2. 快速入門 5
2.1 總結 6
3. 環境設定 7
3.1 系統需求 7
3.2 安裝 Python 環境 7
3.3 創建專案環境 7
4. 教程 - 使用者指南 10
4.1 前置作業 10
4.2 登入 25
4.3 商品檔 29
4.4 行情資料 33
4.5 下單 60
4.6 CallBack 97
4.7 帳務 105
4.8 模擬模式 120
4.9 進階指南 121
5. 升版指南 136
5.1 Shioaji 物件 136
5.2 登入 138
5.3 證券下單 138
5.4 期貨下單 141
5.5 行情資料 144
5.6 期貨帳務資訊 146
6. 問與答 147
7. 發佈版本 150
7.1 version: 1.2.5 (2024-10-01) 150
7.2 version: 1.2.4 (2024-08-28) 150
7.3 version: 1.2.3 (2024-03-06) 150
7.4 version: 1.2.2 (2024-01-09) 150
7.5 version: 1.2.1 (2023-12-22) 150
7.6 version: 1.2.0 (2023-12-20) 150
7.7 version: 1.1.13 (2023-11-01) 151

Copyright © 2025 SinoPac

7.8 version: 1.1.12 (2023-08-22) 151
7.9 version: 1.1.11 (2023-08-04) 151
7.10 version: 1.1.10 (2023-07-23) 151
7.11 version: 1.1.9 (2023-07-20) 151
7.12 version: 1.1.8 (2023-07-18) 152
7.13 version: 1.1.7 (2023-07-18) 152
7.14 version: 1.1.6 (2023-06-19) 152
7.15 version: 1.1.5 (2023-06-07) 152
8. 使用限制 153

Copyright © 2025 SinoPac

1. Shioaji

shioaji-logo

PyPI - Status PyPI - Python Version PyPI - Downloads Build - Status Coverage Binder doc Telegram

Shioaji 是一個使用 Python 語言的應用程式介面，提供投資者在台灣和全球金融市場上進行交易。此外，使用者可以利用 Shioaji 為基礎整合像 NumPy、pandas、PyTorch 或 TensorFlow 等流行的 Python 套件，創造出專屬於自己的跨平台交易模型。

特色:

- 高效率: 使用 C++ 作為核心邏輯和 FPGA 作為訊息交換
- 簡單: 設計為易於使用和學習
- 快速編譯: 使用原生 Python 集成大型 Python 生態系統
- 跨平台: 台灣第一個兼容 Linux 的 Python 交易應用程式介面

1.1 安裝

1.1.1 Binaries

使用 pip 簡單安裝

```
pip install shioaji
```

更新 shioaji

```
pip install -U shioaji
```

1.1.2 uv

使用 uv 安裝

```
uv add shioaji
```

安裝快速版本

```
uv add shioaji --extra speed
```

1.1.3 Docker Image

在 Docker 中以互動模式執行

```
docker run -it sinotrade/shioaji:latest
```

在 Jupyter Lab 或 Jupyter Notebook 執行

```
docker run -p 8888:8888 sinotrade/shioaji:jupyter
```


Copyright © 2025 SinoPac

2. 快速入門

只需像使用其他流行的 Python 套件一樣，導入我們的應用程式介面並新建實例即可開始使用我們的應用程式介面。

> **注意**
>
> **在開始前請還需完成前置作業，包含開戶、服務條款 及 Token。**

2.0.1 登入並啟用憑證

version>=1.0 **version<1.0**

```
import shioaji as sj

api = sj.Shioaji()
accounts =  api.login("YOUR_API_KEY", "YOUR_SECRET_KEY")
api.activate_ca(
    ca_path="/c/your/ca/path/Sinopac.pfx",
    ca_passwd="YOUR_CA_PASSWORD",
    person_id="Person of this Ca",
)
```

```
import shioaji as sj

api = sj.Shioaji()
accounts = api.login("YOUR_PERSON_ID", "YOUR_PASSWORD")
api.activate_ca(
    ca_path="/c/your/ca/path/Sinopac.pfx",
    ca_passwd="YOUR_CA_PASSWORD",
    person_id="Person of this Ca",
)
```

> **認證路徑**
>
> Windows環境下複製文件路徑時用 \ 分隔文件，需要用 / 替換。

2.0.2 訂閱行情

訂閱行情需將合約帶入 `subscribe` 功能，並指定行情類型，就可以接收資料。

```
api.quote.subscribe(api.Contracts.Stocks["2330"], quote_type="tick")
api.quote.subscribe(api.Contracts.Stocks["2330"], quote_type="bidask")
api.quote.subscribe(api.Contracts.Futures["TXFC0"], quote_type="tick")
```

> **行情類型**
>
> 目前我們支持 `shioaji.constent.QuoteType` 中的兩種行情類型。最好的使用方法是直接將這個枚舉類型傳入 `subscribe` 函數。

2.0.3 下單

與上面訂閱行情的方法雷同，需將合約及定義下單資訊帶入 `place_order` 函數，然後它將返回描述您交易狀態。

```
contract = api.Contracts.Stocks["2890"]
order = api.Order(
    price=12,
    quantity=5,
    action=sj.constant.Action.Buy,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
)
trade = api.place_order(contract, order)
```


Copyright © 2025 SinoPac

2.1 總結

這個快速入門演示了我們使用原生 Python 的套件是有多簡單，與許多其他交易應用程式介面不同。我們致力於為用戶提供更具有 Python 特色的交易應用程式介面。

Copyright © 2025 SinoPac

3. 環境設定

3.1 系統需求

在開始之前，請確保你的系統符合以下需求：

- 作業系統：Windows、MacOS 或 Linux 之 64 位元版本
- Python 版本：3.8 以上
- 使用者需要具備永豐金證券帳戶，並取得 Shioaji API 權限。

3.2 安裝 Python 環境

首先，你需要在系統上安裝 Python，推薦使用 uv ，本篇教學範例將使用 uv 作為 Python 及專案環境管理工具，並在專案中使用 Shioaji API。

延伸筆記

`uv` 是跨平台管理 python 環境及專案環境管理工具的最佳解決方案。

3.2.1 安裝 uv

指令

Linux 與 MacOS **Windows**

```
curl -LsSf https://astral.sh/uv/install.sh | sh

powershell -c "irm https://astral.sh/uv/install.ps1 | iex"
```

更多安裝與使用方式請參考 uv 官方文件

3.3 創建專案環境

首先，先創建一個名為 `sj-trading` 的專案

```
uv init sj-trading --package --app --vcs git
cd sj-trading
```

創建出來的專案路徑如下

```
sj-trading
├── README.md
├── pyproject.toml
└── src
    └── sj_trading
        └── __init__.py
```

加入 shioaji 套件到專案中

```
uv add shioaji
```

接著打開 `pyproject.toml` 檔案將會看到以下內容

```
[project]
name = "sj-trading"
version = "0.1.0"
description = "Shioaji Trading"
```


Copyright © 2025 SinoPac

```
readme = "README.md"
requires-python = ">=3.12"
dependencies = [
    "shioaji>=1.2.5",
]

[project.scripts]
hello = "sj_trading:hello"

[build-system]
requires = ["hatchling"]
build-backend = "hatchling.build"
```

專案中有一個 `hello` 指令，代表我們已經成功可以執行 hello 指令

執行 hello 指令

```
uv run hello
```

輸出

```
Hello from sj-trading!
```

接著打開 `src/sj_trading/__init__.py` 檔案，將以下內容複製貼上

```
import shioaji as sj

def hello():
    get_shioaji_client()


def get_shioaji_client() -> sj.Shioaji:
    api =  sj.Shioaji()
    print("Shioaji API created")
    return api
```

執行指令

```
uv run hello
```

輸出

```
Shioaji API created
```

這這邊最基本的環境安裝就完成可以開始使用了。

3.3.1 使用 Jupyter 環境

加入 ipykernel 到專案的開發依賴

```
uv add --dev ipykernel
```

將專案使用環境加入到 Jupyter 的 kernel

```
uv run ipython kernel install --user --name=sj-trading
```


Copyright © 2025 SinoPac

啟動 Jupyter

```
uv run --with jupyter jupyter lab
```

在 jupyter 中創建 dev.ipynb 檔案，就可以選擇 `sj-trading` 的 kernel 來執行指令

剛剛我們寫好的 `hello` 指令就可以在這邊執行了
jupyterlab

如果已經開好戶可以跳過下一章直接前往 金鑰與憑證申請 取得 API Key 與憑證。

Copyright © 2025 SinoPac

4. 教程 - 使用者指南

4.1 前置作業

4.1.1 開戶

使用Shioaji必須擁有永豐金帳戶。若你還沒有擁永豐金帳戶，請依據下列步驟開戶:

1. 至開戶頁面
   open_acct
2. 若你沒有永豐銀行帳戶，請先開銀行帳戶當你的交割戶
   open_bank_1
3. 請選取**我要開DAWHO+大戶投**，為開銀行戶以及證券戶
   open_bank_2
4. 完成銀行及證券開戶

Copyright © 2025 SinoPac

4.1.2 金鑰與憑證申請

在版本1.0之後，我們將使用Token作為我們的登入方式。請根據下列的步驟進行申請及使用。

申請金鑰

1. 至理財網個人服務中的API管理頁面
   newweb_1
2. 點選新增API KEY
   newweb_2
3. 利用手機或是信箱做雙因子驗證，驗證成功才能建立API KEY。
   newweb_3
4. 進行API KEY的到期時間設定，以及勾選權限與帳戶，並且設定IP限制。
   newweb_4

> **權限勾選說明**
>
> - 行情 / 資料：可否使用行情 / 資料相關 API
> - 帳務：可否使用帳務相關 API
> - 交易：可否使用交易相關 API
> - 正式環境：可否在正式環境中使用

> **注意**
>
> IP建議使用限制，能使該KEY安全性提高。

5. 新增成功會得到金鑰(API Key)與密鑰(Secret Key)
   newweb_5

> **注意**
>
> - 請妥善保存您的鑰匙，勿將其透漏給任何人，以免造成資產損失。
> - Secret Key 僅在建立成功時取得，此後再無任何方法得到，請確保以保存

憑證下載

1. 點選下載憑證按鈕

   newweb_7
2. 下載完成請前往下載資料夾將憑證放置到 API 要讀取的路徑

   newweb_8

確認密鑰與憑證

延續前面開好的專案 `sj-trading`，在專案資料夾中新增 `.env` 檔案，並且新增以下內容

Copyright © 2025 SinoPac

`.env` 檔案內容如下

```
API_KEY=<前面申請的API Key>
SECRET_KEY=<前面申請的Secret Key>
CA_CERT_PATH=<前面設定的憑證路徑>
CA_PASSWORD=<憑證密碼>
```

專案資料夾結構如下

```
sj-trading
├── README.md
├── .env
├── pyproject.toml
├── src
│   └── sj_trading
│       └── __init__.py
└── uv.lock
```

加入 python-dotenv 套件來將 .env 的金鑰與憑證載入環境變數

```
uv add python-dotenv
```

在 `src/sj_trading/__init__.py` 中新增以下內容

```
import os
from dotenv import load_dotenv

load_dotenv()

def main():
    api = sj.Shioaji(simulation=True)
    api.login(
        api_key=os.environ["API_KEY"],
        secret_key=os.environ["SECRET_KEY"],
        fetch_contract=False
    )
    api.activate_ca(
        ca_path=os.environ["CA_CERT_PATH"],
        ca_passwd=os.environ["CA_PASSWORD"],
    )
    print("login and activate ca success")
```

在 `pyproject.toml` 中 `[project.scripts]` 新增 `main` 指令

```
[project.scripts]
main = "sj_trading:main"
```

執行 `main` 指令

```
uv run main
```

如果看到 `login and activate ca success` 代表成功登入模擬環境了

接著如果你還有沒有進行 API 簽署的話，請前往下一章進行簽署與測試審核。

Copyright © 2025 SinoPac

4.1.3 服務條款簽署

受限於台灣金融法規，新用戶首次使用需簽署相關文件並在測試模式完成測試報告才能進行正式環境的使用。

開戶

在開始之前必須先擁有永豐金帳戶。

簽署文件

請參見簽署中心並在簽署前**仔細閱讀文件**。

API測試

確保您完全理解如何使用，需在模擬模式完成測試報告，內容包含以下功能:

- 登入測試 `login`
- 下單測試 `place_order`

Copyright © 2025 SinoPac

Attention

可測試時間:

- 因應公司資訊安全規定，測試報告服務為星期一至五 08:00 ~ 20:00
- 18:00 ~ 20:00: 只允許台灣IP
- 08:00 ~ 18:00: 沒有限制

版本限制:

- 版本 >= 1.2:

安裝指令: `uv add shioaji` or `pip install -U shioaji`

其他:

- API下單簽署時間須早於API測試的時間，以利審核通過
- 證券、期貨戶須各別測試
- 證券/期貨下單測試，需間隔1秒以上，以利系統留存測試紀錄

查詢使用版本

版本

```python
import shioaji as sj

print(sj.__version__)
# 1.0.0
```

- 請注意**版本限制**

登入測試

登入

version>=1.0 **version<1.0**

```python
api = sj.Shioaji(simulation=True) # 模擬模式
api.login(
    api_key="金鑰",     # 請修改此處
    secret_key="密鑰"   # 請修改此處
)
```

```python
api = sj.Shioaji(simulation=True) # 模擬模式
api.login(
    person_id="身分證字號", # 請修改此處
    passwd="密碼",          # 請修改此處
)
```

- 版本 >= 1.0: 使用 `API Key` 進行登入，若您尚未申請 API Key，可參考 Token
- 版本 < 1.0: 使用 `身分證字號` 進行登入

Copyright © 2025 SinoPac

證券下單測試

證券

version>=1.0 **version<1.0**

```
# 商品檔 - 請修改此處
contract = api.Contracts.Stocks.TSE["2890"]

# 證券委託單 - 請修改此處
order = api.Order(
    price=18,                                   # 價格
    quantity=1,                                 # 數量
    action=sj.constant.Action.Buy,              # 買賣別
    price_type=sj.constant.StockPriceType.LMT,  # 委託價格類別
    order_type=sj.constant.OrderType.ROD,       # 委託條件
    account=api.stock_account                   # 下單帳號
)

# 下單
trade = api.place_order(contract, order)
trade
```

```
# 商品檔 - 請修改此處
contract = api.Contracts.Stocks.TSE["2890"]

# 證券委託單 - 請修改此處
order = api.Order(
    price=18,                                   # 價格
    quantity=1,                                 # 數量
    action=sj.constant.Action.Buy,              # 買賣別
    price_type=sj.constant.TFTStockPriceType.LMT,  # 委託價格類別
    order_type=sj.constant.TFTOrderType.ROD,    # 委託條件
    account=api.stock_account                   # 下單帳號
)

# 下單
trade = api.place_order(contract, order)
trade
```

Out

```
Response Code: 0 | Event Code: 0 | Info: host '218.32.76.102:80', IP 218.32.76.102:80 (host 1 of 1) (host connection attempt 1 of 1) (total connection attempt 1 of 1) | Event: Session up

Trade(
    contract=Stock(...),
    order=Order(...),
    status=OrderStatus(
        id='531e27af',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
        order_quantity=1,
        deals=[]
    )
)
```

- 收到此訊息， `Response Code: 0 | Event Code: 0 | Info: host '218.32.76.102:80' ...` ，代表您成功連結上測試伺服器。此訊息只有首次下單會顯示。若您未收到此訊息，請確認一下狀況均符合

a. 在 可測試時間 進行測試

b. 版本限制

c. `signed` 未在您的帳號中顯示

- 委託單狀態不應為 `Failed` ，若您的委託單狀態 `Failed` ，請正確的修改委託單然後再次執行 `place_order`
- 商品檔
- 證券委託下單

Copyright © 2025 SinoPac

期貨下單測試

期貨

verion>=1.0　　verion<1.0

```
# 商品檔 - 近月台指期貨, 請修改此處
contract = min(
    [
        x for x in api.Contracts.Futures.TXF
        if x.code[-2:] not in ["R1", "R2"]
    ],
    key=lambda x: x.delivery_date
)

# 期貨委託單 - 請修改此處
order = api.Order(
    action=sj.constant.Action.Buy,                  # 買賣別
    price=15000,                                    # 價格
    quantity=1,                                     # 數量
    price_type=sj.constant.FuturesPriceType.LMT,    # 委託價格類別
    order_type=sj.constant.OrderType.ROD,           # 委託條件
    octype=sj.constant.FuturesOCType.Auto,          # 倉別
    account=api.futopt_account                      # 下單帳號
)

# 下單
trade = api.place_order(contract, order)
```

```
# 商品檔 - 近月台指期貨, 請修改此處
contract = min(
    [
        x for x in api.Contracts.Futures.TXF
        if x.code[-2:] not in ["R1", "R2"]
    ],
    key=lambda x: x.delivery_date
)

# 期貨委託單 - 請修改此處
order = api.Order(
    action=sj.constant.Action.Buy,                  # 買賣別
    price=15000,                                    # 價格
    quantity=1,                                     # 數量
    price_type=sj.constant.FuturesPriceType.LMT,    # 委託價格類別
    order_type=sj.constant.FuturesOrderType.ROD,    # 委託條件
    octype=sj.constant.FuturesOCType.Auto,          # 倉別
    account=api.futopt_account                      # 下單帳號
)

# 下單
trade = api.place_order(contract, order)
```

Out

```
Response Code: 0 | Event Code: 0 | Info: host '218.32.76.102:80', IP 218.32.76.102:80 (host 1 of 1) (host connection attempt 1 of 1) (total connection attempt 1 of 1) | Event: Session up

Trade(
    contract=Stock(...),
    order=Order(...),
    status=OrderStatus(
        id='531e27af',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
        order_quantity=1,
        deals=[]
    )
)
```

- 收到此訊息， `Response Code: 0 | Event Code: 0 | Info: host '218.32.76.102:80' ...` ，代表您成功連結上測試伺服器。此訊息只有首次下單會顯示。若您未收到此訊息，請確認一下狀況均符合

a. 在 `可測試時間` 進行測試

b. 版本限制

c. `signed` 未在您的帳號中顯示

- 委託單狀態不應為 `Failed` ，若您的委託單狀態 `Failed` ，請正確的修改委託單然後再次執行 `place_order`
- 商品檔
- 期貨委託下單

Copyright © 2025 SinoPac

查詢是否通過API測試

Attention

在查詢前，請確認以下狀況均符合

- API下單簽署時間須早於API測試的時間，以利審核通過
- 在可測試時間進行測試
- 證券、期貨戶須各別測試
- 等待API測試審核(約5分鐘)

簽署狀態

version>=1.0　　version<1.0

```
import shioaji as sj

api = sj.Shioaji(simulation=False)  # Production Mode
accounts = api.login(
    api_key="YOUR_API_KEY",         # edit it
    secret_key="YOUR_SECRET_KEY"    # edit it
)
accounts

import shioaji as sj

api = sj.Shioaji(simulation=False)  # Production Mode
accounts = api.login(
    person_id="YOUR_PERSON_ID",     # edit it
    passwd="YOUR_PASSWORD",         # edit it
)
accounts
```

Out

```
Response Code: 0 | Event Code: 0 | Info: host '203.66.91.161:80', hostname '203.66.91.161:80' IP 203.66.91.161:80 (host 1 of 1) (host connection attempt 1 of 1) (total connection attempt 1 of 1)
| Event: Session up

[FutureAccount(person_id='QBCCAIGJBJ', broker_id='F002000', account_id='9100020', signed=True, username='PAPIUSER01'),
StockAccount(person_id='QBCCAIGJBJ', broker_id='9A95', account_id='0504350', username='PAPIUSER01')]
```

- `signed=True`：恭喜完成測試! Ex: FutureAccount.
- `signed=False` 或 `signed` 未顯示: 此帳號尚未通過API測試或尚未簽署API下單文件. Ex: StockAccount.

憑證

下單前必須**申請**並**啟用**憑證

Copyright © 2025 SinoPac

申請憑證

1. 至理財網下載 eleader

Copyright © 2025 SinoPac

2. 登入 eleader

Copyright © 2025 SinoPac

3. 從上方帳戶資料選取(3303)帳號資料設定

4. 點選"步驟說明"



Copyright © 2025 SinoPac

5. 憑證操作步驟說明



啟用憑證

- 若是使用測試帳號無需啟用憑證
- 如果您使用macOS，可能會遇到版本上的問題。我們建議您使用 docker 去運行shioaji。

```
result = api.activate_ca(
    ca_path="/c/your/ca/path/Sinopac.pfx",
    ca_passwd="YOUR_CA_PASSWORD",
    person_id="Person ID of this Ca",
)

print(result)
# True
```

憑證路徑

在 Windows 系統中，如果文件路徑使用 \ 來分隔文件，您需要將它替換為 /。

確認憑證效期

```
api.get_ca_expiretime("Person ID")
```


Copyright © 2025 SinoPac

4.1.4 測試專案範例

首先，我們延伸前面在環境建立章節使用 `uv` 建立的專案 `sj-trading` 來新增測試流程的部分。

這部分完整專案的程式碼可以參考 sj-trading https://github.com/Sinotrade/sj-trading-demo。

可以使用 `git` 將整個環境複製到本地就可以直接使用

下載專案

```
git clone https://github.com/Sinotrade/sj-trading-demo.git
cd sj-trading-demo
```

下面我們將一步一步的介紹如何新增測試流程。

SHIOAJI 版本

獲取 Shioaji 版本資訊

新增版本資訊

在 `src/sj_trading/__init__.py` 新增

```
def show_version() -> str:
    print(f"Shioaji Version: {sj.__version__}")
    return sj.__version__
```

新增版本指令到專案

在 `pyproject.toml` 新增 `version` 的指令

```
[project.scripts]
version = "sj_trading:show_version"
```

執行 `uv run version` 就可以看到 Shioaji 的版本資訊

```
Shioaji Version: 1.2.0
```


Copyright © 2025 SinoPac

現貨下單測試

新增下單測試檔案

在 `src/sj_trading` 新增檔案 `testing_flow.py`

新增以下內容

```
import shioaji as sj
from shioaji.constant import Action, StockPriceType, OrderType
import os

def testing_stock_ordering():
    # 測試環境登入
    api = sj.Shioaji(simulation=True)
    accounts = api.login(
        api_key=os.environ["API_KEY"],
        secret_key=os.environ["SECRET_KEY"],
    )
    # 顯示所有可用的帳戶
    print(f"Available accounts: {accounts}")
    api.activate_ca(
        ca_path=os.environ["CA_CERT_PATH"],
        ca_passwd=os.environ["CA_PASSWORD"],
    )

    # 準備下單的 Contract
    # 使用 2890 永豐金為例
    contract = api.Contracts.Stocks["2890"]
    print(f"Contract: {contract}")

    # 建立委託下單的 Order
    order = sj.order.StockOrder(
        action=Action.Buy, # 買進
        price=contract.reference, # 以平盤價買進
        quantity=1, # 下單數量
        price_type=StockPriceType.LMT, # 限價單
        order_type=OrderType.ROD, # 當日有效單
        account=api.stock_account, # 使用預設的帳戶
    )
    print(f"Order: {order}")

    # 送出委託單
    trade = api.place_order(contract=contract, order=order)
    print(f"Trade: {trade}")

    # 更新狀態
    api.update_status()
    print(f"Status: {trade.status}")
```

新增測試下單指令到專案

在 `pyproject.toml` 新增 `stock_testing` 的指令

```
[project.scripts]
stock_testing = "sj_trading.testing_flow:testing_stock_ordering"
```

執行 `uv run stock_testing` 就開始進行測試下單了

Copyright © 2025 SinoPac

期貨下單測試

新增期貨下單測試

在 `src/sj_trading/testing_flow.py` 新增以下內容

```
from shioaji.constant import (
    FuturesPriceType,
    FuturesOCType,
)

def testing_futures_ordering():
    # 測試環境登入
    api = sj.Shioaji(simulation=True)
    accounts = api.login(
        api_key=os.environ["API_KEY"],
        secret_key=os.environ["SECRET_KEY"],
    )
    # 顯示所有可用的帳戶
    print(f"Available accounts: {accounts}")
    api.activate_ca(
        ca_path=os.environ["CA_CERT_PATH"],
        ca_passwd=os.environ["CA_PASSWORD"],
    )

    # 取得合約 使用台指期近月為例
    contract = api.Contracts.Futures["TXFR1"]
    print(f"Contract: {contract}")

    # 建立期貨委託下單的 Order
    order = sj.order.FuturesOrder(
        action=Action.Buy,  # 買進
        price=contract.reference,  # 以平盤價買進
        quantity=1,  # 下單數量
        price_type=FuturesPriceType.LMT,  # 限價單
        order_type=OrderType.ROD,  # 當日有效單
        octype=FuturesOCType.Auto,  # 自動選擇新平倉
        account=api.futopt_account,  # 使用預設的帳戶
    )
    print(f"Order: {order}")

    # 送出委託單
    trade = api.place_order(contract=contract, order=order)
    print(f"Trade: {trade}")

    # 更新狀態
    api.update_status()
    print(f"Status: {trade.status}")
```

新增期貨下單指令到專案

在 `pyproject.toml` 新增 `futures_testing` 的指令

```
[project.scripts]
futures_testing = "sj_trading.testing_flow:testing_futures_ordering"
```

執行 `uv run futures_testing` 就開始進行測試下單了

Copyright © 2025 SinoPac

4.2 登入

登入必須擁有永豐金帳戶。若你還沒有擁永豐金帳戶，可詳見開戶。

4.2.1 登入

Token login

在1.0版本之後，我們將使用Token作為我們的登入方式，申請KEY可參見文件。當版本小於1.0，我們使用帳號密碼作為我們登入的方法。

In

version>=1.0 version<1.0

```python
import shioaji as sj
api = sj.Shioaji()
api.login(
    api_key="YOUR_API_KEY",
    secret_key="YOUR_SECRET_KEY"
)
```

```python
import shioaji as sj
api = sj.Shioaji()
api.login(
    person_id="YOUR_PERSON_ID",
    passwd="YOUR_PASSWORD",
)
```

Out

```
[FutureAccount(person_id='', broker_id='', account_id='', signed=True, username=''),
StockAccount(person_id='', broker_id='', account_id='', signed=True, username='')]
```

- If you cannot find `signed` in your accounts, please sign the document first.
- 如果在帳號清單中找不到 `signed`，請至服務條款了解使用API服務所需要步驟。

Login Arguments

version>=1.0 version<1.0

```
api_key (str): API金鑰
secret_key (str): 密鑰
fetch_contract (bool): 是否從快取中讀取商品檔或從伺服器下載商品檔 (預設值: True)
contracts_timeout (int): 獲取商品檔 timeout (預設值: 0 ms)
contracts_cb (typing.Callable): 獲取商品檔 callback (預設值: None)
subscribe_trade (bool): 是否訂閱委託/成交回報 (預設值: True)
receive_window (int): 登入動作有效執行時間 (預設值: 30,000 毫秒)

person_id (str): 身分證字號
passwd (str): 密碼
hashed (bool): 密碼是否已經被hashed (預設值: False)
fetch_contract (bool): 是否從快取中讀取商品檔或從伺服器下載商品檔 (預設值: True)
contracts_timeout (int): 獲取商品檔 timeout (預設值: 0 ms)
contracts_cb (typing.Callable): 獲取商品檔 callback (預設值: None)
subscribe_trade (bool): 是否訂閱委託/成交回報 (預設值: True)
```

注意

當版本大於1.0時，可能在登入時收到**Sign data is timeout**，這表示登入超過有效執行時間。可能是您的電腦時間與伺服器時間相差過大，需校準電腦的時間。或者登入執行時間超過有效時間，可將 `receive_window` 調高。

Copyright © 2025 SinoPac

獲取商品檔Callback

In

version>=1.0 version<1.0

```
import shioaji as sj
api = sj.Shioaji()
api.login(
    api_key="YOUR_API_KEY",
    secret_key="YOUR_SECRET_KEY",
    contracts_cb=lambda security_type: print(f"{repr(security_type)} fetch done.")
)

import shioaji as sj
api = sj.Shioaji()
api.login(
    person_id="YOUR_PERSON_ID",
    passwd="YOUR_PASSWORD",
    contracts_cb=lambda security_type: print(f"{repr(security_type)} fetch done.")
)
```

Out

```
[
    FutureAccount(person_id='', broker_id='', account_id='', signed=True, username=''),
    StockAccount(person_id='', broker_id='', account_id='', signed=True, username='')
]
<SecurityType.Index: 'IND'> fetch done.
<SecurityType.Future: 'FUT'> fetch done.
<SecurityType.Option: 'OPT'> fetch done.
<SecurityType.Stock: 'STK'> fetch done.
```

訂閱委託/成交回報

我們提供2個方式讓您可以調整訂閱委託/成交回報。首先是於 `login` 的參數 `subscribe_trade`，預設值為 `True`，會自動為您訂閱所有帳號的委託/成交回報。

In

version>=1.0 version<1.0

```
import shioaji as sj
api = sj.Shioaji()
api.login(
    api_key="YOUR_API_KEY",
    secret_key="YOUR_SECRET_KEY",
    subscribe_trade=True
)

import shioaji as sj
api = sj.Shioaji()
api.login(
    person_id="YOUR_PERSON_ID",
    passwd="YOUR_PASSWORD",
    subscribe_trade=True
)
```

另一個方式是，對特定帳號使用API `subscribe_trade` 及 `unsubscribe_trade`，即可訂閱或取消訂閱訂閱委託/成交回報。

subscribe trade

```
api.subscribe_trade(account)
```

unsubscribe trade

```
api.unsubscribe_trade(account)
```


Copyright © 2025 SinoPac

4.2.2 帳號

帳號列表

In:

```
accounts = api.list_accounts()
accounts
```

Out

```
# print(accounts)
[
    FutureAccount(person_id='PERSON_ID_1', broker_id='BROKER_ID_1', account_id='ACCOUNT_ID_1', signed=True, username='USERNAME_1'),
    FutureAccount(person_id='PERSON_ID_2', broker_id='BROKER_ID_2', account_id='ACCOUNT_ID_2', username='USERNAME_2'),
    StockAccount(person_id='PERSON_ID_3', broker_id='BROKER_ID_3', account_id='ACCOUNT_ID_3', username='USERNAME_3'),
    StockAccount(person_id='PERSON_ID_4', broker_id='BROKER_ID_4', account_id='ACCOUNT_ID_4', signed=True, username='USERNAME_4')
]
```

- 若 `signed` 在帳號列表中未出現，如同 ACCOUNT_ID_2 及 ACCOUNT_ID_3 ，代表該帳號尚未簽署或者尚未完成在測試模式中的測試報告。可參見服務條款。

預設帳號

In

```
# 期貨預設帳號
print(api.futopt_account)
```

Out

```
FutureAccount(person_id='PERSON_ID_1', broker_id='BROKER_ID_1', account_id='ACCOUNT_ID_1', signed=True, username='USERNAME_1')
```

設定預設帳號

In

```
# 預設的期貨帳號從 ACCOUNT_ID_1轉換成 ACCOUNT_ID_2
api.set_default_account(accounts[1])
print(api.futopt_account)
```

Out

```
FutureAccount(person_id='PERSON_ID_2', broker_id='BROKER_ID_2', account_id='ACCOUNT_ID_2', username='USERNAME_2')
```

下單Order物件中需要指定帳號。更多資訊請參考現貨和期權下單。

```
order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Buy,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.Common,
    account=api.stock_account
)
```


Copyright © 2025 SinoPac

4.2.3 登出

登出功能將關閉客戶端及服務端之間的連接。為了提供優質的服務，我們從2021/08/06開始將限制連線數。在不使用的時候終止程式是一個良好的習慣。

```
api.logout()
# True
```


Copyright © 2025 SinoPac

4.3 商品檔

商品檔將在很多地方被使用，例如下單、訂閱行情...等。

取得商品檔

下方提供兩種方法取得商品檔:

- 方法1: 登入成功後，將開始下載商品檔。但這個下載過程將不會影響其他的操作。若您想了解是否下載完成，可利用`Contracts.status`去得到下載狀態。`contracts_timeout`設定為10000，它將等待10秒下載商品檔。

version>=1.0 **version<1.0**

```python
import shioaji as sj
api = sj.Shioaji()
api.login(
    api_key="YOUR_API_KEY",
    secret_key="YOUR_SECRET_KEY",
    contracts_timeout=10000,
)

import shioaji as sj
api = sj.Shioaji()
api.login(
    person_id="YOUR_PERSON_ID",
    passwd="YOUR_PASSWORD",
    contracts_timeout=10000,
)
```

- 方法2: 若不想在登入時下載商品檔，將`fetch_contract`設定為`False`。利用`fetch_contracts`下載商品檔

version>=1.0 **version<1.0**

```python
import shioaji as sj
api = sj.Shioaji()
api.login(
    api_key="YOUR_API_KEY",
    secret_key="YOUR_SECRET_KEY",
    fetch_contract=False,
)
api.fetch_contracts(contract_download=True)

import shioaji as sj
api = sj.Shioaji()
api.login(
    person_id="YOUR_PERSON_ID",
    passwd="YOUR_PASSWORD",
    fetch_contract=False,
)
api.fetch_contracts(contract_download=True)
```

商品檔資訊

目前我們所提供的商品包含:證券、期貨、選擇權以及指數。可從下列方法更詳細得到我們所提供的商品。

```python
api.Contracts
```


Copyright © 2025 SinoPac

Out

```
Contracts(Indexs=(OTC, TSE), Stocks=(OES, OTC, TSE), Futures=(BRF, CAF, CBF, CCF, CDF, CEF, CFF, CGF, CHF, CJF, CK1, CKF, CLF, CM1, CMF, CNF, CQF, CRF, CSF, CU1, CUF, CWF, CXF, CYF, CZ1, CZF,
DCF, DD1, DDF, DEF, DFF, DGF, DHF, DIF, DJF, DKF, DLF, DNF, DOF, DPF, DQF, DSF, DUF, DVF, DWF, DXF, DYF, DZF, EEF, EGF, EHF, EMF, EPF, ERF, EXF, EY1, EYF, FEF, FFF, FGF, FKF, FQF, FRF, FTF, FVF,
FWF, FXF, FYF, FZF, G2F, GAF, GCF, GDF, GHF, GIF, GJF, GLF, GMF, GNF, GOF, GRF, GTF, GUF, GWF, GXF, GZF, HAF, HBF, HCF, HHF, HIF, HLF, HOF, HS1, HSF, HY1, HYF, IA1, IAF, IHF, IIF, IJF, IMF, IOF,
IPF, IQF, IRF, ITF, IXF, IYF, IZF, JBF, JFF, JNF, JPF, JSF, JWF, JZF, KAF, KB1, KBF, KCF, KDF, KFF, KGF, KIF, KKF, KLF, KOF, KPF, KSF, KWF, LBF, LCF, LE1, LEF, LIF, LMF, LOF, LQF, LRF, LTF, LUF,
LVF, LWF, LXF, LYF, MAF, MBF, MCF, MJF, MKF, MPF, MQF, MVF, MX1, MXF, MYF, NAF, NBF, NCF, NDF, NEF, NGF, NHF, NIF, NJF, NLF, NMF, NNF, NOF, NQF, NSF, NUF, NVF, NWF, NXF, NYF, NZF, OAF, OBF, OCF,
ODF, OEF, OGF, OHF, OJF, OKF, OLF, OMF, OOF, OPF, OQF, ORF, OS1, OSF, OTF, OUF, OVF, OWF, OXF, OYF, OZF, PAF, PBF, PCF, PDF, PEF, PFF, PGF, PHF, PIF, PJF, PKF, PLF, PMF, PNF, POF, PPF, PQF, RHF,
RTF, SPF, T5F, TGF, TJF, TXF, UDF, UNF, XAF, XBF, XEF, XIF, XJF), Options=(CAO, CBO, CCO, CDO, CEO, CFO, CGO, CHO, CJO, CKO, CLO, CMO, CNO, CQO, CRO, CSO, CXO, CZO, DCO, DEO, DFO, DGO, DHO, DJO,
DKO, DLO, DNO, DOO, DPO, DQO, DSO, DUO, DVO, DWO, DXO, GIO, GXO, HCO, IJO, LOO, NYA, NYO, NZO, OAO, OBO, OCO, OJO, OKO, OOO, OZO, RHO, RTO, TEO, TFO, TGO, TX1, TXO))
```

證券

In

```
api.Contracts.Stocks["2890"]
# or api.Contracts.Stocks.TSE.TSE2890
```

Out

```
Stock(
    exchange=<Exchange.TSE: 'TSE'>,
    code='2890',
    symbol='TSE2890',
    name='永豐金',
    category='17',
    unit=1000,
    limit_up=19.1,
    limit_down=15.7,
    reference=17.4,
    update_date='2023/01/17',
    day_trade=<DayTrade.Yes: 'Yes'>
)
```

Stock

```
exchange (Exchange): 交易所 {OES, OTC, TSE ...等}
code (str): 商品代碼
symbol (str): 符號
name (str): 商品名稱
category (str): 類別
unit (int): 單位
limit_up (float): 漲停價
limit_down (float): 跌停價
reference (float): 參考價
update_date (str): 更新日期
margin_trading_balance (int): 融資餘額
short_selling_balance (int): 融券餘額
day_trade (DayTrade): 可否當沖 {Yes, No, OnlyBuy}
```

期貨

In

```
api.Contracts.Futures["TXFA3"]
# or api.Contracts.Futures.TXF.TXF202301
```


Copyright © 2025 SinoPac

Out

```
Future(
    code='TXFA3',
    symbol='TXF202301',
    name='臺股期貨01',
    category='TXF',
    delivery_month='202301',
    delivery_date='2023/01/30',
    underlying_kind='I',
    unit=1,
    limit_up=16417.0,
    limit_down=13433.0,
    reference=14925.0,
    update_date='2023/01/18'
)
```

Future

```
code (str): 商品代碼
symbol (str): 符號
name (str): 商品名稱
category (str): 類別
delivery_month (str): 交割月份
delivery_date (str): 結算日
underlying_kind (str): 標的類型
unit (int): 單位
limit_up (float): 漲停價
limit_down (float): 跌停價
reference (float): 參考價
update_date (str): 更新時間
```

選擇權

In

```
api.Contracts.Options["TXO18000R3"]
# or api.Contracts.Options.TXO.TXO20230618000P
```

Out

```
Option(
    code='TXO18000R3',
    symbol='TXO20230618000P',
    name='臺指選擇權06月 18000P',
    category='TXO',
    delivery_month='202306',
    delivery_date='2023/06/21',
    strike_price=18000,
    option_right=<OptionRight.Put: 'P'>,
    underlying_kind='I',
    unit=1,
    limit_up=4720.0,
    limit_down=1740.0,
    reference=3230.0,
    update_date='2023/01/18'
)
```

Option

```
code (str): 商品代碼
symbol (str): 符號
name (str): 商品名稱
category (str): 類型
delivery_month (str): 交割月份
delivery_date (str): 交割日期
strike_price (int or float): 履約價
option_right (OptionRight): 買賣權別
underlying_kind (str): 標的類型
limit_up (float): 漲停價
limit_down (float): 跌停價
reference (float): 參考價
update_date (str): 更新時間
```


Copyright © 2025 SinoPac

指數

`Indexs` 物件顯示所有可以支援的指數商品，其他類別亦然。指數類的商品不支援下單，但允許訂閱行情。

In

```
api.Contracts.Indexs.TSE
```

Out

```
TSE(TSE001, TSE015, TSE016, TSE017, TSE018, TSE019, TSE020, TSE022, TSE023, TSE024, TSE025, TSE026, TSE028, TSE029, TSE030, TSE031, TSE032, TSE033, TSE035, TSE036, TSE037, TSE038, TSE039, TSE040,
TSE041, TSE042, TSE043, TSE004, TSE005)
```

In

```
api.Contracts.Indexs.TSE["001"]
# or api.Contracts.Indexs.TSE.TSE001
```

Out

```
Index(
    exchange=<Exchange.TSE: 'TSE'>,
    code='001',
    symbol='TSE001',
    name='加權指數'
)
```

Index

```
exchange (Exchange): 交易所{OES, OTC, TSE ...等}
code (str): 商品代碼
symbol (str): 符號
name (str): 商品名稱
```


Copyright © 2025 SinoPac

4.4 行情資料

4.4.1 即時行情

證券

利用訂閱商品檔的方式去取得即時行情。

Subscribe

```
>> api.quote.subscribe?

Signature:
    api.quote.subscribe(
        contract:shioaji.contracts.Contract,
        quote_type:shioaji.constant.QuoteType=<QuoteType.Tick: 'tick'>,
        intraday_odd:bool=False,
        version: shioaji.constant.QuoteVersion=<QuoteVersion.v0: 'v0'>,
    )
```

Quote Parameters:

```
quote_type: 訂閱類型 {'tick', 'bidask'}
intraday_odd: 盤中零股 {True, False}
version: 行情版本 {'v1', 'v0'}
```

TICK

整股

In

```
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.Tick,
    version = sj.constant.QuoteVersion.v1
)
```


Copyright © 2025 SinoPac

Out

QuoteVersion.v1 QuoteVersion.v0

```
Response Code: 200 | Event Code: 16 | Info: TIC/v1/STK/*/TSE/2330 | Event: Subscribe or Unsubscribe ok

Exchange.TSE
Tick(
    code = '2330',
    datetime = datetime.datetime(2021, 7, 2, 13, 16, 35, 92970),
    open = Decimal('590'),
    avg_price = Decimal('589.05'),
    close = Decimal('590'),
    high = Decimal('593'),
    low = Decimal('587'),
    amount = Decimal('590000'),
    total_amount = Decimal('8540101000'),
    volume = 1,
    total_volume = 14498,
    tick_type = 1,
    chg_type = 4,
    price_chg = Decimal('-3'),
    pct_chg = Decimal('-0.505902'),
    bid_side_total_vol= 6638,
    ask_side_total_vol = 7860,
    bid_side_total_cnt = 2694,
    ask_side_total_cnt = 2705,
    closing_oddlot_shares = 0,
    fixed_trade_vol = 0,
    suspend = 0,
    simtrade = 0,
    intraday_odd = 0
)

Response Code: 200 | Event Code: 16 | Info: MKT/*/TSE/2330 | Event: Subscribe or Unsubscribe ok

MKT/idcdmzpcr01/TSE/2330
{
    'AmountSum': [1688787000.0],
    'Close': [593.0],
    'Date': '2021/07/01',
    'TickType': [2],
    'Time': '09:10:20.628620',
    'VolSum': [2837],
    'Volume': [1]
}
```

盤中零股

In

```
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.Tick,
    version = sj.constant.QuoteVersion.v1,
    intraday_odd = True
)
```


Copyright © 2025 SinoPac

Out

QuoteVersion.v1 **QuoteVersion.v0**

```
Response Code: 200 | Event Code: 16 | Info: TIC/v1/ODD/*/TSE/2330 | Event: Subscribe or Unsubscribe ok

Exchange.TSE
Tick(
    code = '2330',
    datetime = datetime.datetime(2021, 7, 2, 13, 16, 55, 544646),
    open = Decimal('591'),
    avg_price = Decimal('590.24415'),
    close = Decimal('590'),
    high = Decimal('591'),
    low = Decimal('589'),
    amount = Decimal('276120'),
    total_amount = Decimal('204995925'),
    volume = 468,
    total_volume = 347307,
    tick_type = 1,
    chg_type = 4,
    price_chg = Decimal('-3'),
    pct_chg = Decimal('-0.505902'),
    bid_side_total_vol= 68209,
    ask_side_total_vol = 279566,
    bid_side_total_cnt = 28,
    ask_side_total_cnt = 56,
    closing_oddlot_shares = 0,
    fixed_trade_vol = 0,
    suspend = 0,
    simtrade = 1,
    intraday_odd = 1
)

Response Code: 200 | Event Code: 16 | Info: TIC/v2/*/TSE/2330/ODDLOT | Event: Subscribe or Unsubscribe ok

TIC/v2/replay/TSE/2330/ODDLOT
{
    'Date': '2021/07/01',
    'Time': '09:23:36.880878',
    'Close': '593',
    'TickType': 1,
    'Shares': 1860,
    'SharesSum': 33152,
    'Simtrade': 1
}
```

屬性

Tick

QuoteVersion.v1 **QuoteVersion.v0**

```
code (str): 商品代碼
datetime (datetime): 時間
open (decimal): 開盤價
avg_price (decimal): 均價
close (decimal): 成交價
high (decimal): 最高價(自開盤)
low (decimal): 最低價(自開盤)
amount (decimal): 成交額 (NTD)
total_amount (decimal): 總成交額 (NTD)
volume (int): 成交量 (整股:張, 盤中零股: 股)
total_volume (int): 總成交量 (整股:張, 盤中零股: 股)
tick_type (int): 內外盤別{1: 外盤, 2: 內盤, 0: 無法判定}
chg_type (int): 漲跌註記{1: 漲停, 2: 漲, 3: 平盤, 4: 跌, 5: 跌停}
price_chg (decimal): 漲跌
pct_chg (decimal):  漲跌幅
bid_side_total_vol (int): 買盤成交總量 (整股:張, 盤中零股: 股)
ask_side_total_vol (int): 賣盤成交總量 (整股:張, 盤中零股: 股)
bid_side_total_cnt (int): 買盤成交筆數
ask_side_total_cnt (int): 賣盤成交筆數
closing_oddlot_shares (int): 盤後零股成交股數(股)
fixed_trade_vol (int): 定盤成交量 (整股:張, 盤中零股: 股)
suspend (bool): 暫停交易
simtrade (bool): 試撮
intraday_odd (int): 盤中零股 {0: 整股, 1:盤中零股}

AmountSum (:List:float): 總成交額
Close (:List:float): 成交價
Date (str): 日期 (yyyy/MM/dd)
TickType (:List:int): 內外盤別{1: 外盤, 2: 內盤, 0: 無法判定}
Time (str): 時間 (HH:mm:ss.ffffff)
VolSum (:List:int): 總成交量 (張)
Volume (:List:int): 成交量 (張)
```


Copyright © 2025 SinoPac

BIDASK

整股

```
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.BidAsk,
    version = sj.constant.QuoteVersion.v1
)
```

Out

QuoteVersion.v1 **QuoteVersion.v0**

```
Response Code: 200 | Event Code: 16 | Info: QUO/v1/STK/*/TSE/2330 | Event: Subscribe or Unsubscribe ok

Exchange.TSE
BidAsk(
    code = '2330',
    datetime = datetime.datetime(2021, 7, 1, 9, 9, 54, 36828),
    bid_price = [Decimal('593'), Decimal('592'), Decimal('591'), Decimal('590'), Decimal('589')],
    bid_volume = [248, 180, 258, 267, 163],
    diff_bid_vol = [3, 0, 0, 0, 0],
    ask_price = [Decimal('594'), Decimal('595'), Decimal('596'), Decimal('597'), Decimal('598')],
    ask_volume = [1457, 531, 506, 90, 259],
    diff_ask_vol = [0, 0, 0, 0, 0],
    suspend = 0,
    simtrade = 0,
    intraday_odd = 0
)

Response Code: 200 | Event Code: 16 | Info: QUT/*/TSE/2330 | Event: Subscribe or Unsubscribe ok

QUT/idcdmzpcr01/TSE/2330
{
    'AskPrice': [594.0, 595.0, 596.0, 597.0, 598.0],
    'AskVolume': [1465, 532, 507, 92, 258],
    'BidPrice': [593.0, 592.0, 591.0, 590.0, 589.0],
    'BidVolume': [254, 178, 255, 268, 163],
    'Date': '2021/07/01',
    'Time': '09:09:48.447219'
}
```

盤中零股

```
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.BidAsk,
    version = sj.constant.QuoteVersion.v1
    intraday_odd=True
)
```


Copyright © 2025 SinoPac

Out

QuoteVersion.v1 **QuoteVersion.v0**

```
Response Code: 200 | Event Code: 16 | Info: QUO/v1/ODD/*/TSE/2330 | Event: Subscribe or Unsubscribe ok

Exchange.TSE
BidAsk(
    code = '2330',
    datetime = datetime.datetime(2021, 7, 2, 13, 17, 45, 743299),
    bid_price = [Decimal('589'), Decimal('588'), Decimal('587'), Decimal('586'), Decimal('585')],
    bid_volume = [59391, 224490, 74082, 68570, 125246],
    diff_bid_vol = [49874, 101808, 23863, 38712, 77704],
    ask_price = [Decimal('590'), Decimal('591'), Decimal('592'), Decimal('593'), Decimal('594')],
    ask_volume = [26355, 9680, 18087, 11773, 3568],
    diff_ask_vol = [13251, -14347, 39249, -20397, -10591],
    suspend = 0,
    simtrade = 1,
    intraday_odd = 1
)

Response Code: 200 | Event Code: 16 | Info: QUO/v2/*/TSE/2330/ODDLOT | Event: Subscribe or Unsubscribe ok

QUO/v2/replay/TSE/2330/ODDLOT
{
    'Date': '2021/07/01',
    'Time': '09:43:47.143789',
    'BidPrice': ['592', '591', '590', '589', '588'],
    'AskPrice': ['593', '594', '595', '596', '597'],
    'BidShares': [16979, 12009, 45045, 5501, 12956],
    'AskShares': [17276, 14823, 26518, 23388, 10527],
    'Simtrade': 1
}
```

屬性

BidAsk

QuoteVersion.v1 **QuoteVersion.v0**

```
code (str): 商品代碼
datetime (datetime): 時間
bid_price (:List:decimal): 委買價
bid_volume (:List:int): 委買量 (張)
diff_bid_vol (:List:int): 買價增減量 (張)
ask_price (:List:decimal): 委賣價
ask_volume (:List:int): 委賣量
diff_ask_vol (:List:int): 賣價增減量 (張)
suspend (bool): 暫停交易
simtrade (bool): 試撮

AskPrice (:List:float): 委賣價
AskVolume (:List:int): 委賣量
BidPrice (:List:float): 委買價
BidVolume (:List:int): 委買量
Date (datetime.date): 日期 (yyyy/MM/dd)
Time (time): 時間 (HH:mm:ss.ffffff)
```

QUOTE

整股

In

```
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.Quote,
    version = sj.constant.QuoteVersion.v1
)
```


Copyright © 2025 SinoPac

Out

```
Response Code: 200 | Event Code: 16 | Info: QUO/v2/STK/*/TSE/2330 | Event: Subscribe or Unsubscribe ok

Exchange.TSE,
Quote(
    code='2330',
    datetime=datetime.datetime(2022, 7, 1, 10, 43, 15, 430329),
    open=Decimal('471.5'),
    avg_price=Decimal('467.91'),
    close=Decimal('461'),
    high=Decimal('474'),
    low=Decimal('461'),
    amount=Decimal('461000'),
    total_amount=Decimal('11834476000'),
    volume=1,
    total_volume=25292,
    tick_type=2,
    chg_type=4,
    price_chg=Decimal('-15'),
    pct_chg=Decimal('-3.15'),
    bid_side_total_vol=9350,
    ask_side_total_vol=15942,
    bid_side_total_cnt=2730,
    ask_side_total_cnt=2847,
    closing_oddlot_shares=0,
    closing_oddlot_close=Decimal('0.0'),
    closing_oddlot_amount=Decimal('0'),
    closing_oddlot_bid_price=Decimal('0.0'),
    closing_oddlot_ask_price=Decimal('0.0'),
    fixed_trade_vol=0,
    fixed_trade_amount=Decimal('0'),
    bid_price=[Decimal('461'), Decimal('460.5'), Decimal('460'), Decimal('459.5'), Decimal('459')],
    bid_volume=[220, 140, 994, 63, 132],
    diff_bid_vol=[-1, 0, 0, 0, 0],
    ask_price=[Decimal('461.5'), Decimal('462'), Decimal('462.5'), Decimal('463'), Decimal('463.5')],
    ask_volume=[115, 101, 103, 147, 91],
    diff_ask_vol=[0, 0, 0, 0, 0],
    avail_borrowing=9579699,
    suspend=0,
    simtrade=0
)
```

屬性

Quote

```
code (str): 商品代碼
datetime (datetime): 時間
open (decimal): 開盤價
avg_price (decimal): 均價
close (decimal): 成交價
high (decimal): 最高價(自開盤)
low (decimal): 最低價(自開盤)
amount (decimal): 成交額 (NTD)
total_amount (decimal): 總成交額 (NTD)
volume (int): 成交量
total_volume (int): 總成交量
tick_type (int): 內外盤別
chg_type (int): 漲跌註記
price_chg (decimal): 漲跌價
pct_chg (decimal): 漲跌率
bid_side_total_vol (int): 買盤成交總量 (張)
ask_side_total_vol (int): 賣盤成交總量 (張)
bid_side_total_cnt (int): 買盤成交筆數
ask_side_total_cnt (int): 賣盤成交筆數
closing_oddlot_shares (int): 盤後零股成交股數
closing_oddlot_close (decimal): 盤後零股成交價
closing_oddlot_amount (decimal): 盤後零股成交額
closing_oddlot_bid_price (decimal): 盤後零股買價
closing_oddlot_ask_price (decimal): 盤後零股賣價
fixed_trade_vol (int): 定盤成交量 (張)
fixed_trade_amount (decimal): 定盤成交額
bid_price (:List:decimal): 買價
bid_volume (:List:int) 買量
diff_bid_vol (:List:int) 買價增減量
ask_price (:List:decimal): 賣價
ask_volume (:List:int) 賣量
diff_ask_vol (:List:int) 賣價增減量
avail_borrowing (int): 借券可用餘額
suspend (bool): 暫停交易
simtrade (bool): 試撮
```

CALLBACK

預設狀況下我們將即時行情使用 `print` 的方式呈現。可根據個人需求修改函數。請避免在函數內進行運算。

Copyright © 2025 SinoPac

Tick

decorator方式

QuoteVersion.v1 QuoteVersion.v0

```python
from shioaji import TickSTKv1, Exchange

@api.on_tick_stk_v1()
def quote_callback(exchange: Exchange, tick:TickSTKv1):
    print(f"Exchange: {exchange}, Tick: {tick}")

@api.quote.on_quote
def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")
```

傳統方式

QuoteVersion.v1 QuoteVersion.v0

```python
from shioaji import TickSTKv1, Exchange

def quote_callback(exchange: Exchange, tick:TickSTKv1):
    print(f"Exchange: {exchange}, Tick: {tick}")

api.quote.set_on_tick_stk_v1_callback(quote_callback)

def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")

api.quote.set_quote_callback(quote_callback)
```

Out

QuoteVersion.v1 QuoteVersion.v0

```
Exchange: Exchange.TSE, Tick: Tick(code='2330', datetime=datetime.datetime(2021, 7, 2, 13, 16, 35, 92970), open=Decimal('590'), avg_price=Decimal('589.05'), close=Decimal('590'),
high=Decimal('593'), low=Decimal('587'), amount=Decimal('590000'), total_amount=Decimal('8540101000'), volume=1, total_volume=14498, tick_type=1, chg_type=4, price_chg=Decimal('-3'),
pct_chg=Decimal('-0.505902'), trade_bid_volume=6638, ask_side_total_vol=7860, bid_side_total_cnt=2694, ask_side_total_cnt=2705, closing_oddlot_shares=0, fixed_trade_vol=0, suspend=0, simtrade=0,
intraday_odd=0)

Topic: MKT/*/TSE/2330, Quote: {'AmountSum': [4739351000.0], 'Close': [596.0], 'Date': '2021/03/30', 'TickType': [2], 'Time': '10:01:33.349431', 'VolSum': [7932], 'Volume': [1]}
```

BidAsk

decorator方式

QuoteVersion.v1 QuoteVersion.v0

```python
from shioaji import BidAskSTKv1, Exchange

@api.on_bidask_stk_v1()
def quote_callback(exchange: Exchange, bidask:BidAskSTKv1):
    print(f"Exchange: {exchange}, BidAsk: {bidask}")

@api.quote.on_quote
def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")
```


Copyright © 2025 SinoPac

傳統方式

QuoteVersion.v1 QuoteVersion.v0

```
from shioaji import BidAskSTKv1, Exchange

def quote_callback(exchange: Exchange, bidask:BidAskSTKv1):
    print(f"Exchange: {exchange}, BidAsk: {bidask}")

api.quote.set_on_bidask_stk_v1_callback(quote_callback)

def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")

api.quote.set_quote_callback(quote_callback)
```

Out

QuoteVersion.v1 QuoteVersion.v0

```
Exchange: Exchange.TSE, BidAsk: BidAsk(code='2330', datetime=datetime.datetime(2021, 7, 2, 13, 17, 29, 726428), bid_price=[Decimal('589'), Decimal('588'), Decimal('587'), Decimal('586'),
Decimal('585')], bid_volume=[223, 761, 1003, 809, 1274], diff_bid_vol=[0, 0, 0, 0, 0], ask_price=[Decimal('590'), Decimal('591'), Decimal('592'), Decimal('593'), Decimal('594')], ask_volume=[304,
232, 183, 242, 131], diff_ask_vol=[1, 0, 0, 0, 0], suspend=0, simtrade=0, intraday_odd=0)

Topic: QUT/idcdmzpcr01/TSE/2330, Quote: {'AskPrice': [590.0, 591.0, 592.0, 593.0, 594.0], 'AskVolume': [303, 232, 183, 242, 131], 'BidPrice': [589.0, 588.0, 587.0, 586.0, 585.0], 'BidVolume':
[224, 762, 1003, 809, 1274], 'Date': '2021/07/02', 'Time': '13:17:26.391840'}
```

Quote

decorator方式

```
from shioaji import QuoteSTKv1, Exchange

@api.on_quote_stk_v1()
def quote_callback(exchange: Exchange, quote:QuoteSTKv1):
    print(f"Exchange: {exchange}, Quote: {quote}")
```

傳統方式

```
from shioaji import QuoteSTKv1, Exchange

def quote_callback(exchange: Exchange, quote:QuoteSTKv1):
    print(f"Exchange: {exchange}, Quote: {quote}")

api.quote.set_on_quote_stk_v1_callback(quote_callback)
```

Out

```
Exchange: TSE, Quote: Quote(code='2330', datetime=datetime.datetime(2022, 7, 1, 10, 43, 15, 430329), open=Decimal('471.5'), avg_price=Decimal('467.91'), close=Decimal('461'), high=Decimal('474'),
low=Decimal('461'), amount=Decimal('461000'), total_amount=Decimal('11834476000'), volume=1, total_volume=25292, tick_type=2, chg_type=4, price_chg=Decimal('-15'), pct_chg=Decimal('-3.15'),
bid_side_total_vol=9350, ask_side_total_vol=15942, bid_side_total_cnt=2730, ask_side_total_cnt=2847, closing_oddlot_shares=0, closing_oddlot_close=Decimal('0.0'),
closing_oddlot_amount=Decimal('0'), closing_oddlot_bid_price=Decimal('0.0'), closing_oddlot_ask_price=Decimal('0.0'), fixed_trade_vol=0, fixed_trade_amount=Decimal('0'),
bid_price=[Decimal('461'), Decimal('460.5'), Decimal('460'), Decimal('459.5'), Decimal('459')], bid_volume=[220, 140, 994, 63, 132], diff_bid_vol=[-1, 0, 0, 0, 0], ask_price=[Decimal('461.5'),
Decimal('462'), Decimal('462.5'), Decimal('463'), Decimal('463.5')], ask_volume=[115, 101, 103, 147, 91], diff_ask_vol=[0, 0, 0, 0, 0], avail_borrowing=9579699, suspend=0, simtrade=0)
```

- 盤中零股與一般證券共用 callback函式。
- 更進階的callback使用可以參見綁訂報價模式。

Copyright © 2025 SinoPac

期貨

利用訂閱商品檔的方式去取得即時行情。

Subscribe

```
api.quote.subscribe?

    Signature:
        api.quote.subscribe(
            contract:shioaji.contracts.Contract,
            quote_type:shioaji.constant.QuoteType=<QuoteType.Tick: 'tick'>,
            intraday_odd:bool=False,
            version: shioaji.constant.QuoteVersion=<QuoteVersion.v0: 'v0'>,
        )
    Docstring: <no docstring>
    Type:      method
```

Quote Parameters:

```
quote_type: 訂閱類型 {'tick', 'bidask'}
intraday_odd: 盤中零股 {True, False}
version: 行情版本 {'v1', 'v0'}
```

TICK

範例

Tip

```
api.quote.subscribe(
    api.Contracts.Futures.TXF['TXF202107'],
    quote_type = sj.constant.QuoteType.Tick,
    version = sj.constant.QuoteVersion.v1,
)
```


Copyright © 2025 SinoPac

Out

QuoteVersion.v1 QuoteVersion.v0

```
Response Code: 200 | Event Code: 16 | Info: TIC/v1/FOP/*/TFE/TXFG1 | Event: Subscribe or Unsubscribe ok

Exchange.TAIFEX
Tick(
    code = 'TXFG1',
    datetime = datetime.datetime(2021, 7, 1, 10, 42, 29, 757000),
    open = Decimal('17678'),
    underlying_price = Decimal('17849.57'),
    bid_side_total_vol= 32210,
    ask_side_total_vol= 33218,
    avg_price = Decimal('17704.663999'),
    close = Decimal('17753'),
    high = Decimal('17774'),
    low = Decimal('17655'),
    amount = Decimal('17753'),
    total_amount = Decimal('913790823'),
    volume = 1,
    total_volume = 51613,
    tick_type = 0,
    chg_type = 2,
    price_chg = Decimal('41'),
    pct_chg = Decimal('0.231481'),
    simtrade = 0
)

Response Code: 200 | Event Code: 16 | Info: L/*/TXFG1 | Event: Subscribe or Unsubscribe ok

L/TFE/TXFG1
{
    'Amount': [17754.0],
    'AmountSum': [913027415.0],
    'AvgPrice': [17704.623134],
    'Close': [17754.0],
    'Code': 'TXFG1',
    'Date': '2021/07/01',
    'DiffPrice': [42.0],
    'DiffRate': [0.237127],
    'DiffType': [2],
    'High': [17774.0],
    'Low': [17655.0],
    'Open': 17678.0,
    'TargetKindPrice': 17849.57,
    'TickType': [2],
    'Time': '10:42:25.552000',
    'TradeAskVolSum': 33198,
    'TradeBidVolSum': 32180,
    'VolSum': [51570],
    'Volume': [1]
}
```


Copyright © 2025 SinoPac

屬性

Tick

QuoteVersion.v1 **QuoteVersion.v0**

```
code (str): 商品代碼
datetime (datetime.datetime): 日期
open (Decimal): 開盤價
underlying_price (Decimal): 標的物價格
bid_side_total_vol(int): 買盤成交總量 (lot)
ask_side_total_vol(int): 賣盤成交總量 (lot)
avg_price (Decimal): 均價
close (Decimal): 成交價
high (Decimal): 最高價(自開盤)
low (Decimal): 最低價(自開盤)
amount (Decimal): 成交額 (NTD)
total_amount (Decimal): 總成交額 (NTD)
volume (int): 成交量 (lot)
total_volume (int): 總成交量 (lot)
tick_type (int): 內外盤別{1: 外盤, 2: 內盤, 0: 無法判定}
chg_type (int): 漲跌註記{1: 漲停, 2: 漲, 3: 平盤, 4: 跌, 5: 跌停}
price_chg (Decimal): 漲跌
pct_chg (Decimal): 漲跌幅 (%)
simtrade (int): 試撮

Amount (list of float): 成交額 (成交價)
AmountSum (list of float): 總成交額 (總成交價)
AvgPrice (list of float): 均價
Close (list of float): 成交價
Code (str): 商品代碼
Date (str): 日期 (yyyy/MM/dd)
DiffPrice (list of float): 漲跌
DiffRate (list of float): 漲跌幅 (%)
DiffType (list of int): 漲跌註記{1: 漲停, 2: 漲, 3: 平盤, 4: 跌, 5: 跌停}
High (list of float): 最高價(自開盤)
Low (list of float): 最低價(自開盤)
Open (float): 開盤價
TargetKindPrice float: 標的物價格
TickType (:list:int): 內外盤別{1: 外盤, 2: 內盤, 0: 無法判定}
Time (str): 時間 (HH:mm:ss.ffffff)
TradeAskVolSum (int): 賣盤成交總量 (lot)
TradeBidVolSum (int): 買盤成交總量 (lot)
VolSum (list of int): 總成交量 (lot)
Volume (list of int): 成交量 (lot)
```

BIDASK

範例

```
api.quote.subscribe(
    api.Contracts.Futures.TXF['TXF202107'],
    quote_type = sj.constant.QuoteType.BidAsk,
    version = sj.constant.QuoteVersion.v1
)
```


Copyright © 2025 SinoPac

Out

QuoteVersion.v1 QuoteVersion.v0

```
Response Code: 200 | Event Code: 16 | Info: QUO/v1/FOP/*/TFE/TXFG1 | Event: Subscribe or Unsubscribe ok

Exchange.TAIFEX
BidAsk(
    code = 'TXFG1',
    datetime = datetime.datetime(2021, 7, 1, 10, 51, 31, 999000),
    bid_total_vol = 66,
    ask_total_vol = 101,
    bid_price = [Decimal('17746'), Decimal('17745'), Decimal('17744'), Decimal('17743'), Decimal('17742')],
    bid_volume = [1, 14, 19, 17, 15],
    diff_bid_vol = [0, 1, 0, 0, 0],
    ask_price = [Decimal('17747'), Decimal('17748'), Decimal('17749'), Decimal('17750'), Decimal('17751')],
    ask_volume = [6, 22, 25, 32, 16],
    diff_ask_vol = [0, 0, 0, 0, 0],
    first_derived_bid_price = Decimal('17743'),
    first_derived_ask_price = Decimal('17751'),
    first_derived_bid_vol = 1,
    first_derived_ask_vol = 1,
    underlying_price = Decimal('17827.94'),
    simtrade = 0
)

Response Code: 200 | Event Code: 16 | Info: Q/*/TXFG1 | Event: Subscribe or Unsubscribe ok

Q/TFE/TXFG1
{
    'AskPrice': [17747.0, 17748.0, 17749.0, 17750.0, 17751.0],
    'AskVolSum': 99,
    'AskVolume': [6, 22, 25, 31, 15],
    'BidPrice': [17746.0, 17745.0, 17744.0, 17743.0, 17742.0],
    'BidVolSum': 81,
    'BidVolume': [1, 12, 23, 25, 20],
    'Code': 'TXFG1',
    'Date': '2021/07/01',
    'DiffAskVol': [0, 0, 0, 0, 0],
    'DiffAskVolSum': 0,
    'DiffBidVol': [0, 0, 2, 0, 0],
    'DiffBidVolSum': 0,
    'FirstDerivedAskPrice': 17751.0,
    'FirstDerivedAskVolume': 1,
    'FirstDerivedBidPrice': 17743.0,
    'FirstDerivedBidVolume': 1,
    'TargetKindPrice': 17828.46,
    'Time': '10:51:29.999000'
}
```


Copyright © 2025 SinoPac

屬性

BidAsk

QuoteVersion.v1 **QuoteVersion.v0**

```
code (str): 商品代碼
datetime (datetime.datetime): 時間
bid_total_vol (int): 委買量總計 (lot)
ask_total_vol (int): 委賣量總計 (lot)
bid_price (:List:decimal): 委買價
bid_volume (:List:int): 委買量 (lot)
diff_bid_vol (:List:int): 委買價增減量 (lot)
ask_price (:List:decimal): 委賣價
ask_volume (:List:int): 委賣量 (lot)
diff_ask_vol (:List:int): 委賣價增減量 (lot)
first_derived_bid_price (decimal): 衍生一檔委買價
first_derived_ask_price (decimal): 衍生一檔委賣價
first_derived_bid_vol (int): 衍生一檔委買量
first_derived_ask_vol (int): 衍生一檔委賣量
underlying_price (decimal): 標的物價格
simtrade (int): 試撮
```

```
AskPrice (:List:float): 委賣價
AskVolSum (int): 委賣量總計(lot)
AskVolume (:List:int): 委賣量
BidPrice (:List:float): 委買價
BidVolSum (int): 委買量總計(lot)
BidVolume (:List:int): 委買量
Code (str): 商品代碼
Date (str): 日期 (yyyy/MM/dd)
DiffAskVol (:List:int): 賣價增減量(lot)
DiffAskVolSum (int):
DiffBidVol (:List:int): 買價增減量(lot)
DiffBidVolSum (int):
FirstDerivedAskPrice (float): 衍生一檔委賣價
FirstDerivedAskVolume (int): 衍生一檔委賣量
FirstDerivedBidPrice (float): 衍生一檔委買價
FirstDerivedBidVolume (int): 衍生一檔委買量
TargetKindPrice (float): 標的物價格
Time (str): 時間 (HH:mm:ss.ffffff)
```

CALLBACK

預設狀況下我們將即時行情使用 `print` 的方式呈現。可根據個人需求修改函數。請避免在函數內進行運算。

Tick

decorator方式

QuoteVersion.v1 **QuoteVersion.v0**

```python
from shioaji import TickFOPv1, Exchange

@api.on_tick_fop_v1()
def quote_callback(exchange:Exchange, tick:TickFOPv1):
    print(f"Exchange: {exchange}, Tick: {tick}")

@api.quote.on_quote
def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")
```

傳統方式

QuoteVersion.v1 **QuoteVersion.v0**

```python
from shioaji import TickFOPv1, Exchange

def quote_callback(exchange:Exchange, tick:TickFOPv1):
    print(f"Exchange: {exchange}, Tick: {tick}")

api.quote.set_on_tick_fop_v1_callback(quote_callback)

def quote_callback(topic: str, tick: dict):
    print(f"Topic: {topic}, Tick: {tick}")

api.quote.set_quote_callback(quote_callback)
```


Copyright © 2025 SinoPac

Out

QuoteVersion.v1 QuoteVersion.v0

```
Exchange: Exchange.TAIFEX, Tick: Tick(code='TXFG1', datetime=datetime.datetime(2021, 7, 2, 13, 17, 22, 784000), open=Decimal('17651'), underlying_price=Decimal('17727.12'),
trade_bid_total_vol=61550, trade_ask_volume=60914, avg_price=Decimal('17657.959752'), close=Decimal('17653'), high=Decimal('17724'), low=Decimal('17588'), amount=Decimal('35306'),
total_amount=Decimal('1683421593'), volume=2, total_volume=95335, tick_type=1, chg_type=2, price_chg=Decimal('7'), pct_chg=Decimal('0.039669'), simtrade=0)

Topic: L/TFE/TXFG1, Quote: {'Amount': [17654.0], 'AmountSum': [1682856730.0], 'AvgPrice': [17657.961764], 'Close': [17654.0], 'Code': 'TXFG1', 'Date': '2021/07/02', 'DiffPrice': [8.0],
'DiffRate': [0.045336], 'DiffType': [2], 'High': [17724.0], 'Low': [17588.0], 'Open': 17651.0, 'TargetKindPrice': 17725.14, 'TickType': [1], 'Time': '13:17:16.533000', 'TradeAskVolSum': 60890,
'TradeBidVolSum': 61520, 'VolSum': [95303], 'Volume': [1]}
```

BidAsk

decorator方式

QuoteVersion.v1 QuoteVersion.v0

```
from shioaji import BidAskFOPv1, Exchange

@api.on_bidask_fop_v1()
def quote_callback(exchange:Exchange, bidask:BidAskFOPv1):
    print(f"Exchange: {exchange}, BidAsk: {bidask}")

@api.quote.on_quote
def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")
```

傳統方式

QuoteVersion.v1 QuoteVersion.v0

```
from shioaji import BidAskFOPv1, Exchange

def quote_callback(exchange:Exchange, bidask:BidAskFOPv1):
    print(f"Exchange: {exchange}, BidAsk: {bidask}")

api.quote.set_on_bidask_fop_v1_callback(quote_callback)

def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")

api.quote.set_quote_callback(quote_callback)
```

Out

QuoteVersion.v1 QuoteVersion.v0

```
Exchange: Exchange.TAIFEX, BidAsk: BidAsk(code='TXFG1', datetime=datetime.datetime(2021, 7, 2, 13, 18, 0, 684000), bid_total_vol=69, ask_total_vol=94, bid_price=[Decimal('17651'),
Decimal('17650'), Decimal('17649'), Decimal('17648'), Decimal('17647')], bid_volume=[10, 12, 18, 18, 11], diff_bid_vol=[0, 0, 0, 0, 0], ask_price=[Decimal('17653'), Decimal('17654'),
Decimal('17655'), Decimal('17656'), Decimal('17657')], ask_volume=[6, 17, 29, 22, 20], diff_ask_vol=[0, 0, 0, 0, 0], first_derived_bid_price=Decimal('17647'),
first_derived_ask_price=Decimal('17657'), first_derived_bid_vol=2, first_derived_ask_vol=3, underlying_price=Decimal('17725.5'), simtrade=0)

Topic: Q/TFE/TXFG1, Quote: {'AskPrice': [17653.0, 17654.0, 17655.0, 17656.0, 17657.0], 'AskVolSum': 85, 'AskVolume': [3, 16, 24, 22, 20], 'BidPrice': [17651.0, 17650.0, 17649.0, 17648.0,
17647.0], 'BidVolSum': 67, 'BidVolume': [10, 10, 18, 18, 11], 'Code': 'TXFG1', 'Date': '2021/07/02', 'DiffAskVol': [-4, -2, 0, 0, 0], 'DiffAskVolSum': 0, 'DiffBidVol': [1, 0, 2, 0, 0],
'DiffBidVolSum': 0, 'FirstDerivedAskPrice': 17657.0, 'FirstDerivedAskVolume': 3, 'FirstDerivedBidPrice': 17647.0, 'FirstDerivedBidVolume': 2, 'TargetKindPrice': 17716.19, 'Time':
'13:17:57.809000'}
```

- 更進階的callback使用可以參見綁訂報價模式。

Copyright © 2025 SinoPac

4.4.2 歷史行情

Ticks

取得方式可以以一整天、某時間區段或是某天的最後幾筆。預設為商品最近交易日的Ticks。

In

```
api.ticks?

Signature:
    api.ticks(
        contract: shioaji.contracts.BaseContract,
        date: str = '2022-12-26',
        query_type: shioaji.constant.TicksQueryType = <TicksQueryType.AllDay: 'AllDay'>,
        time_start: Union[str, datetime.time] = None,
        time_end: Union[str, datetime.time] = None,
        last_cnt: int = 0,
        timeout: int = 30000,
        cb: Callable[[shioaji.data.Ticks], NoneType] = None,
    ) -> shioaji.data.Ticks
Docstring:
    get contract tick volumn
```

取得特定日期 TICKS

In

```
ticks = api.ticks(
    contract=api.Contracts.Stocks["2330"],
    date="2023-01-16"
)
ticks
```

Out

```
Ticks(
    ts=[1673859600113699000, 1673859600228800000, 1673859600244294000, 1673859600308595000],
    close=[506.0, 505.0, 506.0, 506.0],
    volume=[3340, 1, 17, 2],
    bid_price=[505.0, 505.0, 506.0, 506.0],
    bid_volume=[122, 320, 60, 58],
    ask_price=[506.0, 506.0, 507.0, 507.0],
    ask_volume=[13, 22, 702, 702]
    tick_type=[1, 2, 1, 2]
)
```

Ticks

```
ts (int): timestamp
close (float): 成交價
volume (int): 成交量
bid_price (float): 委買價
bid_volume (int): 委買量
ask_price (float): 委賣價
ask_volume (int): 委賣量
tick_type (int): 內外盤別{1: 外盤, 2: 內盤, 0: 無法判定}
```

轉成DataFrame

In

```
import pandas as pd
df = pd.DataFrame({**ticks})
df.ts = pd.to_datetime(df.ts)
df.head()
```


Copyright © 2025 SinoPac

Out

ts	ask_price	close	bid_volume	volume	ask_volume	tick_type	bid_price
2023-01-16 09:00:00.113699	506	506	122	3340	13	1	505
2023-01-16 09:00:00.228800	506	505	320	1	22	2	505
2023-01-16 09:00:00.244294	507	506	60	17	702	1	506
2023-01-16 09:00:00.308595	507	506	58	2	702	2	506

取得特定時間區段 TICKS

In

```
ticks = api.ticks(
    contract=api.Contracts.Stocks["2330"],
    date="2023-01-16",
    query_type=sj.constant.TicksQueryType.RangeTime,
    time_start="09:00:00",
    time_end="09:20:01"
)
ticks
```

Out

```
Ticks(
    ts=[1673859600113699000, 1673859600228800000, 1673859600244294000, 1673859600308595000],
    close=[506.0, 505.0, 506.0, 506.0],
    volume=[3340, 1, 17, 2],
    bid_price=[505.0, 505.0, 506.0, 506.0],
    bid_volume=[122, 320, 60, 58],
    ask_price=[506.0, 506.0, 507.0, 507.0],
    ask_volume=[13, 22, 702, 702]
    tick_type=[1, 2, 1, 2]
)
```

取得最後數筆 TICKS

In

```
ticks = api.ticks(
    contract=api.Contracts.Stocks["2330"],
    date="2023-01-16",
    query_type=sj.constant.TicksQueryType.LastCount,
    last_cnt=4,
)
ticks
```

Out

```
Ticks(
    ts=[1673859600113699000, 1673859600228800000, 1673859600244294000, 1673859600308595000],
    close=[506.0, 505.0, 506.0, 506.0],
    volume=[3340, 1, 17, 2],
    bid_price=[505.0, 505.0, 506.0, 506.0],
    bid_volume=[122, 320, 60, 58],
    ask_price=[506.0, 506.0, 507.0, 507.0],
    ask_volume=[13, 22, 702, 702]
    tick_type=[1, 2, 1, 2]
)
```


Copyright © 2025 SinoPac

KBar

Kbars

```
api.kbars?

Signature:
api.kbars(
    contract: shioaji.contracts.BaseContract,
    start: str = '2023-01-15',
    end: str = '2023-01-16',
    timeout: int = 30000,
    cb: Callable[[shioaji.data.Kbars], NoneType] = None,
) -> shioaji.data.Kbars
Docstring:
get Kbar
```

In

```
kbars = api.kbars(
    contract=api.Contracts.Stocks["2330"],
    start="2023-01-15",
    end="2023-01-16",
)
kbars
```

Out

```
Kbars(
    ts=[1673859660000000000, 1673859720000000000, 1673859780000000000, 1673859840000000000],
    Open=[506.0, 505.0, 505.0, 504.0],
    High=[508.0, 506.0, 506.0, 505.0],
    Low=[505.0, 505.0, 504.0, 504.0],
    Close=[505.0, 505.0, 504.0, 504.0],
    Volume=[5308, 1018, 543, 209]
)
```

Kbars

```
ts (int): timestamp
Open (float): open price
High (float): the highest price
Low: (float): the lowest price
Close (float): close price
Volume (int): volume
```

轉成DataFrame

In

```
import pandas as pd
df = pd.DataFrame({**kbars})
df.ts = pd.to_datetime(df.ts)
df.head()
```


Copyright © 2025 SinoPac

Out

Close	Amount	Low	Volume	ts	Open	High
505	2.68731e+09	505	5308	2023-01-16 09:01:00	506	508
505	5.14132e+08	505	1018	2023-01-16 09:02:00	505	506
504	2.74112e+08	504	543	2023-01-16 09:03:00	505	506
504	1.0542e+08	504	209	2023-01-16 09:04:00	504	505

資料歷史期間

Historical Periods

	Start Date	End Date
Index	2020-03-02	Today
Stock	2020-03-02	Today
Futures	2020-03-22	Today

連續期貨合約

期貨合約一旦到期，合約即不再有效，亦即他將不會出現在您的 `api.Contracts` 裡。為了取得到期的期貨合約歷史資料，我們提供連續期貨合約。 `R1`，`R2` 是近月及次月的連續期貨合約，他們會自動在結算日更換新的合約。您可以使用 `R1`，`R2` 合約來取得歷史資料，例如 `api.Contracts.Futures.TXF.TXFR1` 。以下顯示如何使用 `R1`，`R2` 合約取得到期期貨的歷史 `Ticks` 及 `Kbars` 。

Ticks

Ticks

```
ticks = api.ticks(
    contract=api.Contracts.Futures.TXF.TXFR1,
    date="2020-03-22"
)
ticks
```

Out

```
Ticks(
    ts=[1616166000030000000, 1616166000140000000, 1616166000140000000, 1616166000190000000],
    close=[16011.0, 16013.0, 16014.0, 16011.0],
    volume=[49, 2, 2, 1],
    bid_price=[0.0, 16011.0, 16011.0, 16011.0],
    bid_volume=[0, 1, 1, 1],
    ask_price=[0.0, 16013.0, 16013.0, 16013.0],
    ask_volume=[0, 1, 1, 1]
    tick_type=[1, 1, 1, 2]
)
```

Kbars

Copyright © 2025 SinoPac

Kbars

```
kbars = api.kbars(
    contract=api.Contracts.Futures.TXF.TXFR1,
    start="2023-01-15",
    end="2023-01-16",
)
kbars
```

Out

```
Kbars(
    ts=[1616402760000000000, 1616402820000000000, 1616402880000000000, 1616402940000000000],
    Open=[16018.0, 16018.0, 16000.0, 15992.0],
    High=[16022.0, 16020.0, 16005.0, 15999.0],
    Low=[16004.0, 16000.0, 15975.0, 15989.0],
    Close=[16019.0, 16002.0, 15992.0, 15994.0],
    Volume=[1791, 864, 1183, 342]
)
```


Copyright © 2025 SinoPac

4.4.3 市場快照

市場快照為證券、期貨及選擇權當下資訊。內容包含開盤價、最高價、最低價、收盤價、變動價、均價、成交量、總成交量、委買價、委買量、委賣價、委賣量和昨量。

提醒

市場快照每次最多500檔商品。

市場快照

```
>> api.snapshots?

Signature:
api.snapshots(
    contracts: List[Union[shioaji.contracts.Option, shioaji.contracts.Future, shioaji.contracts.Stock, shioaji.contracts.Index]],
    timeout: int = 30000,
    cb: Callable[[shioaji.data.Snapshot], NoneType] = None,
) -> List[shioaji.data.Snapshot]
Docstring:
get contract snapshot info
```

範例

```
contracts = [api.Contracts.Stocks['2330'],api.Contracts.Stocks['2317']]
snapshots = api.snapshots(contracts)
snapshots
```


Copyright © 2025 SinoPac

Out

```
[
    Snapshot(
        ts=1673620200000000000,
        code='2330',
        exchange='TSE',
        open=507.0,
        high=509.0,
        low=499.0,
        close=500.0,
        tick_type=<TickType.Sell: 'Sell'>,
        change_price=13.5,
        change_rate=2.77,
        change_type=<ChangeType.Up: 'Up'>,
        average_price=502.42,
        volume=48,
        total_volume=77606,
        amount=24000000,
        total_amount=38990557755,
        yesterday_volume=20963.0,
        buy_price=500.0,
        buy_volume=122.0,
        sell_price=501.0,
        sell_volume=1067,
        volume_ratio=3.7
    ),
    Snapshot(
        ts=1673620200000000000,
        code='2317',
        exchange='TSE',
        open=99.0,
        high=99.5,
        low=98.6,
        close=98.6,
        tick_type=<TickType.Sell: 'Sell'>,
        change_price=0.0,
        change_rate=0.0,
        change_type=<ChangeType.Unchanged: 'Unchanged'>,
        average_price=98.96,
        volume=63,
        total_volume=17809,
        amount=6211800,
        total_amount=1762344817,
        yesterday_volume=18537.0,
        buy_price=98.6,
        buy_volume=607.0,
        sell_price=98.7,
        sell_volume=4,
        volume_ratio=0.96
    )
]
```

轉成Dataframe

In

```
df = pd.DataFrame(s.__dict__ for s in snapshots)
df.ts = pd.to_datetime(df.ts)
df
```

Out

ts	code	exchange	open	high	low	close	tick_type	change_price	cl
2023-01-13 14:30:00	2330	TSE	507	509	499	500	Sell	13.5	
2023-01-13 14:30:00	2317	TSE	99	99.5	98.6	98.6	Sell	0	

Copyright © 2025 SinoPac

屬性

Snapshot

```
ts (int): 取得資訊時間戳記
code (str): 商品代碼
exchange (Exchange): 交易所
open (float): 開盤價
high (float): 最高價
low (float): 最低價
close (float): 收盤價
tick_type (TickType): 收盤買賣別 {None, Buy, Sell}
change_price (float): 漲跌
change_rate (float): 漲跌幅
change_type (ChangeType): 漲跌 {LimitUp, Up, Unchanged, Down, LimitDown}
avgerage_price (float): 均價
volume (int): 單量
total_volume (int): 成交量
amount (int): 單量成交金額
total_amount (int): 成交金額
yestoday_volume (float): 昨量
buy_price (float): 委買價
buy_volume (float): 委買量
sell_price (float): 賣出價
sell_volume (int): 委賣量
volume_ratio (float): 昨量比
```


Copyright © 2025 SinoPac

4.4.4 或有券源

或有券源

```
>> api.short_stock_sources?

Signature:
api.short_stock_sources(
    contracts: List[shioaji.contracts.Stock],
    timeout: int = 5000,
    cb: Callable[[shioaji.data.ShortStockSource], NoneType] = None,
) -> List[shioaji.data.ShortStockSource]
```

範例

In

```
contracts = [
    api.Contracts.Stocks['2330'],
    api.Contracts.Stocks['2317']
]
short_stock_sources = api.short_stock_sources(contracts)
short_stock_sources
```

Out

```
[
    ShortStockSource(code='2330', short_stock_source=58260, ts=1673943433000000000),
    ShortStockSource(code='2317', short_stock_source=75049, ts=1673943433000000000)
]
```

轉成 DataFrame

In

```
df = pd.DataFrame(s.__dict__ for s in short_stock_sources)
df.ts = pd.to_datetime(df.ts)
df
```

Out

	code	short_stock_source	ts
	2330	58260	2023-01-17 08:17:13
	2317	75049	2023-01-17 08:17:13

屬性

ShortStockSource

```
code (str): 商品代碼
short_stock_source (float): 或有券源
ts (int): 時間戳記
```


Copyright © 2025 SinoPac

4.4.5 資券餘額

Credit Enquires

```
>> api.credit_enquires?

Signature:
api.credit_enquires(
    contracts: List[shioaji.contracts.Stock],
    timeout: int = 30000,
    cb: Callable[[shioaji.data.CreditEnquire], NoneType] = None,
) -> List[shioaji.data.CreditEnquire]
```

範例

In

```
contracts = [
    api.Contracts.Stocks['2330'],
    api.Contracts.Stocks['2890']
]
credit_enquires = api.credit_enquires(contracts)
credit_enquires
```

Out

```
[
    CreditEnquire(update_time='2020-12-11 13:30:13', system='HE', stock_id='2330', margin_unit=1381),
    CreditEnquire(update_time='2020-12-11 13:30:02', system='HC', stock_id='2330', margin_unit=1371),
    CreditEnquire(update_time='2020-12-11 13:30:05', system='HN', stock_id='2330', margin_unit=1357),
    CreditEnquire(update_time='2020-12-11 13:30:03', system='HF', stock_id='2330', margin_unit=1314),
    CreditEnquire(update_time='2020-12-09 10:56:05', system='HE', stock_id='2890'),
    CreditEnquire(update_time='2020-12-11 09:33:04', system='HN', stock_id='2890'),
    CreditEnquire(update_time='2020-12-02 09:01:03', system='HF', stock_id='2890')
]
```

轉成DataFrame

In

```
df = pd.DataFrame(c.__dict__ for c in credit_enquires)
df.update_time = pd.to_datetime(df.update_time)
df
```


Copyright © 2025 SinoPac

Out

	margin_unit	short_unit	stock_id	system	update_time
0	1381	0	2330	HE	2020-12-11 13:30:13
1	1371	0	2330	HC	2020-12-11 13:30:02
2	1357	0	2330	HN	2020-12-11 14:31:19
3	1314	0	2330	HF	2020-12-11 14:31:19
4	0	0	2890	HE	2020-12-09 10:56:05
5	0	0	2890	HN	2020-12-11 09:33:04
6	0	0	2890	HF	2020-12-02 09:01:03

屬性

CreditEnquire

```
update_time (str): 更新時間
system (str): 類別
stock_id (str): 商品代碼
margin_unit (int): 資餘額
short_unit (int): 券餘額
```


Copyright © 2025 SinoPac

4.4.6 排行

包含漲跌幅、漲跌、高低價差、成交量及成交金額排行。 `Scanners` 利用 `scanner_type` 去取得不同類型的排行。

Scanners

```
>> api.scanners?

Signature:
api.scanners(
    scanner_type: shioaji.constant.ScannerType,
    ascending: bool = True,
    date: str = None,
    count: shioaji.shioaji.ConstrainedIntValue = 100, # 0 <= count <= 200
    timeout: int = 30000,
    cb: Callable[[List[shioaji.data.ChangePercentRank]], NoneType] = None,
) -> List[shioaji.data.ChangePercentRank]
```

排名預設為由大到小排序， `ascending` 預設值為 `True` 。若要由小到大排序請將 `ascending` 設為 `False` 。 `count` 為排行數量。

支援的排行類別

```
ChangePercentRank: 依價格漲跌幅排序
ChangePriceRank: 依價格漲跌排序
DayRangeRank: 依高低價差排序
VolumeRank: 依成交量排序
AmountRank: 依成交金額排序
```

範例

依價格漲跌幅排序

```
scanners = api.scanners(
    scanner_type=sj.constant.ScannerType.ChangePercentRank,
    count=1
)
scanners
```

Out

```
[
    ChangePercentRank(
        date='2021-04-09',
        code='5211',
        name='蒙恬',
        ts=1617978600000000000,
        open=16.4,
        high=17.6,
        low=16.35,
        close=17.6,
        price_range=1.25,
        tick_type=1,
        change_price=1.6,
        change_type=1,
        average_price=17.45,
        volume=7,
        total_volume=1742,
        amount=123200,
        total_amount=30397496,
        yesterday_volume=514,
        volume_ratio=3.39,
        buy_price=17.6,
        buy_volume=723,
        sell_price=0.0,
        sell_volume=0,
        bid_orders=237,
        bid_volumes=82,
        ask_orders=33,
        ask_volumes=64
    )
]
```


Copyright © 2025 SinoPac

轉成 DataFrame

In

```
scanners = api.scanners(
    scanner_type=sj.constant.ScannerType.ChangePercentRank,
    count=5
)
df = pd.DataFrame(s.__dict__ for s in scanners)
df.ts = pd.to_datetime(df.ts)
df
```

Out

date	code	name	ts	open	high	low	close	price_range
2023-01-17	6259	百徽	2023-01-17 11:11:41.030000	22.8	23.75	22.45	23.75	1.3
2023-01-17	6788	華景電	2023-01-17 11:19:01.924000	107	116	107	116	9
2023-01-17	2540	愛山林	2023-01-17 11:17:39.435000	85.2	85.2	83	85.2	2.2
2023-01-17	8478	東哥遊艇	2023-01-17 11:18:33.702000	350.5	378	347	378	31
2023-01-17	6612	奈米醫材	2023-01-17 11:15:32.752000	102	109	102	109	7

屬性

ChangePercentRank

```
date (str): 交易日
code (str): 股票代號
name (str): 股票名稱
ts (int): 時間戳記
open (float): 開盤價
high (float): 最高價
low (float): 最低價
close (float): 收盤價
price_range (float): 價格區間(最高價-最低價)
tick_type (int): 內外盤別 {1: 內盤, 2: 外盤, 0: 無法判定}
change_price (float): 價格漲跌
change_type (int): 漲跌
    {LimitUp, Up, Unchanged, Down, LimitDown}
average_price (float): 均價
volume (int): 成交量
total_volume (int): 總成交量
amount (int): 成交金額
total_amount (int): 總成交金額
yesterday_volume (int): 昨日總成交量
volume_ratio (float): 總成交量/昨日總成交量
buy_price (float): 委買價
buy_volume (int): 委買量
sell_price (float): 委賣價
sell_volume (int): 委賣量
bid_orders (int): 內盤總成交單量
bid_volumes (int): 內盤總成交量
ask_orders (int): 外盤總成交單量
ask_volumes (int): 外盤總成交量
```


Copyright © 2025 SinoPac

4.5 下單

4.5.1 證券

提醒

下單前必須先登入及啟用憑證。

證券委託單

證券委託單

version>=1.0 **version<1.0**

```
price (float or int): 價格
quantity (int): 委託數量
action (str): {Buy: 買, Sell: 賣}
price_type (str): {LMT: 限價, MKT: 市價, MKP: 範圍市價}
order_type (str): 委託類別 {ROD, IOC, FOK}
order_cond (str): {Cash:現股, MarginTrading:融資, ShortSelling:融券}
order_lot (str): {
        Common:整股,
        Fixing:定盤,
        Odd:盤後零股,
        IntradayOdd:盤中零股
    }
daytrade_short (bool): 先賣後買
custom_field (str): 備註，只允許輸入大小寫英文字母及數字，且長度最長為 6
account (:obj:Account): 下單帳號
ca (binary): 憑證
```

```
price (float or int): 價格
quantity (int): 委託數量
action (str): {Buy: 買, Sell: 賣}
price_type (str): {LMT: 限價, MKT: 市價, MKP: 範圍市價}
order_type (str): 委託類別 {ROD, IOC, FOK}
order_cond (str): {Cash:現股, MarginTrading:融資, ShortSelling:融券}
order_lot (str): {
        Common:整股,
        Fixing:定盤,
        Odd:盤後零股,
        IntradayOdd:盤中零股
    }
first_sell (str): 先賣後買 {true, false}
custom_field (str): 備註，只允許輸入大小寫英文字母及數字，且長度最長為 6
account (:obj:Account): 下單帳號
ca (binary): 憑證
```

下單

下單時必須提供商品資訊 `contract` 及下單資訊 `order` 。

下單

```
api.place_order?

    Signature:
        api.place_order(
            contract: shioaji.contracts.Contract,
            order: shioaji.order.Order,
            timeout: int = 5000,
            cb: Callable[[shioaji.order.Trade], NoneType] = None,
        ) -> shioaji.order.Trade
    Docstring:
    placing order
```

商品檔

```
contract = api.Contracts.Stocks.TSE.TSE2890
```


Copyright © 2025 SinoPac

委託單

version>=1.0　　version<1.0

```
order = api.Order(
    price=17,
    quantity=3,
    action=sj.constant.Action.Buy,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.Common,
    # daytrade_short=False,
    custom_field="test",
    account=api.stock_account
)

order = api.Order(
    price=17,
    quantity=3,
    action=sj.constant.Action.Buy,
    price_type=sj.constant.TFTStockPriceType.LMT,
    order_type=sj.constant.TFTOrderType.ROD,
    order_lot=sj.constant.TFTStockOrderLot.Common,
    # first_sell=sj.constant.StockFirstSell.No,
    custom_field="test",
    account=api.stock_account
)
```

下單

```
trade = api.place_order(contract, order)
trade
```

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='2890',
        symbol='TSE2890',
        name='永豐金',
        category='17',
        unit=1000,
        limit_up=19.05,
        limit_down=15.65,
        reference=17.35,
        update_date='2023/01/12',
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=17,
        quantity=3,
        id='531e27af',
        seqno='000002',
        ordno='000001',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='A123456789',
            broker_id='9A95',
            account_id='1234567',
            signed=True
        ),
        custom_field='test',
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>,
        daytrade_short=False
    ),
    status=OrderStatus(
        id='531e27af',
        status=<Status.PendingSubmit: 'PendingSubmit'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
        deals=[]
    )
)
```

下單完同時也會收到從交易所傳回來的資料，詳情內容可詳見下單回報。

您需要執行 `update_status` 已更新 `trade` 物件的狀態。

Copyright © 2025 SinoPac

更新委託狀態(成交後)

```
api.update_status(api.stock_account)
trade
```

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='2890',
        symbol='TSE2890',
        name='永豐金',
        category='17',
        unit=1000,
        limit_up=19.05,
        limit_down=15.65,
        reference=17.35,
        update_date='2023/01/12',
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=17,
        quantity=3,
        id='531e27af',
        seqno='000002',
        ordno='000001',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='A123456789',
            broker_id='9A95',
            account_id='1234567',
            signed=True
        ),
        custom_field='test',
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>,
        daytrade_short=False
    ),
    status=OrderStatus(
        id='531e27af',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
        order_quantity=3,
        deals=[]
    )
)
```

委託單狀態

- `PendingSubmit`：傳送中
- `PreSubmitted`：預約單
- `Submitted`：傳送成功
- `Failed`：失敗
- `Cancelled`：已刪除
- `Filled`：完全成交
- `Filling`：部分成交

Copyright © 2025 SinoPac

改單

改單

```
api.update_order?

    Signature:
        api.update_order(
            trade: shioaji.order.Trade,
            price: Union[pydantic.types.StrictInt, float] = None,
            qty: int = None,
            timeout: int = 5000,
            cb: Ca  lable[[shioaji.order.Trade], NoneType] = None,
        ) -> shioaji.order.Trade
    Docstring: update the order price or qty
```

改價

改價

```
api.update_order(trade=trade, price=17.5)
api.update_status(api.stock_account)
trade
```

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='2890',
        symbol='TSE2890',
        name='永豐金',
        category='17',
        unit=1000,
        limit_up=19.05,
        limit_down=15.65,
        reference=17.35,
        update_date='2023/01/12',
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=17,
        quantity=3,
        id='531e27af',
        seqno='000002',
        ordno='000001',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='A123456789',
            broker_id='9A95',
            account_id='1234567',
            signed=True
        ),
        custom_field='test',
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>,
        daytrade_short=False
    ),
    status=OrderStatus(
        id='531e27af',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
        modified_price=17.5,
        order_quantity=3,
        deals=[]
    )
)
```

改量(減量)

`update_order` 只能用來**減少**原委託單的委託數量。

Copyright © 2025 SinoPac

改量(減量)

```
api.update_order(trade=trade, qty=1)
api.update_status(api.stock_account)
trade
```

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='2890',
        symbol='TSE2890',
        name='永豐金',
        category='17',
        unit=1000,
        limit_up=19.05,
        limit_down=15.65,
        reference=17.35,
        update_date='2023/01/12',
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=17,
        quantity=3,
        id='531e27af',
        seqno='000002',
        ordno='000001',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='A123456789',
            broker_id='9A95',
            account_id='1234567',
            signed=True
        ),
        custom_field='test',
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>,
        daytrade_short=False
    ),
    status=OrderStatus(
        id='531e27af',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
        order_quantity=3,
        cancel_quantity=1,
        deals=[]
    )
)
```

刪單

刪單

```
api.cancel_order(trade)
api.update_status(api.stock_account)
trade
```


Copyright © 2025 SinoPac

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='2890',
        symbol='TSE2890',
        name='永豐金',
        category='17',
        unit=1000,
        limit_up=19.05,
        limit_down=15.65,
        reference=17.35,
        update_date='2023/01/12',
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=17,
        quantity=3,
        id='531e27af',
        seqno='000002',
        ordno='000001',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='A123456789',
            broker_id='9A95',
            account_id='1234567',
            signed=True
        ),
        custom_field='test',
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>,
        daytrade_short=False
    ),
    status=OrderStatus(
        id='531e27af',
        status=<Status.Cancelled: 'Cancelled'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
        order_quantity=3,
        cancel_quantity=3,
        deals=[]
    )
)
```

成交

更新委託狀態

```
api.update_status(api.stock_account)
trade
```


Copyright © 2025 SinoPac

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='2890',
        symbol='TSE2890',
        name='永豐金',
        category='17',
        unit=1000,
        limit_up=19.05,
        limit_down=15.65,
        reference=17.35,
        update_date='2023/01/12',
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=17,
        quantity=3,
        id='531e27af',
        seqno='000002',
        ordno='000001',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='A123456789',
            broker_id='9A95',
            account_id='1234567',
            signed=True
        ),
        custom_field='test',
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>,
        daytrade_short=False
    ),
    status=OrderStatus(
        id='531e27af',
        status=<Status.Filled: 'Filled'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
        order_quantity=3,
        deals=[
            Deal(seq='000001', price=17, quantity=3, ts=1673501631.62918)
        ]
    )
)
```

範例

證券下單範例 (jupyter)

買賣別

買

```
order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Buy,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.Common,
    custom_field="test",
    account=api.stock_account
)
```

賣

```
order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Sell,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.Common,
    custom_field="test",
    account=api.stock_account
)
```


Copyright © 2025 SinoPac

Daytrade Short

version>=1.0 version<1.0

```
order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Sell,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.Common,
    daytrade_short=True,
    custom_field="test",
    account=api.stock_account
)

order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Sell,
    price_type=sj.constant.TFTStockPriceType.LMT,
    order_type=sj.constant.TFTOrderType.ROD,
    order_lot=sj.constant.TFTStockOrderLot.Common,
    first_sell=sj.constant.StockFirstSell.Yes,
    custom_field="test",
    account=api.stock_account
)
```

ROD + LMT

ROD + LMT

version>=1.0 version<1.0

```
order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Sell,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.Common,
    custom_field="test",
    account=api.stock_account
)

order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Sell,
    price_type=sj.constant.TFTStockPriceType.LMT,
    order_type=sj.constant.TFTOrderType.ROD,
    order_lot=sj.constant.TFTStockOrderLot.Common,
    custom_field="test",
    account=api.stock_account
)
```


Copyright © 2025 SinoPac

4.5.2 期貨選擇權

提醒

下單前必須先登入及啟用憑證。

期貨委託單

期貨委託單

```
price (float or int): 價格
quantity (int): 委託數量
action (str): {Buy: 買, Sell: 賣}
price_type (str): {LMT: 限價, MKT: 市價, MKP: 範圍市價}
order_type (str): 委託類別 {ROD, IOC, FOK}
octype (str): {Auto: 自動, New: 新倉, Cover: 平倉, DayTrade: 當沖}
account (:obj:Account): 下單帳號
ca (binary): 憑證
```

下單

下單時必須提供商品資訊 `contract` 及下單資訊 `order` 。

下單

```
api.place_order?

    Signature:
        api.place_order(
            contract: shioaji.contracts.Contract,
            order: shioaji.order.Order,
            timeout: int = 5000,
            cb: Callable[[shioaji.order.Trade], NoneType] = None,
        ) -> shioaji.order.Trade
    Docstring:
    placing order
```

商品檔

```
contract = api.Contracts.Futures.TXF.TXF202301
```

委託單

version>=1.0 **version<1.0**

```
order = api.Order(
    action=sj.constant.Action.Buy,
    price=14400,
    quantity=3,
    price_type=sj.constant.FuturesPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)

order = api.Order(
    action=sj.constant.Action.Buy,
    price=14400,
    quantity=3,
    price_type=sj.constant.FuturesPriceType.LMT,
    order_type=sj.constant.FuturesOrderType.ROD,
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
```


Copyright © 2025 SinoPac

下單

```
trade = api.place_order(contract, order)
trade
```

Out

```
Trade(
    contract=Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16270.0,
        limit_down=13312.0,
        reference=14791.0,
        update_date='2023/01/12'
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=14400,
        quantity=3,
        id='5efffde1',
        seqno='000004',
        ordno='000003',
        account=Account(
            account_type=<AccountType.Future: 'F'>,
            person_id='A123456789',
            broker_id='F002000',
            account_id='1234567',
            signed=True
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    status=OrderStatus(
        id='5efffde1',
        status=<Status.PendingSubmit: 'PendingSubmit'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 14, 56, 13, 995651),
        deals=[]
    )
)
```

下單完同時也會收到從交易所傳回來的資料，詳情內容可詳見下單回報。

您需要執行 `update_status` 已更新 `trade` 物件的狀態。

更新委託狀態

```
api.update_status(api.futopt_account)
trade
```


Copyright © 2025 SinoPac

Out

```
Trade(
    contract=Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16270.0,
        limit_down=13312.0,
        reference=14791.0,
        update_date='2023/01/12'
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=14400,
        quantity=3,
        id='5efffde1',
        seqno='000004',
        ordno='000003',
        account=Account(
            account_type=<AccountType.Future: 'F'>,
            person_id='A123456789',
            broker_id='F002000',
            account_id='1234567',
            signed=True
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    status=OrderStatus(
        id='5efffde1',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 14, 56, 13, 995651),
        deals=[]
    )
)
```

委託單狀態

- `PendingSubmit`：傳送中
- `PreSubmitted`：預約單
- `Submitted`：傳送成功
- `Failed`：失敗
- `Cancelled`：已刪除
- `Filled`：完全成交
- `Filling`：部分成交

改單

改單

```
api.update_order?

    Signature:
        api.update_order(
            trade: shioaji.order.Trade,
            price: Union[pydantic.types.StrictInt, float] = None,
            qty: int = None,
            timeout: int = 5000,
            cb: Ca  lable[[shioaji.order.Trade], NoneType] = None,
        ) -> shioaji.order.Trade
    Docstring: update the order price or qty
```


Copyright © 2025 SinoPac

改價

改價

```
api.update_order(trade=trade, price=14450)
api.update_status(api.futopt_account)
trade
```

Out

```
Trade(
    contract=Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16270.0,
        limit_down=13312.0,
        reference=14791.0,
        update_date='2023/01/12'
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=14400,
        quantity=3,
        id='5efffde1',
        seqno='000004',
        ordno='000003',
        account=Account(
            account_type=<AccountType.Future: 'F'>,
            person_id='A123456789',
            broker_id='F002000',
            account_id='1234567',
            signed=True
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    status=OrderStatus(
        id='5efffde1',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 14, 56, 13, 995651),
        modified_price=14450,
        order_quantity=3,
        deals=[]
    )
)
```

改量(減量)

`update_order` 只能用來**減少**原委託單的委託數量。

改量(減量)

```
api.update_order(trade=trade, qty=1)
api.update_status(api.futopt_account)
trade
```


Copyright © 2025 SinoPac

Out

```
Trade(
    contract=Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16270.0,
        limit_down=13312.0,
        reference=14791.0,
        update_date='2023/01/12'
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=14400,
        quantity=3,
        id='5efffde1',
        seqno='000004',
        ordno='000003',
        account=Account(
            account_type=<AccountType.Future: 'F'>,
            person_id='A123456789',
            broker_id='F002000',
            account_id='1234567',
            signed=True
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    status=OrderStatus(
        id='5efffde1',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 14, 56, 13, 995651),
        order_quantity=3,
        cancel_quantity=1,
        deals=[]
    )
)
```

刪單

刪單

```
api.cancel_order(trade)
api.update_status(api.futopt_account)
trade
```


Copyright © 2025 SinoPac

Out

```
Trade(
    contract=Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16270.0,
        limit_down=13312.0,
        reference=14791.0,
        update_date='2023/01/12'
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=14400,
        quantity=3,
        id='5efffde1',
        seqno='000004',
        ordno='000003',
        account=Account(
            account_type=<AccountType.Future: 'F'>,
            person_id='A123456789',
            broker_id='F002000',
            account_id='1234567',
            signed=True
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    status=OrderStatus(
        id='5efffde1',
        status=<Status.Cancelled: 'Cancelled'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 14, 56, 13, 995651),
        order_quantity=3,
        cancel_quantity=3,
        deals=[]
    )
)
```

成交

更新委託狀態(成交後)

```
api.update_status(api.futopt_account)
trade
```


Copyright © 2025 SinoPac

Out

```
Trade(
    contract=Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16270.0,
        limit_down=13312.0,
        reference=14791.0,
        update_date='2023/01/12'
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=14400,
        quantity=3,
        id='5efffde1',
        seqno='000004',
        ordno='000003',
        account=Account(
            account_type=<AccountType.Future: 'F'>,
            person_id='A123456789',
            broker_id='F002000',
            account_id='1234567',
            signed=True
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    status=OrderStatus(
        id='5efffde1',
        status=<Status.Filled: 'Filled'>,
        status_code='00',
        order_datetime=datetime.datetime(2023, 1, 12, 14, 56, 13, 995651),
        order_quantity=3,
        deals=[
            Deal(seq='000001', price=14400, quantity=3, ts=1673501631.62918)
        ]
    )
)
```

範例

期權下單範例 (jupyter)

買賣別

買

```
order = api.Order(
    action=sj.constant.Action.Buy,
    price=14400,
    quantity=2,
    price_type=sj.constant.FuturesPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
```

賣

```
order = api.Order(
    action=sj.constant.Action.Sell,
    price=14400,
    quantity=2,
    price_type=sj.constant.FuturesPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
```


Copyright © 2025 SinoPac

ROD + LMT

ROD + LMT

```
order = api.Order(
    action=sj.constant.Action.Sell,
    price=14400,
    quantity=2,
    price_type=sj.constant.FuturesPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
```


Copyright © 2025 SinoPac

4.5.3 零股

零股下單範例 (jupyter)

提醒

下單前必須先登入及啟用憑證。

下單

下單

```
contract = api.Contracts.Stocks.TSE.TSE0050
order = api.Order(
    price=90,
    quantity=10,
    action=sj.constant.Action.Buy,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.IntradayOdd,
    account=api.stock_account,
)

trade = api.place_order(contract, order)
trade
```

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='0050',
        symbol='TSE0050',
        name='元大台灣50',
        category='00',
        limit_up=115.8,
        limit_down=94.8,
        eference=105.3,
        update_date='2020/09/21',
        margin_trading_balance=15390,
        short_selling_balance=2,
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=90.0,
        quantity=10,
        id='38e68afe',
        seqno='482283',
        ordno='WA313',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='YOUR_PERSON_ID',
            broker_id='9A95',
            account_id='0506112',
            signed=True
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>,
        order_lot=<StockOrderLot.IntradayOdd: 'IntradayOdd'>
    ),
    status=OrderStatus(
        id='38e68afe',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2020, 9, 21, 14, 38, 51),
        deals=[]
    )
)
```


Copyright © 2025 SinoPac

改單

> **注意**
>
> **零股不能進行改價**

`update_order` 只能用來**減少**原委託單的委託數量。

改量(減量)

```
api.update_order(trade=trade, qty=2)
api.update_status(api.stock_account)
trade
```

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='0050',
        symbol='TSE0050',
        name='元大台灣50',
        category='00',
        limit_up=115.8,
        limit_down=94.8,
        reference=105.3,
        update_date='2020/09/21',
        margin_trading_balance=15390,
        short_selling_balance=2,
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=90.0,
        quantity=10,
        id='9b44c3b2',
        seqno='482293',
        ordno='WA328',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='YOUR_PERSON_ID',
            broker_id='9A95',
            account_id='0506112',
            signed=True
        ),
    price_type=<StockPriceType.LMT: 'LMT'>,
    order_type=<OrderType.ROD: 'ROD'>,
    order_lot=<StockOrderLot.IntradayOdd: 'IntradayOdd'>),
    status=OrderStatus(
        id='9b44c3b2',
        status=<Status.Submitted: 'Submitted'>,
        status_code='00',
        order_datetime=datetime.datetime(2020, 9, 21, 14, 54, 36),
        cancel_quantity=2,
        deals=[]
    )
)
```

刪單

刪單

```
api.cancel_order(trade)
api.update_status(api.stock_account)
trade
```


Copyright © 2025 SinoPac

Out

```
Trade(
    contract=Stock(
        exchange=<Exchange.TSE: 'TSE'>,
        code='0050',
        symbol='TSE0050',
        name='元大台灣50',
        category='00',
        limit_up=115.8,
        limit_down=94.8,
        reference=105.3,
        update_date='2020/09/21',
        margin_trading_balance=15390,
        short_selling_balance=2,
        day_trade=<DayTrade.Yes: 'Yes'>
    ),
    order=Order(
        action=<Action.Buy: 'Buy'>,
        price=90.0,
        quantity=10,
        id='9b44c3b2',
        seqno='482293',
        ordno='WA328',
        account=Account(
            account_type=<AccountType.Stock: 'S'>,
            person_id='YOUR_PERSON_ID',
            broker_id='9A95',
            account_id='0506112',
            signed=True
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>,
        order_lot=<StockOrderLot.IntradayOdd: 'IntradayOdd'>
    ),
    status=OrderStatus(
        id='9b44c3b2',
        status=<Status.Cancelled: 'Cancelled'>,
        status_code='00',
        order_datetime=datetime.datetime(2020, 9, 21, 14, 54, 36),
        cancel_quantity=10,
        deals=[]
    )
)
```


Copyright © 2025 SinoPac

4.5.4 組合單

提醒

下單前必須先登入及啟用憑證。

下單

組合單提供類型包括:**價格價差、時間價差、跨式、勒式、轉換**以及**逆轉**。組合規則詳見期交所文件。

place_comboorder

```
api.place_comboorder?

    Signature:
        api.place_comboorder(
            combo_contract: shioaji.contracts.ComboContract,
            order: shioaji.order.ComboOrder,
            timeout: int = 5000,
            cb: Callable[[shioaji.order.ComboTrade], NoneType] = None,
        )
    Docstring:
        placing combo order
```

下單時必須提供商品資訊 `contract` 及下單資訊 `order` 。商品資訊無關前後順序，只需提供認可的組合。

商品資訊

```
contract_1 = api.Contracts.Options.TX4.TX42021110178500
contract_2 = api.Contracts.Options.TX4.TX42021110178500P
combo_contract = sj.contracts.ComboContract(
    legs=[
        sj.contracts.ComboBase(action="Sell", **contract_1.dict()),
        sj.contracts.ComboBase(action="Sell", **contract_2.dict()),
    ]
)
```

下單資訊

```
order = api.ComboOrder(
    price_type="LMT",
    price=1,
    quantity=1,
    order_type="IOC",
    octype=sj.constant.FuturesOCType.New,
)
```

...

```
trade = api.place_comboorder(combo_contract, order)
```

刪單

`trade` 為要刪的單，可從查詢取得。

...

```
api.cancel_comboorder(trade)
```


Copyright © 2025 SinoPac

查詢狀態

如同 `list_trades` 及 `update_status` 的概念。在取得組合單狀態前，必須利用 `update_combostatus` 更新狀態。

```
api.update_combostatus()
api.list_combotrades()
```

Out

```
[
    ComboTrade(
        contract=ComboContract(
            legs=[
                ComboBase(
                    security_type=<SecurityType.Option: 'OPT'>,
                    exchange=<Exchange.TAIFEX: 'TAIFEX'>,
                    code='TX516000L1',
                    symbol='TX52021120160000C',
                    name='臺指選擇權12W5月 16000C',
                    category='TX5',
                    delivery_month='202112',
                    delivery_date='2021/12/29',
                    strike_price=16000.0,
                    option_right=<OptionRight.Call: 'C'>,
                    underlying_kind='I',
                    unit=1,
                    limit_up=3630.0,
                    limit_down=68.0,
                    reference=1850.0,
                    update_date='2021/12/23',
                    action=<Action.Sell: 'Sell'>),
                ComboBase(
                    security_type=<SecurityType.Option: 'OPT'>,
                    exchange=<Exchange.TAIFEX: 'TAIFEX'>,
                    code='TX516000X1',
                    symbol='TX52021120160000P',
                    name='臺指選擇權12W5月 16000P',
                    category='TX5',
                    delivery_month='202112',
                    delivery_date='2021/12/29',
                    strike_price=16000.0,
                    option_right=<OptionRight.Put: 'P'>,
                    underlying_kind='I',
                    unit=1,
                    limit_up=1780.0,
                    limit_down=0.1,
                    reference=0.9,
                    update_date='2021/12/23',
                    action=<Action.Sell: 'Sell'>)
                ]
            ),
        order=Order(
            action=<Action.Sell: 'Sell'>,
            price=1.0,
            quantity=1,
            id='46989de8',
            seqno='743595',
            ordno='000000',
            account=Account(
                account_type=<AccountType.Future: 'F'>,
                person_id='YOUR_PERSON_ID',
                broker_id='F002000',
                account_id='1234567',
                signed=True
            ),
            price_type=<StockPriceType.LMT: 'LMT'>,
            order_type=<OrderType.IOC: 'IOC'>,
            octype=<FuturesOCType.New: 'New'>
        ),
        status=ComboStatus(
            id='46989de8',
            status=<Status.Failed: 'Failed'>,
            status_code='99Q9',
            order_datetime=datetime.datetime(2021, 12, 23, 8, 46, 47),
            msg='可委託金額不足',
            modified_price=1.0,
            deals={}
        )
    )
]
```


Copyright © 2025 SinoPac

4.5.5 預收券款

當現貨觸發一些交易異常條件，需先預收券款。異常條件包括: 注意股票、警示股票、處置股票及管理股票。

提醒

- 必須先登入及啟用憑證。
- 服務時間為交易日8:00~14:30。

查詢圈券狀態

```
reserve_summary_resp = api.stock_reserve_summary(account)
```

Out

```
ReserveStocksSummaryResponse(
    response=ReserveStocksSummary(
        stocks=[
            ReserveStockSummary(
                contract=Contract(
                    security_type=<SecurityType.Stock: 'STK'>,
                    exchange=<Exchange.TSE: 'TSE'>,
                    code='2890',
                    name='永豐金'
                ),
                available_share=5000,
                reserved_share=0
            )
        ],
        account=StockAccount(
            person_id='X123456789',
            broker_id='9A95',
            account_id='12345678',
            signed=True
            )
        )
    )
```

借券圈券申請

```
contract = api.Contracts.Stocks["2890"]
resp = api.reserve_stock(account, contract, 1000)
```


Copyright © 2025 SinoPac

Out

```
ReserveStockResponse(
    response=ReserveOrderResp(
        contract=Stock(
            exchange=<Exchange.TSE: 'TSE'>,
            code='2890',
            symbol='TSE2890',
            name='永豐金'
        ),
        account=StockAccount(
            person_id='X123456789',
            broker_id='9A95',
            account_id='12345678',
            signed=True),
        share=1000,
        status=True,
        info=''
    )
)
```

查詢圈券明細

In

```
resp = api.stock_reserve_detail(account)
```

Out

```
ReserveStocksDetailResponse(
    response=ReserveStocksDetail(stocks=[
            ReserveStockDetail(
                contract=Contract(
                    security_type=<SecurityType.Stock: 'STK'>,
                    exchange=<Exchange.TSE: 'TSE'>,
                    code='6153',
                    name='嘉聯益'
                ),
                share=1000,
                order_ts=1638253253,
                status=True,
                info='已完成'
            )
        ],
        account=StockAccount(
            person_id='X123456789',
            broker_id='9A95',
            account_id='12345678',
            signed=True)
        )
)
```

預收款項申請

In

```
contract = api.Contracts.Stocks["2890"]
resp = api.reserve_earmarking(account, contract, 1000, 15.15)
```


Copyright © 2025 SinoPac

Out

```
ReserveEarmarkingResponse(
    response=EarmarkingOrderResp(
        contract=Stock(
            exchange=<Exchange.TSE: 'TSE'>,
            code='2890',
            symbol='TSE2890',
            name='永豐金',
        ),
        account=StockAccount(
            person_id='X123456789',
            broker_id='9A95',
            account_id='12345678',
            signed=True)
        ),
        share=1000,
        price=15.15,
        status=True,
        info='OK')
)
```

查詢預收款項

In

```
api.earmarking_detail(account)
```

Out

```
EarmarkStocksDetailResponse(
    response=EarmarkStocksDetail(
        stocks=[
            EarmarkStockDetail(
                contract=Contract(
                    security_type=<SecurityType.Stock: 'STK'>,
                    exchange=<Exchange.TSE: 'TSE'>,
                    code='2890',
                    name='永豐金'
                ),
                share=1000,
                price=15.15,
                amount=15171,
                order_ts=1638416488,
                status=False,
                info='扣款失敗'),
            EarmarkStockDetail(
                contract=Contract(
                    security_type=<SecurityType.Stock: 'STK'>,
                    exchange=<Exchange.TSE: 'TSE'>,
                    code='2890',
                    name='永豐金'
                ),
                share=1000,
                price=15.15,
                amount=15171,
                order_ts=1638415662, status=True,
                info='')
            ],
            account=StockAccount(
                person_id='X123456789',
                broker_id='9A95',
                account_id='12345678',
                signed=True)
            )
        )
    )
```

範例

查詢所有名下帳號的圈券狀態

Copyright © 2025 SinoPac

```python
import shioaji as sj

api = sj.Shioaji()
accounts = api.login("YOUR_PERSON_ID", "YOUR_PASSWORD", contracts_timeout=10000)
api.activate_ca(
    ca_path="/c/your/ca/path/Sinopac.pfx",
    ca_passwd="YOUR_CA_PASSWORD",
    person_id="Person of this Ca",
)
for account in accounts:
    if account.account_type == AccountType.Stock:
        reserve_summary_resp = api.stock_reserve_summary(account)
        for reserve_stock_summary in reserve_summary_resp.response.stocks:
                if reserve_stock_summary.available_share:
                    resp = api.reserve_stock(
                        account,
                        reserve_stock_summary.contract,
                        reserve_stock_summary.available_share
                    )
```


Copyright © 2025 SinoPac

4.5.6 查詢狀態

提醒

必須先登入及啟用憑證。

在取得 `Trade` 狀態前，必須先利用 `update_status` 進行更新。如果無法成功刪單或改單，你可以對特定 `trade` 物件進行更新，並確認在 `trade` 中的 `OrderStatus`，是否為可刪改狀態。 `update_status` 預設查詢為名下所有帳號。若想查詢特定帳號，將帳號帶入 `account`。

Update Status

```
api.update_status?
```

Out

```
Signature:
    api.update_status(
        account: shioaji.account.Account = None,
        trade: shioaji.order.Trade = None,
        timeout: int = 5000,
        cb: Callable[[List[shioaji.order.Trade]], NoneType] = None,
    )
Docstring: update status of all trades you have
```

取得證券委託狀態

取得證券委託狀態

```
api.update_status(api.stock_account)
api.list_trades()
```


Copyright © 2025 SinoPac

Out

```
[
    Trade(
        contract=Stock(
            exchange=<Exchange.TSE: 'TSE'>,
            code='2890',
            symbol='TSE2890',
            name='永豐金',
            category='17',
            unit=1000,
            limit_up=19.05,
            limit_down=15.65,
            reference=17.35,
            update_date='2023/01/12',
            day_trade=<DayTrade.Yes: 'Yes'>
        ),
        order=Order(
            action=<Action.Buy: 'Buy'>,
            price=17,
            quantity=3,
            id='531e27af',
            seqno='000002',
            ordno='000001',
            account=Account(
                account_type=<AccountType.Stock: 'S'>,
                person_id='A123456789',
                broker_id='9A95',
                account_id='1234567',
                signed=True
            ),
            custom_field='test',
            price_type=<StockPriceType.LMT: 'LMT'>,
            order_type=<OrderType.ROD: 'ROD'>,
            daytrade_short=True
        ),
        status=OrderStatus(
            id='531e27af',
            status=<Status.Filled: 'Filled'>,
            status_code='00',
            order_datetime=datetime.datetime(2023, 1, 12, 11, 18, 3, 867490),
            order_quantity=3,
            deals=[
                Deal(seq='000001', price=17, quantity=3, ts=1673501631.62918)
            ]
        )
    )
]
```

取得期貨委託狀態

取得期貨委託狀態

```
api.update_status(api.futopt_account)
api.list_trades()
```


Copyright © 2025 SinoPac

Out


```
[
    Trade(
        contract=Future(
            code='TXFA3',
            symbol='TXF202301',
            name='臺股期貨01',
            category='TXF',
            delivery_month='202301',
            delivery_date='2023/01/30',
            underlying_kind='I',
            unit=1,
            limit_up=16270.0,
            limit_down=13312.0,
            reference=14791.0,
            update_date='2023/01/12'
        ),
        order=Order(
            action=<Action.Buy: 'Buy'>,
            price=14400,
            quantity=3,
            id='5efffde1',
            seqno='000004',
            ordno='000003',
            account=Account(
                account_type=<AccountType.Future: 'F'>,
                person_id='A123456789',
                broker_id='F002000',
                account_id='1234567',
                signed=True
            ),
            price_type=<StockPriceType.LMT: 'LMT'>,
            order_type=<OrderType.ROD: 'ROD'>
        ),
        status=OrderStatus(
            id='5efffde1',
            status=<Status.Filled: 'Filled'>,
            status_code='00',
            order_datetime=datetime.datetime(2023, 1, 12, 14, 56, 13, 995651),
            order_quantity=3,
            deals=[
                Deal(seq='000001', price=14400, quantity=3, ts=1673501631.62918)
            ]
        )
    )
]
```


更新特定交易狀態

更新特定交易狀態

```
# you can get trade from place_order
# trade = api.place_order(contract, order)

# or get from api.list_trades
# trade = api.list_trades()[0]

api.update_status(trade=trade)
```

委託及成交狀態屬性

委託狀態屬性

```
id (str): 關聯Order物件編碼
status (:obj:Status): {
            Cancelled: 已刪除,
            Filled: 完全成交,
            PartFilled: 部分成交,
            Failed: 失敗,
            PendingSubmit: 傳送中,
            PreSubmitted: 預約單,
            Submitted: 傳送成功
        }
status_code (str): 狀態碼
order_datetime (datetime): 委託時間
order_quantity (int): 委託數量
modified_price (float): 改價金額
cancel_quantity (int): 取消委託數量
deals (:List:Deal): 成交資訊
```


Copyright © 2025 SinoPac

成交屬性

```
seq (str): 成交序號
price (int or float): 成交價
quantity (int): 成交數量
ts (float): 成交時間戳
```


Copyright © 2025 SinoPac

4.5.7 回報資訊

證券

委託回報

當證交所收到委託將會回傳回報。在回報中分為四部分，包括operation、order、status及contract。以下我們會在進行詳細的說明。

Copyright © 2025 SinoPac

委託回報

version>=1.0 **version<1.0**

```
OrderState.StockOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': '97b63e2f',
        'seqno': '267677',
        'ordno': 'IM394',
        'account': {
            'account_type': 'S',
            'person_id': '',
            'broker_id': '9A95',
            'account_id': '1234567',
            'signed': True
        },
        'action': 'Buy',
        'price': 16.0,
        'quantity': 1,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'order_cond': 'Cash',
        'order_lot': 'Common',
        'custom_field': 'test'
    },
    'status': {
        'id': '97b63e2f',
        'exchange_ts': 1673576134.038,
        'modified_price': 0.0,
        'cancel_quantity': 0,
        'order_quantity': 1,
        'web_id': '137'
    },
    'contract': {
        'security_type': 'STK',
        'exchange': 'TSE',
        'code': '2890',
        'symbol': '',
        'name': '',
        'currency': 'TWD'
    }
}
```

```
OrderState.TFTOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': '97b63e2f',
        'seqno': '267677',
        'ordno': 'IM394',
        'account': {
            'account_type': 'S',
            'person_id': '',
            'broker_id': '9A95',
            'account_id': '1234567',
            'signed': True
        },
        'action': 'Buy',
        'price': 16.0,
        'quantity': 1,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'order_cond': 'Cash',
        'order_lot': 'Common',
        'custom_field': 'test'
    },
    'status': {
        'id': '97b63e2f',
        'exchange_ts': 1673576134.038,
        'modified_price': 0.0,
        'cancel_quantity': 0,
        'order_quantity': 1,
        'web_id': '137'
    },
    'contract': {
        'security_type': 'STK',
        'exchange': 'TSE',
        'code': '2890',
        'symbol': '',
        'name': '',
        'currency': 'TWD'
    }
}
```


Copyright © 2025 SinoPac

委託回報資訊

operation

```
op_type (str): {
            "New": 新單,
            "Cancel": 刪單,
            "UpdatePrice": 改價,
            "UpdateQty": 改量
        }
op_code (str): {"00": 成功, others: 失敗}
op_msg (str): 錯誤訊息
```

order

```
id (str): 與成交回報的trade_id相同
seqno (str): 平台單號
ordno (str): 委託單號
account (dict): 帳號資訊
action (str): 買賣別 {Buy, Sell}
price (float or int): 委託價格
quantity (int): 委託數量
order_type (str): 委託類別 {ROD, IOC, FOK}
price_type (str): {LMT: 限價, MKT: 市價, MKP: 範圍市價}
order_cond (str): {
            Cash: 現股,
            MarginTrading: 融資,
            ShortSelling: 融券
        }
order_lot (str): {
            Common: 整股,
            Fixing: 定盤,
            Odd: 盤後零股,
            IntradayOdd: 盤中零股
        }
custom_field (str): 自訂欄位
```

status

```
id (str): 與成交回報的trade_id相同
exchange_ts (int): 交易所時間
modified_price (float or int): 改價
cancel_quantity (int): 取消數量
order_quantity (int): 委託數量
web_id (str): 下單平台代碼
```

contract

```
security_type (str): 商品類別
exchange (str): 交易所
code (str): 商品代碼
symbol (str): 符號
name (str): 商品名稱
currency (str): 幣別
```

成交回報

當搓合成功，證交所會傳送成交回報告知。搓合成功包含部分成交以及完全成交，可以從委託回報中的 `id` 去對應成交回報中的 `trade_id` 去確認是否為同一筆委託單。

Copyright © 2025 SinoPac

成交回報

version>=1.0　　version<1.0

```
OrderState.StockDeal {
    'trade_id': '9c6ae2eb',
    'seqno': '269866',
    'ordno': 'IN497',
    'exchange_seq': '669915',
    'broker_id': '9A95',
    'account_id': '1234567',
    'action': 'Buy',
    'code': '2890',
    'order_cond': 'Cash',
    'order_lot': 'IntradayOdd',
    'price': 267.5,
    'quantity': 3,
    'web_id': '137',
    'custom_field': 'test',
    'ts': 1673577256.354
}
```

```
OrderState.TFTDeal {
    'trade_id': '9c6ae2eb',
    'seqno': '269866',
    'ordno': 'IN497',
    'exchange_seq': '669915',
    'broker_id': '9A95',
    'account_id': '1234567',
    'action': 'Buy',
    'code': '2890',
    'order_cond': 'Cash',
    'order_lot': 'IntradayOdd',
    'price': 267.5,
    'quantity': 3,
    'web_id': '137',
    'custom_field': 'test',
    'ts': 1673577256.354
}
```

成交回報

```
trade_id (str): 與委託回報id相同
seqno (str): 平台單號
ordno (str): 前五碼為同委託回報委託單號，後三碼為同筆委託成交交易序號。
exchange_seq (str): 回報序號
broker_id (str): 分行代碼
account_id (str): 帳號
action (str): 買賣別 {Buy, Sell}
code (str): 商品代碼
order_cond (str): {
            Cash: 現股,
            MarginTrading: 融資,
            ShortSelling: 融券
        }
order_lot (str): {
            Common: 整股,
            Fixing: 定盤,
            Odd: 盤後零股,
            IntradayOdd: 盤中零股
        }
price (float or int): 成交價
quantity (int): 成交量
web_id (str): 平台代碼
custom_field (str): 自訂欄位
ts (int): 成交時間戳
```

注意

交易所回傳訊息優先順序成交回報大於委託回報，所以當委託立即成交可能會先收到成交回報。

回報處理

欲處理委託、成交回報，詳細可參見Callback。

Copyright © 2025 SinoPac

期貨

委託回報

當期交所收到委託將會回傳回報。在回報中分為四部分，包括operation、order、status及contract。以下我們會在進行詳細的說明。

Copyright © 2025 SinoPac

委託回報

version>=1.0 **version<1.0**

```
OrderState.FuturesOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': 'fcb42a6e',
        'seqno': '585886',
        'ordno': '00',
        'account': {
            'account_type': 'F',
            'person_id': '',
            'broker_id': 'F002000',
            'account_id': '1234567',
            'signed': True
        },
        'action': 'Buy',
        'price': 14000.0,
        'quantity': 1,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'market_type': 'Night',
        'oc_type': 'New',
        'subaccount': '',
        'combo': False
    },
    'status': {
        'id': 'fcb42a6e',
        'exchange_ts': 1673512283.0,
        'modified_price': 0.0,
        'cancel_quantity': 0,
        'order_quantity': 1,
        'web_id': 'Z'
    },
    'contract': {
        'security_type': 'FUT',
        'code': 'TXF',
        'exchange': 'TIM',
        'delivery_month': '202301',
        'delivery_date': '',
        'strike_price': 0.0,
        'option_right': 'Future'
    }
}
```

```
OrderState.FOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': 'fcb42a6e',
        'seqno': '585886',
        'ordno': '00',
        'account': {
            'account_type': 'F',
            'person_id': '',
            'broker_id': 'F002000',
            'account_id': '1234567',
            'signed': True
        },
        'action': 'Buy',
        'price': 14000.0,
        'quantity': 1,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'market_type': 'Night',
        'oc_type': 'New',
        'subaccount': '',
        'combo': False
    },
    'status': {
        'id': 'fcb42a6e',
        'exchange_ts': 1673512283.0,
        'modified_price': 0.0,
        'cancel_quantity': 0,
        'order_quantity': 1,
        'web_id': 'Z'
    },
    'contract': {
        'security_type': 'FUT',
        'code': 'TXF',
        'exchange': 'TIM',
        'delivery_month': '202301',
        'delivery_date': '',
        'strike_price': 0.0,
        'option_right': 'Future'
    }
}
```


Copyright © 2025 SinoPac

委託回報資訊

operation

```
op_type (str): {
        "New": 新單,
        "Cancel": 刪單,
        "UpdatePrice": 改價,
        "UpdateQty": 改量
    }
op_code (str): {"00": 成功, others: 失敗}
op_msg (str): 錯誤訊息
```

order

```
id (str): 與成交回報的trade_id相同
seqno (str): 平台單號
ordno (str): 委託單號
account (dict): 帳號資訊
action (str): 買賣別
price (float or int): 委託價
quantity (int): 委託量
order_cond (str): {
            Cash: 現股,
            MarginTrading: 融資,
            ShortSelling: 融券
        }
order_type (str): 委託類別 {ROD, IOC, FOK}
price_type (str): {LMT: 限價, MKT: 市價, MKP: 範圍市價}
market_type (str): 市場別 {Day:日盤, Night:夜盤}
oc_type(str): {New: 新倉, Cover: 平倉, Auto: 自動}
subaccount(str): 子帳號
combo (bool): 是否為組合單
```

status

```
id (str): 與成交回報的trade_id相同
exchange_ts (int): 交易所時間
modified_price (float or int): 改價
cancel_quantity (int): 取消數量
order_quantity (int): 委託數量
web_id (str): 下單平台代碼
```

contract

```
security_type (str): 商品類別
code (str): 商品代碼
exchange (str): 交易所
delivery_month (str): 交割月份
delivery_date (str): 交割日期
strike_price (float): 履約價
option_right (str): {Future, OptionCall, OptionPut}
```

成交回報

當搓合成功，期交所會傳送成交回報告知。搓合成功包含部分成交以及完全成交，可以從委託回報中的 `id` 去對應成交回報中的 `trade_id` 去確認是否為同一筆委託單。

Copyright © 2025 SinoPac

成交回報

version>=1.0　　version<1.0

```
OrderState.FuturesDeal {
    'trade_id': '4e6df0f6',
    'seqno': '458545',
    'ordno': 'tAOdeX1O',
    'exchange_seq': 'j5006396',
    'broker_id': 'F002000',
    'account_id': '1234567',
    'action': 'Sell',
    'code': 'TXO',
    'price': 58.0,
    'quantity': 1,
    'subaccount': '',
    'security_type': 'OPT',
    'delivery_month': '202301',
    'strike_price': 14300.0,
    'option_right': 'OptionPut',
    'market_type': 'Day',
    'combo': False,
    'ts': 1673270852.0
}
```

```
OrderState.FDeal {
    'trade_id': '4e6df0f6',
    'seqno': '458545',
    'ordno': 'tAOdeX1O',
    'exchange_seq': 'j5006396',
    'broker_id': 'F002000',
    'account_id': '1234567',
    'action': 'Sell',
    'code': 'TXO',
    'price': 58.0,
    'quantity': 1,
    'subaccount': '',
    'security_type': 'OPT',
    'delivery_month': '202301',
    'strike_price': 14300.0,
    'option_right': 'OptionPut',
    'market_type': 'Day',
    'combo': False,
    'ts': 1673270852.0
}
```

成交回報

```
trade_id (str): 與委託回報id相同
seqno (str): 平台單號
ordno (str): 前五碼為同委託回報委託單號，後三碼為同筆委託成交交易序號。
exchange_seq (str): 回報序號
broker_id (str): 分行代碼
account_id (str): 帳號
action (str): 買賣別
code (str): 商品代碼
price (float or int): 成交價
quantity (int): 成交量
subaccount (str): 子帳號
security_type (str): 商品類別
delivery_month (str): 交割月份
strike_price (float): 履約價
option_right (str): {Future, OptionCall, OptionPut}
market_type (str): {Day, Night}
ts (int): 成交時間戳
```

注意

交易所回傳訊息優先順序成交回報大於委託回報，所以當委託立即成交可能會先收到成交回報。

回報處理

欲處理委託、成交回報，詳細可參見Callback。

Copyright © 2025 SinoPac

4.6 CallBack

4.6.1 委託回報

每次您使用 `place_order`、`update_order` 或者 `cancel_order` 時，預設皆會收到來自交易所的委託或成交回報。如果您不想收到任何回報通知，您可以參考訂閱委託回報將其關閉。我們亦提供了處理委託及成交回報的介面。如果您正在建立自己的交易系統，這會非常有幫助。

處理委託及成交回報

您可以使用 `set_order_callback` 來處理委託及成交回報。以下範例顯示，自製的委託回報函數(`order_cb`)將先 print `my_order_callback` 然後才 print 委託及成交回報。

設定委託回報函式

```
def order_cb(stat, msg):
    print('my_order_callback')
    print(stat, msg)

api.set_order_callback(order_cb)
```

下單

version>=1.0 **version<1.0**

```
contract = api.Contracts.Stocks.TSE.TSE2890
order = api.Order(
    price=16,
    quantity=1,
    action=sj.constant.Action.Buy,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.Common,
    custom_field="test",
    account=api.stock_account
)
trade = api.place_order(contract, order)

contract = api.Contracts.Stocks.TSE.TSE2890
order = api.Order(
    price=16,
    quantity=1,
    action=sj.constant.Action.Buy,
    price_type=sj.constant.TFTStockPriceType.LMT,
    order_type=sj.constant.TFTOrderType.ROD,
    order_lot=sj.constant.TFTStockOrderLot.Common,
    custom_field="test",
    account=api.stock_account
)
trade = api.place_order(contract, order)
```


Copyright © 2025 SinoPac

委託回報

Copyright © 2025 SinoPac

委託回報

version>=1.0 **version<1.0**

```
my_order_callback
OrderState.StockOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': '97b63e2f',
        'seqno': '267677',
        'ordno': 'IM394',
        'account': {
            'account_type': 'S',
            'person_id': '',
            'broker_id': '9A95',
            'account_id': '1234567',
            'signed': True
        },
        'action': 'Buy',
        'price': 16.0,
        'quantity': 1,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'order_cond': 'Cash',
        'order_lot': 'Common',
        'custom_field': 'test'
    },
    'status': {
        'id': '97b63e2f',
        'exchange_ts': 1673576134.038,
        'modified_price': 0.0,
        'cancel_quantity': 0,
        'order_quantity': 1,
        'web_id': '137'
    },
    'contract': {
        'security_type': 'STK',
        'exchange': 'TSE',
        'code': '2890',
        'symbol': '',
        'name': '',
        'currency': 'TWD'
    }
}
```

```
my_order_callback
OrderState.TFTOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': '97b63e2f',
        'seqno': '267677',
        'ordno': 'IM394',
        'account': {
            'account_type': 'S',
            'person_id': '',
            'broker_id': '9A95',
            'account_id': '1234567',
            'signed': True
        },
        'action': 'Buy',
        'price': 16.0,
        'quantity': 1,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'order_cond': 'Cash',
        'order_lot': 'Common',
        'custom_field': 'test'
    },
    'status': {
        'id': '97b63e2f',
        'exchange_ts': 1673576134.038,
        'modified_price': 0.0,
        'cancel_quantity': 0,
        'order_quantity': 1,
        'web_id': '137'
    },
    'contract': {
        'security_type': 'STK',
        'exchange': 'TSE',
        'code': '2890',
        'symbol': '',
        'name': '',
        'currency': 'TWD'
    }
}
```


Copyright © 2025 SinoPac

成交回報

成交回報

version>=1.0　　version<1.0

```
my_order_callback
OrderState.StockDeal {
    'trade_id': '9c6ae2eb',
    'seqno': '269866',
    'ordno': 'IN497',
    'exchange_seq': '669915',
    'broker_id': '9A95',
    'account_id': '1234567',
    'action': 'Buy',
    'code': '2890',
    'order_cond': 'Cash',
    'order_lot': 'IntradayOdd',
    'price': 267.5,
    'quantity': 3,
    'web_id': '137',
    'custom_field': 'test',
    'ts': 1673577256.354
}
```

```
my_order_callback
OrderState.TFTDeal {
    'trade_id': '9c6ae2eb',
    'seqno': '269866',
    'ordno': 'IN497',
    'exchange_seq': '669915',
    'broker_id': '9A95',
    'account_id': '1234567',
    'action': 'Buy',
    'code': '2890',
    'order_cond': 'Cash',
    'order_lot': 'IntradayOdd',
    'price': 267.5,
    'quantity': 3,
    'web_id': '137',
    'custom_field': 'test',
    'ts': 1673577256.354
}
```


Copyright © 2025 SinoPac

4.6.2 事件

我們使用solace作為mesh broker。事件可視為你與solace的連接狀態。如果你沒有相關網路經驗，可以略過此部分。不用擔心在不用任何的設定下，我們將重連預設為50次。只需要請你確保你的網絡連接狀態正常。

In

```
@api.quote.on_event
def event_callback(resp_code: int, event_code: int, info: str, event: str):
    print(f'Event code: {event_code} | Event: {event}')
```

Out

```
Event code: 16 | Event: Subscribe or Unsubscribe ok
```

如同報價callback，你可以利用兩種方式設定事件callback。

In

```
api.quote.set_event_callback?
```

Out

```
Signature:
    api.quote.set_event_callback(func:Callable[[int, int, str, str], NoneType]) -> None
Docstring:  <no docstring>
Type:  method
```


Copyright © 2025 SinoPac

事件代碼

Copyright © 2025 SinoPac

Event Code	Event Code Enumerator	Description
0	SOLCLIENT_SESSION_EVENT_UP_NOTICE	The Session is established.
1	SOLCLIENT_SESSION_EVENT_DOWN_ERROR	The Session was established and then went down.
2	SOLCLIENT_SESSION_EVENT_CONNECT_FAILED_ERROR	The Session attempted to connect but was unsucces
3	SOLCLIENT_SESSION_EVENT_REJECTED_MSG_ERROR	The appliance rejected a published message.
4	SOLCLIENT_SESSION_EVENT_SUBSCRIPTION_ERROR	The appliance rejected a subscription (add or remov
5	SOLCLIENT_SESSION_EVENT_RX_MSG_TOO_BIG_ERROR	The API discarded a received message that exceede Session buffer size.
6	SOLCLIENT_SESSION_EVENT_ACKNOWLEDGEMENT	The oldest transmitted Persistent/Non-Persistent me that has been acknowledged.
7	SOLCLIENT_SESSION_EVENT_ASSURED_PUBLISHING_UP	Deprecated -- see notes in solClient_session_startAssuredPublishing.The AD Ha (that is, Guaranteed Delivery handshake) has compl the publisher and Guaranteed messages can be sent
8	SOLCLIENT_SESSION_EVENT_ASSURED_CONNECT_FAILED	Deprecated -- see notes in solClient_session_startAssuredPublishing.The applia rejected the AD Handshake to start Guaranteed pub Use SOLCLIENT_SESSION_EVENT_ASSURED_DELIVER instead.
8	SOLCLIENT_SESSION_EVENT_ASSURED_DELIVERY_DOWN	Guaranteed Delivery publishing is not available.The guaranteed delivery capability on the session has be disabled by some action on the appliance.
9	SOLCLIENT_SESSION_EVENT_TE_UNSUBSCRIBE_ERROR	The Topic Endpoint unsubscribe command failed.
9	SOLCLIENT_SESSION_EVENT_DTE_UNSUBSCRIBE_ERROR	Deprecated name; SOLCLIENT_SESSION_EVENT_TE_UNSUBSCRIBE_ is preferred.
10	SOLCLIENT_SESSION_EVENT_TE_UNSUBSCRIBE_OK	The Topic Endpoint unsubscribe completed.
10	SOLCLIENT_SESSION_EVENT_DTE_UNSUBSCRIBE_OK	Deprecated name; SOLCLIENT_SESSION_EVENT_TE_UNSUBSCRIBE_ preferred.
11	SOLCLIENT_SESSION_EVENT_CAN_SEND	The send is no longer blocked.
12	SOLCLIENT_SESSION_EVENT_RECONNECTING_NOTICE	The Session has gone down, and an automatic recon attempt is in progress.
13	SOLCLIENT_SESSION_EVENT_RECONNECTED_NOTICE	The automatic reconnect of the Session was success the Session was established again.
14	SOLCLIENT_SESSION_EVENT_PROVISION_ERROR	The endpoint create/delete command failed.
15	SOLCLIENT_SESSION_EVENT_PROVISION_OK	The endpoint create/delete command completed.
16	SOLCLIENT_SESSION_EVENT_SUBSCRIPTION_OK	The subscribe or unsubscribe operation has succeed
17	SOLCLIENT_SESSION_EVENT_VIRTUAL_ROUTER_NAME_CHANGED	The appliance's Virtual Router Name changed durin reconnect operation.This could render existing queu temporary topics invalid.
18	SOLCLIENT_SESSION_EVENT_MODIFYPROP_OK	The session property modification completed.
19	SOLCLIENT_SESSION_EVENT_MODIFYPROP_FAIL	The session property modification failed.

Copyright © 2025 SinoPac

Event Code	Event Code Enumerator	Description
20	SOLCLIENT_SESSION_EVENT_REPUBLISH_UNACKED_MESSAGES	After successfully reconnecting a disconnected sess SDK received an unknown publisher flow name resp when reconnecting the GD publisher flow.

Copyright © 2025 SinoPac

4.7 帳務

4.7.1 銀行餘額

用於查詢現貨交割帳戶餘額，需要先登入。

In

```
api.account_balance?
```

Out

```
Signature:
    api.account_balance(
        timeout: int = 5000,
        cb: Callable[[shioaji.position.AccountBalance], NoneType] = None,
    )
Docstring: query stock account balance
```

In

```
api.account_balance()
```

Out

```
AccountBalance(
    status=<FetchStatus.Fetched: 'Fetched'>,
    acc_balance=100000.0,
    date='2023-01-06 13:30:00.000000',
    errmsg=''
)
```

AccountBalance

```
status (FetchStatus): 資料回傳狀態
acc_balance (float): 餘額
date (str): 查詢日期
errmsg (str): 錯誤訊息
```


Copyright © 2025 SinoPac

4.7.2 保證金

用於查詢期貨帳戶的保證金，需先登入。

In

```
api.margin?
```

Out

```
Signature:
api.margin(
    account: shioaji.account.Account = None,
    timeout: int = 5000,
    cb: Callable[[shioaji.position.Margin], NoneType] = None,
) -> shioaji.position.Margin
Docstring: query future account of margin
```

In

```
api.margin(api.futopt_account)
```

Out

```
Margin(
    status=<FetchStatus.Fetched: 'Fetched'>,
    yesterday_balance=6000.0,
    today_balance=6000.0,
    deposit_withdrawal=0.0,
    fee=0.0,
    tax=0.0,
    initial_margin=0.0,
    maintenance_margin=0.0,
    margin_call=0.0,
    risk_indicator=999.0,
    royalty_revenue_expenditure=0.0,
    equity=6000.0,
    equity_amount=6000.0,
    option_openbuy_market_value=0.0,
    option_opensell_market_value=0.0,
    option_open_position=0.0,
    option_settle_profitloss=0.0,
    future_open_position=0.0,
    today_future_open_position=0.0,
    future_settle_profitloss=0.0,
    available_margin=6000.0,
    plus_margin=0.0,
    plus_margin_indicator=0.0,
    security_collateral_amount=0.0,
    order_margin_premium=0.0,
    collateral_amount=0.0
)
```


Copyright © 2025 SinoPac

Margin

status (FetchStatus): 資料回傳狀態
yesterday_balance (float): 前日餘額
today_balance (float): 今日餘額
deposit_withdrawal (float): 存提
fee (float): 手續費
tax (float): 期交稅
initial_margin (float): 原始保證金
maintenance_margin (float): 維持保證金
margin_call (float): 追繳保證金
risk_indicator (float): 風險指標
royalty_revenue_expenditure (float): 權利金收入與支出
equity (float): 權益數
equity_amount (float): 權益總值
option_openbuy_market_value (float): 未沖銷買方選擇權市值
option_opensell_market_value (float): 未沖銷賣方選擇權市值
option_open_position (float): 參考未平倉選擇權損益
option_settle_profitloss (float): 參考選擇權平倉損益
future_open_position (float): 未沖銷期貨浮動損益
today_future_open_position (float): 參考當日未沖銷期貨浮動損益
future_settle_profitloss (float): 期貨平倉損益
available_margin (float): 可動用(出金)保證金
plus_margin (float): 依「加收保證金指標」所加收之保證金
plus_margin_indicator (float): 加收保證金指標
security_collateral_amount (float): 有價證券抵繳總額
order_margin_premium (float): 委託保證金及委託權利金
collateral_amount (float): 有價品額

Copyright © 2025 SinoPac

4.7.3 未實現損益

用於查詢帳戶未實現損益，需要先登入。

未實現損益

In

```
api.list_positions?
```

Out

```
Signature:
api.list_positions(
    account: shioaji.account.Account = None,
    unit: shioaji.constant.Unit = <Unit.Common: 'Common'>,
    timeout: int = 5000,
    cb: Callable[[List[Union[shioaji.position.StockPosition, shioaji.position.FuturePosition]]], NoneType] = None,
) -> List[Union[shioaji.position.StockPosition, shioaji.position.FuturePosition]]
Docstring:
query account of unrealized gain or loss
Args:
    account (:obj:Account):
        choice the account from listing account (Default: stock account)
```

證券

整股部位

In

```
api.list_positions(api.stock_account)
```

Out

```
[
    StockPosition(
        id=0,
        code='2890',
        direction=<Action.Buy: 'Buy'>,
        quantity=12,
        price=2.79,
        last_price=16.95,
        pnl=169171.0,
        yd_quantity=12,
        margin_purchase_amount=0,
        collateral=0,
        short_sale_margin=0,
        interest=0
    )
]
```

轉成DataFrame

In

```
positions = api.list_positions(api.stock_account)
df = pd.DataFrame(s.__dict__ for s in positions)
df
```


Copyright © 2025 SinoPac

Out

id	code	direction	quantity	price	last_price	pnl	yd_quantity	cond	margi
0	0	2890	Buy	12	2.79	16.95	169172	12	

StockPosition

```
id (int): 部位代碼
code (str): 商品代碼
direction (Action): {Buy: 買, Sell: 賣}
quantity (int): 數量
price (float): 平均價格
last_price (float): 目前股價
pnl (float): 損益
yd_quantity (int): 昨日庫存數量
cond (StockOrderCond): {
    Cash: 現股(預設值),
    Netting: 餘額交割,
    MarginTrading: 融資,
    ShortSelling: 融券,
    Emerging: 興櫃
    }
margin_purchase_amount (int): 融資金額
collateral (int): 擔保品
short_sale_margin (int): 保證金
interest (int): 利息
```

零股部位

單位為股數

```
api.list_positions(
    api.stock_account,
    unit=sj.constant.Unit.Share
)
```

Out

```
[
    StockPosition(
        id=0,
        code='2890',
        direction=<Action.Buy: 'Buy'>,
        quantity=10000,
        price=10.1,
        last_price=12.0,
        pnl=1234.0,
        yd_quantity=10000,
        margin_purchase_amount=0,
        collateral=0,
        short_sale_margin=0,
        interest=0
    )
]
```

期貨選擇權

`account` 預設為證券帳號，若欲查詢期權內容需帶入期權帳號。

```
api.list_positions(api.futopt_account)
```


Copyright © 2025 SinoPac

Out

```
[
    FuturePosition(
        id=0,
        code='TX201370J2',
        direction=<Action.Buy: 'Buy'>,
        quantity=3,
        price=131.0000,
        last_price=126.0,
        pnl=-750.00
    )
]
```

轉成DataFrame

In

```
positions = api.list_positions(api.futopt_account)
df = pd.DataFrame(p.__dict__ for p in positions)
df
```

Out

	id	code	direction	quantity	price	last_price	pnl
0	0	TXFA3	Buy	4	14181	14375	155200

FuturePosition

```
id (int): 部位代碼
code (str): 商品代碼
direction (Action): {Buy: 買, Sell: 賣}
quantity (int): 數量
price (float): 平均價格
last_price (float): 目前價格
pnl (float): 損益
```

未實現損益 - 明細

可從針對 `list_positions` 得到的結果，將 `id` 帶入 `detail_id` 查詢該筆明細。

證券

In

```
api.list_position_detail?
```

Out

```
Signature:
    api.list_position_detail(
    account: shioaji.account.Account = None,
    detail_id: int = 0,
    timeout: int = 5000,
    cb: Callable[[List[Union[shioaji.position.StockPositionDetail, shioaji.position.    FuturePositionDetail]]], NoneType] = None,
) -> List[Union[shioaji.position.StockPositionDetail, shioaji.position.FuturePositionDetail]]
Docstring:
query account of position detail

Args:
    account (:obj:Account):
        choice the account from listing account (Default: stock account)
    detail_id (int): the id is from Position object, Position is from list_positions
```


Copyright © 2025 SinoPac

In

```
position_detail = api.list_position_detail(api.stock_account, 1)
position_detail
```

Out

```
[
    StockPositionDetail(
        date='2023-02-22',
        code='3558',
        quantity=0,
        price=1461.0,
        last_price=1470.0,
        dseq='WA371',
        direction=<Action.Buy: 'Buy'>,
        pnl=9.0,
        currency=<Currency.TWD: 'TWD'>,
        fee=1.0
    )
]
```

轉成DataFrame

In

```
df = pd.DataFrame(pnl.__dict__ for pnl in position_detail)
df
```

Out

date	code	quantity	price	last_price	direction	pnl	currency	fee
2023-02-22	3558	0	1461.0	WA371	Action.Buy	11.0	Currency.TWD	1.0

屬性

```
date (str): 交易日期
code (str): 商品代碼
quantity (int): 數量
price (float): 付出成本
last_price (float): 現值
dseq (str): 委託書號
direction (Action): {Buy: 買, Sell: 賣}
pnl (decimal): 損益
currency (string): 幣別 {NTD, USD, HKD, EUR, CAD, BAS}
fee (decimal): 交易手續費
cond (StockOrderCond): {
    Cash: 現股(預設值),
    Netting: 餘額交割,
    MarginTrading: 融資,
    ShortSelling: 融券,
    Emerging: 興櫃
    }
ex_dividends(int): 除息金額
interest (int): 除息
margintrading_amt(int): 融資金額
collateral (int): 擔保品
```

期貨選擇權

In

```
position_detail = api.list_position_detail(api.futopt_account, 0)
position_detail
```


Copyright © 2025 SinoPac

Out

```
[
    FuturePositionDetail(
        date='2023-02-14',
        code='MXFC3',
        quantity=1,
        price=15611.0,
        last_price=15541.0,
        dseq='tA0n8',
        direction=<Action.Buy: 'Buy'>,
        pnl=-3500.0,
        currency=<Currency.TWD: 'TWD'>,
        entry_quantity=1
    )
]
```

轉成DataFrame

In

```
df = pd.DataFrame(pnl.__dict__ for pnl in position_detail)
df
```

Out

date	code	quantity	price	last_price	dseq	direction	pnl	curr
2023-02-14	MXFC3	1	15611.0	15541.0	tA0n8	Action.Buy	-3500.0	Currency.

屬性

```
code (str): 商品代碼
date (str): 交易日期
quantity (int): 數量
price (float): 價格
last_price (float): 目前股價
dseq (str): 委託書號
direction (Action): {Buy: 買, Sell: 賣}
pnl (float): 損益
currency (str): 幣別 {NTD, USD, HKD, EUR, CAD, BAS}
fee (float or int): 交易手續費
entry_quantity(int): 新倉數量
```


Copyright © 2025 SinoPac

4.7.4 已實現損益

需要先登錄。

已實現損益

In

```
api.list_profit_loss?
```

Out

```
Signature:
    api.list_profit_loss(
        account: shioaji.account.Account = None,
        begin_date: str = '',
        end_date: str = '',
        unit: shioaji.constant.Unit = <Unit.Common: 'Common'>,
        timeout: int = 5000,
        cb: Callable[[List[shioaji.position.ProfitLoss]], NoneType] = None,
    ) -> List[shioaji.position.ProfitLoss]
Docstring:
    query account of profit loss

    Args:
        account (:obj:Account):
            choice the account from listing account (Default: stock account)
        begin_date (str): the start date of query profit loss (Default: today)
        end_date (str): the end date of query profit loss (Default: today)
```

帶入想查詢的時間區間。 `begin_date` 為起始時間， `end_date` 為結束時間。 `unit` 為數量單位， `Common` 為整股， `Share` 為零股。

In

```
profitloss = api.list_profit_loss(api.stock_account,'2020-05-05','2020-05-30')
profitloss
```

Out

```
[
    StockProfitLoss(
        id=0,
        code='2890',
        seqno='14816',
        dseq='ID111',
        quantity=1,
        price=10.1,
        pnl=1234.0,
        pr_ratio=0.1237,
        cond='Cash',
        date='2020-05-22'
    )
]
```

轉成DataFrame

In

```
df = pd.DataFrame(pnl.__dict__ for pnl in profitloss)
df
```


Copyright © 2025 SinoPac

Out

id	code	cond	date	pnl	pr_ratio	price	quantity	seqno
0	2890	StockOrderCond.Cash	2020-05-22	1000.0	0.1237	10.1	1	14816

StockProfitLoss

```
id (int): 可利用此id查詢明細
code (str): 商品代碼
seqno (str): seqno no.
dseq (str): seqno no.
quantity (int): 數量
price (float): 價格
pnl (float): 損益
pr_ratio (float): 損益比
cond (StockOrderCond): {
                Cash: 現股(預設值),
                Netting: 餘額交割,
                MarginTrading: 融資,
                ShortSelling: 融券,
                Emerging: 興櫃
            }
date (str): 交易日期
```

FutureProfitLoss

```
id (int): 可利用此id查詢明細
code (str): 商品代碼
quantity (int): 數量
pnl (float): 損益
date (str): 交易日期
entry_price (int): 進倉價格
cover_price (int): 平倉價格
tax (int): 交易稅
fee (int): 交易手續費
```

已實現損益 - 明細

可從針對 `list_profit_loss` 得到的結果，將 `id` 帶入 `detail_id` 查詢該筆明細。 `unit` 為數量單位， `Common` 為整股， `Share` 為零股。

In

```
api.list_profit_loss_detail?
```

Out

```
Signature:
api.list_profit_loss_detail(
    account: shioaji.account.Account = None,
    detail_id: int = 0,
    unit: shioaji.constant.Unit = <Unit.Common: 'Common'>,
    timeout: int = 5000,
    cb: Callable[[List[Union[shioaji.position.StockProfitDetail, shioaji.position.FutureProfitDetail]]], NoneType] = None,
) -> List[Union[shioaji.position.StockProfitDetail, shioaji.position.FutureProfitDetail]]
Docstring:
query account of profit loss detail

Args:
    account (:obj:Account):
        choice the account from listing account (Default: stock account)
    detail_id (int): the id is from ProfitLoss object, ProfitLoss is from list_profit_loss
```


Copyright © 2025 SinoPac

In

```
profitloss_detail = api.list_profit_loss_detail(api.stock_account, 2)
profitloss_detail
```

Out

```
[
    StockProfitDetail(
        date='2020-01-01',
        code='2890',
        quantity=1,
        dseq='IX000',
        fee=20,
        tax=0,
        currency='TWD',
        price=10.8,
        cost=10820,
        rep_margintrading_amt=0,
        rep_collateral=0,
        rep_margin=0,
        shortselling_fee=0,
        ex_dividend_amt=0,
        interest=0
    )
]
```

轉成DataFrame

In

```
df = pd.DataFrame(pnl.__dict__ for pnl in profitloss_detail)
df
```

Out

date	code	quantity	dseq	fee	tax	currency	price	cost	rep_margint
2020-01-01	2890	1	IX000	20	0	TWD	10.8	10820	

StockProfitDetail

```
date (str): 交易日期
code (str): 商品代碼
quantity (int): 數量
dseq (str): 委託書號
fee (int): 交易手續費
tax (int): 交易稅
currency (str): 幣別 {NTD, USD, HKD, EUR, CAD, BAS}
price (float): 成交單價
cost (int): 付出成本
rep_margintrading_amt (int): 償還融資金額
rep_collateral (int): 償還擔保品
rep_margin (int): 償還保證金
shortselling_fee (int): 融券手續費
ex_dividend_amt: 除息金額
interest (int): 利息
trade_type (TradeType): {Common, DayTrade}
cond (StockOrderCond): {
                Cash: 現股(預設值),
                Netting: 餘額交割,
                MarginTrading: 融資,
                ShortSelling: 融券,
                Emerging: 興櫃
            }
```


Copyright © 2025 SinoPac

FutureProfitDetail

```
date (str): 交易日期
code (str): 商品代碼
quantity (int): 數量
dseq (str): 委託書號
fee (int): 交易手續費
tax (int): 交易稅
currency (str): 幣別 {NTD, USD, HKD, EUR, CAD, BAS}
direction (Action): 買賣別 {Buy, Sell}
entry_price (int): 進倉價格
cover_price (int): 平倉價格
pnl (int): 損益
```

已實現損益 - 彙總

用於查詢一段時間內的損益彙總。

In

```
api.list_profit_loss_summary?
```

Out

```
Signature:
api.list_profit_loss_summary(
    account: shioaji.account.Account = None,
    begin_date: str = '',
    end_date: str = '',
    timeout: int = 5000,
    cb: Callable[[ProfitLossSummaryTotal], NoneType] = None,
) -> ProfitLossSummaryTotal
Docstring:
query summary profit loss of a period time

Args:
    account (:obj:Account):
        choice the account from listing account (Default: stock account)
    begin_date (str): the start date of query profit loss (Default: today)
    end_date (str): the end date of query profit loss (Default: today)
```

帶入想查詢的時間區間。`begin_date` 為起始時間，`end_date` 為結束時間。

In

```
profitloss_summary = api.list_profit_loss_summary(api.stock_account,'2020-05-05','2020-05-30')
profitloss_summary
```


Copyright © 2025 SinoPac

Out

```
ProfitLossSummaryTotal(
    status=<FetchStatus.Fetched: 'Fetched'>,
    profitloss_summary=[
        StockProfitLossSummary(
            code='2890',
            quantity=2000,
            entry_price=17,
            cover_price=10,
            pnl=-11585.0,
            currency='NTD',
            entry_cost=34550,
            cover_cost=21600,
            buy_cost=33112,
            sell_cost=21527,
            pr_ratio=-34.99
        )
    ],
    total=ProfitLossTotal(
        quantity=2000,
        buy_cost=33112,
        sell_cost=21527,
        pnl=-11585.0,
        pr_ratio=-34.99
    )
)
```

轉成DataFrame

In

```
df = pd.DataFrame(pnl.__dict__ for pnl in profitloss_summary.profitloss_summary)
df
```

Out

code	quantity	entry_price	cover_price	pnl	currency	entry_cost	cover_cost	bu
2890	2000	17	10	-11585	NTD	34550	21600	

StockProfitLossSummary

```
code (str): 商品代碼
quantity (int): 數量
entry_price (int): 進倉價格
cover_price (int): 平倉價格
pnl (float): 損益
currency (str): 幣別
entry_cost (int): 進倉金額(不含手續費及交易稅)
cover_cost (int): 平倉金額(不含手續費及交易稅)
buy_cost (int): 付出成本
sell_cost (int): 賣出收入
pr_ratio (float): 損益比
cond (StockOrderCond): {
                Cash: 現股(預設值),
                Netting: 餘額交割,
                MarginTrading: 融資,
                ShortSelling: 融券,
                Emerging: 興櫃
            }
```

FutureProfitLossSummary

```
code (str): 商品代碼
quantity (int): 數量
entry_price (int): 進倉價格
cover_price (int): 平倉價格
pnl (float): 損益
currency (str): 幣別
direction (Action): 買賣別 {Buy, Sell}
tax (int): 交易稅
fee (int): 交易手續費
```


Copyright © 2025 SinoPac

4.7.5 結算

用於查詢交割款，需要先登錄。

Settlements

In

```
api.settlements?
```

Out

```
Signature:
api.settlements(
    account: shioaji.account.Account = None,
    timeout: int = 5000,
    cb: Callable[[List[shioaji.position.SettlementV1]], NoneType] = None,
) -> List[shioaji.position.SettlementV1]
Docstring: query stock account of settlements
```

In

```
settlements = api.settlements(api.stock_account)
settlements
```

Out

```
[
    SettlementV1(date=datetime.date(2022, 10, 13), amount=0.0, T=0),
    SettlementV1(date=datetime.date(2022, 10, 14), amount=0.0, T=1),
    SettlementV1(date=datetime.date(2022, 10, 17), amount=0.0, T=2)
]
```

轉成DataFrame

In

```
df = pd.DataFrame([s.__dict__ for s in settlements]).set_index("T")
df
```

out

T	date	amount
0	2022-10-13	0
1	2022-10-14	0
2	2022-10-17	0

Copyright © 2025 SinoPac

SettlementV1

```
date (datetime.date): 交割日期
amount (float): 交割金額
T (int): Tday
```


Copyright © 2025 SinoPac

4.8 模擬模式

使用者能先在模擬環境熟悉我們所提供的服務，可避免在正式環境操作失誤造成財物的損失。以下會詳細說明在測試環境所提供的功能。

模擬環境

```
import shioaji as sj
api = sj.Shioaji(simulation=True)
```

4.8.1 可使用的APIs

行情資料

1. quote.subscribe
2. quote.unsubscribe
3. ticks
4. kbars
5. snapshots
6. short_stock_sources
7. credit_enquires
8. scanners

下單

1. place_order
2. update_order
3. cancel_order
4. update_status
5. list_trades

帳務

1. list_positions
2. list_profit_loss

Copyright © 2025 SinoPac

4.9 進階指南

4.9.1 綁訂報價模式

Shioaji 提供綁訂報價模式，可以用來將報價儲存於訊息佇列，將報價推送至Redis Stream，或者實現觸價委託單。我們提供以下範例，讓您可以更了解綁訂報價模式如何運作。

範例

綁訂報價至訊息佇列

In: pythonic way by using decorator

```
from collections import defaultdict, deque
from shioaji import TickFOPv1, Exchange

# set context
msg_queue = defaultdict(deque)
api.set_context(msg_queue)

# In order to use context, set bind=True
@api.on_tick_fop_v1(bind=True)
def quote_callback(self, exchange:Exchange, tick:TickFOPv1):
    # append quote to message queue
    self[tick.code].append(tick)

# subscribe
api.quote.subscribe(
    api.Contracts.Futures.TXF['TXF202107'],
    quote_type = sj.constant.QuoteType.Tick,
    version = sj.constant.QuoteVersion.v1
)
```

In: traditional way

```
def quote_callback(self, exchange:Exchange, tick:TickFOPv1):
    # append tick to context
    self[tick.code].append(tick)

# In order to use context, set bind=True
api.quote.set_on_tick_fop_v1_callback(quote_callback, bind=True)
```

Out

```
# after subscribe and wait for a few seconds ...
# print(msg_queue)
defaultdict(collections.deque,
    {
        'TXFG1': [
            Tick(code='TXFG1', datetime=datetime.datetime(2021, 7, 5, 10, 0, 21, 220000), open=Decimal('17755'), underlying_price=Decimal('17851.88'), bid_side_total_vol=34824,
ask_side_total_vol=36212, avg_price=Decimal('17837.053112'), close=Decimal('17833'), high=Decimal('17900'), low=Decimal('17742'), amount=Decimal('17833'), total_amount=Decimal('981323314'),
volume=1, total_volume=55016, tick_type=1, chg_type=2, price_chg=Decimal('184'), pct_chg=Decimal('1.042552'), simtrade=0),
            Tick(code='TXFG1', datetime=datetime.datetime(2021, 7, 5, 10, 0, 21, 781000), open=Decimal('17755'), underlying_price=Decimal('17851.88'), bid_side_total_vol=34825,
ask_side_total_vol=36213, avg_price=Decimal('17837.053056'), close=Decimal('17834'), high=Decimal('17900'), low=Decimal('17742'), amount=Decimal('17834'), total_amount=Decimal('981341148'),
volume=1, total_volume=55017, tick_type=1, chg_type=2, price_chg=Decimal('185'), pct_chg=Decimal('1.048218'), simtrade=0)
        ]
    }
)
```

將報價推送至REDIS STREAM

在開始之前，請先安裝redis。

Copyright © 2025 SinoPac

In

```
import redis
import json
from shioaji import TickFOPv1, Exchange

# redis setting
r = redis.Redis(host='localhost', port=6379, db=0, decode_responses=True)

# set up context
api.set_context(r)

# In order to use context, set bind=True
@api.on_tick_fop_v1(bind=True)
def quote_callback(self, exchange:Exchange, tick:TickFOPv1):
    # push them to redis stream
    channel = 'Q:' + tick.code # ='Q:TXFG1' in this example
    self.xadd(channel, {'tick':json.dumps(tick.to_dict(raw=True))})
```

Out

```
# after subscribe and wait for a few seconds ...
# r.xread({'Q:TXFG1':'0-0'})
[
   ['Q:TXFG1',
       [
           ('1625454940107-0',
               {'tick':
                   '{"code": "TXFG1", "datetime": "2021-07-05T11:15:49.066000", "open": "17755", "underlying_price": "17904.03", "bid_side_total_vol": 49698, "ask_side_total_vol": 51490,
"avg_price": "17851.312322", "close": "17889", "high": "17918", "low": "17742", "amount": "268335", "total_amount": "1399310819", "volume": 15, "total_volume": 78387, "tick_type": 2, "chg_type":
2, "price_chg": "240", "pct_chg": "1.35985", "simtrade": 0}'
               }
           ),
           ('1625454941854-0',
               {'tick':
                   '{"code": "TXFG1", "datetime": "2021-07-05T11:15:50.815000", "open": "17755", "underlying_price": "17902.58", "bid_side_total_vol": 49702, "ask_side_total_vol": 51478,
"avg_price": "17851.313258", "close": "17888", "high": "17918", "low": "17742", "amount": "35776", "total_amount": "1399346595", "volume": 2, "total_volume": 78389, "tick_type": 2, "chg_type": 2,
"price_chg": "239", "pct_chg": "1.354184", "simtrade": 0}'
               }
           )
       ]
   ]
]


# parse redis stream
# [json.loads(x[-1]['tick']) for x in r.xread({'Q:TXFG1':'0-0'})[0][-1]]
[
   {
       'code': 'TXFG1',
       'datetime': '2021-07-05T11:15:49.066000',
       'open': '17755',
       'underlying_price': '17904.03',
       'bid_side_total_vol': 49698,
       'ask_side_total_vol': 51490,
       'avg_price': '17851.312322',
       'close': '17889',
       'high': '17918',
       'low': '17742',
       'amount': '268335',
       'total_amount': '1399310819',
       'volume': 15,
       'total_volume': 78387,
       'tick_type': 2,
       'chg_type': 2,
       'price_chg': '240',
       'pct_chg': '1.35985',
       'simtrade': 0
   },
   {
       'code': 'TXFG1',
       'datetime': '2021-07-05T11:15:50.815000',
       'open': '17755',
       'underlying_price': '17902.58',
       'bid_side_total_vol': 49702,
       'ask_side_total_vol': 51478,
       'avg_price': '17851.313258',
       'close': '17888',
       'high': '17918',
       'low': '17742',
       'amount': '35776',
       'total_amount': '1399346595',
       'volume': 2,
       'total_volume': 78389,
       'tick_type': 2,
       'chg_type': 2,
       'price_chg': '239',
       'pct_chg': '1.354184',
       'simtrade': 0
   },
]
```


Copyright © 2025 SinoPac

觸價委託單

觸價委託單，在市場價格觸及委託單上所設定之價位時，委託單立刻轉為限價單或市價單。

以下僅為範例，請小心使用並自行承擔風險

Copyright © 2025 SinoPac

Example: stop order

```
import time
from typing import Union

import shioaji as sj

class StopOrderExcecutor:
    def __init__(self, api: sj.Shioaji) -> None:
        self.api = api
        self._stop_orders = {}

    def on_quote(
        self, quote: Union[sj.BidAskFOPv1, sj.BidAskSTKv1, sj.TickFOPv1, sj.TickSTKv1]
    ) -> None:
        code = quote.code
        if code in self._stop_orders:
            for stop_order in self._stop_orders[code]:
                if stop_order['executed']:
                    continue
                if hasattr(quote, "ask_price"):
                    price = 0.5 * float(
                        quote.bid_price[0] + quote.ask_price[0]
                    )  # mid price
                else:
                    price = float(quote.close)  # Tick

                is_execute = False
                if stop_order["stop_price"] >= stop_order["ref_price"]:
                    if price >= stop_order["stop_price"]:
                        is_execute = True

                elif stop_order["stop_price"] < stop_order["ref_price"]:
                    if price <= stop_order["stop_price"]:
                        is_execute = True

                if is_execute:
                    self.api.place_order(stop_order["contract"], stop_order["pending_order"])
                    stop_order['executed'] = True
                    stop_order['ts_executed'] = time.time()
                    print(f"execute stop order: {stop_order}")
                else:
                    self._stop_orders[code]

    def add_stop_order(
        self,
        contract: sj.contracts.Contract,
        stop_price: float,
        order: sj.order.Order,
    ) -> None:
        code = contract.code
        snap = self.api.snapshots([contract])[0]
        # use mid price as current price to avoid illiquidity
        ref_price = 0.5 * (snap.buy_price + snap.sell_price)
        stop_order = {
            "code": contract.code,
            "stop_price": stop_price,
            "ref_price": ref_price,
            "contract": contract,
            "pending_order": order,
            "ts_create": time.time(),
            "executed": False,
            "ts_executed": 0.0
        }

        if code not in self._stop_orders:
            self._stop_orders[code] = []
        self._stop_orders[code].append(stop_order)
        print(f"add stop order: {stop_order}")

    def get_stop_orders(self) -> dict:
        return self._stop_orders

    def cancel_stop_order_by_code(self, code: str) -> None:
        if code in self._stop_orders:
            _ = self._stop_orders.pop(code)

    def cancel_stop_order(self, stop_order: dict) -> None:
        code = stop_order["code"]
        if code in self._stop_orders:
            self._stop_orders[code].remove(stop_order)
            if len(self._stop_orders[code]) == 0:
                self._stop_orders.pop(code)

    def cancel_all_stop_orders(self) -> None:
        self._stop_orders.clear()
```

- 使用snapshots的中價作為參考價格，以區分觸價委託單的方向。

基本上，委託單會在您的電腦上待命，只有在商品價格觸擊所設定價格時，觸價委託單才會被送出，以下範例顯示如何提交限價觸價委託單(Stop-Limit Order)。

Copyright © 2025 SinoPac

Set up a stop order

```
# shioaji order
contract = api.Contracts.Futures.TXF['TXF202301']
order = api.Order(
    action='Buy',
    price=14800,
    quantity=1,
    price_type='LMT',
    order_type='ROD',
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)

# Stop Order Excecutor
soe = StopOrderExcecutor(api)
soe.add_stop_order(contract=contract, stop_price=14805, order=order)
```

Out

```
add stop order: {
    'code': 'TXFA3',
    'stop_price': 14805,
    'ref_price': 14790,
    'contract': Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16241.0,
        limit_down=13289.0,
        reference=14765.0,
        update_date='2023/01/10'
    ),
    'pending_order': Order(
        action=<Action.Buy: 'Buy'>,
        price=14800,
        quantity=1,
        account=FutureAccount(person_id='A123456789', broker_id='F002000', account_id='1234567', signed=True, username='PAIUSER'),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    'ts_create': 1673329115.1056178,
    'executed': False,
    'ts_executed': 0.0
}
```

- 市價觸價委託單(Stop-Market Order): `price_type = 'MKT'`

最後，我們將 `StopOrderExcecutor` 綁訂在報價上。請注意，您必須訂略商品報價，觸價委託單才會執行。

Set up context and callback function

```
from shioaji import TickFOPv1, Exchange

# set up context
api.set_context(soe)

# In order to use context, set bind=True
@api.on_tick_fop_v1(bind=True)
def quote_callback(self, exchange:Exchange, tick:TickFOPv1):
    # pass tick object to Stop Order Excecutor
    self.on_quote(tick)

# subscribe
api.quote.subscribe(
    contract,
    quote_type = sj.constant.QuoteType.Tick,
    version = sj.constant.QuoteVersion.v1
)
```


Copyright © 2025 SinoPac

Out: Once close/mid price hit stop price

```
execute stop order: {
    'code': 'TXFA3',
    'stop_price': 14805,
    'ref_price': 14790,
    'contract': Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16241.0,
        limit_down=13289.0,
        reference=14765.0,
        update_date='2023/01/10'
    ),
    'pending_order': Order(
        action=<Action.Buy: 'Buy'>,
        price=14800,
        quantity=1,
        account=FutureAccount(person_id='A123456789', broker_id='F002000', account_id='1234567', signed=True, username='PAIUSER'),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    'ts_create': 1673329115.1056178,
    'executed': True,
    'ts_executed': 1673329161.3224185
}
```


Copyright © 2025 SinoPac

4.9.2 非阻塞模式範例

阻塞(Blocking)模式為函數必須等待某事完成。每個函數都是等待的，不管是在做 I/O 還是在做 CPU 任務。舉例來說，如果函數試圖從資料庫中獲取數據，那麼它需要停下來等待回傳結果，收到回傳結果後，才會繼續處理接下來的任務。相反地，非阻塞(non-blocking)模式，不會等待操作完成。如果您嘗試在短時間內發送批量操作，則非阻塞模式非常有用。我們提供以下範例讓您更了解之間的區別。

切換阻塞/非阻塞模式為利用參數 `timeout`。將API參數 `timeout` 設置為 `0` 為非阻塞模式。 `timeout` 預設值為 5000（毫秒），表示該函數最多等待 5 秒。

非阻塞模式下單

將 `place_order` 函數中設置 `timeout = 0`。

In

```
contract = api.Contracts.Futures.TXF['TXF202301']
order = api.Order(
    action=sj.constant.Action.Sell,
    price=14000,
    quantity=1,
    price_type=sj.constant.FuturesPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
trade = api.place_order(contract, order, timeout=0)
trade
```

Out

```
Trade(
    contract=Future(
        code='TXFA3',
        symbol='TXF202301',
        name='臺股期貨01',
        category='TXF',
        delivery_month='202301',
        delivery_date='2023/01/30',
        underlying_kind='I',
        unit=1,
        limit_up=16241.0,
        limit_down=13289.0,
        reference=14765.0,
        update_date='2023/01/10'
    ),
    order=Order(
        action=<Action.Sell: 'Sell'>,
        price=14000,
        quantity=1,
        account=FutureAccount(
            person_id='F123456789',
            broker_id='F002000',
            account_id='1234567',
            signed=True,
            username='PAPIUSER'
        ),
        price_type=<StockPriceType.LMT: 'LMT'>,
        order_type=<OrderType.ROD: 'ROD'>
    ),
    status=OrderStatus(status=<Status.Inactive: 'Inactive'>)
)
```

在非阻塞模式中取得的 `Trade` 物件，因為委託單仍在傳輸中還未送至交易所，所以會缺少一些資訊。在 `Order` 物件中沒有 `id` 和 `seqno`， `OrderStatus` 物件中沒有 `id`、 `status_code`、 `order_datetime` 和 `deals`， `status` 顯示為 `Inactive`。在非阻塞模式中要取得上述提到的資訊可利用 `委託回報` 和 `非阻塞模式下單回調` 兩種方式。

Copyright © 2025 SinoPac

委託回報

Out

```
OrderState.FuturesOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': 'de616839',
        'seqno': '500009',
        'ordno': 'O00009',
        'action': 'Sell',
        'price': 14000,
        'quantity': 1,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'oc_type': 'Auto',
        'custom_field': ''
    },
    'status': {
        'id': 'de616839',
        'exchange_ts': 1673334371.492948,
        'order_quantity': 1,
        'modified_price': 0,
        'cancel_quantity': 0,
        'web_id': 'Z'
    },
    'contract': {
        'security_type': 'FUT',
        'exchange': 'TAIFEX',
        'code': 'TXFA3'
    }
}
```

非阻塞模式下單回調

In

```
from shioaji.order import Trade

def non_blocking_cb(trade:Trade):
    print('__my_callback__')
    print(trade)

trade = api.place_order(
    contract,
    order,
    timeout=0,
    cb=non_blocking_cb # only work in non-blocking mode
)
```


Copyright © 2025 SinoPac

Out: place order callback

```
__my_callback__
contract=Future(
    code='TXFA3',
    symbol='TXF202301',
    name='臺股期貨01',
    category='TXF',
    delivery_month='202301',
    delivery_date='2023/01/30',
    underlying_kind='I',
    unit=1,
    limit_up=16241.0,
    limit_down=13289.0,
    reference=14765.0,
    update_date='2023/01/10'
),
order=Order(
    action=<Action.Sell: 'Sell'>,
    price=14000,
    quantity=1,
    id='40fd85d6',
    seqno='958433',
    ordno='kY01g',
    account=FutureAccount(
        person_id='F123456789',
        broker_id='F002000',
        account_id='1234567',
        signed=True,
        username='PAPIUSER'
    ),
    price_type=<StockPriceType.LMT: 'LMT'>,
    order_type=<OrderType.ROD: 'ROD'>
),
status=OrderStatus(
    id='40fd85d6',
    status=<Status.Submitted: 'Submitted'>,
    status_code='    ',
    order_datetime=datetime.datetime(2023, 01, 10, 15, 14, 32),
    deals=[]
)
```

比較兩者模式

在非阻塞模式下，執行 `place_order` 大約需要 0.01 秒，這比阻塞模式下的執行時間快 12 倍。雖然非阻塞模式下單效率更高，需等待交易所收到委託後，委託單才會生效。

contract and order

```
contract = api.Contracts.Futures.TXF['TXF202301']
order = api.Order(
    action='Sell',
    price=14000,
    quantity=1,
    price_type='LMT',
    order_type='ROD',
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
```

Blocking

```
start_time = time.time()
api.place_order(contract, order) # block and wait for the order response
print(time.time() - start_time)
# 0.136578369140625 <- may be different
```

Non-Blocking

```
start_time = time.time()
api.place_order(contract, order, timeout=0) # non-block, the order is in transmition (inactive).
print(time.time() - start_time)
# 0.011670351028442383 <- may be different
```


Copyright © 2025 SinoPac

支援非等待模式的函數

```
- place_order
- update_order
- cancel_order
- update_status
- list_positions
- list_position_detail
- list_profit_loss
- list_profit_loss_detail
- list_profit_loss_summary
- settlements
- margin
- ticks
- kbars
```


Copyright © 2025 SinoPac

4.9.3 觸價委託範例

觸價委託範例

這是一個簡單的範例，說明如何實作價格監控以及觸價委託。

```
from pydantic import BaseModel

class TouchOrderCond(BaseModel):
    contract: Contract
    order: Order
    order: Order
    touch_price: float

class TouchOrder:
   def __init__(self, api: sj.Shioaji, condition: TouchOrderCond
    ):
       self.flag = False
       self.api = api
       self.order = condition.order
       self.contract = condition.contract
       self.touch_price = condition.touch_price
       self.api.quote.subscribe(self.contract)
       self.api.quote.set_quote_callback(self.touch)

   def touch(self, topic, quote):
       price = quote["Close"][0]
       if price == self.touch_price and not self.flag:
           self.flag = True
           self.api.place_order(self.contract, self.order)
           self.api.quote.unsubscribe(self.contract)
```

完整程式碼詳見 TouchPrice Order Extention

Copyright © 2025 SinoPac

4.9.4 行情管理

本篇教學完整專案的程式碼可以參考 sj-trading， 完整使用範例 jupyter notebook 可以參考 quote_manager_usage。

本專案是使用 `uv` 建立的，如果還不熟悉如何使用 `uv` 建立專案並使用 `uv` 管理依賴，建議回到 環境設定 章節從頭學習起。

在開始進行行情管理器的編寫前，我們會使用 Polars 這個套件來處理行情資料，所以需要將它加入專案的依賴中，同時本篇教學中會有如何用 Polars 快速對多商品計算技術指標的範例，所以也需要將 polars_talib 這個套件加入專案的依這個。

新增 Polars 依賴

```
uv add polars polars_talib
```

如果你對 Polars 不熟悉，可以參考 Polars 官方文件 來了解該如何使用他。

polars_talib 是一個 Polars 的擴充套件，它提供了 polars expression 版本的 ta-lib 完整功能，讓我們可以很方便的用 Polars 進行技術指標的計算，他是由 shioaji 作者開發的，詳細使用可以參考 polars_ta_extension。

Polars 是一個高效的 DataFrame 套件，適合用來處理大量資料，並且不需要任何額外的設定，就可以使用多核心來加速資料處理。這篇範例中我們可以看到如何使用 Shioaji 的行情管理器來取得行情資料，並且使用 Polars 來做並行化運算，同時將商品的 ticks 進行分 K 轉換，並且做平行化的多商品技術指標計算。

新增 quote.py

在 `src/sj_trading/` 新增 `quote.py` 檔案，並且新增以下程式碼

```python
import shioaji as sj
from typing import List

class QuoteManager:
    def __init__(self, api: sj.Shioaji):
        self.api = api
        self.api.quote.set_on_tick_stk_v1_callback(self.on_stk_v1_tick_handler)
        self.api.quote.set_on_tick_fop_v1_callback(self.on_fop_v1_tick_handler)
        self.ticks_stk_v1: List[sj.TickSTKv1] = []
        self.ticks_fop_v1: List[sj.TickFOPv1] = []

    def on_stk_v1_tick_handler(self, _exchange: sj.Exchange, tick: sj.TickSTKv1):
        self.ticks_stk_v1.append(tick)

    def on_fop_v1_tick_handler(self, _exchange: sj.Exchange, tick: sj.TickFOPv1):
        self.ticks_fop_v1.append(tick)
```

這個部分比較單純，讓收到行情的 handle func 盡可能地做最少的事，我們定義了一個 `QuoteManager` 類別，並且在初始化時設定了註冊兩個回調函數，分別是 `on_stk_v1_tick_handler` 和 `on_fop_v1_tick_handler`，這兩個函數會在接收到行情資料時被呼叫，並且將行情資料存入 `ticks_stk_v1` 和 `ticks_fop_v1` 中。

Copyright © 2025 SinoPac

增加 `QuoteManager` 訂閱與取消訂閱的方法

```
def __init__(self, api: sj.Shioaji):
    # skip
    self.subscribed_stk_tick: Set[str] = set()

def subscribe_stk_tick(self, codes: List[str], recover: bool = False):
    for code in codes:
        contract = self.api.Contracts.Stocks[code]
        if contract is not None and code not in self.subscribed_stk_tick:
            self.api.quote.subscribe(contract, "tick")
            self.subscribed_stk_tick.add(code)

def unsubscribe_stk_tick(self, codes: List[str]):
    for code in codes:
        contract = self.api.Contracts.Stocks[code]
        if contract is not None and code in self.subscribed_stk_tick:
            self.api.quote.unsubscribe(contract, "tick")
            self.subscribed_stk_tick.remove(code)

def unsubscribe_all_stk_tick(self):
    for code in self.subscribed_stk_tick:
        contract = self.api.Contracts.Stocks[code]
        if contract is not None:
            self.api.quote.unsubscribe(contract, "tick")
    self.subscribed_stk_tick.clear()
```

上面我們增加了 `subscribe_stk_tick` 方法，這個方法會將傳入的商品代碼列表中的商品代碼加入到 `subscribed_stk_tick` 中，並且呼叫 Shioaji 的 `subscribe` 方法來訂閱行情， `subscribed_stk_tick` 是一個 `Set`，用來存放已經訂閱的商品代碼，避免重複訂閱以及方便後續將所有訂閱商品取消訂閱。

增加 `QuoteManager` 拿出訂閱的 `ticks` 的方法

```
def __init__(self, api: sj.Shioaji):
    # skip
    self.df_stk: pl.DataFrame = pl.DataFrame(
        [],
        schema=[
            ("datetime", pl.Datetime),
            ("code", pl.Utf8),
            ("price", pl.Float64),
            ("volume", pl.Int64),
            ("tick_type", pl.Int8),
        ],
    )

def get_df_stk(self) -> pl.DataFrame:
    poped_ticks, self.ticks_stk_v1 = self.ticks_stk_v1, []
    if poped_ticks:
        df = pl.DataFrame([tick.to_dict() for tick in poped_ticks]).select(
            pl.col("datetime", "code"),
            pl.col("close").cast(pl.Float64).alias("price"),
            pl.col("volume").cast(pl.Int64),
            pl.col("tick_type").cast(pl.Int8),
        )
        self.df_stk = self.df_stk.vstack(df)
    return self.df_stk
```

`__init__` 中我們定義了一個 `df_stk` 的 Polars DataFrame，用來存放所有訂閱的台股 tick 資料， `get_df_stk` 方法會將 `ticks_stk_v1` 中的資料轉換成 Polars DataFrame，並且回傳，到這邊我們就已經可以初步看到可以拿出來的 DataFrame 了。

df_stk

Copyright © 2025 SinoPac

增加 `QuoteManager` 將 ticks 轉換成 K 線的方法

```
def get_df_stk_kbar(
    self, unit: str = "1m", exprs: List[pl.Expr] = []
) -> pl.DataFrame:
    df = self.get_df_stk()
    df = df.group_by(
        pl.col("datetime").dt.truncate(unit),
        pl.col("code"),
        maintain_order=True,
    ).agg(
        pl.col("price").first().alias("open"),
        pl.col("price").max().alias("high"),
        pl.col("price").min().alias("low"),
        pl.col("price").last().alias("close"),
        pl.col("volume").sum().alias("volume"),
    )
    if exprs:
        df = df.with_columns(exprs)
    return df
```

在 `get_df_stk_kbar` 方法中，我們將 `get_df_stk` 拿到 Ticks 的 DataFrame 根據 code 和 truncate 後的 datetime 進行分組，並且對每個分組進行聚合開高低收量，最後回傳一個新的 DataFrame，這個 DataFrame 就是我們所需要的 K 線資料了，並且這邊保留了 `exprs` 參數，讓使用者可以傳入一些額外的運算式，來進行更多的運算。 在這邊 truncate 的單位我們使用 `1m` 來表示 1 分鐘，如果想要拿到 5 分鐘的 K 線，可以將單位改成 `5m`，1 小時 K 可以將單位改成 `1h`，如果想要更多不同的單位可以參考 truncate 的 API 文件。

自定義技術指標計算

```
import polars as pl
import polars_talib as plta

quote_manager.get_df_stk_kbar("5m", [
    pl.col("close").ta.ema(5).over("code").fill_nan(None).alias("ema5"),
    plta.macd(pl.col("close"), 12, 26, 9).over("code").struct.field("macd").fill_nan(None),
])
```

在這邊使用 polars_ta 的 expression 來計算技術指標，並且將計算出來的指標加入到 K 線資料中，這邊我們計算了 `ema` 和 `macd` 兩種指標，更多指標可以參考 polars_ta_extension 支援指標列表。

在這個 polars_ta 的 expression 中，使用 `over("code")` 來將指標計算結果根據商品代碼進行分組做每個商品獨立的運算，所以即使所有的商品都在同一個 DataFrame 中，計算出來的結果還是每個商品獨立的，並且這個 `over` 的 partition 是會自動平行運算的，所以即使有大量的商品，也可以很快的計算出來，使用 `alias` 來將計算結果的欄位名稱設置為 `ema5`，在 `macd` 指標中回傳的是多個欄位的 struct，這邊取出 struct 中的 macd 欄位。

因為這邊傳入的只是表達式非常輕量，可以根據你需要的任何表達式進行新增就可以看到你需要的各種技術指標了，當然如果你要使用 polars expression 做出自己的指標，也是可以的，這邊只是提供一個可以做運算的接口以及簡單的使用範例。

回補錯過的行情

```
def fetch_ticks(self, contract: BaseContract) -> pl.DataFrame:
    code = contract.code
    ticks = self.api.ticks(contract)
    df = pl.DataFrame(ticks.dict()).select(
        pl.from_epoch("ts", time_unit="ns").dt.cast_time_unit("us").alias("datetime"),
        pl.lit(code).alias("code"),
        pl.col("close").alias("price"),
        pl.col("volume").cast(pl.Int64),
        pl.col("tick_type").cast(pl.Int8),
    )
    return df

def subscribe_stk_tick(self, codes: List[str], recover: bool = False):
    for code in codes:
        # skop
        if recover:
            df = self.fetch_ticks(contract)
            if not df.is_empty():
                code_ticks = [t for t in self.ticks_stk_v1 if t.code == code]
                if code_ticks:
                    t_first = code_ticks[0].datetime
                    df = df.filter(pl.col("datetime") < t_first)
                    self.df_stk = self.df_stk.vstack(df)
                else:
                    self.df_stk = self.df_stk.vstack(df)
```


Copyright © 2025 SinoPac

在訂閱的時候我們可能會超過當天開盤的時間，這時候訂閱即時資料將會缺乏錯過的資料，所以這邊我們實作使用 api 回補歷史 tick 的資料，這邊我們使用 `fetch_ticks` 方法來取得歷史 tick 的資料，並且將取得資料加入到 `df_stk` 中。

以上我們已經完成了一個可以訂閱行情、回補錯過行情、計算技術指標的行情管理器了，這邊我們將所有程式碼整合起來，並且在 jupyter lab 中使用。

完整的 QuoteManager 可以參考 quote.py。

完整使用範例 jupyter notebook 可以參考 quote_manager_usage。

Copyright © 2025 SinoPac

5. 升版指南

1.0 為主要版本，本文檔幫助用戶遷移到版本 1.0 。

5.1 Shioaji 物件

移除參數 `backend`

```
import shioaji as sj
sj.Shioaji?
```


Copyright © 2025 SinoPac

Out

version>=1.0 **version<1.0**

```
Init signature:
sj.Shioaji(
    simulation: bool = False,
    proxies: Dict[str, str] = {},
    currency: str = 'NTD',
)
Docstring:
shioaji api

Functions:
    login
    logout
    activate_ca
    list_accounts
    set_default_account
    get_account_margin
    get_account_openposition
    get_account_settle_profitloss
    get_stock_account_funds
    get_stock_account_unreal_profitloss
    get_stock_account_real_profitloss
    place_order
    update_order
    update_status
    list_trades

Objects:
    Quote
    Contracts
    Order
Init docstring:
initialize Shioaji to start trading

Args:
    simulation (bool):
        - False: to trading on real market (just use your Sinopac account to start trading)
        - True: become simulation account(need to contract as to open simulation account)
    proxies (dict): specific the proxies of your https
        ex: {'https': 'your-proxy-url'}
    currency (str): {NTX, USX, NTD, USD, HKD, EUR, JPY, GBP}
        set the default currency for display

Init signature:
sj.Shioaji(
    backend: str = 'http',
    simulation: bool = False,
    proxies: Dict[str, str] = {},
    currency: str = 'NTD',
)
Docstring:
shioaji api

Functions:
    login
    activate_ca
    list_accounts
    set_default_account
    get_account_margin
    get_account_openposition
    get_account_settle_profitloss
    get_stock_account_funds
    get_stock_account_unreal_profitloss
    get_stock_account_real_profitloss
    place_order
    update_order
    update_status
    list_trades

Objects:
    Quote
    Contracts
    Order
Init docstring:
initialize Shioaji to start trading

Args:
    backend (str): {http, socket}
        use http or socket as backend currently only support http, async socket backend coming soon.
    simulation (bool):
        - False: to trading on real market (just use your Sinopac account to start trading)
        - True: become simulation account(need to contract as to open simulation account)
    proxies (dict): specific the proxies of your https
        ex: {'https': 'your-proxy-url'}
    currency (str): {NTX, USX, NTD, USD, HKD, EUR, JPY, GBP}
        set the default currency for display
```


Copyright © 2025 SinoPac

5.2 登入

登入參數 `person_id` 及 `passwd` 變更為 `api_key` 及 `secret_key`。 您可以在 Token 深入了解如何取得 API Key。

In

version>=1.0 version<1.0

```
import shioaji as sj
api = sj.Shioaji()
api.login(
    api_key="YOUR_API_KEY",
    secret_key="YOUR_SECRET_KEY"
)
```

```
import shioaji as sj
api = sj.Shioaji()
api.login(
    person_id="YOUR_PERSON_ID",
    passwd="YOUR_PASSWORD",
)
```

Out

```
[
    FutureAccount(person_id='', broker_id='', account_id='', signed=True, username=''),
    StockAccount(person_id='', broker_id='', account_id='', signed=True, username='')
]
```

5.3 證券下單

`TFTStockOrder` 更改為 `StockOrder`

Copyright © 2025 SinoPac

StockOrder

verion>=1.0 verion<1.0

```
>> sj.order.StockOrder?

Init signature:
sj.order.StockOrder(
    *,
    action: shioaji.constant.Action,
    price: Union[pydantic.types.StrictInt, float],
    quantity: shioaji.order.ConstrainedIntValue,
    id: str = '',
    seqno: str = '',
    ordno: str = '',
    account: shioaji.account.Account = None,
    custom_field: shioaji.order.ConstrainedStrValue = '',
    ca: str = '',
    price_type: shioaji.constant.StockPriceType,
    order_type: shioaji.constant.OrderType,
    order_lot: shioaji.constant.StockOrderLot = <StockOrderLot.Common: 'Common'>,
    order_cond: shioaji.constant.StockOrderCond = <StockOrderCond.Cash: 'Cash'>,
    daytrade_short: bool = False,
) -> None

>> sj.order.TFTStockOrder?

Init signature:
sj.order.TFTStockOrder(
    *,
    action: shioaji.constant.Action,
    price: Union[pydantic.types.StrictInt, float],
    quantity: shioaji.order.ConstrainedIntValue,
    id: str = '',
    seqno: str = '',
    ordno: str = '',
    account: shioaji.account.Account = None,
    custom_field: shioaji.order.ConstrainedStrValue = '',
    ca: str = '',
    price_type: shioaji.constant.TFTStockPriceType,
    order_type: shioaji.constant.TFTOrderType,
    order_lot: shioaji.constant.TFTStockOrderLot = <TFTStockOrderLot.Common: 'Common'>,
    order_cond: shioaji.constant.StockOrderCond = <StockOrderCond.Cash: 'Cash'>,
    first_sell: shioaji.constant.StockFirstSell = <StockFirstSell.No: 'false'>,
) -> None
```

5.3.1 下單

- `TFTStockPriceType` 更改為 `StockPriceType`
- `TFTOrderType` 更改為 `OrderType`
- `TFTStockOrderLot` 更改為 `StockOrderLot`
- `first_sell` 更改為 `daytrade_short`，型態更改為 `Bool`

Order

version>=1.0 version<1.0

```
order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Sell,
    price_type=sj.constant.StockPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    order_lot=sj.constant.StockOrderLot.Common,
    daytrade_short=True,
    custom_field="test",
    account=api.stock_account
)

order = api.Order(
    price=12,
    quantity=1,
    action=sj.constant.Action.Sell,
    price_type=sj.constant.TFTStockPriceType.LMT,
    order_type=sj.constant.TFTOrderType.ROD,
    order_lot=sj.constant.TFTStockOrderLot.Common,
    first_sell=sj.constant.StockFirstSell.Yes,
    custom_field="test",
    account=api.stock_account
)
```


Copyright © 2025 SinoPac

5.3.2 委託回報

`TFTOrder` 更改為 `StockOrder`

Order Callback

version>=1.0 **version<1.0**

```
OrderState.StockOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': 'c21b876d',
        'seqno': '429832',
        'ordno': 'W2892',
        'action': 'Buy',
        'price': 12.0,
        'quantity': 10,
        'order_cond': 'Cash',
        'order_lot': 'Common',
        'custom_field': 'test',
        'order_type': 'ROD',
        'price_type': 'LMT'
    },
    'status': {
        'id': 'c21b876d',
        'exchange_ts': 1583828972,
        'modified_price': 0,
        'cancel_quantity': 0,
        'web_id': '137'
    },
    'contract': {
        'security_type': 'STK',
        'exchange': 'TSE',
        'code': '2890',
        'symbol': '',
        'name': '',
        'currency': 'TWD'
    }
}
```

```
OrderState.TFTOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': 'c21b876d',
        'seqno': '429832',
        'ordno': 'W2892',
        'action': 'Buy',
        'price': 12.0,
        'quantity': 10,
        'order_cond': 'Cash',
        'order_lot': 'Common',
        'custom_field': 'test',
        'order_type': 'ROD',
        'price_type': 'LMT'
    },
    'status': {
        'id': 'c21b876d',
        'exchange_ts': 1583828972,
        'modified_price': 0,
        'cancel_quantity': 0,
        'web_id': '137'
    },
    'contract': {
        'security_type': 'STK',
        'exchange': 'TSE',
        'code': '2890',
        'symbol': '',
        'name': '',
        'currency': 'TWD'
    }
}
```

5.3.3 成交回報

`TFTDeal` 更改為 `StockDeal`

Copyright © 2025 SinoPac

Deal Callback

version>=1.0 version<1.0

```
OrderState.StockDeal {
    'trade_id': '12ab3456',
    'exchange_seq': '123456',
    'broker_id': 'your_broker_id',
    'account_id': 'your_account_id',
    'action': <Action.Buy: 'Buy'>,
    'code': '2890',
    'order_cond': <StockOrderCond.Cash: 'Cash'>,
    'order_lot': <TFTStockOrderLot.Common: 'Common'>,
    'price': 12,
    'quantity': 10,
    'web_id': '137',
    'custom_field': 'test',
    'ts': 1583828972
}

OrderState.TFTDeal {
    'trade_id': '12ab3456',
    'exchange_seq': '123456',
    'broker_id': 'your_broker_id',
    'account_id': 'your_account_id',
    'action': <Action.Buy: 'Buy'>,
    'code': '2890',
    'order_cond': <StockOrderCond.Cash: 'Cash'>,
    'order_lot': <TFTStockOrderLot.Common: 'Common'>,
    'price': 12,
    'quantity': 10,
    'web_id': '137',
    'custom_field': 'test',
    'ts': 1583828972
}
```

5.4 期貨下單

FuturesOrder

verion>=1.0 verion<1.0

```
>> sj.order.FuturesOrder?

Init signature:
sj.order.FuturesOrder(
    *,
    action: shioaji.constant.Action,
    price: Union[pydantic.types.StrictInt, float],
    quantity: shioaji.order.ConstrainedIntValue,
    id: str = '',
    seqno: str = '',
    ordno: str = '',
    account: shioaji.account.Account = None,
    custom_field: shioaji.order.ConstrainedStrValue = '',
    ca: str = '',
    price_type: shioaji.constant.FuturesPriceType,
    order_type: shioaji.constant.OrderType,
    octype: shioaji.constant.FuturesOCType = <FuturesOCType.Auto: 'Auto'>,
) -> None

>> sj.order.FuturesOrder?

Init signature:
sj.order.FuturesOrder(
    *,
    action: shioaji.constant.Action,
    price: Union[pydantic.types.StrictInt, float],
    quantity: shioaji.order.ConstrainedIntValue,
    id: str = '',
    seqno: str = '',
    ordno: str = '',
    account: shioaji.account.Account = None,
    custom_field: shioaji.order.ConstrainedStrValue = '',
    ca: str = '',
    price_type: shioaji.constant.FuturesPriceType,
    order_type: shioaji.constant.FuturesOrderType,
    octype: shioaji.constant.FuturesOCType = <FuturesOCType.Auto: 'Auto'>,
) -> None
```


Copyright © 2025 SinoPac

5.4.1 下單

`FuturesOrderType` 更改為 `OrderType`

Order

verion>=1.0 **verion<1.0**

```
order = api.Order(
    action=sj.constant.Action.Buy,
    price=100,
    quantity=1,
    price_type=sj.constant.FuturesPriceType.LMT,
    order_type=sj.constant.OrderType.ROD,
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
```

```
order = api.Order(
    action=sj.constant.Action.Buy,
    price=100,
    quantity=1,
    price_type=sj.constant.FuturesPriceType.LMT,
    order_type=sj.constant.FuturesOrderType.ROD,
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
```

5.4.2 委託回報

`FOrder` 更改為 `FuturesOrder`

Copyright © 2025 SinoPac

Order Event

version>=1.0 **version<1.0**

```
OrderState.FuturesOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': '02c347f7',
        'seqno': '956201',
        'ordno': 'kY00H',
        'action': 'Sell',
        'price': 17760.0,
        'quantity': 1,
        'order_cond': None,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'market_type': 'Night',
        'oc_type': 'New',
        'subaccount': ''
    },
    'status': {
        'id': '02c347f7',
        'exchange_ts': 1625729890,
        'modified_price': 0.0,
        'cancel_quantity': 0,
        "web_id": "P"
    },
    'contract': {
        'security_type': 'FUT',
        'code': 'TXF',
        'exchange': 'TIM',
        'delivery_month': '202107',
        'strike_price': 0.0,
        'option_right': 'Future'
    }
}
```

```
OrderState.FOrder {
    'operation': {
        'op_type': 'New',
        'op_code': '00',
        'op_msg': ''
    },
    'order': {
        'id': '02c347f7',
        'seqno': '956201',
        'ordno': 'kY00H',
        'action': 'Sell',
        'price': 17760.0,
        'quantity': 1,
        'order_cond': None,
        'order_type': 'ROD',
        'price_type': 'LMT',
        'market_type': 'Night',
        'oc_type': 'New',
        'subaccount': ''
    },
    'status': {
        'id': '02c347f7',
        'exchange_ts': 1625729890,
        'modified_price': 0.0,
        'cancel_quantity': 0,
        "web_id": "P"
    },
    'contract': {
        'security_type': 'FUT',
        'code': 'TXF',
        'exchange': 'TIM',
        'delivery_month': '202107',
        'strike_price': 0.0,
        'option_right': 'Future'
    }
}
```

5.4.3 成交回報

`FDeal` 更改為 `FuturesDeal`

Copyright © 2025 SinoPac

Deal Event

version>=1.0 version<1.0

```
OrderState.FuturesDeal {
    "trade_id":"02c347f7",
    "seqno":"956344",
    "ordno":"ky00N110",
    "exchange_seq":"a0000060",
    "broker_id":"F002000",
    "account_id":"9104000",
    "action":"Sell",
    "code":"TXF",
    "price":17650.0,
    "quantity":4,
    "subaccount":"",
    "security_type":"FUT",
    "delivery_month":"202107",
    "strike_price":0.0,
    "option_right":"Future",
    "market_type":"Day",
    "ts":1625800369
}
```

```
OrderState.FDeal {
    "trade_id":"02c347f7",
    "seqno":"956344",
    "ordno":"ky00N110",
    "exchange_seq":"a0000060",
    "broker_id":"F002000",
    "account_id":"9104000",
    "action":"Sell",
    "code":"TXF",
    "price":17650.0,
    "quantity":4,
    "subaccount":"",
    "security_type":"FUT",
    "delivery_month":"202107",
    "strike_price":0.0,
    "option_right":"Future",
    "market_type":"Day",
    "ts":1625800369
}
```

5.5 行情資料

注意

版本>=1.1將不再提供QuoteVersion.v0，請更改至QuoteVersion.v1。

5.5.1 Callback

Tick

decorator方式

QuoteVersion.v1 QuoteVersion.v0

```
from shioaji import TickSTKv1, Exchange

@api.on_tick_stk_v1()
def quote_callback(exchange: Exchange, tick:TickSTKv1):
    print(f"Exchange: {exchange}, Tick: {tick}")

@api.quote.on_quote
def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")
```


Copyright © 2025 SinoPac

傳統方式

QuoteVersion.v1 QuoteVersion.v0

```python
from shioaji import TickSTKv1, Exchange

def quote_callback(exchange: Exchange, tick:TickSTKv1):
    print(f"Exchange: {exchange}, Tick: {tick}")

api.quote.set_on_tick_stk_v1_callback(quote_callback)

def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")

api.quote.set_quote_callback(quote_callback)
```

Out

QuoteVersion.v1 QuoteVersion.v0

```
Exchange: Exchange.TSE, Tick: Tick(code='2330', datetime=datetime.datetime(2021, 7, 2, 13, 16, 35, 92970), open=Decimal('590'), avg_price=Decimal('589.05'), close=Decimal('590'),
high=Decimal('593'), low=Decimal('587'), amount=Decimal('590000'), total_amount=Decimal('8540101000'), volume=1, total_volume=14498, tick_type=1, chg_type=4, price_chg=Decimal('-3'),
pct_chg=Decimal('-0.505902'), trade_bid_volume=6638, ask_side_total_vol=7860, bid_side_total_cnt=2694, ask_side_total_cnt=2705, closing_oddlot_shares=0, fixed_trade_vol=0, suspend=0, simtrade=0,
intraday_odd=0)

Topic: MKT/*/TSE/2330, Quote: {'AmountSum': [4739351000.0], 'Close': [596.0], 'Date': '2021/03/30', 'TickType': [2], 'Time': '10:01:33.349431', 'VolSum': [7932], 'Volume': [1]}
```

BidAsk

decorator方式

QuoteVersion.v1 QuoteVersion.v0

```python
from shioaji import BidAskSTKv1, Exchange

@api.on_bidask_stk_v1()
def quote_callback(exchange: Exchange, bidask:BidAskSTKv1):
    print(f"Exchange: {exchange}, BidAsk: {bidask}")

@api.quote.on_quote
def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")
```

傳統方式

QuoteVersion.v1 QuoteVersion.v0

```python
from shioaji import BidAskSTKv1, Exchange

def quote_callback(exchange: Exchange, bidask:BidAskSTKv1):
    print(f"Exchange: {exchange}, BidAsk: {bidask}")

api.quote.set_on_bidask_stk_v1_callback(quote_callback)

def quote_callback(topic: str, quote: dict):
    print(f"Topic: {topic}, Quote: {quote}")

api.quote.set_quote_callback(quote_callback)
```


Copyright © 2025 SinoPac

Out

QuoteVersion.v1 QuoteVersion.v0

```
Exchange: Exchange.TSE, BidAsk: BidAsk(code='2330', datetime=datetime.datetime(2021, 7, 2, 13, 17, 29, 726428), bid_price=[Decimal('589'), Decimal('588'), Decimal('587'), Decimal('586'),
Decimal('585')], bid_volume=[223, 761, 1003, 809, 1274], diff_bid_vol=[0, 0, 0, 0, 0], ask_price=[Decimal('590'), Decimal('591'), Decimal('592'), Decimal('593'), Decimal('594')], ask_volume=[304,
232, 183, 242, 131], diff_ask_vol=[1, 0, 0, 0, 0], suspend=0, simtrade=0, intraday_odd=0)

Topic: QUT/idcdmzpcr01/TSE/2330, Quote: {'AskPrice': [590.0, 591.0, 592.0, 593.0, 594.0], 'AskVolume': [303, 232, 183, 242, 131], 'BidPrice': [589.0, 588.0, 587.0, 586.0, 585.0], 'BidVolume':
[224, 762, 1003, 809, 1274], 'Date': '2021/07/02', 'Time': '13:17:26.391840'}
```

5.6 期貨帳務資訊

移除以下API

```
1. get_account_margin
2. get_account_openposition
3. get_account_settle_profitloss
```

取而代之

```
1. margin
2. list_positions( api.futopt_account )
3. list_profit_loss( api.futopt_account )
4. list_profit_loss_detail( api.futopt_account )
5. list_profit_loss_summary( api.futopt_account )
```

欲瞭解更多期貨帳務API，請參見。

最後在GITHUB上給我們支持與鼓勵吧



Copyright © 2025 SinoPac

6. 問與答

6.0.1 下單

如何下市價單(MKT)、範圍市價單(MKP)

```
order = api.Order(
    action=sj.constant.Action.Buy,
    price=0, # MKT, MKP will not use price parameter
    quantity=1,
    price_type='MKP', # change to MKT or MKP
    order_type='IOC', # MKT, MKP only accecpt IOC order
    octype=sj.constant.FuturesOCType.Auto,
    account=api.futopt_account
)
```

如何掛漲(跌)停限價ROD單

First, we need to know the `limit up(limit down)` price of the security. Just take a look at the `api.Contracts`, you will find the information you want.

In

```
api.Contracts.Stocks.TSE['TSE2330']
```

Out

```
Stock(
    exchange=<Exchange.TSE: 'TSE'>,
    code='2330',
    symbol='TSE2330',
    name='台積電',
    category='24',
    unit=1000,
    limit_up=653.0,
    limit_down=535.0,
    reference=594.0,
    update_date='2021/08/27',
    margin_trading_balance=6565,
    short_selling_balance=365,
    day_trade=<DayTrade.Yes: 'Yes'>
)
```

Example place LMT and ROD order at limit up price.

In

```
contract = api.Contracts.Stocks.TSE['TSE2330']
price = contract.limit_up
order = api.Order(
    action=sj.constant.Action.Buy,
    price=price,
    quantity=1,
    price_type='LMT',
    order_type='ROD',
    order_lot=sj.constant.StockOrderLot.Common,
    account=api.stock_account
)
```


Copyright © 2025 SinoPac

6.0.2 行情

為什麼行情只能收幾行就斷掉了

If your code something like this, and possibly run code on cmd/terminal with `python stream.py`. Then you definitely won't get any additional ticks, since the python program has already terminated.

version>=1.0 **version<1.0**

```
import shioaji as sj

api = sj.Shioaji(simulation=True)
api.login('YOUR_API_KEY', 'YOUR_SECRET_KEY')
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.Tick
)

# stream.py
import shioaji as sj

api = sj.Shioaji(simulation=True)
api.login('YOUR_PERSON_ID', '2222')
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.Tick
)
```

If you wish your python program to survive, please modify you python script as below.

version>=1.0 **version<1.0**

```
# stream.py
import shioaji as sj
from threading import Event

api = sj.Shioaji(simulation=True)
api.login('YOUR_API_KEY', 'YOUR_SECRET_KEY')
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.Tick
)

Event().wait()

# stream.py
import shioaji as sj
from threading import Event

api = sj.Shioaji(simulation=True)
api.login('YOUR_PERSON_ID', '2222')
api.quote.subscribe(
    api.Contracts.Stocks["2330"],
    quote_type = sj.constant.QuoteType.Tick
)

Event().wait()
```

6.0.3 其他

出現 Account not acceptable，可能原因如下

```
- 未完成[簽署](https://sinotrade.github.io/zh_TW/tutor/prepare/terms/#_1)及[API測試](https://sinotrade.github.io/zh_TW/tutor/prepare/terms/#api)。
- [`update_status`](../tutor/order/UpdateStatus)預設查詢為名下所有帳號，若想使用預設查詢方式，請確認所有帳號皆有完成簽署及測試。
```


Copyright © 2025 SinoPac

如何更改shioaji.log

Please add environment variable before import shioaji. `(version >= 0.3.3.dev0)`

linux or Mac OS:

```
export SJ_LOG_PATH=/path/to/shioaji.log
```

windows:

```
set SJ_LOG_PATH=C:\path\to\shioaji.log
```

如何更改contracts下載路徑

Please add environment variable before import shioaji. `(version >= 0.3.4.dev2)`

linux or Mac OS:

```
export SJ_CONTRACTS_PATH=MY_PATH
```

windows:

```
set SJ_CONTRACTS_PATH=MY_PATH
```

python:

```
os.environ["SJ_CONTRACTS_PATH"]=MY_PATH
```

輸入密碼錯誤3次怎麼辦

線上解鎖

** Note that you only have 2 chances to unlock your account online in a day. **

** We've migrate QA site to Shioaji Forum **

Copyright © 2025 SinoPac

7. 發佈版本

7.1 version: 1.2.5 (2024-10-01)

- feat: refactor expire time of CA

commit_id: 6621685a

⚡
release_at: 2024-10-01 02:25:01.723

7.2 version: 1.2.4 (2024-08-28)

- feat: support py3.12

commit_id: a287f56c

⚡
release_at: 2024-08-28 16:00:00.000

7.3 version: 1.2.3 (2024-03-06)

- feat: change default site to bc
- feat: pysolace upgrade 0.9.40(solclient 7.28.0.4)
- feat: support apple silicon chip

commit_id: 8096bbac

⚡
release_at: 2024-03-06 16:00:00.000

7.4 version: 1.2.2 (2024-01-09)

- fix: remove column of profitloss in future

commit_id: ca973a81

⚡
release_at: 2024-01-09 02:27:31.383

7.5 version: 1.2.1 (2023-12-22)

- fix: windows inject dll issue

commit_id: 2a413848

⚡
release_at: 2023-12-22 01:19:17.043

7.6 version: 1.2.0 (2023-12-20)

- feat: vpn
- feat: rust version ca

Copyright © 2025 SinoPac

- refactor: test report flow

commit_id: 856f39ea

⚡
release_at: 2023-12-20 16:00:00.000

7.7 version: 1.1.13 (2023-11-01)

feat: impl ca.get_sign on Darwin

commit_id: 729f058e

⚡
release_at: 2023-11-01 05:36:29.553

7.8 version: 1.1.12 (2023-08-22)

- feat: usage add limit and available byte info

commit_id: cf5e4628

⚡
release_at: 2023-08-22 16:00:00.000

7.9 version: 1.1.11 (2023-08-04)

- fix: custom_field in validator for only support number and alphabet
- fix: pydantic v2 trade issue
- fix: pydantic v2 contracts cache issue

commit_id: cc1da47e

⚡
release_at: 2023-08-04 08:00:37.000

7.10 version: 1.1.10 (2023-07-23)

- feat: profit loss detail support unit

commit_id: a62d1f6a

⚡
release_at: 2023-07-23 16:00:00.000

7.11 version: 1.1.9 (2023-07-20)

yanked

commit_id: f9f03cff

⚡
release_at: 2023-07-20 07:43:46.000

Copyright © 2025 SinoPac

7.12 version: 1.1.8 (2023-07-18)

- feat: query usage
- feat: profit_loss support unit
- feat: support pydantic v2

commit_id: 3dc8568e

⚡
release_at: 2023-07-18 09:08:42.000

7.13 version: 1.1.7 (2023-07-18)

yanked

commit_id: fb490a9a

⚡
release_at: 2023-07-18 07:02:20.000

7.14 version: 1.1.6 (2023-06-19)

- feat: solace reconnect with sub 2500 user

commit_id: eeaeeb5f

⚡
release_at: 2023-06-19 16:00:00.000

7.15 version: 1.1.5 (2023-06-07)

- fix: simulation sign check
- fix: handle pickle load error

commit_id: 1def691c

⚡
release_at: 2023-06-07 16:00:00.000

Copyright © 2025 SinoPac

8. 使用限制

為避免影響其他使用者連線，請遵守以下使用規範

流量

- 現貨：

近 30 日使用 API 成交金額	每日流量限制
0	500MB
1 - 1億	2GB
> 1億	10GB

- 期貨：

近 30 日使用 API 成交金額	每日流量限制
0	500MB
1 - 大台1000口 / 小台4000口	2GB
> 大台1000口 / 小台4000口	10G

流量及連線數查詢

```
api.usage()
```

Out

```
UsageStatus(connections=1, bytes=41343260, limit_bytes=2147483648, remaining_bytes=2106140388)
```

```
connection: 連線數量
bytes: 已使用流量
limit_bytes: 每日流量限制
remaining_bytes: 剩餘可使用流量
```


Copyright © 2025 SinoPac

次數

- 行情：

  `credit_enquire`, `short_stock_sources`, `snapshots`, `ticks`, `kbars`

- 以上查詢總次數 5 秒上限 50 次
- 盤中查詢 `ticks` 次數不得超過 10 次
- 盤中查詢 `kbars` 次數不得超過 270 次
- 帳務：

  `list_profit_loss_detail`,`account_balance`, `list_settlements`, `list_profit_loss`, `list_positions`, `margin`

  以上查詢總次數 5 秒上限 25 次
- 委託：

  `place_order`, `update_status`, `update_qty`, `update_price`, `cancel_order`

  以上查詢總次數 10 秒上限 250 次
- 訂閱數：

  `api.subscribe()` 數量為200個
- 連線：

  同一永豐金證券 `person_id`，僅可使用最多5個連線。 注意: `api.login()` 即建立一個連線
- 登入：

  `api.login()` 一天上限1000次

Warn

- 若流量超過限制，行情(ticks、snapshots、kbars)類查詢將回傳空值，其他功能不受影響
- 若使用量超過限制，將暫停服務一分鐘
- 若當日連續多次超過限制，本公司將暫停該 IP 及 ID 使用權
- 若 ID 被暫停使用，請洽 Shioaji 管理人員

Copyright © 2025 SinoPac