

From the first crash in the SO post: > 05-29 12:11:36.897: E/WindowManager(2947): java.lang.RuntimeException: Could not open input channel pair. status=-24 -24 is EMFILE, meaning the application had too many files open. This is almost certainly an applying not a platform one. Same from the third crash in the SO post: > 05-30 14:11:59.465: E/WindowManager(2262): java.lang.RuntimeException: Could not open input channel pair. status=-24 The second crash in the SO post is different: > 05-29 16:13:47.455: E/InputChannel-JNI(7490): Error 9 dup channel fd -2147483647. Error 9 is EBADF, which makes sense because that doesn't look at all like a valid fd. The number is interesting because it's equal to -INT_MAX (-2^31 - 1). Nothing in either of the code paths uses INT_MAX as a sentinel value (as far as I can see), so this is either due to a Samsung specific change, something else is scribbling in memory, or we're reading from uninitialized memory somewhere. Without a full bugreport from the device, it's basically impossible to tell. If you'd like to help debug this issue, feel free to either attach or send me a bugreport taken immediately after it happens. At the very least, I need the system logs up to the crash to start debugging further. This kind of crash isn't something I've seen happen and right now we have no repro steps. in...@gmail.com <in...@gmail.com> #7 Jul 25, 2016 05:50PM Caused by: java.lang.RuntimeException: InputChannel is not initialized. at android.view.InputEventReceiver.nativeInit(Native Method) at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70) at android.view.ViewRootImpl\$WindowInputEventReceiver.<init>(ViewRootImpl.java:6592) at android.view.ViewRootImpl.setView(ViewRootImpl.java:809) $at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 278)$ at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:69) at android.app.Dialog.show(Dialog.java:289) I met this issue when app begins to launch activity, and call the method of show, then the app crashed. android os version: 4.4.2, samsung_sm-g9008v mi...@cncenter.cz <mi...@cncenter.cz>#8 Aug 8, 2016 04:49PM Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized. at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java) at android.view.InputEventReceiver.(InputEventReceiver.java) $at\ and roid.view. ViewRootImpl \$WindowInputEventReceiver. (ViewRootImpl.java)$ at android.view.ViewRootImpl.setView(ViewRootImpl.iava:900) at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:337) at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:91) at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4325) at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:3360) at android.app.ActivityThread.access\$1100(ActivityThread.java:221) at android.app.ActivityThread\$H.handleMessage(ActivityThread.java:1794) at android.os.Handler.dispatchMessage(Handler.java:102) at android.os.Looper.loop(Looper.java:158) at android.app.ActivityThread.main(ActivityThread.java:7225) at java.lang.reflect.Method.invoke(Method.java) $at\ com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 1230)$ at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1120) Device: SM-N910F Android: 6.0.1 zx...@gmail.com <zx...@gmail.com>#9 Nov 4, 2016 09:42PM : same issue here: SM-N9006, SM-G9006V, Android4.4.4 ge...@gmail.com <ge...@gmail.com> #10 Nov 9, 2016 12:17PM same issue: java.lang.RuntimeException: InputChannel is not initialized. at android.view.InputEventReceiver.nativeInit(Native Method) at android.view.InputEventReceiver.<init>(InputEventReceiver.iava:73) at android.view.ViewRootImpl\$WindowInputEventReceiver.<init>(ViewRootImpl.java:5922) at android.view.ViewRootImpl.setView(ViewRootImpl.java:619) at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:268) at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:94) at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3380)

```
at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2646)
    at android.app.ActivityThread.access$800(ActivityThread.java:156)
    at\ and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1355)
    at android.os.Handler.dispatchMessage(Handler.java:102)
    at android.os.Looper.loop(Looper.java:157)
    at android.app.ActivityThread.main(ActivityThread.java:5867)
    at java.lang.reflect.Method.invokeNative(Native Method)
    at java.lang.reflect.Method.invoke(Method.java:515)
    at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:858)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:674)
    at dalvik.system.NativeStart.main(Native Method)
HTC 802w
ji...@gmail.com <ji...@gmail.com>_#11
                                                                                              Nov 22, 2016 05:59PM
same issue:
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:68)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:4586)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:753)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:356)
    at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 234)
    at android.view.WindowManagerImpl$CompatModeWrapper.addView(WindowManagerImpl.java:153)
    at android.view.Window$LocalWindowManager.addView(Window.java:559)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:2702)
    at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2140)
    at android.app.ActivityThread.access$700(ActivityThread.java:140)
    at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1237)
    at android.os.Handler.dispatchMessage(Handler.java:99)
    at android.os.Looper.loop(Looper.java:137)
    at android.app.ActivityThread.main(ActivityThread.java:4935)
    at java.lang.reflect.Method.invokeNative(Method.java)
    at java.lang.reflect.Method.invoke(Method.java:511)
    at\ com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 1038)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:805)
    at dalvik.system.NativeStart.main(NativeStart.java)
Samsung Galaxy Note
Samsung Galaxy Note II
Samsung Galaxy Note III
Samsung Galaxy S IV
[Deleted User] <[Deleted User]>#12
                                                                                              Nov 30, 2016 09:43PM
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6000)
    at android.view.ViewRootImpl.setView(ViewRootImpl.iava:636)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:259)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:69)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3120)
    at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2498)
    at android.app.ActivityThread.access$800(ActivityThread.iava:166)
    at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1283)
    at android.os.Handler.dispatchMessage(Handler.iava:102)
    at android.os.Looper.loop(Looper.java:136)
    at android.app.ActivityThread.main(ActivityThread.java:5584)
    at java.lang.reflect.Method.invokeNative(Native Method)
    at java.lang.reflect.Method.invoke(Method.java:515)
    at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:1268)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1084)
    at dalvik.system.NativeStart.main(Native Method)
samsung GT-190601
Android 4.4.4
zh...@gmail.com <zh...@gmail.com>#13
                                                                                                Dec 1, 2016 11:48PM :
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:68)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:4253)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:636)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:326)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:224)
    at android.view.WindowManagerImpl$CompatModeWrapper.addView(WindowManagerImpl.java:149)
    at android.view.Window$LocalWindowManager.addView(Window.java:547)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:2659)
    at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2101)
```

```
at android.app.ActivityThread.access$600(ActivityThread.java:138)
      at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1207)
      at android.os.Handler.dispatchMessage(Handler.java:99)
      at android.os.Looper.loop(Looper.java:213)
      at android.app.ActivityThread.main(ActivityThread.java:4788)
      at java.lang.reflect.Method.invokeNative(Method.java)
      at java.lang.reflect.Method.invoke(Method.java:511)
      at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:789)
      at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:556)
      at dalvik.system.NativeStart.main(NativeStart.java)
索尼M36h(Xperia ZR)
三星Galaxy S3
mu...@gmail.com <mu...@gmail.com> #14
                                                                                                                                        Dec 23, 2016 02:40PM
same issue occued range from android 4.2.2 to Andorid 6.0.
java.lang.RuntimeException: 5.12.0atlas-2.3.63
at android.taobao.atlas.runtime.ActivityThreadHook.handleMessage(ActivityThreadHook.java:104)
at android.os.Handler.dispatchMessage(Handler.java:95)
at android.os.Looper.loop(Looper.java:153)
at android.app.ActivityThread.main(ActivityThread.java:5383)
at java.lang.reflect.Method.invokeNative(Native Method)
at java.lang.reflect.Method.invoke(Method.java:511)
at\ com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 853)
at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:620)
at dalvik.system.NativeStart.main(Native Method)
Caused by: java.lang.RuntimeException: InputChannel is not initialized.
at android.view.InputEventReceiver.nativeInit(Native Method)
at\ and roid. view. Input Event Receiver. (Input Event Receiver. java: 68)
at android view ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.iava:4958)
at android.view.ViewRootImpl.setView(ViewRootImpl.java:762)
at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:248)
at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:74)
at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3005)
at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2403)
at android.app.ActivityThread.access$600(ActivityThread.java:162)
at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1354)
at\ and roid. taobao. at las. runtime. Activity Thread Hook. handle Message (Activity Thread Hook. java: 49) at and roid. taobao. at las. runtime. Activity Thread Hook. handle Message (Activity Thread Hook. java: 49) at an archive at last 
... 8 more
ak...@gmail.com <ak...@gmail.com>#15
                                                                                                                                          Jan 2, 2017 05:13PM
same issue occurred on android 6.0.1
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
     at\ and roid.view. Input Event Receiver. native Init (Input Event Receiver. java)
     at android view InputEventReceiver (InputEventReceiver java)
     at\ and roid.view. ViewRootImpl \$WindowInputEventReceiver. (ViewRootImpl.java)
     at android.view.ViewRootImpl.setView(ViewRootImpl.java:637)
     at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.iava:313)
     at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:86)
     at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3176)
     at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2488)
     at android.app.ActivityThread.access$900(ActivityThread.java:153)
     at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1349)
     at android.os.Handler.dispatchMessage(Handler.java:102)
     at android.os.Looper.loop(Looper.java:148)
     at android.app.ActivityThread.main(ActivityThread.java:5441)
     at iava.lang.reflect.Method.invoke(Method.iava)
     at\ com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 738)
     at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:628)
dh...@gmail.com <dh...@gmail.com> #16
                                                                                                                                          Jan 3, 2017 05:03PM
exact same issue in Xiaomi mi max android 6.0.1,
java.lang.RuntimeException: InputChannel is not initialized.
       at\ and roid.view. Input Event Receiver. native Init (Input Event Receiver. java)
       at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
       at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6052)
       at android.view.ViewRootImpl.setView(ViewRootImpl.java:637)
       at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:313)
       at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:86)
       at\ and roid. app. Activity Thread. handle Resume Activity (Activity Thread. java: 3176)
       at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2488)
       at android.app.ActivityThread.access$900(ActivityThread.java:153)
       at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1349)
       at android.os.Handler.dispatchMessage(Handler.java:102)
       at android.os.Looper.loop(Looper.java:148)
       at android.app.ActivityThread.main(ActivityThread.java:5442)
```

```
at\ com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 738)
     at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:628)
[Deleted User] <[Deleted User]>#17
                                                                                                 Jan 7, 2017 08:37AM :
Same issue here.
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at\ and roid.view. Input Event Receiver. native Init (Input Event Receiver. java)
   at android.view.InputEventReceiver.(InputEventReceiver.iava)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:900)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:337)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:91)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4325)
    at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:3360)
   at android.app.ActivityThread.access$1100(ActivityThread.java:221)
   at\ and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1794)
   at android.os.Handler.dispatchMessage(Handler.java:102)
   at android.os.Looper.loop(Looper.java:158)
   at android.app.ActivityThread.main(ActivityThread.java:7225)
   at java.lang.reflect.Method.invoke(Method.java)
   at\ com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 1230)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1120)
so...@fontanka.ru <so...@fontanka.ru> #18
                                                                                               Jan 24, 2017 12:02AM
Same issue in Xiaomi MI 5 Android 6.0.1,
Exception java.lang.RuntimeException: InputChannel is not initialized.
  android.view.InputEventReceiver.nativeInit (InputEventReceiver.java)
  android.view.InputEventReceiver.<init> (InputEventReceiver.java:70)
  android.view.ViewRootImpl$WindowInputEventReceiver.<init> (ViewRootImpl.java:6068)
  android.view.ViewRootImpl.setView (ViewRootImpl.java:643)
  android.view.WindowManagerGlobal.addView (WindowManagerGlobal.java:316)
  android.view.WindowManagerImpl.addView (WindowManagerImpl.java:86)
  android.app.ActivityThread.handleResumeActivity (ActivityThread.java:3193)
  android.app.ActivityThread.handleLaunchActivity (ActivityThread.java:2497)
  android.app.ActivityThread.access$900 (ActivityThread.java:153)
  android.app.ActivityThread$H.handleMessage (ActivityThread.java:1358)
  android.os.Handler.dispatchMessage (Handler.java:102)
  android.os.Looper.loop (Looper.java:148)
  android.app.ActivityThread.main (ActivityThread.java:5458)
  java.lang.reflect.Method.invoke (Method.java)
  com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run (ZygoteInit.java:738)
  com.android.internal.os.Zygotelnit.main (Zygotelnit.java:628)
bu...@gmail.com <bu...@gmail.com> #19
                                                                                               Jan 27, 2017 06:50PM :
java.lang.RuntimeException: InputChannel is not initialized.
at android.view.InputEventReceiver.nativeInit(Native Method)
at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6052)
at android.view.ViewRootImpl.setView(ViewRootImpl.java:637)
at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:313)
at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 86)
at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3176)
at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2488)
at android.app.ActivityThread.access$900(ActivityThread.java:153)
at android.app.ActivityThread$H.handleMessage(ActivityThread.iava:1349)
at android.os.Handler.dispatchMessage(Handler.java:102)
at android.os.Looper.loop(Looper.java:148)
at android.app.ActivityThread.main(ActivityThread.java:5442)
at java.lang.reflect.Method.invoke(Native Method)
at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:738)
at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:628)
Affected OS Versions 6.0.1
Device MI MAX
ya...@gmail.com <ya...@gmail.com>#20
                                                                                               Feb 13, 2017 04:32PM
java.lang.RuntimeException: InputChannel is not initialized.
at android.view.InputEventReceiver.nativeInit(Native Method)
at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:5551)
at android.view.ViewRootImpl.setView(ViewRootImpl.iava:645)
at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:269)
at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:69)
at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:2857)
```

at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2266)

at java.lang.reflect.Method.invoke(Method.java)

```
at android.app.ActivityThread.access$600(ActivityThread.java:141)
at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1256)
at android.os.Handler.dispatchMessage(Handler.java:99)
at android.os.Looper.loop(Looper.java:137)
at android.app.ActivityThread.main(ActivityThread.java:5112)
at java.lang.reflect.Method.invokeNative(Native Method)
at java.lang.reflect.Method.invoke(Method.java:525)
at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:773)
at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:589)
at dalvik.system.NativeStart.main(Native Method)
Device xiaomi box
api 19
ri...@gmail.com <ri...@gmail.com>#21
                                                                                              Feb 17, 2017 06:33AM
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.(InputEventReceiver.java)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:841)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:288)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:73)
   at\ and roid. app. Activity Thread. handle Resume Activity (Activity Thread. java: 2983)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2354)
   at android.app.ActivityThread.access$700(ActivityThread.java:159)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1316)
   at android.os.Handler.dispatchMessage(Handler.java:99)
   at android.os.Looper.loop(Looper.java:176)
   at android.app.ActivityThread.main(ActivityThread.java:5419)
   at java.lang.reflect.Method.invokeNative(Method.java)
   at java.lang.reflect.Method.invoke(Method.java:525)
   at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:1046)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:862)
   at dalvik.system.NativeStart.main(NativeStart.java)
Samung Galaxy S3 Android 4.3
ha...@gmail.com <ha...@gmail.com>#22
                                                                                              Feb 17, 2017 01:25PM
android.view.InputEventReceiver.nativeInit in InputEventReceiver.java::-2
android.view.InputEventReceiver.<init> in InputEventReceiver.iava::70
android.view.ViewRootImpl$WindowInputEventReceiver.<init> in ViewRootImpl.java::6592
android.view.ViewRootImpl.setView in ViewRootImpl.java::809
android.view.WindowManagerGlobal.addView in WindowManagerGlobal.iava::278
android.view.WindowManagerImpl.addView in WindowManagerImpl.java::69
android.widget.Toast$TN.handleShow in Toast.java::478
android.widget.Toast$TN$1.run in Toast.java::374
android.os.Handler.handleCallback in Handler.java::733
android.os.Handler.dispatchMessage in Handler.iava::95
android.os.Looper.loop in Looper.java::136
android.app.ActivityThread.main in ActivityThread.java::5591
java.lang.reflect.Method.invokeNative in Method.java::-2
java.lang.reflect.Method.invoke in Method.java::515
com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run in Zygotelnit.java::1268
com.android.internal.os.Zygotelnit.main in Zygotelnit.java::1084
dalvik.system.NativeStart.main in NativeStart.java::-2
Device: SM-G900L
ha...@gmail.com <ha...@gmail.com>#23
                                                                                              Mar 20, 2017 01:24PM
I face with the same problem:
Exception java.lang.RuntimeException: InputChannel is not initialized.
android.view.InputEventReceiver.nativeInit (InputEventReceiver.iava)
android.view.InputEventReceiver.<init> (InputEventReceiver.java:70)
android.view.ViewRootImpl$WindowInputEventReceiver.<init> (ViewRootImpl.java:6024)
android.view.ViewRootImpl.setView (ViewRootImpl.java:620)
android.view.WindowManagerGlobal.addView (WindowManagerGlobal.java:310)
android.view.WindowManagerImpl.addView (WindowManagerImpl.java:86)
android.app.ActivityThread.handleResumeActivity (ActivityThread.java:3231)
android.app.ActivityThread.handleLaunchActivity (ActivityThread.java:2529)
android.app.ActivityThread.access$900 (ActivityThread.java:154)
android.app.ActivityThread$H.handleMessage (ActivityThread.java:1391)
android.os.Handler.dispatchMessage (Handler.java:102)
android.os.Looper.loop (Looper.java:234)
android.app.ActivityThread.main (ActivityThread.java:5526)
java.lang.reflect.Method.invoke (Method.java)
com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run (Zygotelnit.java:726)
```

Model: D6653

 $com. and roid. in ternal. os. Zygotelnit. main \ (Zygotelnit. java: 616)$

Board: Msm8974
Android API: 23
Android OS: 6.0.1

ko...@gmail.com <ko...@gmail.com>#24

Exception java.lang.RuntimeException: InputChannel is not initialized.
android.view.InputEventReceiver.nativeInit (InputEventReceiver.java)
android.view.InputEventReceiver.<init> (InputEventReceiver.java:75)
android.view.ViewRootImpl\$WindowInputEventReceiver.sinit> (ViewRootImpl.java:6255)
android.view.ViewRootImpl.setView (ViewRootImpl.java:648)
android.view.WindowManagerImpl.addView (WindowManagerImpl.java:341)
android.view.WindowManagerImpl.addView (WindowManagerImpl.java:3198)
android.app.ActivityThread.handleResumeActivity (ActivityThread.java:2509)

Manufacturer: HUAWEI Model: PLK-L01 Board: Plk-I01 Android API: 23 Android OS: 6.0

no...@gmail.com <no...@gmail.com>#25

android.os.Looper.loop (Looper.java:150)

java.lang.reflect.Method.invoke (Method.java)

android.app.ActivityThread.access\$900 (ActivityThread.java:165) android.app.ActivityThread\$H.handleMessage (ActivityThread.java:1368)

com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run~(Zygotelnit. java: 794)

android.os.Handler.dispatchMessage (Handler.java:102)

android.app.ActivityThread.main (ActivityThread.java:5546)

com.android.internal.os.Zygotelnit.main (Zygotelnit.java:684)

Apr 9, 2017 03:03PM :

Exception java.lang.RuntimeException: InputChannel is not initialized. android.view.InputEventReceiver.nativeInit (InputEventReceiver.java) android.view.InputEventReceiver.<init> (InputEventReceiver.java:70) android.view.ViewRootImpl\$WindowInputEventReceiver.<init> (ViewRootImpl.java:6052) android.view.ViewRootImpl.setView (ViewRootImpl.java:637) $and roid. view. Window Manager Global. add View \ (Window Manager Global. java: 313)$ android.view.WindowManagerImpl.addView (WindowManagerImpl.java:86) android.app.ActivityThread.handleResumeActivity (ActivityThread.java:3176) $and roid. app. Activity Thread. handle Launch Activity \ (Activity Thread. java: 2488)$ android.app.ActivityThread.access\$900 (ActivityThread.java:153) and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1349)android.os.Handler.dispatchMessage (Handler.java:102) android.os.Looper.loop (Looper.java:148) $and roid. app. Activity Thread. main\ (Activity Thread. java: 5441)$ java.lang.reflect.Method.invoke (Method.java) com.android.internal.os.Zygotelnit\$MethodAndArgsCaller.run (Zygotelnit.java:738) com.android.internal.os.Zygotelnit.main (Zygotelnit.java:628)

zh...@gmail.com <zh...@gmail.com> #26

Apr 17, 2017 04:44PM :

Caused by: java.lang.RuntimeException: InputChannel is not initialized. at android.view.InputEventReceiver.nativeInit(Native Method) at android.view.InputEventReceiver.<init>(InputEventReceiver.java:82) at android.view.ViewRootImpl\$WindowInputEventReceiver.<init>(ViewRootImpl.java:6202) at android.view.ViewRootImpl.setView(ViewRootImpl.java:708) at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:282) at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:85) at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3342) at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2664) at android.app.ActivityThread.access\$1000(ActivityThread.java:169) at android.app.ActivityThread\$H.handleMessage(ActivityThread.java:1467) at android.os.Handler.dispatchMessage(Handler.java:102) at android.os.Looper.loop(Looper.java:159) at android.app.ActivityThread.main(ActivityThread.java:5671) at java.lang.reflect.Method.invoke(Native Method) at java.lang.reflect.Method.invoke(Method.java:372) at com.android.internal.os.Zygotelnit\$MethodAndArgsCaller.run(Zygotelnit.java:964) at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:759)

OPPO A53 Qualcomm Technologies, Inc MSM8939 Android 5.1.1

[Deleted User] <[Deleted User]><u>#27</u>

Apr 18, 2017 10:47PM

Same:

Android: 6.0.1 Android Build: MMB29M Manufacturer: Xiaomi

```
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6052)
    at android.view.ViewRootImpl.setView(ViewRootImpl.iava:637)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:313)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.iava:86)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3176)
    at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2488)
    at android.app.ActivityThread.access$900(ActivityThread.java:153)
    at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1349)
    at android.os.Handler.dispatchMessage(Handler.java:102)
    at android.os.Looper.loop(Looper.java:148)
    at android.app.ActivityThread.main(ActivityThread.java:5441)
    at java.lang.reflect.Method.invoke(Native Method)
    at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:738)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:628)
rs...@gmail.com <rs...@gmail.com> #28
                                                                                               Apr 21, 2017 01:25AM
We're seeing this as well...seems like a race condition?
rs...@gmail.com <rs...@gmail.com>#29
                                                                                               Apr 21, 2017 01:27AM :
Galaxy S7 Edge running Nougat
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at\ and roid.view. Input Event Receiver. native Init (Input Event Receiver. java)
   at android.view.InputEventReceiver.(InputEventReceiver.java)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:926)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:342)
   at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 97)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3920)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:3014)
   at android.app.ActivityThread.-wrap14(ActivityThread.java)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1650)
   at android.os.Handler.dispatchMessage(Handler.java:102)
   at android.os.Looper.loop(Looper.java:154)
   at android.app.ActivityThread.main(ActivityThread.java:6688)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:1468)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1358)
[Deleted User] <[Deleted User]>#30
                                                                                                May 9, 2017 04:11PM :
Saw a similar issue on Sony Xperia Z5 dual
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at\ and roid.view. Input Event Receiver. (Input Event Receiver. java)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java)
   at\ and roid.view. ViewRootImpl.set View (ViewRootImpl.java: 730)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:341)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:94)
   at\ and roid. app. Activity Thread. handle Resume Activity (Activity Thread. java: 3565)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2778)
   at android.app.ActivityThread.-wrap12(ActivityThread.java)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1515)
   at android.os.Handler.dispatchMessage(Handler.java:102)
   at android.os.Looper.loop(Looper.java:241)
   at android.app.ActivityThread.main(ActivityThread.java:6217)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:865)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:755)
ra...@gmail.com <ra...@gmail.com>#31
                                                                                               May 12, 2017 12:15PM :
I have same issue
Exception java.lang.RuntimeException: InputChannel is not initialized.
android.view.InputEventReceiver.nativeInit (InputEventReceiver.java)
android.view.InputEventReceiver.<init> (InputEventReceiver.java:70)
android.view.ViewRootImpl$WindowInputEventReceiver.<init> (ViewRootImpl.java:6052)
android.view.ViewRootImpl.setView (ViewRootImpl.java:637)
android.view.WindowManagerGlobal.addView (WindowManagerGlobal.java:313)
android.view.WindowManagerImpl.addView (WindowManagerImpl.iava:86)
```

android.app.ActivityThread.handleResumeActivity (ActivityThread.java:3176)

Model: Redmi 3S Thread: main-1

Start Date: Sun Apr 16 10:07:00 GMT+05:30 2017 Date: Sun Apr 16 10:07:33 GMT+05:30 2017

```
android.app.ActivityThread.handleLaunchActivity (ActivityThread.java:2488)
android.app.ActivityThread.access$900 (ActivityThread.java:153)
and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1349)
android.os.Handler.dispatchMessage (Handler.java:102)
android.os.Looper.loop (Looper.java:148)
android.app.ActivityThread.main (ActivityThread.java:5441)
iava.lang.reflect.Method.invoke (Method.iava)
com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run (Zygotelnit.java:738)
com.android.internal.os.Zygotelnit.main (Zygotelnit.java:628)
Device: Redmi Note 3
       SM-N910K
       SM-G935L
rm...@manoamano.me <rm...@manoamano.me> #32
                                                                                               May 18, 2017 05:44AM :
Exception java.lang.RuntimeException: InputChannel is not initialized.
  android.view.InputEventReceiver.nativeInit (InputEventReceiver.java)
  android.view.InputEventReceiver.<init> (InputEventReceiver.java:70)
  android.view.ViewRootImpl$WindowInputEventReceiver.<init> (ViewRootImpl.java:7537)
  android.view.ViewRootImpl.setView (ViewRootImpl.java:945)
  android.view.WindowManagerGlobal.addView (WindowManagerGlobal.java:337)
  android.view.WindowManagerImpl.addView (WindowManagerImpl.java:109)
  android.app.ActivityThread.handleResumeActivity (ActivityThread.java:4402)
  android.app.ActivityThread.handleLaunchActivity (ActivityThread.java:3426)
  android.app.ActivityThread.access$1100 (ActivityThread.java:229)
  android.app.ActivityThread$H.handleMessage (ActivityThread.java:1821)
  android.os.Handler.dispatchMessage (Handler.java:102)
  android.os.Looper.loop (Looper.java:148)
  android.app.ActivityThread.main (ActivityThread.java:7325)
  java.lang.reflect.Method.invoke (Method.java)
  com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run \ (Zygotelnit. java: 1230) \\
  com.android.internal.os.Zygotelnit.main (Zygotelnit.java:1120)
Device: Samsung SM-J500M Android 6.0.1
il...@gmail.com <il...@gmail.com>#33
                                                                                               May 19, 2017 02:35PM :
i donot why
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:68)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:4303)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:698)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:326)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:224)
    at android.view.WindowManagerImpl$CompatModeWrapper.addView(WindowManagerImpl.java:149)
    at android.view.Window$LocalWindowManager.addView(Window.java:558)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:2672)
    at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2122)
    at android.app.ActivityThread.access$600(ActivityThread.java:140)
    at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1213)
    at android.os.Handler.dispatchMessage(Handler.java:99)
    at android.os.Looper.loop(Looper.iava:137)
    at android.app.ActivityThread.main(ActivityThread.java:4914)
    at java.lang.reflect.Method.invokeNative(Native Method)
    at java.lang.reflect.Method.invoke(Method.java:511)
    at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:808)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:575)
    at dalvik.system.NativeStart.main(Native Method)
Device: Mi2sc android 4.1.1
fa...@gmail.com <fa...@gmail.com> #34
                                                                                               May 19, 2017 08:24PM :
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.(InputEventReceiver.java)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:637)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:313)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:86)
   at\ and roid. app. Activity Thread. handle Resume Activity (Activity Thread. java: 3176)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2488)
   at android.app.ActivityThread.access$900(ActivityThread.java:153)
   at\ and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1349)
   at android.os.Handler.dispatchMessage(Handler.java:102)
   at android.os.Looper.loop(Looper.java:148)
   at android.app.ActivityThread.main(ActivityThread.java:5438)
   at java.lang.reflect.Method.invoke(Method.java)
   at\ com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 738)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:628)
```

```
Device: - Redmi Note 4 android version: - 6.0.1
li...@gmail.com <li...@gmail.com>#35
                                                                                               May 24, 2017 07:30PM
iava.lang.RuntimeException: InputChannel is not initialized.
            at android.view.InputEventReceiver.nativeInit(Native Method)
            at android.view.InputEventReceiver.<init>(InputEventReceiver.java:75)
            at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6255)
            at android.view.ViewRootImpl.setView(ViewRootImpl.java:648)
            at android view Window Manager Global add View (Window Manager Global i ava: 341)
            at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:85)
            at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3205)
            at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2516)
            at android.app.ActivityThread.access$900(ActivityThread.java:165)
            at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1375)
            at android.os.Handler.dispatchMessage(Handler.java:102)
            at android.os.Looper.loop(Looper.java:150)
            at android.app.ActivityThread.main(ActivityThread.java:5621)
            at java.lang.reflect.Method.invoke(Native Method)
            at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:794)
            at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:684)
li...@gmail.com <li...@gmail.com> #36
                                                                                               May 24, 2017 07:31PM
Here is what i have met, refer to comment #6, key log as follow:
05-22 06:55:05.452 8363 8363 E InputChannel-JNI: Error 9 dup channel fd 80.
I think 80 is a valid filedescriptor, why would this happen?
la...@gmail.com <la...@gmail.com> #37
                                                                                                Jun 15, 2017 12:27AM
app showing this on crashlytics's report.
but 7 out of the 9 instances the "Ram free" shows 0%, not seeing this 0% on most of the other instances reported there, not
sure if it is related
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at\ and roid.view. Input Event Receiver. native Init (Input Event Receiver. java)
   at android.view.InputEventReceiver.(InputEventReceiver.iava)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:830)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:373)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:114)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3730)
    at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2876)
   at android.app.ActivityThread.-wrap12(ActivityThread.java)
   at\ and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1567)
   at android.os.Handler.dispatchMessage(Handler.java:105)
   at android.os.Looper.loop(Looper.java:156)
   at\ and roid. app. Activity Thread. main (Activity Thread. java: 6585)
   at java.lang.reflect.Method.invoke(Method.java)
   at\ com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 941)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:831)
sh...@gmail.com <sh...@gmail.com> #38
                                                                                                Jun 15, 2017 05:08PM
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:75)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6785)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:828)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:373)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.iava:114)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3680)
    at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2876)
    at android.app.ActivityThread.-wrap12(ActivityThread.java)
    at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1567)
    at android.os.Handler.dispatchMessage(Handler.java:102)
    at android.os.Looper.loop(Looper.java:156)
    at android.app.ActivityThread.main(ActivityThread.java:6524)
    at java.lang.reflect.Method.invoke(Native Method)
    at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:941)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:831)
an...@unlockar.com <an...@unlockar.com>#39
                                                                                                Jun 21, 2017 02:54PM
Similar issue logged on Firebase Crash report:
```

Exception java.lang.RuntimeException: InputChannel is not initialized. android.view.InputEventReceiver.nativeInit (InputEventReceiver.java)

```
android.view.InputEventReceiver.<init> (InputEventReceiver.java:70)
android.view.ViewRootImpl$WindowInputEventReceiver.<init> (ViewRootImpl.java:6718)
android.view.ViewRootImpl.setView (ViewRootImpl.java:854)
android.view.WindowManagerGlobal.addView (WindowManagerGlobal.java:278)
android.view.WindowManagerImpl.addView (WindowManagerImpl.java:69)
android.app.ActivityThread.handleResumeActivity (ActivityThread.java:3302)
android.app.ActivityThread.handleLaunchActivity (ActivityThread.java:2612)
android.app.ActivityThread.access$900 (ActivityThread.java:174)
android.app.ActivityThread$H.handleMessage (ActivityThread.java:1325)
android.os.Handler.dispatchMessage (Handler.java:102)
android.os.Looper.loop (Looper.java:146)
android.app.ActivityThread.main (ActivityThread.java:5756)
java.lang.reflect.Method.invokeNative (Method.java)
java.lang.reflect.Method.invoke (Method.java:515)
com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run \ (Zygotelnit. java: 1291)
com.android.internal.os.Zygotelnit.main (Zygotelnit.java:1107)
dalvik.system.NativeStart.main (NativeStart.java)
Device: Samsung Galaxy E7; Android OS: 4.4.4
ed...@gmail.com <ed...@gmail.com>#40
                                                                                               Jun 28, 2017 10:40PM
Same issue occurred on android 6.0.1
Device: Asus ZenFone Selfie (ZD551KL)
java.lang.RuntimeException: InputChannel is not initialized.
                                              at android.view.InputEventReceiver.nativeInit(Native Method)
                                              at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
                                              at android.view.ViewRootImpl$WindowInputEventReceiver.<init>
(ViewRootImpl.java:6042)
                                              at android.view.ViewRootImpl.setView(ViewRootImpl.java:617)
                                              at
android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:310)
                                              at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:86)
android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3187)
                                              at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2499)
                                              at android.app.ActivityThread.access$900(ActivityThread.java:153)
                                              at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1347)
                                              at android.os.Handler.dispatchMessage(Handler.java:102)
                                              at android.os.Looper.loop(Looper.java:148)
                                              at android.app.ActivityThread.main(ActivityThread.java:5451)
                                              at java.lang.reflect.Method.invoke(Native Method)
com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 726)
                                              at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:616)
he...@gmail.com <he...@gmail.com>#41
                                                                                                Aug 7, 2017 02:09AM
Same issue on Huawei BLN-L21 (SDK 27, 7.0)
{\tt STACK\_TRACE = java.lang.RuntimeException: Input Channel is not initialized.}
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.iava:75)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6796)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:830)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:373)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:114)
    at android.widget.Toast$TN.handleShow(Toast.java:470)
    at android.widget.Toast$TN$1.run(Toast.java:355)
    at android.os.Handler.handleCallback(Handler.iava:761)
    at android.os.Handler.dispatchMessage(Handler.java:98)
    at android.os.Looper.loop(Looper.java:156)
    at\ org. acra. builder. Report Executor \$1.run (Report Executor.java: 161)
[Deleted User] <[Deleted User]>#42
                                                                                               Aug 10, 2017 02:58PM :
Same here in a Xamarin app:
Exception java.lang.RuntimeException: InputChannel is not initialized.
android.view.InputEventReceiver.nativeInit (InputEventReceiver.java)
android.view.InputEventReceiver.<init> (InputEventReceiver.java:70)
android.view.ViewRootImpl$WindowInputEventReceiver.<init> (ViewRootImpl.java:6057)
android.view.ViewRootImpl.setView (ViewRootImpl.java:637)
android.view.WindowManagerGlobal.addView (WindowManagerGlobal.java:313)
android.view.WindowManagerImpl.addView (WindowManagerImpl.java:86)
android.app.ActivityThread.handleResumeActivity (ActivityThread.java:3176)
android.app.ActivityThread.handleLaunchActivity (ActivityThread.java:2488)
android.app.ActivityThread.access$900 (ActivityThread.java:153)
android.app.ActivityThread$H.handleMessage (ActivityThread.java:1349)
android.os.Handler.dispatchMessage (Handler.java:102)
android.os.Looper.loop (Looper.java:148)
and roid. app. Activity Thread. main\ (Activity Thread. java: 5442)
```

com.android.internal.os.Zygotelnit\$MethodAndArgsCaller.run (Zygotelnit.java:738) com.android.internal.os.Zygotelnit.main (Zygotelnit.java:628) Happened several times in a row with a Xiaomi MI MAX with Android 6.0.1. ca...@gmail.com <ca...@gmail.com> #43 Aug 14, 2017 06:28PM : java.lang.RuntimeException: InputChannel is not initialized. at android.view.InputEventReceiver.nativeInit(Native Method) at android.view.InputEventReceiver.(InputEventReceiver.java:82) at android.view.ViewRootImpl\$WindowInputEventReceiver.(ViewRootImpl.java:6202) at android.view.ViewRootImpl.setView(ViewRootImpl.java:708) $at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 282)$ at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:85) at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3342) at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2664) at android.app.ActivityThread.access\$1000(ActivityThread.java:169) $at\ and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1467)$ at android.os.Handler.dispatchMessage(Handler.java:102) at android.os.Looper.loop(Looper.java:159) at android.app.ActivityThread.main(ActivityThread.java:5671) at java.lang.reflect.Method.invoke(Native Method) at java.lang.reflect.Method.invoke(Method.java:372) at com.android.internal.os.Zygotelnit\$MethodAndArgsCaller.run(Zygotelnit.java:964) at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:759) [Deleted User] <[Deleted User]> #44 Aug 15, 2017 07:37PM : Android Team, any update on this issue? ai...@gmail.com <ai...@gmail.com> #45 Aug 20, 2017 03:31AM Same problem: Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized. at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java) $at\ and roid.view. Input Event Receiver. (Input Event Receiver. java)$ at android.view.ViewRootImpl\$WindowInputEventReceiver.(ViewRootImpl.java) at android.view.ViewRootImpl.setView(ViewRootImpl.java:637) at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:313) $at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 86)$ at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3176) at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2488) at android.app.ActivityThread.access\$900(ActivityThread.java:153) at android.app.ActivityThread\$H.handleMessage(ActivityThread.java:1349) at android.os.Handler.dispatchMessage(Handler.java:102) at android.os.Looper.loop(Looper.java:148) at android.app.ActivityThread.main(ActivityThread.java:5441) at java.lang.reflect.Method.invoke(Method.java) at com.android.internal.os.Zygotelnit\$MethodAndArgsCaller.run(Zygotelnit.java:738) at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:628) ai...@gmail.com <ai...@gmail.com> #46 Aug 20, 2017 03:35AM : Xiaomi Redmi 3S with Android 6.0.1 issue.txt Restricted 35 KB View Download (?) mi...@gmail.com <mi...@gmail.com> #47 Aug 24, 2017 04:56AM And what's the solution for this crash error? ta...@gmail.com <ta...@gmail.com>#48 Sep 6, 2017 06:03PM : Same issue on Moto G3 Device java.lang.RuntimeException: Unable to start activity $Component Info \{com.vendiumab.struqtur/com.vendiumab.struqtur.ui.activity. Splash Activity\}; java.lang. Runtime Exception: a component of the component of th$ InputChannel is not initialized. at android.app.ActivityThread.performLaunchActivity(ActivityThread.java:2426) at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2490) at android.app.ActivityThread.-wrap11(ActivityThread.java) at android.app.ActivityThread\$H.handleMessage(ActivityThread.java:1354) at android.os.Handler.dispatchMessage(Handler.java:102) at android.os.Looper.loop(Looper.java:148) at android.app.ActivityThread.main(ActivityThread.java:5443) at java.lang.reflect.Method.invoke(Native Method)

java.lang.reflect.Method.invoke (Method.java)

```
com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:728)
                                                               at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:618)
                                                            Caused by: java.lang.RuntimeException: InputChannel is not initialized.
                                                               at android.view.InputEventReceiver.nativeInit(Native Method)
                                                               at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
                                                               at android.view.ViewRootImpl$WindowInputEventReceiver.<init>
(ViewRootImpl.java:6067)
                                                               at android.view.ViewRootImpl.setView(ViewRootImpl.java:628)
                                                               at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 310)
                                                               at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:85)
                                                               at android.app.Dialog.show(Dialog.java:319)
ta...@gmail.com <ta...@gmail.com>#49
                                                                                                                                               Sep 6, 2017 06:27PM :
I found that if i open application from application menu screen i am not getting this error but if i run it from Android Studio
Than only this error is occurred. Looking strange but its happen.
Once i have Restart android Studio with Invalidate Cache Now its working.
la...@gmail.com <la...@gmail.com> #50
                                                                                                                                             Sep 15, 2017 06:29PM :
能不能解决呢
vo...@gmail.com <vo...@gmail.com>#51
                                                                                                                                               Oct 4, 2017 12:48AM :
Nexus 6, 7, 1, 1
Invalidate cache didn't help
                                          java.lang.RuntimeException: InputChannel is not initialized.
                                             at android.view.InputEventReceiver.nativeInit(Native Method)
                                             at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
                                             at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6344)
                                             at android.view.ViewRootImpl.setView(ViewRootImpl.java:727)
                                             at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 342)
                                             at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:93)
                                             at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3517)
                                             at\ and roid. app. Activity Thread. handle Launch Activity (Activity Thread. java: 2732)
                                             at android.app.ActivityThread.-wrap12(ActivityThread.java)
                                             at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1477)
                                             at android.os.Handler.dispatchMessage(Handler.java:102)
                                             at android.os.Looper.loop(Looper.java:154)
                                             at android.app.ActivityThread.main(ActivityThread.java:6119)
                                             at java.lang.reflect.Method.invoke(Native Method)
                                             at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:886)
                                             at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:776)
dl...@evie.com <dl...@evie.com> #52
                                                                                                                                             Oct 10, 2017 08:59AM :
Guys, if you're gonna attach stack traces, get full bug reports. Settings -> Developer Options -> Generate Bug Report.
The googler requested full system logs, so stack traces alone probably aren't going to help.
xp...@gmail.com <xp...@gmail.com> #53
                                                                                                                                             Jan 23, 2018 08:19PM
same issue, Is there any solution?
wa...@yulong.com <wa...@yulong.com>#54
                                                                                                                                               Feb 1, 2018 08:05PM :
Same issue on victor Coolpad 6
// CRASH: com.android.settings (pid 12133)
// Short Msg: java.lang.RuntimeException
// Long Msg: java.lang.RuntimeException: InputChannel is not initialized.
// Build Label: Coolpad/VCR-A0/victor:8.0.0/VCRSCN00X1000MPX1801191/buildf01191545:user/release-keys
// Build Changelist: eng.buildf.20180119.154555
// Build Time: 1516347955000
// java.lang.RuntimeException: InputChannel is not initialized.
// at android.view.InputEventReceiver.nativeInit(Native Method)
// at android.view.InputEventReceiver.<init>(InputEventReceiver.java:71)
// at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6888)
// at android.view.ViewRootImpl.setView(ViewRootImpl.iava:826)
// at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:356)
// at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:93)
// at android.app.Dialog.show(Dialog.java:330)
// at android.app.DialogFragment.onStart(DialogFragment.java:502)
/\!/\ at\ com. and roid. settings. core. lifecycle. Observable Dialog Fragment. on Start (Observable Dialog Fragment. java: 40) at com. and roid. settings. core. lifecycle. Observable Dialog Fragment. on Start (Observable Dialog Fragment. java: 40) at com. and roid. settings. core. lifecycle. Observable Dialog Fragment. on Start (Observable Dialog Fragment. java: 40) at com. and roid. Settings. core. lifecycle. Observable Dialog Fragment. on Start (Observable Dialog Fragment. java: 40) at com. and roid. Settings. Core. lifecycle. Observable Dialog Fragment. on Start (Observable Dialog Fragment. java: 40) at core. The core is core. In the core is core. The core is core is core in the core is core. The core is core is core in the core in the core in the core is core in the core in the core in the core in the core is core in the core is core in the core in
// at com.android.settings.fuelgauge.HighPowerDetail.onStart(HighPowerDetail.java:103)
// at android.app.Fragment.performStart(Fragment.java:2637)
```

// at android.app.FragmentManagerImpl.moveToState(FragmentManager.java:1312)

```
// at android.app.FragmentManagerImpl.addAddedFragments(FragmentManager.java:2415)
// at android.app.FragmentManagerImpl.executeOpsTogether(FragmentManager.java:2194)
// at android.app.FragmentManagerImpl.removeRedundantOperationsAndExecute(FragmentManager.java:2148)
// at android.app.FragmentManagerImpl.execPendingActions(FragmentManager.java:2049)
// at android.app.FragmentManagerImpl$1.run(FragmentManager.java:718)
// at android.os.Handler.handleCallback(Handler.java:789)
// at android.os.Handler.dispatchMessage(Handler.iava:98)
// at android.os.Looper.loop(Looper.java:164)
// at android.app.ActivityThread.main(ActivityThread.java:6565)
// at java.lang.reflect.Method.invoke(Native Method)
// at com.android.internal.os.Zygote$MethodAndArgsCaller.run(Zygote.java:240)
// at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:767)
ai...@gmail.com <ai...@gmail.com> #55
                                                                                               Feb 11, 2018 12:39AM
Same problem, Galaxy Note 4, Android 6.0.1:
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.(InputEventReceiver.java)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:904)
   at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 337)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:91)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4325)
   at\ and roid. app. Activity Thread. handle Launch Activity (Activity Thread. java: 3360)
   at android.app.ActivityThread.access$1100(ActivityThread.java:221)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1794)
   at android.os.Handler.dispatchMessage(Handler.java:102)
   at android.os.Looper.loop(Looper.java:158)
   at\ and roid. app. Activity Thread. main (Activity Thread. java: 7225)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:1230)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1120)
sh...@gmail.com <sh...@gmail.com> #56
                                                                                               Mar 17, 2018 09:14AM :
Same problem, Xiaomi Mi A1, Android 8.0.0
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.(InputEventReceiver.java:71)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java:6761)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:817)
   at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 356)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:93)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3748)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2912)
   at android.app.ActivityThread.-wrap11(Unknown Source)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1605)
   at android.os.Handler.dispatchMessage(Handler.java:105)
   at android.os.Looper.loop(Looper.java:172)
   at android.app.ActivityThread.main(ActivityThread.java:6637)
   at iava.lang.reflect.Method.invoke(Method.iava)
   at\ com. and roid. internal. os. Zygote \$ Method And Args Caller. run (Zygote. java: 240)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:767)
[Deleted User] <[Deleted User]>#57
                                                                                                Apr 2, 2018 04:48PM
i met this problem also. and i restart the phone is ok.
ts...@gmail.com <ts...@gmail.com> #58
                                                                                                Apr 3, 2018 01:07PM
Same problem, on android 5.0 (21), nubia:NX505J:armeabi-v7a
    Caused by: java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.iava:70)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:5860)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:628)
    at\ and roid. view. Window Manager Global. add View (Window Manager Global. java: 272)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:69)
    at android.app.Dialog.show(Dialog.java:298)
su...@gmail.com <su...@gmail.com>#59
                                                                                               Apr 16, 2018 08:45PM
04-16 16:12:24.585 28935-28935/sedsddfctor.qubdsfsdfe.kaldsfdsfdsfmarket E/AndroidRuntime: FATAL EXCEPTION: main
  Process: sedsddfctor.qubdsfsdfe.kaldsfdsfdsfmarket, PID: 28935
  java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
```

```
at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:85)
                at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3187)
                at\ and roid. app. Activity Thread. handle Launch Activity (Activity Thread. java: 2495)
                at\ and roid. app. Activity Thread. -wrap 11 (Activity Thread. java)
                at\ and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1354)
                at android.os.Handler.dispatchMessage(Handler.java:102)
                at android.os.Looper.loop(Looper.java:148)
                at android.app.ActivityThread.main(ActivityThread.java:5443)
                at java.lang.reflect.Method.invoke(Native Method)
                at\ com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 728)
                at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:618)
\textbf{zh...@gmail.com} < \hspace{-0.5em} \texttt{zh...@gmail.com} > \hspace{-0.5em} \underline{\texttt{\#60}}
                                                                                                                                                                                                                                                                                                                                          Apr 23, 2018 06:08PM :
java.lang.RuntimeException: InputChannel is not initialized
at android.view.InputEventReceiver.nativeInit(Native Method)
at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6998)
at android.view.ViewRootImpl.setView(ViewRootImpl.java:827)
at\ and roid. view. Window Manager Global. add View (Window Manager Global. java: 371)
at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 93)
at android.app.Dialog.show(Dialog.java:352)
com. mediatek. services. telephony. Mtk Telephony Connection Service Util. cell ConnMgr Show Alerting Internal (Mtk Telephony Connection Service Util. cell ConnMgr Show Alerting Internal (Mtk Telephony Connection Service Util. cell ConnMgr Show Alerting Internal (Mtk Telephony Connection Service Util. cell ConnMgr Show Alerting Internal (Mtk Telephony Connection Service Util. cell Connection
ctionServiceUtil.java:530)
com. mediatek. services. telephony. Mtk Telephony Connection Service Util. cell ConnMgr Show Alerting (Mtk Telephony Connection Service Services). The services of the servi
rviceUtil.java:476)
com. and roid. services. telephony. Telephony Connection Service. get Telephony Connection (Telephony Connection Service. java: 933) and the phony Connection (Telephony Connection Service) and the phony Connection Service and the
com. and roid. services. telephony. Telephony Connection Service. on Create Outgoing Connection (Telephony Connection Service. java and the Connection Service) and the Connection Service and the Connection Se
at com. and roid. services. telephony. Telephony Connection Service. create Connection (Telephony Connection Service. java: 2035) and the connection of th
at\ and roid. telecom. Connection Service \$2\$1. logged Run (Connection Service. java: 685)
at android.telecom.Logging.Runnable$1.run(Runnable.java:37)
at android.telecom.ConnectionService.onAccountsInitialized(ConnectionService.java:2137)
at android.telecom.ConnectionService.-wrap12(Unknown Source:0)
at android.telecom.ConnectionService$5$1.loggedRun(ConnectionService.java:1773)
at android.telecom.Logging.Runnable$1.run(Runnable.java:37)
at android.os.Handler.handleCallback(Handler.java:790)
at\ and roid. os. Handler. dispatch Message (Handler. java: 99)
at android.os.Looper.loop(Looper.java:164)
at android.app.ActivityThread.main(ActivityThread.java:6524)
at java.lang.reflect.Method.invoke(Native Method)
at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:447)
at\ com. and roid. internal. os. Zygotelnit. main (Zygotelnit. java: 888)
$** *** *** *** *** *** *** Exception *** *** *** *** *** *** ***
[Deleted User] < [Deleted User] > #61
                                                                                                                                                                                                                                                                                                                                           May 1, 2018 03:58PM
We still have this bug popping out in production from time to time. Any plans to fix it? Or maybe some insights why it happens
so we may try to workaround it?
 sa...@gmail.com <sa...@gmail.com><u>#62</u>
                                                                                                                                                                                                                                                                                                                                           May 2, 2018 03:53PM :
Same issue is happening on the device with Jellybeans (logcat, bugreport and traces.txt attached)
05-02 06:04:59.233 I/dalvikvm( 1426): Wrote stack traces to '/data/anr/traces.txt'
05-02 06:04:59.258 I/dalvikvm( 1536): Wrote stack traces to '/data/anr/traces.txt'
05-02 06:04:59.282 E/InputTransport( 1426): channel '6f02dab0' ~ Could not create socket pair. errno=24
05-02 06:04:59.283 E/JavaBinder( 1426): *** Uncaught remote exception! (Exceptions are not yet supported across
processes.)
05-02 06:04:59.283 E/JavaBinder( 1426): java.lang.RuntimeException: Could not open input channel pair. status=-24
05-02 06:04:59.283 E/JavaBinder( 1426):
                                                                                                                                                          at android.view.InputChannel.nativeOpenInputChannelPair(Native Method)
05-02 06:04:59.283 E/JavaBinder( 1426):
                                                                                                                                                           at android.view.InputChannel.openInputChannelPair(InputChannel.java:94)
```

05-02 05:52:38.861 W/InputDispatcher(1426): channel '6e5af150 (server)' ~ Consumer closed input channel or an error

at android.view.ViewRootImpl\$WindowInputEventReceiver.<init>(ViewRootImpl.java:6067)

 $at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 310)$

at android.view.ViewRootImpl.setView(ViewRootImpl.java:628)

```
occurred. events=0x9
05-02 05:52:38.861 E/InputDispatcher( 1426): channel '6e5af150 (server)' ~ Channel is unrecoverably broken and will be
05-02 05:52:38.862 E/InputChannel-JNI( 3288): Error 9 dup channel fd -2147483647.
05-02 05:52:38.863 W/InputDispatcher( 1426): Attempted to unregister already unregistered input channel '6e5af150 (server)'
     ANR_APP_crash.7z
                                                                                                          Restricted
     1.5 MB Download 

m1...@163.com <m1...@163.com>#63
                                                                                                May 9, 2018 12:23PM :
Huawei mate 8
Process: com.yuandi.datawellnetwork, PID: 25023
                                          java.lang.RuntimeException: InputChannel is not initialized.
                                            at\ and roid.view.InputEventReceiver.nativeInit(Native\ Method)
                                            at android.view.InputEventReceiver.<init>(InputEventReceiver.iava:75)
                                            at android.view.ViewRootImpl$WindowInputEventReceiver.<init>
(ViewRootImpl.java:6802)
                                            at android.view.ViewRootImpl.setView(ViewRootImpl.java:836)
and roid. view. Window Manager Global. add View (Window Manager Global. java: 373)\\
                                            at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:114)
                                            at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3680)
                                            at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2876)
                                            at android.app.ActivityThread.-wrap12(ActivityThread.java)
                                            at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1567)
                                            at android.os.Handler.dispatchMessage(Handler.java:105)
                                            at android.os.Looper.loop(Looper.java:156)
                                            at android.app.ActivityThread.main(ActivityThread.java:6523)
                                            at java.lang.reflect.Method.invoke(Native Method)
com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 942)
                                            at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:832)
                                                                                               May 9, 2018 12:24PM
m1...@163.com <m1...@163.com>#64
How can I solve this question?
al...@hotmail.com <al...@hotmail.com> #65
                                                                                              May 30, 2018 12:15AM
Moto G (5) Plus
7.0 OS VERSION
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
   at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6355)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:738)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:342)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:93)
   at\ and roid. app. Activity Thread. handle Resume Activity (Activity Thread. java: 3509)
   at\ and roid. app. Activity Thread. handle Launch Activity (Activity Thread. java: 2730)
   at android.app.ActivityThread.-wrap12(ActivityThread.java)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1473)
   at android.os.Handler.dispatchMessage(Handler.java:102)
   at android.os.Looper.loop(Looper.java:154)
   at android.app.ActivityThread.main(ActivityThread.iava:6123)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:867)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:757)
[Deleted User] <[Deleted User]>#66
                                                                                                 Jul 2, 2018 06:10PM
Redmi NOTE 4X
6.0.1 OS VERSION
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.(InputEventReceiver.java:70)
   at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java:6057)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:637)
   at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 313)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:86)
   at android.app.Dialog.show(Dialog.java:322)
   at co.*****.*****.*****Activity$4.onResponse(Unknown Source)
```

at retrofit2.ExecutorCallAdapterFactory\$ExecutorCallbackCall\$1\$1.run(Unknown Source)

```
at android.os.Handler.dispatchMessage(Handler.java:95)
   at android.os.Looper.loop(Looper.java:148)
   at android.app.ActivityThread.main(ActivityThread.java:5438)
   at\ java.lang.reflect.Method.invoke(Method.java)
   at\ com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 738)
   at\ com. and roid. internal. os. Zygotelnit. main (Zygotelnit. java: 628)
ka...@gmail.com <ka...@gmail.com> #67
                                                                                                 Jul 30, 2018 11:12PM
Same crash, don't have steps to reproduce.
Here is fabric link: http://crashes.to/s/8f1075d8fbb
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
   at android.view.ViewRootImpI$WindowInputEventReceiver.<init>(ViewRootImpI.java:6740)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:813)
   at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 356)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:92)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3734)
   at\ and roid. app. Activity Thread. handle Launch Activity (Activity Thread. java: 2898)
   at\ and roid. app. Activity Thread. -wrap 11 (Unknown\ Source)
   at\ and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1593)
   at android.os.Handler.dispatchMessage(Handler.java:105)
   at android.os.Looper.loop(Looper.java:164)
   at\ and roid. app. Activity Thread. main (Activity Thread. java: 6541)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.Zygote$MethodAndArgsCaller.run(Zygote.java:240)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:767)
vi...@gmail.com <vi...@gmail.com> #68
                                                                                                 Oct 29, 2018 05:02PM
Try ... Catch?
lo...@gmail.com <lo...@gmail.com> #69
                                                                                                 Nov 5, 2018 06:39PM
Does anyone know how to handle this issue?
ga...@gmail.com <ga...@gmail.com> #70
                                                                                                  Jan 8, 2019 03:00PM
Is there any solve method?
ge...@gmail.com <ge...@gmail.com> #71
                                                                                                Jan 25, 2019 01:10PM
都2019年了,有人解决了这个问题了吗?
8h...@gmail.com <8h...@gmail.com>#72
                                                                                                 Feb 1, 2019 06:18PM
Evercoss M50 MAX (EVERCOSS_M50_MAX), Android 7.0
java.lang.RuntimeException:
 at android.view.InputEventReceiver.nativeInit (Native Method)
 at android.view.InputEventReceiver.<init> (InputEventReceiver.java:70)
 at android.view.ViewRootImpl$WindowInputEventReceiver.<init> (ViewRootImpl.java:6409)
 at android.view.ViewRootImpl.setView (ViewRootImpl.java:739)
 at android.view.WindowManagerGlobal.addView (WindowManagerGlobal.java:345)
 at\ and roid.view. Window Manager Impl. add View\ (Window Manager Impl. java: 93)
 at\ and roid. app. Activity Thread. handle Resume Activity\ (Activity Thread. java: 3568)
 at\ and roid. app. Activity Thread. handle Launch Activity\ (Activity Thread. java: 2768)
 at android.app.ActivityThread.-wrap12 (ActivityThread.java)
 at\ and roid. app. Activity Thread \$H. handle Message\ (Activity Thread. java: 1494)
 at android.os.Handler.dispatchMessage (Handler.java:102)
 at android.os.Looper.loop (Looper.java:154)
 at android.app.ActivityThread.main (ActivityThread.java:6215)
 at java.lang.reflect.Method.invoke (Native Method)
 at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run (Zygotelnit.java:886)
 at com.android.internal.os.Zygotelnit.main (Zygotelnit.java:776)
ea...@gmail.com <ea...@gmail.com>#73
                                                                                                Feb 19, 2019 07:10PM
Does anyone solve this problem? It's the year of 9012 already.
                                                                                                Feb 20, 2019 05:00PM
ya...@gmail.com <ya...@gmail.com> #74
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
```

at android.os.Handler.handleCallback(Handler.java:739)

```
at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.(InputEventReceiver.java:70)
   at\ and roid.view. ViewRootImpl \$ WindowInput EventReceiver. (ViewRootImpl.java: 7834)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:1006)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:381)
   at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 100)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3884)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:3038)
   at android.app.ActivityThread.-wrap11(Unknown Source)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1696)
   at android.os.Handler.dispatchMessage(Handler.java:105)
   at android.os.Looper.loop(Looper.java:164)
   at android.app.ActivityThread.main(ActivityThread.java:6944)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.Zygote$MethodAndArgsCaller.run(Zygote.java:327)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1374)
Galaxy S7 Edge
version 8.0.0
ys...@gmail.com <ys...@gmail.com> #75
                                                                                                Feb 22, 2019 02:20PM
Xiaomi MIX2S
Android API 28
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.(InputEventReceiver.java:80)
    at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.iava:7405)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:912)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:356)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:94)
    at\ and roid. app. Activity Thread. handle Resume Activity (Activity Thread. java: 3908)
    at android.app.servertransaction.ResumeActivityItem.execute(ResumeActivityItem.java:51)
    at android.app.servertransaction.TransactionExecutor.executeLifecycleState(TransactionExecutor.java:145)
    at android.app.servertransaction.TransactionExecutor.execute(TransactionExecutor.java:70)
    at\ and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1831)
    at android.os.Handler.dispatchMessage(Handler.java:106)
    at android.os.Looper.loop(Looper.java:201)
    at android.app.ActivityThread.main(ActivityThread.java:6806)
    at java.lang.reflect.Method.invoke(Native Method)
    at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:547)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:873)
ax...@gmail.com <ax...@gmail.com> #76
                                                                                                May 9, 2019 07:43PM
I have the same problem . is there any solution please comment!
Fatal Exception: java.lang.RuntimeException: Failed to finish input event. status=-11
   at android.view.InputEventReceiver.nativeFinishInputEvent(InputEventReceiver.java)
   at\ and roid.view. Input Event Receiver. finish Input Event (Input Event Receiver. java: 151)
   at android.view.ViewRootImpl.finishInputEvent(ViewRootImpl.iava:5118)
   at android.view.ViewRootImpl.deliverPointerEvent(ViewRootImpl.java:3982)
   at android.view.ViewRootImpl.deliverInputEvent(ViewRootImpl.java:3861)
   at android.view.ViewRootImpl.doProcessInputEvents(ViewRootImpl.java:5101)
   at android.view.ViewRootImpl.enqueueInputEvent(ViewRootImpl.java:5080)
   at android.view.ViewRootImpl$WindowInputEventReceiver.onInputEvent(ViewRootImpl.java:5179)
   at android.view.InputEventReceiver.dispatchInputEvent(InputEventReceiver.java:185)
   at android.os.MessageQueue.nativePollOnce(MessageQueue.iava)
   at android.os.MessageQueue.next(MessageQueue.java:125)
   at android.os.Looper.loop(Looper.java:138)
   at android.app.ActivityThread.main(ActivityThread.java:5365)
   at java.lang.reflect.Method.invokeNative(Method.java)
   at java.lang.reflect.Method.invoke(Method.java:511)
   at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:1102)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:869)
   at dalvik.system.NativeStart.main(NativeStart.java)
da...@gmail.com <da...@gmail.com> #77
                                                                                               May 18, 2019 07:46PM :
Please find resolution for this.
FATAL EXCEPTION: main
  Process: in.net.supportplus.admin, PID: 13693
  java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:71)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7793)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:1000)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.iava:356)
    at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 94)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4003)
    at\ and roid. app. server transaction. Resume Activity Item. execute (Resume Activity Item. java: 51)
    at\ and roid. app. server transaction. Transaction Executor. execute Life cycle State (Transaction Executor. java: 145)
    at android.app.servertransaction.TransactionExecutor.execute(TransactionExecutor.java:70)
```

```
at android.os.Handler.dispatchMessage(Handler.java:106)
      at android.os.Looper.loop(Looper.java:193)
      at android.app.ActivityThread.main(ActivityThread.java:6863)
      at java.lang.reflect.Method.invoke(Native Method)
      at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:537)
      at com.android.internal.os.Zygotelnit.main(Zygotelnit.iava:858)
2019-05-18 15:11:38.146 13693-13808/in.net.supportplus.admin D/OSTracker: OS Event: crash
ko...@gmail.com <ko...@gmail.com> #78
                                                                                                                                       Jun 29, 2019 05:39PM
java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(Native Method)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.java:75)
   at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6796)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:830)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:373)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:114)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3680)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2876)
   at android.app.ActivityThread.-wrap12(ActivityThread.java)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1567)
   at android.os.Handler.dispatchMessage(Handler.java:105)
   at android.os.Looper.loop(Looper.java:156)
   at android.app.ActivityThread.main(ActivityThread.java:6531)
   at java.lang.reflect.Method.invoke(Native Method)
   at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:941)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:831)
an...@gmail.com <an...@gmail.com><u>#79</u>
                                                                                                                                        Jul 30, 2019 04:28PM
On Xiaomi Redmi Note 4,
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
     at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
     at android.view.InputEventReceiver.(InputEventReceiver.java:70)
     at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java:6057)
     at android.view.ViewRootImpl.setView + 637(ViewRootImpl.java:637)
     at android.view.WindowManagerGlobal.addView + 313(WindowManagerGlobal.java:313)
     at android.view.WindowManagerImpl.addView + 86(WindowManagerImpl.java:86)
     at android.app.Dialog.show + 322(Dialog.java:322)
     at com.poncho.userapp.fragment.Main Activity Content Fragment \$6. on Click (Main Activity Content Fragment.java) and the composition of the content of the
     at android.view.View.performClick + 5207(View.java:5207)
     at android.view.View$PerformClick.run + 21177(View.java:21177)
     at android.os.Handler.handleCallback + 739(Handler.java:739)
     at android.os.Handler.dispatchMessage + 95(Handler.java:95)
     at android.os.Looper.loop + 148(Looper.java:148)
     at android.app.ActivityThread.main + 5438(ActivityThread.java:5438)
     at java.lang.reflect.Method.invoke(Method.java)
     at\ com. and roid. internal. os. Zygotelnit \$ Method And Args Caller. run + 738 (Zygotelnit. java: 738)
     at com.android.internal.os.Zygotelnit.main + 628(Zygotelnit.java:628)
ke...@gmail.com <ke...@gmail.com>#80
                                                                                                                                         Nov 8, 2019 08:17PM
On Android 9, level 28 OnePlus A6010
# Thread-47(10136)
java. lang. Runtime {\tt ExceptionInputChannel}\ is\ not\ initialized.
android.view.InputEventReceiver.nativeInit(Native Method)
android.view.InputEventReceiver.<init>(InputEventReceiver.java:71)
 android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7804)
 android.view.ViewRootImpl.setView(ViewRootImpl.java:1004)
 android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:356)
android.view.WindowManagerImpl.addView(WindowManagerImpl.java:94)
android.widget.Toast$TN.handleShow(Toast.java:531)
 android.widget.Toast$TN$1.handleMessage(Toast.java:423)
android.os.Handler.dispatchMessage(Handler.java:106)
 android.os.Looper.loop(Looper.java:193)
org.acra.builder.ReportExecutor$1.run(ReportExecutor.java:161)
ho...@gmail.com <ho...@gmail.com>#81
                                                                                                                                       Nov 21, 2019 10:08PM :
Android 6.0, Device: EverStar S
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
     at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
     at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
     at android.view.ViewRootImpI$WindowInputEventReceiver.<init>(ViewRootImpI.java:6715)
     at android.view.ViewRootImpl.setView(ViewRootImpl.iava:732)
     at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 319)
     at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:85)
     at android.widget.Toast$TN.handleShow(Toast.iava:432)
```

at android.widget.Toast\$TN\$1.run(Toast.java:336)

at android.app.ActivityThread\$H.handleMessage(ActivityThread.java:1906)

```
at android.os.Handler.handleCallback(Handler.java:815)
      at android.os.Handler.dispatchMessage(Handler.java:104)
      at android.os.Looper.loop(Looper.java:207)
      at android.app.ActivityThread.main(ActivityThread.java:5728)
      at java.lang.reflect.Method.invoke(Method.java)
      at\ com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 789)
      at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:679)
Vi...@healthify.co <Vi...@healthify.co>#82
                                                                                                                                                                     Dec 17, 2019 06:17PM
Android 9.0. Device: ONEPLUS A6010
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
      at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
      at android.view.InputEventReceiver.<init> + 71(InputEventReceiver.java:71)
      at android.view.ViewRootImpl$WindowInputEventReceiver.<init> + 7804(ViewRootImpl.java:7804)
       at android.view.ViewRootImpl.setView + 1004(ViewRootImpl.java:1004)
      at android.view.WindowManagerGlobal.addView + 356(WindowManagerGlobal.java:356)
      at android.view.WindowManagerImpl.addView + 94(WindowManagerImpl.java:94)
      at android.app.ActivityThread.handleResumeActivity + 4013(ActivityThread.java:4013)
      at android.app.servertransaction.ResumeActivityItem.execute + 51(ResumeActivityItem.java:51)
      at and roid. app. server transaction. Transaction Executor. execute Lifecycle State + 145 (Transaction Executor. java: 145) and the contraction of the contraction 
      at android.app.servertransaction.TransactionExecutor.execute + 70(TransactionExecutor.java:70)
      at android.app.ActivityThread$H.handleMessage + 1916(ActivityThread.java:1916)
      at android.os.Handler.dispatchMessage + 106(Handler.java:106)
      at android.os.Looper.loop + 193(Looper.java:193)
      at android.app.ActivityThread.main + 6898(ActivityThread.java:6898)
      at java.lang.reflect.Method.invoke(Method.java)
      at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run + 537(RuntimeInit.java:537)
      at com.android.internal.os.Zygotelnit.main + 858(Zygotelnit.java:858)
ka...@gmail.com <ka...@gmail.com>#83
                                                                                                                                                                     Dec 23, 2019 04:46PM
Android 5.1.1:
E/MessageQueue-JNI: java.lang.RuntimeException: Failed to finish input event. status=-9
        at android.view.InputEventReceiver.nativeFinishInputEvent(Native Method)
        at\ and roid.view. Input Event Receiver. finish Input Event (Input Event Receiver. java: 153)
        at android.view.ViewRootImpl.finishInputEvent(ViewRootImpl.java:5837)
        at android.view.ViewRootImpl.access$700(ViewRootImpl.java:99)
        at android.view.ViewRootImpl$InputStage.onDeliverToNext(ViewRootImpl.java:3617)
        at android.view.ViewRootImpl$SyntheticInputStage.onDeliverToNext(ViewRootImpl.java:4227)
        at android.view.ViewRootImpl$InputStage.forward(ViewRootImpl.java:3581)
        at android.view.ViewRootImpl$InputStage.deliver(ViewRootImpl.java:3558)
        at android.view.ViewRootImpl$InputStage.onDeliverToNext(ViewRootImpl.iava:3615)
        at android.view.ViewRootImpl$ViewPostImeInputStage.onDeliverToNext(ViewRootImpl.java:4025)
        at android.view.ViewRootImpl$InputStage.forward(ViewRootImpl.java:3581)
        at android.view.ViewRootImpl$InputStage.finish(ViewRootImpl.java:3574)
        at android.view.ViewRootImpl$InputStage.apply(ViewRootImpl.java:3591)
        at android.view.ViewRootImpl$InputStage.deliver(ViewRootImpl.iava:3562)
        at android.view.ViewRootImpl$InputStage.onDeliverToNext(ViewRootImpl.java:3615)
        at android.view.ViewRootImpl$InputStage.forward(ViewRootImpl.java:3581)
        at android.view.ViewRootImpl$AsyncInputStage.forward(ViewRootImpl.java:3698)
        at android.view.ViewRootImpl$InputStage.apply(ViewRootImpl.java:3589)
        at android.view.ViewRootImpl$AsyncInputStage.applv(ViewRootImpl.iava:3755)
        at android.view.ViewRootImpl$InputStage.deliver(ViewRootImpl.java:3562)
        at android.view.ViewRootImpl$InputStage.onDeliverToNext(ViewRootImpl.java:3615)
        at android.view.ViewRootImpl$InputStage.forward(ViewRootImpl.java:3581)
        at android.view.ViewRootImpl$InputStage.apply(ViewRootImpl.java:3589)
        at android.view.ViewRootImpl$InputStage.deliver(ViewRootImpl.java:3562)
        at android.view.ViewRootImpl$InputStage.onDeliverToNext(ViewRootImpl.java:3615)
        at android.view.ViewRootImpl$InputStage.forward(ViewRootImpl.iava:3581)
        at android.view.ViewRootImpl$AsyncInputStage.forward(ViewRootImpl.java:3731)
        at android.view.ViewRootImpl$ImeInputStage.onFinishedInputEvent(ViewRootImpl.java:3892)
        at android.view.inputmethod.InputMethodManager$PendingEvent.run(InputMethodManager.java:2208)
        at\ and roid.view.input method. Input Method Manager. invoke Finished Input Event Callback (Input Method Manager. java: 1849)
        at android.view.inputmethod.InputMethodManager.finishedInputEvent(InputMethodManager.java:1840)
and roid. view. input method. Input Method Manager \$lmeInput Event Sender. on Input Event Finished (Input Method Manager. java: 2185) and roid. view. input method. Input Method Manager. java: 2185) and roid. view. input method. Input Method Manager. java: 2185) and roid. view. input method. Input Method Manager. java: 2185) and roid. view. input method. Input Method Manager. java: 2185) and roid. View. Input Method Manager. View. Input Method Manager. View. Input Method 
        at\ and roid.view. Input Event Sender. dispatch Input Event Finished (Input Event Sender. java: 141)
        at android.os.MessageQueue.nativePollOnce(Native Method)
        at android.os.MessageQueue.next(MessageQueue.java:143)
        at android.os.Looper.loop(Looper.java:122)
        at android.app.ActivityThread.main(ActivityThread.java:5254)
        at java.lang.reflect.Method.invoke(Native Method)
        at java.lang.reflect.Method.invoke(Method.java:372)
        at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:902)
        at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:697)
```

Dec 30, 2019 05:54PM :

```
Caused by: java.lang.RuntimeException: InputChannel is not initialized.
at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
at android.view.InputEventReceiver.<init>(InputEventReceiver.java:75)
at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7499)
at android.view.ViewRootImpl.setView(ViewRootImpl.java:959)
at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:372)
at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:129)
at android.app.Dialog.show(Dialog.java:442)
we...@gmail.com <we...@gmail.com>#85
                                                                                          Jan 2, 2020 12:57PM
Application crash <OnePlus6 A6000 - Android 9>:
BOARD=sdm845
CPU ABI2=armeabi
HOST=ubuntu-16
IS_TREBLE_ENABLED=true
SUPPORTED_64_BIT_ABIS=[Ljava.lang.String;@61d2b77
CPU_ABI=armeabi-v7a
PERMISSIONS_REVIEW_REQUIRED=false
IS USERDEBUG=false
DISPLAY=ONEPLUS A6000_22_190904
SUPPORTED_ABIS=[Ljava.lang.String;@2b3f3e4
FINGERPRINT=OnePlus/OnePlus6/OnePlus6:9/PKQ1.180716.001/1909041256:user/release-keys
PRODUCT=OnePlus6
ID=PK01.180716.001
TYPE=user
SERIAL=8f30be15
IS_CONTAINER=false
IS_ENG=false
SOFT_VERSION=K.34
DEVICE=OnePlus6
TIME=1567573905000
IS_USER=true
MODEL=ONEPLUS A6000
MANUFACTURER=OnePlus
USER=OnePlus
REGION=CN
SUPPORTED_32_BIT_ABIS=[Ljava.lang.String;@7df0976
HARDWARE=gcom
IS_DEBUGGABLE=false
BOOTLOADER=unknown
RADIO=MPSS.AT.4.0.c2.15-00007-SDM845_GEN_PACK-1.216073.1.217160.1
AUTO_TEST_ONEPLUS=false
TAG=Build
UNKNOWN=unknown
IS_EMULATOR=false
DEBUG ONEPLUS=false
TAGS=release-keys
Caused by: java.lang.RuntimeException: InputChannel is not initialized.
at android.view.InputEventReceiver.nativeInit(Native Method)
at android.view.InputEventReceiver.<init>(InputEventReceiver.java:71)
at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7804)
at android.view.ViewRootImpl.setView(ViewRootImpl.java:1004)
at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:356)
at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:94)
at android.widget.Toast$TN.handleShow(Toast.java:531)
at android.widget.Toast$TN$1.handleMessage(Toast.java:423)
at android.os.Handler.dispatchMessage(Handler.java:106)
at android.os.Looper.loop(Looper.java:193)
at android.app.ActivityThread.main(ActivityThread.java:6898)
at java.lang.reflect.Method.invoke(Native Method)
at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:537)
at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:858)
xl...@gmail.com <xl...@gmail.com> #86
                                                                                          Jan 6, 2020 02:25PM
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:89)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:8153)
```

at android.view.ViewRootImpl.setView(ViewRootImpl.java:1060) at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:435) at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:118) at com.huawei.intelligent.remoteservice.WorkspaceManager.addWorkspaceView(SourceFile:575) at com.huawei.intelligent.remoteservice.WorkspaceManager.openOverlay(SourceFile:526) at com.huawei.intelligent.remoteservice.WorkspaceManager.handleMessage(SourceFile:334) at android.os.Handler.dispatchMessage(Handler.java:106) at android.os.Looper.loop(Looper.java:219) at android.app.ActivityThread.main(ActivityThread.java:8278)

```
at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1101)
I got the same error on huawei device. Android 10. Is this an android source issue? Did anyone solve it?
li...@bytedance.com <li...@bytedance.com>#87
                                                                                               Apr 27, 2020 04:29PM :
Did anyone solve it? now 2020 already, maybe that is the charm of android?
te...@gmail.com <te...@gmail.com>#88
                                                                                              May 22, 2020 03:02PM :
From Firebase Crashlytics:
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at\ and roid.view. Input Event Receiver. native Init (Input Event Receiver. java)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.java:75)
   at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7302)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:932)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:372)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:128)
   at android.app.Dialog.show(Dialog.java:454)
   at android.widget.Spinner$DialogPopup.show(Spinner.java:1159)
   at android.widget.Spinner.performClick(Spinner.java:784)
   at android.view.View$PerformClick.run(View.iava:24931)
   at android.os.Handler.handleCallback(Handler.java:808)
   at android.os.Handler.dispatchMessage(Handler.java:101)
   at android.os.Looper.loop(Looper.java:166)
   at android.app.ActivityThread.main(ActivityThread.java:7529)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.Zygote$MethodAndArgsCaller.run(Zygote.java:245)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:921)
Looks like a spinner popup problem in my case.
Device:
HUAWEI nova 2 Plus
Android 8.0.0
ma...@gmail.com <ma...@gmail.com>#89
                                                                                               Jul 24, 2020 02:22PM
Any Idea on how to solve this?
(I have logs of this happening in Asus, and Samsung devices)
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at\ and roid.view. Input Event Receiver. native Init (Input Event Receiver. java)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.java:71)
   at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6777)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:820)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:356)
   at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 93)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3764)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2908)
   at android.app.ActivityThread.-wrap11()
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1603)
   at android.os.Handler.dispatchMessage(Handler.java:105)
   at android.os.Looper.loop(Looper.java:169)
   at android.app.ActivityThread.main(ActivityThread.java:6578)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.Zygote$MethodAndArgsCaller.run(Zygote.java:240)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:767)
ki...@kimieno.com <ki...@kimieno.com>#90
                                                                                                Aug 9, 2020 03:38PM :
Looks like an implement issue by smartphone manufactures of China.
Xiaomi Mi 9T Pro
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.java:81)
   at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7797)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:994)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:387)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:96)
   at android.app.Dialog.show(Dialog.java:344)
   at\ com. ihad.ptt.view.panel.AlertPanel.showPanel (AlertPanel.java: 175)
   at com.ihad.ptt.view.panel.ReconnectionPanel.launchPanel(ReconnectionPanel.java:73)
   at com.ihad.ptt.model.handler.ConnectionHandler.launchReconnectionPanel(ConnectionHandler.java:553)
   at com.ihad.ptt.model.handler.ConnectionHandler.showReconnectionPanel(ConnectionHandler.java:485)
```

at com.ihad.ptt.model.handler.ConnectionHandler.onResume(ConnectionHandler.java:161)

at java.lang.reflect.Method.invoke(Native Method)

at com.android.internal.os.RuntimeInit\$MethodAndArgsCaller.run(RuntimeInit.java:513)

```
at com.ihad.ptt.HotTopicViewController.onViewStateRestored(HotTopicViewController.java:624)
      at\ com. ihad.ptt. Hot Topic Fragment. on View State Restored (Hot Topic Fragment. java: 154)
      at androidx.fragment.app.Fragment.restoreViewState(Fragment.java:552)
      at\ and roidx. fragment. app. Fragment Manager Impl. move To State (Fragment Manager Impl. java: 907)
      at\ and roid x. fragment. app. Fragment Manager Impl. move Fragment To Expected State (Fragment Manager Impl. java: 1238) and the fragment Manager Impl. in the fragment To Expected State (Fragment Manager Impl. java: 1238) and the fragment Manager Impl. in the fragment Manager Impl. java: 1238) and the fragment Manager Impl. in the fragment Manager Impl. java: 1238) and the fragment Manager Impl. java: 1238 and 
      at androidy fragment app. Fragment Manager Impl. move To State (Fragment Manager Impl. iava: 1303)
      at androidx.fragment.app.FragmentManagerImpl.dispatchStateChange(FragmentManagerImpl.java:2659)
      at\ and roidx. fragment. app. Fragment Manager Impl. dispatch Activity Created (Fragment Manager Impl. java: 2613)
      at androidx.fragment.app.FragmentController.dispatchActivityCreated(FragmentController.java:246)
      at\ and roidx. fragment. app. Fragment Activity. on Start (Fragment Activity. java: 542) \\
      at androidx.appcompat.app.AppCompatActivity.onStart(AppCompatActivity.java:201)
      at com.ihad.ptt.LauncherActivity.onStart(LauncherActivity.java:24)
      at android.app.Instrumentation.callActivityOnStart(Instrumentation.java:1433)
      at android.app.Activity.performStart(Activity.java:7924)
      at android.app.ActivityThread.handleStartActivity(ActivityThread.java:3328)
      at\ and roid. app. server transaction. Transaction Executor. perform Life cycle Sequence (Transaction Executor. java: 221)
      at android.app.servertransaction.TransactionExecutor.cycleToPath(TransactionExecutor.java:201)
      at and roid. app. server transaction. Transaction Executor. execute Lifecycle State (Transaction Executor. java: 173) \\
      at\ and roid. app. server transaction. Transaction Executor. execute (Transaction Executor. java: 97)
      at android.app.ActivityThread$H.handleMessage(ActivityThread.java:2040)
      at android.os.Handler.dispatchMessage(Handler.java:107)
      at android.os.Looper.loop(Looper.java:224)
      at android.app.ActivityThread.main(ActivityThread.java:7520)
      at java.lang.reflect.Method.invoke(Method.java)
      at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:539)
      at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:950)
vi...@gmail.com <vi...@gmail.com>#91
                                                                                                                                                                      Aug 12, 2020 07:34PM
Any Idea on how to solve this?Issue is coming in AlcatelOneTouch and Samsung
From Firebase Crashlytics:
      Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
      at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
      at android.view.InputEventReceiver.<init>(InputEventReceiver.java:70)
      at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7132)
      at android.view.ViewRootImpl.setView(ViewRootImpl.java:849)
      at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:351)
      at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:93)
      at android.widget.PopupWindow.invokePopup(PopupWindow.java:1394)
      at android.widget.PopupWindow.showAtLocation(PopupWindow.java:1165)
      at android.widget.PopupWindow.showAtLocation(PopupWindow.java:1128)
      at android.widget.Editor$HandleView.updatePosition(Editor.java:4376)
      at android.widget.Editor$PositionListener.onPreDraw(Editor.java:2972)
      at android.view.ViewTreeObserver.dispatchOnPreDraw(ViewTreeObserver.java:944)
      at\ and roid. view. ViewRootImpl.performTraversals (ViewRootImpl.java: 2558)
      at android.view.ViewRootImpl.doTraversal(ViewRootImpl.java:1467)
      at android.view.ViewRootImpl$TraversalRunnable.run(ViewRootImpl.java:7125)
      at\ and roid.view. Choreographer \$ Callback Record.run (Choreographer.java: 907)
      at android view. Choreographer. do Callbacks (Choreographer. java: 709)
      at android.view.Choreographer.doFrame(Choreographer.java:644)
      at android.view.Choreographer$FrameDisplayEventReceiver.run(Choreographer.java:893)
      at android.os.Handler.handleCallback(Handler.java:836)
      at android.os.Handler.dispatchMessage(Handler.java:103)
      at android.os.Looper.loop(Looper.java:203)
      at android.app.ActivityThread.main(ActivityThread.java:6309)
      at java.lang.reflect.Method.invoke(Method.java)
      at\ com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 1063) at\ com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 1063) at\ com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 1063) at\ com. and roid. in ternal. os. Zygotelnit \$ Method And Args Caller. run (Zygotelnit. java: 1063) at\ com. and roid. The roid and roid at Com. a
      at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:924)
sa...@gmail.com <sa...@gmail.com> #92
                                                                                                                                                                      Aug 18, 2020 07:07PM :
Any update?
We have received two crashes.
Device - Xiaomi Redmi Note 7 Pro
Android 9.0
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.(InputEventReceiver.java:80)
    at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java:7431)
    at android.view.ViewRootImpl.setView(ViewRootImpl.iava:901)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:356)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:94)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3912)
    at android.app.servertransaction.ResumeActivityItem.execute(ResumeActivityItem.java:51)
    at android.app.servertransaction.TransactionExecutor.executeLifecycleState(TransactionExecutor.java:145)
    at android.app.servertransaction.TransactionExecutor.execute(TransactionExecutor.java:70)
    at android.app.ActivityThread$H.handleMessage(ActivityThread.iava:1831)
    at android.os.Handler.dispatchMessage(Handler.java:106)
    at android.os.Looper.loop(Looper.java:201)
```

at android.app.ActivityThread.main(ActivityThread.java:6823) at java.lang.reflect.Method.invoke(Native Method)

at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:873)

at com.android.internal.os.Runtimelnit\$MethodAndArgsCaller.run(Runtimelnit.java:547)

at com.ihad.ptt.SimpleBaseViewController.onViewStateRestored(SimpleBaseViewController.java:756)

```
hl...@gmail.com <hl...@gmail.com> #93
                                                                                              Oct 29, 2020 07:27PM :
Android 10
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:89)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:8190)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:1065)
    at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 447)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:118)
    at android.app.Dialog.show(Dialog.java:475)
tr...@zoom.us <tr...@zoom.us>#94
                                                                                               Nov 3, 2020 09:52PM :
Same issue:
java.lang.RuntimeException: InputChannel is not initialized.
at android.view.InputEventReceiver.nativeInit(Native Method)
at android.view.InputEventReceiver.<init>(InputEventReceiver.java:71)
at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7838)
at android.view.ViewRootImpl.setView(ViewRootImpl.java:981)
at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:455)
at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:108)
at android.app.Dialog.show(Dialog.java:353)
at androidx.fragment.app.DialogFragment.void onStart()(DialogFragment.java:4)
ji...@gmail.com <ji...@gmail.com> #95
                                                                                              Nov 10, 2020 01:27PM
Same issue:
// Build Label: vivo/1606/1606:6.0.1/MMB29M/compiler01052117:user/release-keys
// Build Changelist: eng.compiler.20190105.211334
// Build Time: 1546694428000
// java.lang.RuntimeException: InputChannel is not initialized.
// at android.view.InputEventReceiver.nativeInit(Native Method)
// at android.view.InputEventReceiver.<init>(InputEventReceiver.java:74)
// at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6163)
// at android.view.ViewRootImpl.setView(ViewRootImpl.java:629)
// at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:310)
// at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:91)
// at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:3282)
// at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2582)
// at android.app.ActivityThread.access$1000(ActivityThread.java:166)
// at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1414)
// at android.os.Handler.dispatchMessage(Handler.java:102)
// at android.os.Looper.loop(Looper.java:148)
// at android.app.ActivityThread.main(ActivityThread.java:5619)
// at java.lang.reflect.Method.invoke(Native Method)
// at com.android.internal.os.Zygotelnit$MethodAndArgsCaller.run(Zygotelnit.java:853)
// at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:737)
ma...@gmail.com <ma...@gmail.com> #96
                                                                                               Dec 9, 2020 04:18PM
Anyone got any solution for this problem?? I am seeing this crash in crashlytics for RedmiNote4 and Huwai in android version
7 and 8.
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.iava)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.iava:75)
   at android.view.ViewRootImpI$WindowInputEventReceiver.<init>(ViewRootImpI.java:7499)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:959)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:372)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:129)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4374)
   at\ and roid. app. Activity Thread. handle Launch Activity (Activity Thread. java: 3441)
   at android.app.ActivityThread.-wrap12(ActivityThread.java)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:2009)
   at android.os.Handler.dispatchMessage(Handler.java:109)
   at android.os.Looper.loop(Looper.java:166)
   at android.app.ActivityThread.main(ActivityThread.java:7555)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:469)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:963)
x5...@gmail.com <x5...@gmail.com>#97
                                                                                              Dec 28, 2020 01:58PM :
Android 10
Brand: HUAWEI
Model: HLK-AL00
android.view.InputEventReceiver.nativeInit (InputEventReceiver.java)
```

```
android.view.InputEventReceiver.<init> (InputEventReceiver.java:89)
android.view.ViewRootImpl$WindowInputEventReceiver.<init> (ViewRootImpl.java:8190)
android.view.ViewRootImpl.setView (ViewRootImpl.java:1065)
android.view.WindowManagerGlobal.addView (WindowManagerGlobal.java:447)
android.view.WindowManagerImpl.addView (WindowManagerImpl.java:118)
android.app.ActivityThread.handleResumeActivity (ActivityThread.java:5006)
android.app.servertransaction.ResumeActivityItem.execute (ResumeActivityItem.iava:52)
android.app.servertransaction.TransactionExecutor.executeLifecycleState (TransactionExecutor.java:190)
android.app.servertransaction.TransactionExecutor.execute (TransactionExecutor.java:105)
android.app.ActivityThread$H.handleMessage (ActivityThread.java:2473)
android.os.Handler.dispatchMessage (Handler.java:110)
android.os.Looper.loop (Looper.java:219)
android.app.ActivityThread.main (ActivityThread.java:8349)
java.lang.reflect.Method.invoke (Method.java)
com.android.internal.os.Runtimelnit$MethodAndArgsCaller.run (Runtimelnit.java:513)
com.android.internal.os.Zygotelnit.main (Zygotelnit.java:1055)
ey...@gmail.com <ey...@gmail.com> #98
                                                                                               Dec 31, 2020 07:38PM
Android 10 - SAMSUNG / Galaxy A10s, Galaxy Tab A (8.0", 2019), Galaxy A21s, Galaxy A20, Galaxy A50, Galaxy A11, Galaxy
Android 8.0.0- Galaxy S9+, Galaxy A6+, HUAWEI Y6 2018
Android 8.1.1- Galaxy J2 Core, Galaxy J7 Neo
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.iava:71)
   at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:9072)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:1171)
   at\ and roid.view. Window Manager Global. add View (Window Manager Global. java: 450)
   at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 95)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4631)
   at android.app.servertransaction.ResumeActivityItem.execute(ResumeActivityItem.java:52)
   at and roid. app. server transaction. Transaction Executor. execute Lifecycle State (Transaction Executor. java: 176) \\
   at android.app.servertransaction.TransactionExecutor.execute(TransactionExecutor.java:97)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:2220)
   at android.os.Handler.dispatchMessage(Handler.java:107)
   at android.os.Looper.loop(Looper.java:237)
   at android.app.ActivityThread.main(ActivityThread.java:8019)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:493)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1100)
se...@gmail.com <se...@gmail.com> #99
                                                                                               Jan 12, 2021 12:02AM
Android 10 -> Nokia 6.1 Plus
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.iava)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.java:72)
   at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7612)
   at android.view.ViewRootImpl.setView(ViewRootImpl.iava:957)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:387)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.iava:96)
   at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4297)
   at android.app.servertransaction.ResumeActivityItem.execute(ResumeActivityItem.iava:52)
   at\ and roid. app. server transaction. Transaction Executor. execute Lifecycle State (Transaction Executor. java: 176)
   at android.app.servertransaction.TransactionExecutor.execute(TransactionExecutor.java:97)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:2017)
    at android.os.Handler.dispatchMessage(Handler.java:107)
   at android.os.Looper.loop(Looper.iava:214)
   at android.app.ActivityThread.main(ActivityThread.java:7397)
   at java.lang.reflect.Method.invoke(Method.java)
   at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:492)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:935)
zh...@gmail.com <zh...@gmail.com> #100
                                                                                                Feb 5, 2021 08:14PM :
Android R -> vivo x60
2021-02-05_17:02:58 E/CRASH<28755-28755>: java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventSender.nativeInit(Native Method)
    at android.view.InputEventSender.<init>(InputEventSender.java:66)
    at android.view.inputmethod.InputMethodManager$ImeInputEventSender.<init>(InputMethodManager.java:3182)
and roid. view. input method. Input Method Manager. send Input Event On Main Looper Locked (Input Method Manager. java: 2701) \\
    at android view inputmethod InputMethodManager.dispatchInputEvent(InputMethodManager.iava:2633)
    at\ and roid. view. Ime Focus Controller. on Process Imel nput Stage (Ime Focus Controller. java: 268)
    at android.view.ViewRootImpl$ImeInputStage.onProcess(ViewRootImpl.java:5970)
    at android.view.ViewRootImpl$InputStage.deliver(ViewRootImpl.java:5612)
    at\ and roid.view. ViewRootImpl\$InputStage.onDeliverToNext(ViewRootImpl.java:5679)
```

at android.view.ViewRootImpl\$InputStage.forward(ViewRootImpl.java:5640)

```
at\ and roid. view. ViewRootImpl\$InputStage. apply (ViewRootImpl.java: 5648)
          at android.view.ViewRootImpl$InputStage.deliver(ViewRootImpl.java:5616)
          at\ and roid.view. ViewRootImpl\$InputStage.onDeliverToNext(ViewRootImpl.java: 5679)
          at android.view.ViewRootImpl$InputStage.forward(ViewRootImpl.java:5640)
          at android.view.ViewRootImpl$AsyncInputStage.forward(ViewRootImpl.java:5802)
          at android.view.ViewRootImpl$InputStage.apply(ViewRootImpl.java:5648)
          at android.view.ViewRootImpl$AsyncInputStage.apply(ViewRootImpl.java:5859)
          at android.view.ViewRootImpl$InputStage.deliver(ViewRootImpl.java:5616)
          at android.view.ViewRootImpl.deliverInputEvent(ViewRootImpl.java:8470)
          at android.view.ViewRootImpl.doProcessInputEvents(ViewRootImpl.iava:8421)
          at\ and roid.view. View Root Impl. enqueue Input Event (View Root Impl. java: 8373)
          at android.view.ViewRootImpl$WindowInputEventReceiver.onInputEvent(ViewRootImpl.java:8610)
          at android.view.InputEventReceiver.dispatchInputEvent(InputEventReceiver.java:238)
          at android.os.MessageQueue.nativePollOnce(Native Method)
          at android.os.MessageQueue.next(MessageQueue.java:339)
          at android.os.Looper.loop(Looper.java:192)
          at android.app.ActivityThread.main(ActivityThread.java:8142)
          at java.lang.reflect.Method.invoke(Native Method)
          at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:626)
          at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1015)
mo...@gmail.com <mo...@gmail.com> #101
                                                                                                                                                                                                                   Feb 23, 2021 12:41AM
device >> M2007J20CG POCO
os >> android 10
   java.lang.RuntimeException: InputChannel is not initialized.
 at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
 at android.view.InputEventReceiver.<init>(InputEventReceiver.java:81)
at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7945)
 at android.view.ViewRootImpl.setView(ViewRootImpl.java:1032) at
and roid. view. Window Manager Global. add View (Window Manager Global. java: 387) \ at the property of the 
android.view.WindowManagerImpl.addView(WindowManagerImpl.java:96) at
android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4366) at
android.app.servertransaction.ResumeActivityItem.execute(ResumeActivityItem.java:52) at
android.app.servertransaction.TransactionExecutor.executeLifecycleState(TransactionExecutor.java:176) at
android.app.servertransaction.TransactionExecutor.execute(TransactionExecutor.java:97) at
android.app.ActivityThread$H.handleMessage(ActivityThread.java:2049) at
android.os.Handler.dispatchMessage(Handler.java:107) at android.os.Looper.loop(Looper.java:224) at
android.app.ActivityThread.main(ActivityThread.java:7565) at java.lang.reflect.Method.invoke(Method.java) at
com. and roid. in ternal. os. Runtime Init \$ Method And Args Caller. run (Runtime Init. java: 539) \ at the following properties of the 
com.android.internal.os.Zygotelnit.main(Zygotelnit.java:950)
[Deleted User] <[Deleted User]>#102
                                                                                                                                                                                                                     Mar 8, 2021 09:43PM :
No resolution for 6 years
hl...@gmail.com <hl...@gmail.com> #103
                                                                                                                                                                                                                  May 21, 2021 10:17PM :
Manufacturer: xiaomi
device: M2004J19C (xiaomi redmi9)
os version: Android 10
message:
java.lang.RuntimeException: InputChannel is not initialized.
          at android.view.InputEventReceiver.nativeInit(Native Method)
          at android.view.InputEventReceiver.<init>(InputEventReceiver.java:75)
          at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7499)
          at android.view.ViewRootImpl.setView(ViewRootImpl.java:959)
          at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.iava:372)
          at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:129)
          at android.app.Dialog.show(Dialog.java:442)
Ir...@gmail.com < Ir...@gmail.com> #104
                                                                                                                                                                                                                  May 29, 2021 06:07PM :
Manufacturer: honor V10
device: BKL AL20
os version: Android 10
message:
E/MethodChannel#flutter/platform_views(28384): Failed to handle method call
E/MethodChannel#flutter/platform_views(28384): java.lang.RuntimeException: InputChannel is not initialized.
E/MethodChannel#flutter/platform_views(28384): at android.view.InputEventReceiver.nativeInit(Native Method)
E/MethodChannel#flutter/platform_views(28384): at android.view.lnputEventReceiver.<init>(InputEventReceiver.java:89)
E/Method Channel \#flutter/platform\_views (28384): \ at and roid.view. ViewRootImpl \$WindowInput Event Receiver. < init>10.000 and the properties of the pr
(ViewRootImpl.iava:8109)
E/MethodChannel#flutter/platform_views(28384): at android.view.ViewRootImpl.setView(ViewRootImpl.java:1049)
E/MethodChannel#flutter/platform_views(28384): at
android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:428)
E/MethodChannel#flutter/platform_views(28384): at
android.view.WindowManagerImpl.addView(WindowManagerImpl.java:118)
E/MethodChannel#flutter/platform_views(28384): at android.app.Dialog.show(Dialog.java:448)
```

```
E/MethodChannel#flutter/platform_views(28384): at android.app.Presentation.show(Presentation.java:250)
E/MethodChannel#flutter/platform_views(28384): at io.flutter.pluqin.platform.VirtualDisplayController.<init>
(VirtualDisplayController.java:95)
E/MethodChannel#flutter/platform_views(28384): at
io. flutter.plugin.platform. Virtual Display Controller.create (Virtual Display Controller.java: 48) \\
E/MethodChannel#flutter/platform_views(28384): at
io.flutter.pluqin.platformViewsController$1.createVirtualDisplayForPlatformView(PlatformViewsController.java:207)
E/MethodChannel#flutter/platform_views(28384): at
io.flutter.embedding.engine.systemchannels.PlatformViewsChannel$1.create(PlatformViewsChannel.java:104)
E/MethodChannel#flutter/platform_views(28384): at
io. flutter. embedding. engine. system channels. Platform Views Channel \$1. on Method Call (Platform Views Channel. java: 59)
E/MethodChannel#flutter/platform_views(28384): at
io. flutter.plugin.common. Method Channel \$ Incoming Method Call Handler. on Message (Method Channel. java: 233) io. flutter.plugin.common. Method Channel Sincoming Method Call Handler. on Message (Method Channel. java: 233) io. flutter.plugin.common. Method Channel Sincoming Method Call Handler. on Message (Method Channel. java: 233) io. flutter.plugin.common. Method Channel Sincoming Metho
E/MethodChannel#flutter/platform_views(28384): at
io. flutter. embedding. engine. dart. Dart Messenger. handle Message From Dart (Dart Messenger. java: 85) \\
E/MethodChannel#flutter/platform_views(28384): at
io.flutter.embedding.engine.FlutterJNI.handlePlatformMessage(FlutterJNI.java:692)
E/MethodChannel#flutter/platform_views(28384): at android.os.MessageQueue.nativePollOnce(Native Method)
E/MethodChannel#flutter/platform_views(28384): at android.os.MessageQueue.next(MessageQueue.java:363)
E/Method Channel \#flutter/platform\_views (28384): \ at and roid.os. Looper. loop (Looper. java: 173)
E/MethodChannel#flutter/platform_views(28384): at android.app.ActivityThread.main(ActivityThread.java:8178)
E/MethodChannel#flutter/platform_views(28384): at java.lang.reflect.Method.invoke(Native Method)
E/MethodChannel#flutter/platform_views(28384): at
com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:513)
E/Method Channel \#flutter/platform\_views (28384): \ at com. and roid. in ternal. os. Zygotelnit. main (Zygotelnit. java: 1101)
E/flutter (28384): [ERROR:flutter/lib/ui/ui_dart_state.cc(177)] Unhandled Exception: PlatformException(error, InputChannel is
not initialized., null, java.lang.RuntimeException: InputChannel is not initialized.
E/flutter (28384):
                                       at android.view.InputEventReceiver.nativeInit(Native Method)
E/flutter (28384):
                                        at android.view.InputEventReceiver.<init>(InputEventReceiver.java:89)
                                        at\ and roid.view. ViewRootImpl \$ WindowInputEventReceiver. < init > (ViewRootImpl.java: 8109)
E/flutter (28384):
                                        at android.view.ViewRootImpl.setView(ViewRootImpl.java:1049)
E/flutter (28384):
E/flutter (28384):
                                        at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:428)
E/flutter (28384):
                                        at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 118)
E/flutter (28384):
                                        at android.app.Dialog.show(Dialog.java:448)
                                        at android.app.Presentation.show(Presentation.java:250)
E/flutter (28384):
E/flutter (28384):
                                        at\ io. flutter.plugin.platform. Virtual Display Controller. < init > (Virtual Display Controller. java: 95)
E/flutter (28384):
                                        at io.flutter.plugin.platform.VirtualDisplayController.create(VirtualDisplayController.java:48)
E/flutter (28384):
io.flutter.plugin.platform.PlatformViewsController.java:207)
E/flutter (28384):
io. flutter. embedding. engine. system channels. Platform Views Channel \$1. create (Platform Views Channel. java: 104) in the property of th
E/flutter (28384):
io.flutter.embedding.engine.systemchannels.PlatformViewsChannel$1.onMethodCall(PlatformViewsChannel.java:59)
E/flutter (28384): at
io. flutter.plugin.common. Method Channel \$ Incoming Method Call Handler. on Message (Method Channel. java: 233) io. flutter.plugin.common. Method Channel \$ Incoming Method Call Handler. on Message (Method Channel. java: 233) io. flutter.plugin.common. Method Channel \$ Incoming Method Call Handler. on Message (Method Channel. java: 233) io. flutter.plugin.common. Method Channel \$ Incoming Method Call Handler. on Message (Method Channel. java: 233) io. flutter. plugin. Method Channel \$ Incoming Method Chan
E/flutter (28384):
                                        at io.flutter.embedding.engine.dart.DartMessenger.handleMessageFromDart(DartMessenger.java:85)
E/flutter (28384):
                                        at io.flutter.embedding.engine.FlutterJNI.handlePlatformMessage(FlutterJNI.iava:692)
E/flutter (28384):
                                        at android.os.MessageQueue.nativePollOnce(Native Method)
E/flutter (28384):
                                       at android.os.MessageQueue.next(MessageQueue.java:363)
E/flutter (28384):
                                        at android.os.Looper.loop(Looper.java:173)
E/flutter (28384):
                                        at android.app.ActivityThread.main(ActivityThread.java:8178)
E/flutter (28384):
                                        at java.lang.reflect.Method.invoke(Native Method)
E/flutter (28384):
                                        at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:513)
E/flutter (28384):
                                        at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1101)
E/flutter (28384): )
E/flutter (28384): #0
                                              StandardMethodCodec.decodeEnvelope (package:flutter/src/services/message_codecs.dart:582)
E/flutter (28384): #1 MethodChannel._invokeMethod (package:flutter/src/services/platform_channel.dart:159)
E/flutter (28384): <asynchronous suspension>
F/flutter (28384): #2 TextureAndroidViewController_sendCreateMessage
(package:flutter/src/services/platform_views.dart:1039)
E/flutter (28384): <asynchronous suspension>
E/flutter (28384): #3 AndroidViewController.create (package:flutter/src/services/platform_views.dart:749)
E/flutter (28384): <asynchronous suspension>
E/flutter (28384): #4 RenderAndroidView._sizePlatformView (package:flutter/src/rendering/platform_view.dart:174)
E/flutter (28384): <asynchronous suspension>
E/flutter (28384):
li...@gmail.com <li...@gmail.com>#105
                                                                                                                                                                                                Jun 22, 2021 04:53PM
2021年了有人解决这个问题吗?
ya...@chelun.com <ya...@chelun.com>#106
                                                                                                                                                                                                Sep 10, 2021 10:54PM :
很明显,并没有,谷歌官方也无能为力
ni...@gmail.com <ni...@gmail.com> #107
                                                                                                                                                                                                  Nov 9, 2021 03:59PM
I'm also facing same issue? any updates.
Message last modified on Nov 9, 2021 03:59PM
no...@gmail.com <no...@gmail.com> #108
                                                                                                                                                                                                Nov 19, 2021 01:17PM
```

```
Message last modified on Nov 19, 2021 01:18PM
no...@gmail.com <no...@gmail.com> #109
i met the same issue, did anybody has fix it?
and roid. app. Activity Thread.perform Launch Activity (Activity Thread.java: 2952)\\
Caused by:
java.lang.RuntimeException:InputChannel is not initialized.
android.view.InputEventReceiver.nativeInit(Native Method)
android.view.InputEventReceiver.<init>(InputEventReceiver.java:81)
android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:6795)
android.view.ViewRootImpl.setView(ViewRootImpl.java:827)
and roid. view. Window Manager Global. add View (Window Manager Global. java: 359) \\
android.view.WindowManagerImpl.addView(WindowManagerImpl.java:93)
android.app.Dialog.show(Dialog.java:330)
13
androidx.fragment.app.b.onStart(SourceFile:4)
com. lizhi.smart life. lizhicar. base. Base Anim Dialog Fragment. on Start (Source File: 5)\\
15
and roid x. fragment.app. Fragment.perform Start (Source File: 5) \\
16
and roid x. fragment. app. Fragment Manager. G0 (Source File: 79)\\
and roid x. fragment. app. Fragment Manager. F0 (Source File: 1)\\
androidx.fragment.app.FragmentManager.D0(SourceFile:4)
androidx.fragment.app.FragmentManager.E0(SourceFile:7)
and roid x. fragment. app. Fragment Manager. L (Source File: 2) \\
and roid x. fragment. app. Fragment Manager. K (Source File: 3)\\
androidx.fragment.app.d.q(SourceFile:1)
androidx.fragment.app.FragmentActivity.onStart(SourceFile:9)
androidx.appcompat.app.AppCompatActivity.onStart(SourceFile:1)
and roid. app. Instrumentation. call Activity On Start (Instrumentation. java: 1348)\\
android.app.Activity.performStart(Activity.java:7078)
and roid. app. Activity Thread. perform Launch Activity (Activity Thread. java: 2913)\\
and roid. app. Activity Thread. handle Launch Activity (Activity Thread. java: 3042)\\
android.app.ActivityThread.-wrap12(Unknown Source:0)
and roid. app. Activity Thread \$H. handle Message (Activity Thread. java: 1731)
android.os.Handler.dispatchMessage(Handler.java:106)
android.os.Looper.loop(Looper.java:164)
```

am...@gmail.com <am...@gmail.com>_#110

java.lang.reflect.Method.invoke(Native Method)

android.app.ActivityThread.main(ActivityThread.java:6806)

com. and roid. in ternal. os. Zygotel nit. main (Zygotel nit. java: 807)

Jan 3, 2022 08:53PM

Nov 19, 2021 01:19PM

Anybody fixed this issue

java.lang.RuntimeException: InputChannel is not initialized. at android.view.InputEventReceiver.nativeInit(Native Method)

com. and roid. in ternal. os. Runtime Init \$ Method And Args Caller. run (Runtime Init. java: 455)

```
at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7775)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:980)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:387)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:95)
    at android.widget.Toast$TN.handleShow(Toast.java:514)
    at android.widget.Toast$TN$1.handleMessage(Toast.iava:417)
    at android.os.Handler.dispatchMessage(Handler.java:107)
    at android.os.Looper.loop(Looper.java:214)
    at android.app.ActivityThread.main(ActivityThread.java:7356)
    at java.lang.reflect.Method.invoke(Native Method)
    at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:492)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:930)
fa...@gmail.com <fa...@gmail.com>#111
                                                                                              Apr 25, 2022 04:51PM
i met the same issue. HUAWEI HLK-AL00. Android 9.
java.lang.RuntimeException: InputChannel is not initialized.
    at android.view.InputEventReceiver.nativeInit(Native Method)
    at android.view.InputEventReceiver.<init>(InputEventReceiver.java:78)
    at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7965)
    at android.view.ViewRootImpl.setView(ViewRootImpl.java:983)
    at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.iava:405)
    at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:122)
    at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4536)
    at android.app.servertransaction.ResumeActivityItem.execute(ResumeActivityItem.java:51)
    at android.app.servertransaction.TransactionExecutor.executeLifecycleState(TransactionExecutor.java:154)
    at android.app.servertransaction.TransactionExecutor.execute(TransactionExecutor.java:76)
    at android.app.ActivityThread$H.handleMessage(ActivityThread.java:2209)
    at android.os.Handler.dispatchMessage(Handler.java:112)
    at android.os.Looper.loop(Looper.java:216)
    at android.app.ActivityThread.main(ActivityThread.java:7586)
    at java.lang.reflect.Method.invoke(Native Method)
    at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:524)
    at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:1034)
fa...@gmail.com <fa...@gmail.com>#112
                                                                                              Apr 25, 2022 04:53PM :
2022年了! 有人解决这个问题了吗? 分享一下!
wb...@gmail.com <wb...@gmail.com>#113
                                                                                              Nov 14, 2022 07:38PM
Crash also occuring on Android 8 - Huawei P8 Lite 2017
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
   at android.view.InputEventReceiver.nativeInit(InputEventReceiver.java)
   at android.view.InputEventReceiver.<init>(InputEventReceiver.java:75)
   at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7328)
   at android.view.ViewRootImpl.setView(ViewRootImpl.java:939)
   at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:372)
   at android.view.WindowManagerImpl.addView(WindowManagerImpl.java:128)
   at\ and roid. app. Activity Thread. handle Resume Activity (Activity Thread. java: 4383)
   at android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:3423)
   at android.app.ActivityThread.-wrap12(ActivityThread.java)
   at android.app.ActivityThread$H.handleMessage(ActivityThread.java:1994)
   at android.os.Handler.dispatchMessage(Handler.iava:108)
   at android.os.Looper.loop(Looper.java:166)
   at android.app.ActivityThread.main(ActivityThread.java:7529)
   at java.lang.reflect.Method.invoke(Method.java)
   at\ com. and roid. internal. os. Zygote \$Method And Args Caller. run (Zygote. java: 245)
   at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:921)
ja...@gmail.com <ja...@gmail.com> #114
                                                                                               Jan 3, 2023 06:20AM
Crash occurring in Android 10 - Redmi Note 7/Xiaomi
java.lang.RuntimeException: InputChannel is not initialized.
at android.view.InputEventReceiver.nativeInit(Native Method)
at android.view.InputEventReceiver.(InputEventReceiver.java:81)
at android.view.ViewRootImpl$WindowInputEventReceiver.(ViewRootImpl.java:7791)
at android.view.ViewRootImpl.setView(ViewRootImpl.java:1024)
at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:387)
at android.view.WindowManagerImpl.addView(WindowManagerImpl.iava:96)
at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4370)
at android.app.servertransaction.ResumeActivityItem.execute(ResumeActivityItem.java:52)
at android.app.servertransaction.TransactionExecutor.executeLifecycleState(TransactionExecutor.java:176)
at\ and roid. app. server transaction. Transaction Executor. execute (Transaction Executor. java: 97)
at android.app.ActivityThread$H.handleMessage(ActivityThread.iava:2047)
at android.os.Handler.dispatchMessage(Handler.java:107)
at android.os.Looper.loop(Looper.iava:224)
at android.app.ActivityThread.main(ActivityThread.iava:7590)
at java.lang.reflect.Method.invoke(Native Method)
```

at android.view.InputEventReceiver.<init>(InputEventReceiver.java:71)

```
at com.android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:539)
at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:950)
pa...@gmail.com <pa...@gmail.com> #115
                                                                                                                                       Apr 10, 2023 04:02AM :
The crash is still occurring:
Xiaomi Redmi Note 7
Orientation: Vertical
RAM: 941.51 MB
Disk space: 9.99 GB
OS:Android 10
With Administrator rights:No
Date: 2023-04-09
Stacktrace:
Fatal Exception: java.lang.RuntimeException: InputChannel is not initialized.
     at\ and roid.view. Input Event Receiver. native Init (Input Event Receiver. java)
     at android.view.InputEventReceiver.<init>(InputEventReceiver.java:81)
     at android.view.ViewRootImpl$WindowInputEventReceiver.<init>(ViewRootImpl.java:7791)
     at android.view.ViewRootImpl.setView(ViewRootImpl.java:1024)
     at android.view.WindowManagerGlobal.addView(WindowManagerGlobal.java:387)
     at\ and roid.view. Window Manager Impl. add View (Window Manager Impl. java: 96)
     at android.app.ActivityThread.handleResumeActivity(ActivityThread.java:4370)
     at android.app.servertransaction.ResumeActivityItem.execute(ResumeActivityItem.java:52)
     at and roid. app. server transaction. Transaction Executor. execute Lifecycle State (Transaction Executor. java: 176) \\
     at android.app.servertransaction.TransactionExecutor.execute(TransactionExecutor.java:97)
     at android.app.ActivityThread$H.handleMessage(ActivityThread.java:2047)
     at android.os.Handler.dispatchMessage(Handler.java:107)
     at android.os.Looper.loop(Looper.java:224)
     at\ and roid. app. Activity Thread. main (Activity Thread. java: 7590)
     at java.lang.reflect.Method.invoke(Method.java)
     at com.android.internal.os.Runtimelnit$MethodAndArgsCaller.run(Runtimelnit.java:539)
     at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:950)
     at android.net.LocalSocketImpl.readba_native(LocalSocketImpl.java)
     at android.net.LocalSocketImpl.access$300(LocalSocketImpl.java:37)
     at android.net.LocalSocketImpl$SocketInputStream.read(LocalSocketImpl.java:113)
     at com.qti.tcmclient.DpmTcmClient$TcmReceiver.run(DpmTcmClient.java:149)
     at java.lang.Thread.run(Thread.java:919)
awaitEvenIfOnMainThread task continuation executor1:
     at sun.misc.Unsafe.park(Unsafe.java)
     at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
     at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
     at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
     at\ java.util.concurrent. Thread Pool Executor.get Task (Thread Pool Executor.java: 1092)
     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     at com.google.firebase.crashlytics.internal.common.ExecutorUtils$1$1.onRun(ExecutorUtils.java:67)
com.google.fire base. crashlytics.internal.common. Background Priority Runnable.run (Background Priority Runnable.java: 27) and the properties of the prop
     at java.lang.Thread.run(Thread.java:919)
glide-active-resources:
     at java.lang.Object.wait(Object.java)
     at java.lang.Object.wait(Object.java:442)
     at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:190)
     at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:211)
     at com.bumptech.glide.load.engine.ActiveResources.cleanReferenceQueue(ActiveResources.java:128)
     at com.bumptech.glide.load.engine.ActiveResources$2.run(ActiveResources.java:61)
     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1167)
     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     at com.bumptech.glide.load.engine.ActiveResources$1$1.run(ActiveResources.java:43)
     at java.lang.Thread.run(Thread.java:919)
ReferenceQueueDaemon:
     at java.lang.Object.wait(Object.java)
     at java.lang.Object.wait(Object.java:442)
     at java.lang.Object.wait(Object.java:568)
     at java.lang.Daemons$ReferenceQueueDaemon.runInternal(Daemons.java:217)
     at java.lang.Daemons$Daemon.run(Daemons.java:139)
     at java.lang.Thread.run(Thread.java:919)
RxCachedThreadScheduler-2:
     at sun.misc.Unsafe.park(Unsafe.java)
     at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
     at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
     at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1120)
     at\ java.util.concurrent. Scheduled Thread Pool Executor \$Delayed Work Queue. \\ take (Scheduled Thread Pool Executor. java: 849)
     at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
     at\ java.util.concurrent. Thread Pool Executor.run Worker (Thread Pool Executor.java: 1152)
     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     at java.lang.Thread.run(Thread.java:919)
```

```
FinalizerDaemon:
        at java.lang.Object.wait(Object.java)
        at java.lang.Object.wait(Object.java:442)
        at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:190)
        at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:211)
        at java.lang.Daemons$FinalizerDaemon.runInternal(Daemons.java:273)
        at java.lang.Daemons$Daemon.run(Daemons.java:139)
        at java.lang.Thread.run(Thread.java:919)
Firebase Lite Thread #0:
        at sun.misc.Unsafe.park(Unsafe.java)
        at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
        at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
        at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
        at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
        at com.google. firebase. concurrent. Custom Thread Factory. lambda \$new Thread \$0\$ com-google-firebase-concurrent for the concurrent for the con
Custom Thread Factory (Custom Thread Factory. java: 47)\\
        at com.google.firebase.concurrent.CustomThreadFactory$$ExternalSyntheticLambda0.run(:4)
        at java.lang.Thread.run(Thread.java:919)
FinalizerWatchdogDaemon:
        at java.lang.Object.wait(Object.java)
        at java.lang.Object.wait(Object.java:442)
        at java.lang.Object.wait(Object.java:568)
        at\ java.lang. Daemons \$ Finalizer Watchdog Daemon. sleep Until Needed (Daemons. java: 341)
        at java.lang.Daemons$FinalizerWatchdogDaemon.runInternal(Daemons.java:321)
        at java.lang.Daemons$Daemon.run(Daemons.java:139)
        at java.lang.Thread.run(Thread.java:919)
Firebase Background Thread #1:
        at sun.misc.Unsafe.park(Unsafe.iava)
        at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
        at java.util.concurrent.locks. Abstract Queued Synchronizer \$ Condition Object.await (Abstract Queued Synchronizer.java: 2067)
        at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
        at\ java.util.concurrent. Thread Pool Executor. get Task (Thread Pool Executor. java: 1092)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
        at com.google. firebase. concurrent. Custom Thread Factory. lambda \$new Thread \$0\$ com-google-firebase-concurrent for the concurrent for the con
CustomThreadFactory(CustomThreadFactory.java:47)
        at com.google.firebase.concurrent.CustomThreadFactory$$ExternalSyntheticLambda0.run(:4)
        at java.lang.Thread.run(Thread.java:919)
Firebase Background Thread #0:
        at sun.misc.Unsafe.park(Unsafe.java)
        at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
        at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
        at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
        at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
        at com.google.firebase.concurrent.CustomThreadFactory.lambda$newThread$0$com-google-firebase-concurrent-
CustomThreadFactory(CustomThreadFactory.java:47)
        at com.google.firebase.concurrent.CustomThreadFactory$$ExternalSyntheticLambda0.run(:4)
        at java.lang.Thread.run(Thread.java:919)
RxSchedulerPurge-1:
        at sun.misc.Unsafe.park(Unsafe.java)
        at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:230)
java.util.concurrent.locks. Abstract Queued Synchronizer \\ \$ Condition Object. await Nanos (Abstract Queued Synchronizer. \\ java: 2109)
        at iava.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkOueue.take(ScheduledThreadPoolExecutor.iava:1132)
        at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:849)
        at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
        at java.lang.Thread.run(Thread.java:919)
Firebase Blocking Thread #1:
        at sun.misc.Unsafe.park(Unsafe.java)
        at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:230)
        at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:461)
        at\ java.util.concurrent. Synchronous Queue \$Transfer Stack.transfer (Synchronous Queue.java: 362)
        at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:937)
        at\ java.util.concurrent. ThreadPoolExecutor.getTask (ThreadPoolExecutor.java:1091)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
        at com.google. firebase. concurrent. Custom Thread Factory. lambda \$new Thread \$0\$ com-google-firebase-concurrent for the concurrent for the con
CustomThreadFactorv(CustomThreadFactorv.iava:47)
        at com.google.firebase.concurrent.CustomThreadFactory$$ExternalSyntheticLambda0.run(:4)
        at iava.lang.Thread.run(Thread.iava:919)
com.google.firebase.crashlytics.startup1:
        at sun.misc.Unsafe.park(Unsafe.iava)
```

```
at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                   at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
                   at\ java.util.concurrent.LinkedBlockingQueue.take (LinkedBlockingQueue.java:442)
                   at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
                   at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                   at\ java.util.concurrent. Thread Pool Executor \$Worker.run (Thread Pool Executor.java: 641)
                   at com.google.firebase.crashlytics.internal.common.ExecutorUtils$1$1.onRun(ExecutorUtils.java:67)
com.google.firebase.crashlytics.internal.common.BackgroundPriorityRunnable.run(BackgroundPriorityRunnable.java:27)
                   at java.lang.Thread.run(Thread.java:919)
queued-work-looper:
                   at android.os.MessageQueue.nativePollOnce(MessageQueue.java)
                   at android.os.MessageQueue.next(MessageQueue.java:336)
                   at android.os.Looper.loop(Looper.java:181)
                   at android.os.HandlerThread.run(HandlerThread.java:67)
 AppUpdateService:
                   at android.os.MessageQueue.nativePollOnce(MessageQueue.java)
                   at android.os.MessageQueue.next(MessageQueue.java:336)
                   at android.os.Looper.loop(Looper.java:181)
                   at android.os.HandlerThread.run(HandlerThread.java:67)
GmsDynamite:
                   at java.lang.Object.wait(Object.java)
                   at java.lang.Object.wait(Object.java:442)
                   at java.lang.Object.wait(Object.java:568)
                   at\ com.google. and roid.gms. dynamite.zza.run (com.google. and roid.gms: play-services-basement @@18.1.0:2) and roid.gms. dynamite.zza.run (com.google. and
Crashlytics Exception Handler1:
                   at dalvik.system.VMStack.getThreadStackTrace(VMStack.java)
                   at java.lang.Thread.getStackTrace(Thread.java:1720)
                   at java.lang.Thread.getAllStackTraces(Thread.java:1796)
com.google.fire base.crashlytics.internal.common.CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.populateThreadsList(CrashlyticsReportDataCapture.popula
Capture.java:331)
                   at
com.google. firebase. crashlytics. internal. common. Crashlytics Report Data Capture. populate Execution Data (Crashlytics Report Data Capture) and the common of the co
taCapture.iava:302)
                   at
com.google.fire base.crashlytics.internal.common.CrashlyticsReport Data Capture.populate Event Application Data (CrashlyticsReport Data Capture.populate Event Application Data Capture.populate Event Application Data (CrashlyticsReport Data Capture.populate Event Application Data Capture.populate Data Ca
portDataCapture.java:252)
com.google.firebase.crashlytics.internal.common.CrashlyticsReportDataCapture.captureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventData(CrashlyticsReportDataCaptureEventDataCaptureEventData(CrashlyticsReportDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCaptureEventDataCapture
ture.java:106)
                   at
com.google.firebase.crashlytics.internal.common.SessionReportingCoordinator.persistEvent(SessionReportingCoordinator.jack), and the contraction of the contraction 
                   at
com.google.fire base. crashly tics. in ternal. common. Session Reporting Coordinator. persist Fatal Event (Session Report Persist Fa
or.iava:128)
                   at com.google.firebase.crashlytics.internal.common. Crashlytics Controller, 2. call (Crashlytics Controller, java: 204) \\
                   at com.google. firebase. crashlytics. internal. common. Crashlytics Controller \$2. call (Crashlytics Controller. java: 189) at com. google. firebase. crashlytics. crashlyt
com.google.fire base. crashly tics. in ternal. common. Crashly tics Background Worker \$3. then (Crashly tics Background Worker. java: 1.00\%) and the common of the commo
                   at com.google.android.gms.tasks.zze.run(com.google.android.gms:play-services-tasks@@18.0.2:1)
                   at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1167)
                   at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
                   at com.google.firebase.crashlytics.internal.common.ExecutorUtils$1$1.onRun(ExecutorUtils.java:67)
com.google.firebase.crashlytics.internal.common.BackgroundPriorityRunnable.run (BackgroundPriorityRunnable.java: 27) \\
                   at java.lang.Thread.run(Thread.java:919)
                   at sun.misc.Unsafe.park(Unsafe.java)
                   at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                   at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
                   at\ java.util.concurrent.LinkedBlockingQueue.take (LinkedBlockingQueue.java:442)
                   at\ java.util.concurrent. Thread Pool Executor. get Task (Thread Pool Executor. java: 1092)
                   at iava.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.iava:1152)
                   at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
                   at java.lang.Thread.run(Thread.java:919)
 Firebase Blocking Thread #0:
                   at sun.misc.Unsafe.park(Unsafe.iava)
                   at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:230)
                   at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:461)
                   at java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
                   at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:937)
                   at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1091)
                   at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                   at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
                   at com.google. firebase. concurrent. Custom Thread Factory. lambda \$new Thread \$0\$ com-google-firebase-concurrent for the concurrent for the con
 CustomThreadFactory(CustomThreadFactory.java:47)
                   at\ com.google.firebase.concurrent.CustomThreadFactory \$\$ExternalSyntheticLambda0.run (:4)
```

```
at java.lang.Thread.run(Thread.java:919)
Firebase Background Thread #2:
     at sun.misc.Unsafe.park(Unsafe.java)
     at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
     at java.util.concurrent.locks. Abstract Queued Synchronizer \$ Condition Object.await (Abstract Queued Synchronizer.java: 2067)
     at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
     at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     at com.google. firebase. concurrent. Custom Thread Factory. I amb da \$new Thread \$0\$ com-google-firebase-concurrent-firebase. The support of the support o
CustomThreadFactory(CustomThreadFactory.java:47)
     at com.google.firebase.concurrent.CustomThreadFactory$$ExternalSyntheticLambda0.run(:4)
     at java.lang.Thread.run(Thread.java:919)
RxCachedThreadScheduler-1:
     at sun.misc.Unsafe.park(Unsafe.java)
     at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
     at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
     at java.util.concurrent. Scheduled Thread Pool Executor \$Delayed Work Queue. \\take (Scheduled Thread Pool Executor. java: 1120)
     at\ java.util.concurrent. Scheduled Thread Pool Executor \$Delayed Work Queue. \\ take (Scheduled Thread Pool Executor. java: 849)
     at\ java.util.concurrent. Thread Pool Executor.get Task (Thread Pool Executor.java: 1092)
     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     at java.lang.Thread.run(Thread.java:919)
OkHttp ConnectionPool:
     at java.lang.Object.wait(Object.java)
     at com.android.okhttp.ConnectionPool$1.run(ConnectionPool.java:107)
     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1167)
     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     at java.lang.Thread.run(Thread.java:919)
Okio Watchdog:
     at java.lang.Object.wait(Object.java)
     at com.android.okhttp.okio.AsyncTimeout.awaitTimeout(AsyncTimeout.java:325)
     at com.android.okhttp.okio.AsvncTimeout.access$000(AsvncTimeout.iava:42)
     at com.android.okhttp.okio.AsyncTimeout$Watchdog.run(AsyncTimeout.java:288)
ScionFrontendApi:
     at sun.misc.Unsafe.park(Unsafe.java)
     at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:230)
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2109)
     at java.util.concurrent.LinkedBlockingQueue.poll(LinkedBlockingQueue.java:467)
     at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1091)
     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     at java.lang.Thread.run(Thread.java:919)
Firebase Background Thread #3:
     at sun.misc.Unsafe.park(Unsafe.java)
     at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
     at iava.util.concurrent.locks.AbstractOueuedSynchronizer$ConditionObject.await(AbstractOueuedSynchronizer.iava:2067)
     at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
     at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
     at\ java.util.concurrent. Thread Pool Executor \$Worker.run (Thread Pool Executor.java: 641)
     at com.google.firebase.concurrent.CustomThreadFactory.lambda$newThread$0$com-google-firebase-concurrent-
CustomThreadFactory(CustomThreadFactory.java:47)
     at com.google.firebase.concurrent.CustomThreadFactory$$ExternalSyntheticLambda0.run(:4)
     at java.lang.Thread.run(Thread.java:919)
Measurement Worker:
     at java.lang.Object.wait(Object.java)
     at java.lang.Object.wait(Object.java:442)
     at\ iv.run (:com.google.and roid.gms.dynamite\_measurement dynamite @231213028 @23.12.13\ (100400-0):7)
RxCachedWorkerPoolEvictor-1:
     at sun.misc.Unsafe.park(Unsafe.java)
     at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:230)
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2109)
     at java.util.concurrent.Scheduled Thread Pool Executor \\ \$ Delayed Work Queue.take \\ (Scheduled Thread Pool Executor.java: 1132) \\
     at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:849)
     at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     at java.lang.Thread.run(Thread.java:919)
ca...@gmail.com <ca...@gmail.com>#116
                                                                                                                                   Jul 11, 2023 04:20PM
07-03 13:22:37.032 2919 2919 E AndroidRuntime: FATAL EXCEPTION: main
07-03 13:22:37.032 2919 2919 E AndroidRuntime: Process: com.android.launcher3, PID: 2919
07-03 13:22:37.032 2919 2919 E AndroidRuntime: java.lang.RuntimeException: InputChannel is not initialized.
07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.view.InputEventReceiver.nativeInit(Native Method)
```

07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.view.InputEventReceiver.<init>(InputEventReceiver.java:80) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.view.ViewRootImpl\$WindowInputEventReceiver.<init> (ViewRootImpl.java:8990) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.view.ViewRootImpl.setView(ViewRootImpl.java:1344) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.view.ViewRootImpl.setView(ViewRootImpl.java:1106) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: android.view.SurfaceControlViewHost.setView(SurfaceControlViewHost.java:386) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: android.view.SurfaceControlViewHost.setView(SurfaceControlViewHost.java:375) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at com. and roid. launcher 3. graphics. Preview Surface Renderer. render View (Preview Surface Renderer. java: 232) and the property of the pro07-03 13:22:37.032 2919 2919 E AndroidRuntime: at PreviewSurfaceRenderer(PreviewSurfaceRenderer.java:194) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: com.android.launcher3.graphics.PreviewSurfaceRenderer\$\$ExternalSyntheticLambda0.run(Unknown Source:6) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.os.Handler.handleCallback(Handler.java:942) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.os.Handler.dispatchMessage(Handler.java:99) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.os.Looper.loopOnce(Looper.java:201) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.os.Looper.loop(Looper.java:288) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at android.app.ActivityThread.main(ActivityThread.java:7944) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: at java.lang.reflect.Method.invoke(Native Method) 07-03 13:22:37.032 2919 2919 E AndroidRuntime: com.android.internal.os.RuntimeInit\$MethodAndArgsCaller.run(RuntimeInit.java:548) at com.android.internal.os.Zygotelnit.main(Zygotelnit.java:942) 07-03 13:22:37.032 2919 2919 E AndroidRuntime:

ca...@gmail.com <ca...@gmail.com><u>#117</u>

Jul 11, 2023 04:22PM

Is there any solution on this crash?