A/dson.androidAp: runtime.cc:655] Runtime aborting...

runtime.cc:655] All threads:
runtime.cc:655] DALVIK THREADS (72):
runtime.cc:655] "main" prio=10 tid=1 Runnable

runtime.cc:655] Dumping all threads without mutator lock held

runtime.cc:655] | group="" sCount=0 dsCount=0 flags=0 obj=0x718ee588 self=0x78cee96010 runtime.cc:655] | sysTid=21994 nice=-10 cgrp=default sched=0/0 handle=0x79f57b24f8

```
runtime.cc:655]
                          | state=R schedstat=( 3906702890 59706714 774 ) utm=369 stm=21 core=5 HZ=100
                             stack=0x7fdd319000-0x7fdd31b000 stackSize=8192KB
runtime.cc:655]
                          | held mutexes= "abort lock" "mutator lock" (shared held)
runtime.cc:655]
runtime.cc:655]
                          native: #00 pc 000000000049da74 /apex/com.android.art/lib64/libart.so (art::DumpNativeStack(std::_1::basic_ostream<char, std::_1::ch
                          native: \ \#01 \ pc \ 000000000005abcc \quad /apex/com. \ and roid. \ art/lib64/libart. \ so \ (art::Thread::DumpStack(std::\_1::basic_ostream < char, \ std::\_1::basic_ostream < char, \ std::\_1::basic_o
runtime.cc:655]
runtime.cc:655]
                          runtime.cc:655]
                          native: #03 pc 00000000005c1c44 /apex/com.android.art/lib64/libart.so (art::ThreadList::RunCheckpoint(art::Closure*, art::Closure*) +52
runtime.cc:655]
                          native: #04 pc 00000000005c0e10 /apex/com.android.art/lib64/libart.so (art::ThreadList::Dump(std::__1::basic_ostream<char, std::__1::c
runtime.cc:655]
                          native: #05 pc 00000000055ba98
                                                                           /apex/com.android.art/lib64/libart.so (art::Runtime::Abort(char const*)+1864)
                          native: #06 pc 0000000000013978 /system/lib64/libbase.so (android::base::SetAborter(std::_1::function<void (char const*)>&&)::$_3::__
runtime.cc:655]
runtime.cc:655]
                          native: #07 pc 000000000012fa4 /system/lib64/libbase.so (android::base::LogMessage::~LogMessage()+320)
runtime.cc:655]
                          native: #08 pc 00000000003851a8 /apex/com.android.art/lib64/libart.so (art::JavaVMExt::JniAbort(char const*, char const*)+2572)
                          native: #09 pc 0000000000385220 /apex/com.android.art/lib64/libart.so (art::JavaVMExt::JniAbortV(char const*, char const*, std::__va_1
runtime.cc:655]
runtime.cc:655]
                          native: #10 pc 0000000000376f04 /apex/com.android.art/lib64/libart.so (art::(anonymous namespace)::ScopedCheck::AbortF(char const*, ...
                          native: #11 pc 000000000375a1c
runtime.cc:655]
                                                                           /apex/com. android. art/lib64/libart. so (art::(anonymous namespace)::ScopedCheck::CheckPossibleHeapValue
runtime.cc:655]
                          native: #12 pc 000000000037467c
                                                                           /apex/com.android.art/lib64/libart.so (art::(anonymous namespace)::ScopedCheck::Check(art::ScopedObjec
                          native: #13 pc 0000000000379e20 /apex/com.android.art/lib64/libart.so (art::(anonymous namespace)::CheckJNI::CheckCallArgs(art::Scoped
runtime.cc:655]
runtime.cc:655]
                          native: #14 pc 000000000378d6c /apex/com.android.art/lib64/libart.so (art::(anonymous namespace)::CheckJNI::CallMethodV(char const*,
runtime.cc:655]
                          native: #15 pc 0000000000367514 /apex/com.android.art/lib64/libart.so (art::(anonymous namespace)::CheckJNI::CallVoidMethodV(_JNIEnv*,
                          native: \#16 pc \ 0000000000052160 \ \ / data/data/com. jetbrains. handson. and roid App/code\_cache/startup\_agents/258aa4b3-agent. so \ (???)
runtime.cc:655]
runtime.cc:655]
                          native: #17 pc 0000000000024338 /data/data/com.jetbrains.handson.androidApp/code_cache/startup_agents/258aa4b3-agent.so (???)
runtime.cc:655]
                          native: #18 pc 0000000000022b60 /data/data/com.jetbrains.handson.androidApp/code_cache/startup_agents/258aa4b3-agent.so (???)
                          runtime.cc:655]
runtime.cc:655]
                          native: #20 pc 00000000000187b0 /data/data/com.jetbrains.handson.androidApp/code_cache/startup_agents/258aa4b3-agent.so (Agent_OnAttac
runtime.cc:655]
                          native: #21 pc 00000000005ca3c0 /apex/com.android.art/lib64/libart.so (art::ti::AgentSpec::DoLoadHelper(_JNIEnv*, bool, _jobject*, int
                          native: #22 pc 00000000005caaa8 /apex/com.android.art/lib64/libart.so (art::ti::AgentSpec::Attach(_JNIEnv*, _jobject*, int*, art::ti::
runtime.cc:655]
                          native: #23 pc 000000000056ad2c /apex/com.android.art/lib64/libart.so (art::Runtime::AttachAgent(_JNIEnv*, std::_1::basic_string<char
runtime.cc:655]
                          native: #24 pc 00000000004ab8f0 /apex/com.android.art/lib64/libart.so (art::VMDebug_nativeAttachAgent(_JNIEnv*, _jclass*, _jstring*, _
runtime.cc:655]
runtime.cc:655]
                          at dalvik.system.VMDebug.nativeAttachAgent(Native method)
                          at dalvik.system.VMDebug.attachAgent(VMDebug.java:572)
runtime.cc:655]
runtime.cc:655]
                          at android.app.ActivityThread.attemptAttachAgent(ActivityThread.java:3928)
runtime.cc:655]
                          at android.app.ActivityThread.handleAttachAgent(ActivityThread.java:3938)
runtime.cc:655]
                          at android.app. ActivityThread$H. handleMessage(ActivityThread.java:2054)
runtime.cc:655]
                          at android.os. Handler. dispatchMessage (Handler. java:106)
runtime.cc:655]
                          at android.os.Looper.loop(Looper.java:223)
                          at android.app. ActivityThread.main(ActivityThread.java:7660)
runtime.cc:655]
                          at java.lang.reflect.Method.invoke(Native method)
runtime.cc:655]
runtime.cc:655]
                          at com. android.internal.os.RuntimeInit$MethodAndArgsCaller.run(RuntimeInit.java:592)
runtime.cc:655]
                          at com. android. internal. os. ZygoteInit. main(ZygoteInit. java:947)
runtime.cc:655]
runtime.cc:655] "Signal Catcher" prio=10 tid=6 WaitingInMainSignalCatcherLoop
                          | \ \mathsf{group} \texttt{=} \texttt{""} \ \mathsf{sCount} \texttt{=} 1 \ \mathsf{dsCount} \texttt{=} 0 \ \mathsf{flags} \texttt{=} 1 \ \mathsf{obj} \texttt{=} 0 \mathsf{x} 135 \mathsf{c} 9700 \ \mathsf{self} \texttt{=} 0 \mathsf{x} 78 \mathsf{ceea} 06 \mathsf{f} 0
runtime.cc:655]
                          sysTid=22004 nice=-20 cgrp=default sched=0/0 handle=0x774cd0fcc0
runtime.cc:655]
runtime.cc:655]
                          | state=S schedstat=( 339010 85521 2 ) utm=0 stm=0 core=5 HZ=100
runtime.cc:655]
                          | stack=0x774cc18000-0x774cc1a000 stackSize=995KB
runtime.cc:655]
                          held mutexes=
runtime.cc:655]
                          native: #00 pc 0000000000000cd18 /apex/com.android.runtime/lib64/bionic/libc.so (_rt_sigtimedwait+8)
                          native: #01 pc 000000000005cc78 /apex/com.android.runtime/lib64/bionic/libc.so (sigwait+68)
runtime.cc:655]
                          native: #02 pc 0000000000581b8c /apex/com.android.art/lib64/libart.so (art::SignalCatcher::WaitForSignal(art::Thread*, art::SignalSet&
runtime.cc:655]
                          native: #03 pc 000000000580784 /apex/com.android.art/lib64/libart.so (art::SignalCatcher::Run(void*)+272)
runtime.cc:655]
runtime.cc:655]
                          native: #04 pc 000000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (_pthread_start(void*)+64)
                          native: #05 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
runtime.cc:655]
                          (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "perfetto_hprof_listener" prio=10 tid=7 Native (still starting up)
                         group="" sCount=1 dsCount=0 flags=1 obj=0x0 self=0x78ceea9200
runtime.cc:655]
runtime.cc:655]
                          | sysTid=22005 nice=-20 cgrp=default sched=0/0 handle=0x774bc11cc0
runtime.cc:655]
                          \mid state=S schedstat=( 178282 0 5 ) utm=0 stm=0 core=4 HZ=100
runtime.cc:655]
                          stack=0x774bb1a000-0x774bb1c000 stackSize=995KB
runtime.cc:655]
                          held mutexes=
                          runtime.cc:655]
                          native: \ \#01 \ pc \ 0000000000000180bc \quad /apex/com. and roid. \ art/1ib64/1ibperfetto\_hprof. \ so \ (void* \ std::\_1::\_thread\_proxy < std::\_1:: tuple < s
runtime.cc:655]
                          native: #02 pc 000000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (__pthread_start(void*)+64)
runtime.cc:655]
runtime.cc:655]
                          native: #03 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
                          (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "ADB-JDWP Connection Control Thread" prio=10 tid=8 WaitingInMainDebuggerLoop
runtime.cc:655]
                          | group="" sCount=1 dsCount=0 flags=1 obj=0x135c9778 self=0x78ceea22c0
runtime.cc:655]
                          sysTid=22006 nice=-20 cgrp=default sched=0/0 handle=0x774bb13cc0
runtime.cc:655]
                          | state=S schedstat=( 1186146 0 11 ) utm=0 stm=0 core=5 HZ=100
runtime.cc:655]
                          | stack=0x774ba1c000-0x774ba1e000 stackSize=995KB
runtime.cc:655]
                          held mutexes=
runtime.cc:655]
                          native: #00 pc 000000000009d3d8 /apex/com.android.runtime/lib64/bionic/libc.so (__ppo11+8)
                          native: #01 pc 0000000000005a240 /apex/com.android.runtime/lib64/bionic/libc.so (pol1+92)
runtime.cc:655]
                          native: #02 pc 000000000000009efc /apex/com.android.art/lib64/libadbconnection.so (adbconnection::AdbConnectionState::RunPollLoop(art::T
runtime.cc:655]
                          native: #03 pc 00000000000008578 /apex/com.android.art/lib64/libadbconnection.so (adbconnection::CallbackFunction(void*)+1508)
runtime.cc:655]
                          native: #04 pc 00000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (__pthread_start(void*)+64)
runtime.cc:655]
                          native: #05 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
```

runtime.cc:655]

(no managed stack frames)

```
runtime.cc:655] "Jit thread pool worker thread 0" prio=5 tid=9 Native
                                 group="" sCount=1 dsCount=0 flags=1 obj=0x135c97f0 self=0x78ceeb0140
runtime.cc:655]
                                sysTid=22007 nice=0 cgrp=default sched=0/0 handle=0x76ffa9ad00
runtime.cc:655]
runtime.cc:655] | state=S schedstat=( 1406307760 57691200 1558 ) utm=105 stm=35 core=7 HZ=100
runtime.cc:655] | stack=0x76ff99c000-0x76ff99e000 stackSize=1023KB
runtime.cc:655] | held mutexes=
                                native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
runtime.cc:655]
                                 native: #01 pc 00000000001af92c /apex/com.android.art/lib64/libart.so (art::ConditionVariable::WaitHoldingLocks(art::Thread*)+148)
runtime.cc:655]
                                 native: \ \#02\ pc\ 000000000005c9a2c\ /apex/com.\ and roid.\ art/lib64/libart.\ so\ (art::ThreadPool::GetTask(art::Thread*) + 120)
runtime.cc:655] native: #03 pc 00000000005c8cd0 /apex/com.android.art/lib64/libart.so (art::ThreadPoolWorker::Run()+144)
runtime.cc:655] native: #04 pc 00000000005c87a0 /apex/com.android.art/lib64/libart.so (art::ThreadPoolWorker::Callback(void*)+192)
runtime.cc:655] native: #05 pc 0000000000000010ec /apex/com.android.runtime/lib64/bionic/libc.so (_pthread_start(void*)+64)
                                 native: #06 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
runtime.cc:655]
                                 (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "HeapTaskDaemon" prio=5 tid=10 WaitingForTaskProcessor
                                group="" sCount=1 dsCount=0 flags=1 obj=0x135caf78 self=0x78ceeac9a0
runtime.cc:655]
runtime.cc:655]
                              sysTid=22008 nice=4 cgrp=default sched=0/0 handle=0x76fe995cc0
runtime.cc:655] | state=S schedstat=( 566291239 3077292 307 ) utm=32 stm=24 core=5 HZ=100
                                stack=0x76fe892000-0x76fe894000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655]
                                 held mutexes=
runtime.cc:655]
                                 native: \#00 \ pc \ 0000000000004b34c \ /apex/com. and roid. \\ runtime/lib64/bionic/libc. \ so \ (syscall+28) \ for all the substitution of the s
                                native: #01 pc 00000000001af92c /apex/com.android.art/lib64/libart.so (art::ConditionVariable::WaitHoldingLocks(art::Thread*)+148)
runtime.cc:655]
runtime.cc:655] native: #02 pc 000000000002e52dc /apex/com.android.art/lib64/libart.so (art::gc::TaskProcessor::GetTask(art::Thread*)+536)
runtime.cc:655] native: #03 pc 00000000002e5c0c /apex/com.android.art/lib64/libart.so (art::gc::TaskProcessor::RunAllTasks(art::Thread*)+92)
                                 at dalvik.system.VMRuntime.runHeapTasks(Native method)
runtime.cc:655]
                                 at java.lang.Daemons$HeapTaskDaemon.runInternal(Daemons.java:531)
runtime.cc:655]
runtime.cc:655]
                                 at java. lang. Daemons $Daemon. run (Daemons. java: 139)
runtime.cc:655]
                                 at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "ReferenceQueueDaemon" prio=5 tid=11 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x135c9868 self=0x78ceeaadd0
                                 svsTid=22009 nice=4 cgrp=default sched=0/0 handle=0x76fe88bcc0
runtime.cc:655]
runtime.cc:655]
                                 | state=S schedstat=( 11107866 460729 17 ) utm=1 stm=0 core=6 HZ=100
runtime.cc:655]
                                stack=0x76fe788000-0x76fe78a000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 00000000001af92c /apex/com.android.art/lib64/libart.so (art::ConditionVariable::WaitHoldingLocks(art::Thread*)+148)
runtime.cc:655] native: #02 pc 0000000000498c70 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, long, int, bool, art::ThreadSt
                                 native: #03 pc 000000000049a4c4 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, art::ObjPtr<art::mirror::Objec
runtime.cc:655]
runtime.cc:655]
                                 at java. lang. Object. wait (Native method)
                                 - waiting on \langle 0x050b3ea0\rangle (a java.lang.Class<java.lang.ref.ReferenceQueue>)
runtime.cc:655]
runtime.cc:655]
                                 at java. lang. Object. wait (Object. java: 442)
runtime.cc:655]
                                 at java.lang.Object.wait(Object.java:568)
runtime.cc:655]
                                 at java.lang.Daemons$ReferenceQueueDaemon.runInternal(Daemons.java:217)
runtime.cc:655]
                                 - locked <0x050b3ea0> (a java.lang.Class<java.lang.ref.ReferenceQueue>)
runtime.cc:655]
                                 at java. lang. Daemons $Daemon. run (Daemons. java: 139)
runtime.cc:655]
                                 at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "FinalizerDaemon" prio=5 tid=12 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x135c98e0 self=0x78ceeae570
runtime.cc:655] \\ | sysTid=22010 \ nice=4 \ cgrp=default \ sched=0/0 \ handle=0x76fd781cc0 \\ | cgrp=default \ sched=0/0 \ handle=0/0 \\ | cgrp=default \ sched=0/0 \ handle=0/0 \\ | cgrp=default \ sched=0/0 \\ | cgrp=default 
                                 | state=S schedstat=( 16043749 343332 15 ) utm=1 stm=0 core=5 HZ=100
runtime.cc:655]
runtime.cc:655]
                                  | stack=0x76fd67e000-0x76fd680000 stackSize=1043KB
                                | held mutexes=
runtime.cc:655]
                                native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
                                native: #01 pc 00000000001af92c /apex/com.android.art/lib64/libart.so (art::ConditionVariable::WaitHoldingLocks(art::Thread*)+148)
runtime.cc:655]
runtime.cc:655]
                                 native: #02 pc 0000000000498c70 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, long, int, bool, art::ThreadSt
runtime.cc:655]
                                 native: #03 pc 000000000049a4c4 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, art::ObjPtr<art::mirror::Objec
runtime.cc:655]
                                 at java.lang.Object.wait(Native method)
runtime.cc:655]
                                 - waiting on <0x029e9a59> (a java.lang.Object)
runtime.cc:655]
                                 at java.lang.Object.wait(Object.java:442)
runtime.cc:655] at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:190)
runtime.cc:655]
                                 - locked <0x029e9a59> (a java.lang.Object)
runtime.cc:655]
                                 at java. lang. ref. ReferenceQueue. remove (ReferenceQueue. java: 211)
runtime.cc:655]
                                 at java. lang. Daemons $FinalizerDaemon.runInternal(Daemons.java:273)
runtime.cc:655]
                                 at java. lang. Daemons $Daemon. run (Daemons. java: 139)
runtime.cc:655]
                                 at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "FinalizerWatchdogDaemon" prio=5 tid=13 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x135c9958 self=0x78ceeb38e0
runtime.cc:655]
                                sysTid=22011 nice=4 cgrp=default sched=0/0 handle=0x76fb677cc0
                                 | state=S schedstat=( 781617 357083 9 ) utm=0 stm=0 core=6 HZ=100
runtime.cc:655]
                                stack=0x76fb574000-0x76fb576000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 00000000001af92c /apex/com.android.art/lib64/libart.so (art::ConditionVariable::WaitHoldingLocks(art::Thread*)+148)
runtime.cc:655] native: #02 pc 0000000000498c70 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, long, int, bool, art::ThreadSt
runtime.cc:655]
                                 native: \#03 \ pc \ 000000000049a4c4 \ /apex/com. and roid. \ art/1ib64/1ibart. so \ (art::Monitor::Wait(art::Thread*, art::0bjPtr<art::mirror::0bjecdiff(art)) \ articles \ ar
```

at java.lang.Object.wait(Native method)

```
runtime.cc:655]
                      - waiting on <0x0a65061e> (a java.lang.Daemons$FinalizerWatchdogDaemon)
                       at java.lang.Object.wait(Object.java:442)
runtime.cc:655]
runtime.cc:655]
                       at java. lang. Object. wait (Object. java: 568)
runtime.cc:655]
                      at java. lang. Daemons $FinalizerWatchdogDaemon. sleepUntilNeeded (Daemons. java: 341)
                       - locked <0x0a65061e> (a java.lang.Daemons$FinalizerWatchdogDaemon)
runtime.cc:655]
runtime.cc:655]
                       at java.lang.Daemons$FinalizerWatchdogDaemon.runInternal(Daemons.java:321)
runtime.cc:655]
                       at java, lang, Daemons $Daemon, run (Daemons, java: 139)
runtime.cc:655]
                       at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Binder:21994_1" prio=5 tid=14 Native
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x135c99d0 self=0x78ceeb1d10
runtime.cc:655] | sysTid=22012 nice=0 cgrp=default sched=0/0 handle=0x76fa46fcc0
runtime.cc:655] | state=S schedstat=( 23299277 708647 45 ) utm=2 stm=0 core=4 HZ=100
runtime.cc:655]
                      | stack=0x76fa378000-0x76fa37a000 stackSize=995KB
runtime.cc:655]
                      held mutexes=
runtime.cc:655]
                      native: #00 pc 0000000000000000314 /apex/com.android.runtime/lib64/bionic/libc.so (__ioctl+4)
runtime.cc:655] native: #01 pc 0000000000057c60 /apex/com.android.runtime/lib64/bionic/libc.so (ioctl+156)
runtime.cc:655] native: #02 pc 0000000000051ae4 /system/lib64/libbinder.so (android::IPCThreadState::talkWithDriver(boo1)+296)
runtime.cc:655] native: #03 pc 0000000000051cd4 /system/lib64/libbinder.so (android::IPCThreadState::getAndExecuteCommand()+24)
runtime.cc:655]
                      native: #04 pc 000000000052590 /system/lib64/libbinder.so (android::IPCThreadState::ioinThreadPool(bool)+60)
runtime.cc:655]
                      native: #05 pc 000000000007862c /system/lib64/libbinder.so (android::PoolThread::threadLoop()+24)
runtime.cc:655]
                      native: #06 pc 0000000000154d0 /system/lib64/libutils.so (android::Thread::_threadLoop(void*)+260)
runtime.cc:655] native: #07 pc 00000000000000000 /system/lib64/libandroid_runtime.so (android::AndroidRuntime::javaThreadShell(void*)+144)
runtime.cc:655] native: #08 pc 0000000000014d94 /system/lib64/libutils.so (thread_data_t::trampoline(thread_data_t const*)+412)
runtime.cc:655] native: #09 pc 000000000000010ec /apex/com.android.runtime/lib64/bionic/libc.so (_pthread_start(void*)+64)
                       native: #10 pc 00000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
runtime.cc:655]
                       (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "Binder:21994_2" prio=5 tid=15 Native
                     group="" sCount=1 dsCount=0 flags=1 obj=0x135c9a48 self=0x78ceeb54b0
runtime.cc:655]
                     sysTid=22013 nice=0 cgrp=default sched=0/0 handle=0x76f9371cc0
runtime.cc:655]
runtime.cc:655] | state=S schedstat=(6348281 61563 6 ) utm=0 stm=0 core=7 HZ=100
runtime.cc:655]
                      | stack=0x76f927a000-0x76f927c000 stackSize=995KB
runtime.cc:655]
                      held mutexes=
runtime.cc:655]
                       native: #00 pc 0000000000000314 /apex/com.android.runtime/lib64/bionic/libc.so (__ioctl+4)
runtime.\,cc:655] \qquad native: \, \#01 \,\, pc \,\, 0000000000057c60 \,\, \,\, /apex/com.\,android.\,runtime/lib64/bionic/libc.\,so \,\, (ioctl+156) \,\, /apex/com.\,android.\,runtime/lib64/bionic/libc.\,so \,\, (ioctl+156) \,\, /apex/com.\,android.\,runtime/lib64/bionic/libc.\,so \,\, (ioctl+156) \,\, /apex/com.\,android.\,runtime/libc.\,so \,\, (ioctl+156) \,\, /apex/com.\,android.\,android.\,android.\,android.\,android.\,android.\,android.\,android.\,android.\,android.\,android.\,android.\,androi
runtime.cc:655] native: #02 pc 00000000000051ae4 /system/lib64/libbinder.so (android::IPCThreadState::talkWithDriver(boo1)+296)
runtime.cc:655] native: #03 pc 0000000000051cd4 /system/lib64/libbinder.so (android::IPCThreadState::getAndExecuteCommand()+24)
runtime.cc:655] native: #04 pc 0000000000052590 /system/lib64/libbinder.so (android::IPCThreadState::joinThreadPool(bool)+60)
runtime.cc:655]
                      native: #05 pc 0000000000007862c /system/lib64/libbinder.so (android::PoolThread::threadLoop()+24)
                      native: #06 pc 0000000000154d0 /system/lib64/libutils.so (android::Thread::_threadLoop(void*)+260)
runtime.cc:655]
runtime.cc:655]
                      native: #07 pc 000000000000000 /system/lib64/libandroid_runtime.so (android::AndroidRuntime::javaThreadShell(void*)+144)
                     native: #08 pc 0000000000014d94 /system/lib64/libutils.so (thread data t::trampoline(thread data t const*)+412)
runtime.cc:655]
runtime.cc:655]
                      native: #09 pc 000000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (__pthread_start(void*)+64)
runtime.cc:655]
                       native: #10 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
                       (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "Binder:21994_3" prio=5 tid=16 Native
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x135c9ac0 self=0x78ceeb7080
runtime.cc:655] | sysTid=22014 nice=0 cgrp=default sched=0/0 handle=0x76f8273cc0
runtime.cc:655] | state=S schedstat=( 11384006 3319270 26 ) utm=1 stm=0 core=4 HZ=100
runtime.cc:655] | stack=0x76f817c000-0x76f817e000 stackSize=995KB
runtime.cc:655]
                      held mutexes=
runtime.cc:655]
                      native: #00 pc 00000000000000314 /apex/com.android.runtime/lib64/bionic/libc.so (__ioct1+4)
runtime.cc:655]
                      native: #01 pc 0000000000057c60 /apex/com.android.runtime/lib64/bionic/libc.so (ioct1+156)
runtime.cc:655] native: #02 pc 0000000000051ae4 /system/lib64/libbinder.so (android::IPCThreadState::talkWithDriver(boo1)+296)
runtime.cc:655] native: #03 pc 0000000000051cd4 /system/lib64/libbinder.so (android::IPCThreadState::getAndExecuteCommand()+24)
runtime.cc:655] native: #04 pc 0000000000052590 /system/lib64/libbinder.so (android::IPCThreadState::joinThreadPool(bool)+60)
runtime.cc:655]
                      native: #05 pc 000000000007862c /system/lib64/libbinder.so (android::PoolThread::threadLoop()+24)
runtime.cc:655]
                      native: #06 pc 00000000000154d0 /system/lib64/libutils.so (android::Thread::_threadLoop(void*)+260)
runtime.cc:655]
                      native: #07 pc 000000000000000 /system/lib64/libandroid_runtime.so (android::AndroidRuntime::javaThreadShell(void*)+144)
runtime.cc:655] native: #08 pc 0000000000014d94 /system/lib64/libutils.so (thread_data_t::trampoline(thread_data_t const*)+412)
runtime.cc:655] native: #09 pc 00000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (_pthread_start(void*)+64)
runtime.cc:655]
                       native: #10 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
                      (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "Profile Saver" prio=5 tid=17 Native
                      group="" sCount=1 dsCount=0 flags=1 obj=0x135c9b38 self=0x78ceeb8c50
runtime.cc:655]
runtime.cc:655]
                      sysTid=22015 nice=9 cgrp=default sched=0/0 handle=0x76f4285cc0
                     | state=S schedstat=( 303237778 1407912 92 ) utm=29 stm=1 core=4 HZ=100
runtime.cc:655]
runtime.cc:655] | stack=0x76f418e000-0x76f4190000 stackSize=995KB
runtime.cc:655]
                      held mutexes=
                       native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
runtime.cc:655]
                       native: #01 pc 00000000001af92c /apex/com.android.art/lib64/libart.so (art::ConditionVariable::WaitHoldingLocks(art::Thread*)+148)
                      native: #02 pc 0000000000353c54 /apex/com.android.art/lib64/libart.so (art::ProfileSaver::Run()+484)
runtime.cc:655]
runtime.cc:655] native: #03 pc 00000000003589e0 /apex/com.android.art/lib64/libart.so (art::ProfileSaver::RunProfileSaverThread(void*)+180)
                      native: #04 pc 000000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (_pthread_start(void*)+64)
runtime.cc:655]
                       native: #05 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
runtime.cc:655]
                       (no managed stack frames)
```

```
runtime.cc:655] "SentryHostnameCache-0" prio=5 tid=18 Waiting
                                 group="" sCount=1 dsCount=0 flags=1 obj=0x135c9bb0 self=0x78ceeba820
runtime.cc:655]
runtime.cc:655]
                                 sysTid=22016 nice=0 cgrp=default sched=0/0 handle=0x76f30c0cc0
runtime.cc:655]
                                | state=S schedstat=( 1129478 566198 6 ) utm=0 stm=0 core=7 HZ=100
                               | stack=0x76f2fbd000-0x76f2fbf000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655]
                                held mutexes=
                                 native: \ \texttt{\#00 pc } \ 0000000000004b34c \quad / apex/com. \ and roid. \ runtime/lib64/bionic/libc. \ so \ (syscall + 28)
runtime.cc:655]
runtime.cc:655]
                                 native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                                 native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
                                 at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
runtime.cc:655]
                                 - waiting on an unknown object
runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                                 at\ java.\,util.\,concurrent.\,locks.\,AbstractQueuedSynchronizer\\ \$Condition0bject.\,await\,(AbstractQueuedSynchronizer.\,java:2067)
runtime.cc:655]
runtime.cc:655]
                                 at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                                 at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,getTask\,(ThreadPoolExecutor.\,java:1092)
runtime.cc:655]
runtime.cc:655]
                                 at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                                 at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Binder:21994_4" prio=5 tid=20 Native
runtime.cc:655]
                                 group="" sCount=1 dsCount=0 flags=1 obj=0x135c9d20 self=0x78ceebc3f0
runtime.cc:655]
                                 | sysTid=22021 nice=0 cgrp=default sched=0/0 handle=0x76f0d1bcc0
runtime.cc:655] | state=S schedstat=( 31175208 4085471 64 ) utm=3 stm=0 core=4 HZ=100
runtime.cc:655] | stack=0x76f0c24000-0x76f0c26000 stackSize=995KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 00000000000000314 /apex/com.android.runtime/lib64/bionic/libc.so (_ioct1+4)
runtime.cc:655]
                                native: #01 pc 000000000057c60 /apex/com.android.runtime/lib64/bionic/libc.so (ioct1+156)
                                 native: #02 pc 0000000000051ae4 /system/lib64/libbinder.so (android::IPCThreadState::talkWithDriver(boo1)+296)
runtime.cc:655]
runtime.cc:655]
                                 native: #03 pc 0000000000051cd4 /system/lib64/libbinder.so (android::IPCThreadState::getAndExecuteCommand()+24)
                               native: #04 pc 000000000052590 /system/lib64/libbinder.so (android::IPCThreadState::joinThreadPool(bool)+60)
runtime.cc:655]
runtime.cc:655] native: #05 pc 000000000007862c /system/lib64/libbinder.so (android::PoolThread::threadLoop()+24)
runtime.cc:655]
                                native: #06 pc 0000000000154d0 /system/lib64/libutils.so (android::Thread::_threadLoop(void*)+260)
runtime.cc:655]
                                 native: #07 pc 000000000000000 /system/lib64/libandroid_runtime.so (android::AndroidRuntime::javaThreadShell(void*)+144)
runtime.cc:655]
                                 native: #08 pc 000000000014d94 /system/lib64/libutils.so (thread_data_t::trampoline(thread_data_t const*)+412)
runtime.cc:655]
                                 native: #09 pc 00000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (__pthread_start(void*)+64)
                                 native: #10 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
runtime.cc:655]
                                (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "pool-2-thread-1" prio=5 tid=19 Waiting
                                group="" sCount=1 dsCount=0 flags=1 obj=0x135c9d98 self=0x78ceec1760
runtime.cc:655]
                                 sysTid=22022 nice=0 cgrp=default sched=0/0 handle=0x76f1e25cc0
runtime.cc:655]
                                | state=S schedstat=( 7221564 0 4 ) utm=0 stm=0 core=6 HZ=100
runtime.cc:655]
runtime.cc:655] | stack=0x76f1d22000-0x76f1d24000 stackSize=1043KB
runtime.cc:655]
                               held mutexes=
runtime.cc:655]
                                 native: \#00 \ pc \ 0000000000004b34c \ /apex/com. and roid. \\ runtime/lib64/bionic/libc. \ so \ (syscall+28) \\ runtime/lib64/bionic/libc. \\ so \ (syscall+28) \\ runtime/libc. \\ so
                                 native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
runtime.cc:655]
runtime.cc:655]
                                 native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                                 at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                                 - waiting on an unknown object
runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                                 at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                                 at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                                 at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
runtime.cc:655]
                                 at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,runWorker\,(ThreadPoolExecutor.\,java:1152)
runtime.cc:655]
                                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                                 at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "FileObserver" prio=5 tid=21 Native
runtime.cc:655]
                                group="" sCount=1 dsCount=0 flags=1 obj=0x135c9f08 self=0x78ceebdfc0
runtime.cc:655]
                                 sysTid=22023 nice=0 cgrp=default sched=0/0 handle=0x76efc1dcc0
runtime.cc:655]
                                 | state=S schedstat=( 159636 4323 2 ) utm=0 stm=0 core=5 HZ=100
runtime.cc:655]
                                stack=0x76efb1a000-0x76efb1c000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655]
                                 native: #00 pc 0000000000000009c094 /apex/com.android.runtime/lib64/bionic/libc.so (read+4)
runtime.cc:655]
                                 native: \ \#01\ pc\ 0000000000159a74 \quad /system/lib64/libandroid\_runtime.\ so\ (and roid::and roid\_os\_file observer\_observe(\_JNIEnv*, \_jobject*, interpretation of the property of the propert
runtime.cc:655]
                                 at android.os. FileObserver$ObserverThread.observe(Native method)
                                 at android.os.FileObserver$ObserverThread.run(FileObserver.java:113)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "|ANR-WatchDog|" prio=5 tid=22 Sleeping
runtime.cc:655]
                               group="" sCount=1 dsCount=0 flags=1 obj=0x135c9f88 self=0x78ceec4f00
runtime.cc:655]
                                | sysTid=22024 nice=0 cgrp=default sched=0/0 handle=0x76eeb13cc0
                                state=S schedstat=( 38036201 4146831 81 ) utm=3 stm=0 core=5 HZ=100
runtime.cc:655]
runtime.cc:655]
                                 | stack=0x76eea10000-0x76eea12000 stackSize=1043KB
runtime.cc:655]
                                held mutexes=
                               native: #00 pc 00000000004b350 /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+32)
runtime.cc:655]
runtime.cc:655] native: #01 pc 00000000001afcfc /apex/com.android.art/lib64/libart.so (art::ConditionVariable::TimedWait(art::Thread*, long, int)+172)
runtime.cc:655] native: #02 pc 0000000000498c84 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, long, int, bool, art::ThreadSt
                                 native: \#03 \ pc \ 000000000049a4c4 \ /apex/com. \ and roid. \ art/lib64/libart. so \ (art::Monitor::Wait(art::Thread*, art::0bjPtr<art::mirror::0bjeccom. \ art::Monitor::Wait(art::Thread*, art::0bjPtr<art::mirror::0bjeccom. \ art::Monitor::Monitor::Monitor::Monitor::Wait(art::Thread*, art::0bjPtr<art::mirror::0bjeccom. \ art::Monitor::Wait(art::Thread*, art::0bjPtr<art::mirror::0bjeccom. \ art::Monitor::Wait(art::Thread*, art::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor::Monitor:
runtime.cc:655]
                                 native: #04 pc 000000000013ced4 /apex/com.android.art/lib64/libart.so (art_quick_generic_jni_trampoline+148)
```

 $native: \ \texttt{\#05} \ pc \ 00000000001337e8 \quad / apex/com. \ and roid. \ art/lib64/libart. \ so \ (art\_quick\_invoke\_static\_stub+568) \ art_quick\_invoke\_static\_stub+568) \ art_quick\_invoke\_static\_s$ 

runtime.cc:655]

```
runtime.cc:655]
                                             native: #06 pc 000000000108a94 /apex/com.android.art/lib64/libart.so (art::ArtMethod::Invoke(art::Thread*, unsigned int*, unsigned in
                                              native: #07 pc 000000000031830c
                                                                                                                                    /apex/com.\ and roid.\ art/lib64/libart.\ so\ (art::interpreter::ArtInterpreterToCompiledCodeBridge(art::Threaton) and roid.\ artInterpreterToCompiledCodeBridge(art::Threaton) and roid.\ artInterpreterToCom
 runtime.cc:655]
runtime.cc:655]
                                              native: #08 pc 000000000030e638
                                                                                                                                    /apex/com.android.art/lib64/libart.so (bool art::interpreter::DoCall<false, false)(art::ArtMethod*, ar
runtime.cc:655]
                                              native: #09 pc 000000000067e070 /apex/com.android.art/lib64/libart.so (MterpInvokeStatic+548)
                                              native: #10 pc 00000000012d994
runtime.cc:655]
                                                                                                                                   /apex/com.android.art/lib64/libart.so (mterp_op_invoke_static+20)
runtime.cc:655]
                                              native: #11 pc 0000000000002a04
                                                                                                                                   [anon:dalvik-/apex/com.android.art/javalib/core-oj.jar-transformed] (java.lang.Thread.sleep+96)
                                              native: #12 pc 000000000067e314 /apex/com.android.art/lib64/libart.so (MterpInvokeStatic+1224)
runtime.cc:655]
runtime.cc:655]
                                              native: #13 pc 00000000012d994
                                                                                                                                    /apex/com.android.art/lib64/libart.so (mterp_op_invoke_static+20)
runtime.cc:655]
                                              native: #14 pc 000000000000298a
                                                                                                                                    [anon:dalvik-/apex/com.android.art/javalib/core-oj.jar-transformed] (java.lang.Thread.sleep+2)
                                             native: \ \#15 \ pc \ 000000000067e314 \quad / apex/com. \ and roid. \ art/lib64/libart. \ so \ (MterpInvokeStatic+1224) \ art/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/lib64/
runtime.cc:655]
runtime.cc:655]
                                            native: #16 pc 00000000012d994 /apex/com.android.art/lib64/libart.so (mterp_op_invoke_static+20)
runtime.cc:655]
                                             native: #17 pc 00000000002f2fbe [anon:dalvik-classes25.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains
runtime.cc:655]
                                              native: #18 pc 0000000000305c34 /apex/com.android.art/lib64/libart.so (art::interpreter::Execute(art::Thread*, art::CodeItemDataAccess
runtime.cc:655]
                                              native: #19 pc 0000000000669e20 /apex/com.android.art/lib64/libart.so (artQuickToInterpreterBridge+780)
                                              native: #20 pc 00000000013cff8
                                                                                                                                    /apex/com.\ and roid.\ art/lib64/libart.\ so\ (art\_quick\_to\_interpreter\_bridge + 88)
runtime.cc:655]
runtime.cc:655]
                                              native: #21 pc 000000000133564
                                                                                                                                   /apex/com. android. art/lib64/libart. so (art quick invoke stub+548)
                                              native: #22 pc 00000000001a8a78 /apex/com.android.art/lib64/libart.so (art::ArtMethod::Invoke(art::Thread*, unsigned int*, unsigned in
runtime.cc:655]
runtime.cc:655]
                                              native: \ \#23 \ \text{pc} \ 0000000000553890 \quad / apex/com. and roid. art/lib64/libart. so \ (art::JValue \ art::InvokeVirtualOrInterfaceWithJValues \\ < art::ArtMe \ art::ArtMe \ art::InvokeVirtualOrInterfaceWithJValues \\ < art::ArtMe \ ar
runtime.cc:655]
                                              native: #24 pc 00000000005a2c2c /apex/com.android.art/lib64/libart.so (art::Thread::CreateCallback(void*)+1308)
                                              native: \ \#25 \ pc \ 0000000000000b10ec \quad /apex/com. and roid. runtime/lib64/bionic/libc. so \ (\_pthread\_start(void*)+64) \ and roid \ runtime/libc. so \ (\_pthread\_
runtime.cc:655]
runtime.cc:655]
                                              native: #26 pc 00000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
                                              at java.lang.Thread.sleep(Native method)
                                              - sleeping on <0x0e14eeff> (a java.lang.Object)
runtime.cc:655]
runtime.cc:655]
                                              at java. lang. Thread. sleep (Thread. java: 442)
runtime.cc:655]
                                              - locked <0x0e14eeff> (a java.lang.Object)
runtime.cc:655]
                                              at java. lang. Thread. sleep (Thread. java: 358)
                                              at io. sentry. android. core. ANRWatchDog. run(ANRWatchDog. java:78)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "Timer-0" prio=5 tid=23 Waiting
                                             group="" sCount=1 dsCount=0 flags=1 obj=0x135ca238 self=0x78ceec3330
runtime.cc:655]
runtime.cc:655]
                                               | \ \ sysTid=22025 \ \ nice=0 \ \ cgrp=default \ \ sched=0/0 \ \ handle=0x76eda09cc0
runtime.cc:655]
                                              | state=S schedstat=( 80417 0 1 ) utm=0 stm=0 core=7 HZ=100
                                              | stack=0x76ed906000-0x76ed908000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655]
                                               held mutexes=
runtime.cc:655]
                                              native: \#00 \ pc \ 0000000000004b34c \ /apex/com. and roid. \\ runtime/lib64/bionic/libc. \ so \ (syscall+28) \ for all the substitution of the s
                                              native: #01 pc 00000000001af92c /apex/com.android.art/lib64/libart.so (art::ConditionVariable::WaitHoldingLocks(art::Thread*)+148)
runtime.cc:655]
runtime.cc:655]
                                              native: #02 pc 0000000000498c70 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, long, int, bool, art::ThreadSt
runtime.cc:655]
                                              native: #03 pc 000000000049a4c4 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, art::ObjPtr<art::mirror::Objec
runtime.cc:655]
                                              at java.lang.Object.wait(Native method)
                                               - waiting on <0x07f5a4cc> (a java.util.TaskQueue)
runtime.cc:655]
runtime.cc:655]
                                              at java. lang. Object. wait (Object. java: 442)
runtime.cc:655]
                                              at java. lang. Object. wait (Object. java: 568)
runtime.cc:655]
                                              at java. util. TimerThread. mainLoop (Timer. java: 533)
runtime.cc:655]
                                               - locked <0x07f5a4cc> (a java.util.TaskQueue)
runtime.cc:655]
                                              at java.util.TimerThread.run(Timer.java:512)
runtime.cc:655]
runtime.cc:655] "SentryAsyncConnection-0" prio=5 tid=24 Waiting
runtime.cc:655]
                                              group="" sCount=1 dsCount=0 flags=1 obj=0x135ca2c8 self=0x78ceecbe40
                                              sysTid=22026 nice=0 cgrp=default sched=0/0 handle=0x76ec8ffcc0
runtime.cc:655]
runtime.cc:655]
                                             | state=S schedstat=( 68207551 918800 26 ) utm=6 stm=0 core=6 HZ=100
runtime.cc:655]
                                            stack=0x76ec7fc000-0x76ec7fe000 stackSize=1043KB
runtime.cc:655]
                                             held mutexes=
                                              native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
                                              native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
runtime.cc:655]
                                              native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                                              at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
                                              - waiting on an unknown object
runtime.cc:655]
                                              at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                                              at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition Object. await (Abstract Queued Synchronizer. java: 2067)
runtime.cc:655]
                                              at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                                              at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                                              at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                                              at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                                              at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "RenderThread" prio=10 tid=26 Native
                                               | \ \mathsf{group} \texttt{=} \texttt{""} \ \mathsf{sCount} \texttt{=} 1 \ \mathsf{dsCount} \texttt{=} 0 \ \mathsf{flags} \texttt{=} 1 \ \mathsf{obj} \texttt{=} 0 \mathsf{x} 135 \mathsf{cac} 48 \ \mathsf{self} \texttt{=} 0 \mathsf{x} 78 \mathsf{ceec} 6 \mathsf{ad} 0
runtime.cc:655]
runtime.cc:655]
                                               sysTid=22029 nice=-10 cgrp=default sched=0/0 handle=0x76ea6ebcc0
runtime.cc:655]
                                              | state=S schedstat=( 273031374 21971407 834 ) utm=20 stm=7 core=5 HZ=100
runtime.cc:655]
                                              stack=0x76ea5f4000-0x76ea5f6000 stackSize=995KB
runtime.cc:655]
                                             held mutexes=
                                              native: #00 pc 000000000000d2d8 /apex/com.android.runtime/lib64/bionic/libc.so (__epoll_pwait+8)
runtime.cc:655]
runtime.cc:655]
                                              native: #01 pc 00000000000019ad0 /system/lib64/libutils.so (android::Looper::pollInner(int)+184)
runtime.cc:655]
                                              native: #02 pc 0000000000199b0 /system/lib64/libutils.so (android::Looper::pollOnce(int, int*, int*, void**)+112)
                                              native: \#03 \text{ pc } 000000000020ec68 \quad / \text{system} / 1 \text{ib} 64 / 1 \text{ibhwui.so } (and roid:: uirenderer:: ThreadBase:: waitForWork () + 132) \\
runtime.cc:655]
                                             native: #04 pc 0000000000230014 /system/lib64/libhwui.so (android::uirenderer::renderthread::RenderThread::threadLoop()+80)
runtime.cc:655]
                                              native: #05 pc 0000000000154d0 /system/lib64/libutils.so (android::Thread::_threadLoop(void*)+260)
runtime.cc:655]
                                              native: \#06 \ pc \ 0000000000014d94 \ / system/lib64/libutils.so \ (thread\_data\_t::trampoline(thread\_data\_t \ const*) + 412) - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120
runtime.cc:655]
runtime.cc:655]
                                              native: #07 pc 000000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (__pthread_start(void*)+64)
                                              native: #08 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
```

```
runtime.cc:655]
                            (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "GoogleApiHandler" prio=5 tid=27 Native
runtime.cc:655]
                            group="" sCount=1 dsCount=0 flags=1 obj=0x135cacc0 self=0x78ceeca270
runtime.cc:655]
                            sysTid=22032 nice=9 cgrp=default sched=0/0 handle=0x76e924dcc0
runtime.cc:655]
                           | state=S schedstat=( 22153549 13565259 23 ) utm=2 stm=0 core=7 HZ=100
runtime.cc:655]
                            stack=0x76e914a000-0x76e914c000 stackSize=1043KB
runtime.cc:655]
                            held mutexes=
runtime.cc:655]
                            native: #00 pc 0000000000000d2d8 /apex/com.android.runtime/lib64/bionic/libc.so (__epoll_pwait+8)
                          native: #01 pc 0000000000019ad0 /system/lib64/libutils.so (android::Looper::pollInner(int)+184)
runtime.cc:655]
runtime.cc:655] native: #02 pc 00000000000199b0 /system/lib64/libutils.so (android::Looper::pollOnce(int, int*, int*, void**)+112)
runtime.cc:655] native: #03 pc 0000000000110f74 /system/lib64/libandroid_runtime.so (android::android_os_MessageQueue_nativePollOnce(_JNIEnv*, _jobjec
runtime.cc:655]
                            at android.os. MessageQueue.nativePollOnce(Native method)
runtime.cc:655]
                            at android.os.MessageQueue.next(MessageQueue.java:335)
runtime.cc:655]
                            at android. os. Looper. loop (Looper. java: 183)
runtime.cc:655]
                            at android. os. HandlerThread. run (HandlerThread. java: 67)
runtime.cc:655]
\verb"runtime.cc:655"] \ "ConnectivityThread" \ \verb"prio=5" \ tid=28" \ Native
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x135cade0 self=0x78ceebfb90
                            svsTid=22033 nice=0 cgrp=default sched=0/0 handle=0x76e8143cc0
runtime.cc:655]
runtime.cc:655]
                            | state=S schedstat=( 1406561 435157 5 ) utm=0 stm=0 core=5 HZ=100
runtime.cc:655]
                            stack=0x76e8040000-0x76e8042000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 00000000000000000d2d8 /apex/com.android.runtime/lib64/bionic/libc.so (_epoll_pwait+8)
runtime.cc:655] native: #01 pc 0000000000019ad0 /system/lib64/libutils.so (android::Looper::pollInner(int)+184)
runtime.cc:655] native: #02 pc 000000000000199b0 /system/lib64/libutils.so (android::Looper::pollOnce(int, int*, int*, void**)+112)
                            native: \#03 \ pc \ 0000000000110f74 \ / system/lib64/libandroid\_runtime. so \ (and roid::and roid\_os\_MessageQueue\_nativePol10nce(\_JNIEnv*, \_jobjec) \ (and roid::and roi
runtime.cc:655]
runtime.cc:655]
                            at android.os. MessageQueue.nativePollOnce(Native method)
runtime.cc:655]
                            at android.os. MessageQueue.next (MessageQueue.java:335)
runtime.cc:655]
                            at android. os. Looper. loop (Looper. java: 183)
runtime.cc:655]
                            at android. os. HandlerThread. run (HandlerThread. java: 67)
runtime.cc:655]
runtime.cc:655] "Okio Watchdog" prio=5 tid=29 Waiting
runtime.cc:655]
                            group="" sCount=1 dsCount=0 flags=1 obj=0x135caf00 self=0x78ceed2d80
runtime.cc:655]
                            | sysTid=22034 nice=0 cgrp=default sched=0/0 handle=0x76e6f19cc0
runtime.cc:655] | state=S schedstat=(336771 153750 3 ) utm=0 stm=0 core=7 HZ=100
runtime.cc:655] | stack=0x76e6e16000-0x76e6e18000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
                            native: #01 pc 00000000001af92c /apex/com.android.art/lib64/libart.so (art::ConditionVariable::WaitHoldingLocks(art::Thread*)+148)
runtime.cc:655]
                            native: #02 pc 0000000000498c70 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, long, int, bool, art::ThreadSt
runtime.cc:655]
runtime.cc:655]
                            native: #03 pc 000000000049a4c4 /apex/com.android.art/lib64/libart.so (art::Monitor::Wait(art::Thread*, art::0bjPtr<art::mirror::0bjec
runtime.cc:655]
                            at java. lang. Object. wait (Native method)
runtime.cc:655]
                            - waiting on <0x0d958315> (a java.lang.Class<com.android.okhttp.okio.AsyncTimeout>)
runtime.cc:655]
                           at java. lang. Object. wait (Object. java: 442)
                            at java.lang.Object.wait(Object.java:568)
runtime.cc:655]
runtime.cc:655]
                            at com. android. okhttp. okio. AsyncTimeout. awaitTimeout (AsyncTimeout. java: 313)
                            - locked <0x0d958315> (a java.lang.Class<com.android.okhttp.okio.AsyncTimeout>)
runtime.cc:655]
                            at com. android. okhttp. okio. AsyncTimeout. access $000 (AsyncTimeout. java: 42)
runtime.cc:655]
                            at com. android. okhttp. okio. AsyncTimeout$Watchdog. run(AsyncTimeout. java:288)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "DefaultDispatcher-worker-1" prio=5 tid=30 TimedWaiting
                            group="" sCount=1 dsCount=0 flags=1 obj=0x13303cd8 self=0x78ceecda10
runtime.cc:655]
runtime.cc:655]
                             | sysTid=22035 nice=0 cgrp=default sched=0/0 handle=0x76e5619cc0
runtime.cc:655]
                            | state=S schedstat=( 147694632 8281303 118 ) utm=13 stm=1 core=7 HZ=100
runtime.cc:655] | stack=0x76e5516000-0x76e5518000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655]
                            native: #01 pc 00000000005a1528 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+1396)
runtime.cc:655]
                            native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                            at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                            - waiting on an unknown object
runtime.cc:655] at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:353)
runtime.cc:655] at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.park(CoroutineScheduler.kt:795)
runtime.cc:655]
                            at kotlinx. coroutines. scheduling. CoroutineScheduler$Worker. tryPark(CoroutineScheduler.kt:740)
                            at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.runWorker(CoroutineScheduler.kt:711)
runtime.cc:655]
                            at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.run(CoroutineScheduler.kt:665)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "DefaultDispatcher-worker-2" prio=5 tid=31 TimedWaiting
runtime.cc:655]
                         group="" sCount=1 dsCount=0 flags=1 obj=0x13303da0 self=0x78ceed80f0
runtime.cc:655]
                           | sysTid=22036 nice=0 cgrp=default sched=0/0 handle=0x76e450fcc0
                            | state=S schedstat=( 100133388 2240416 74 ) utm=10 stm=0 core=4 HZ=100
runtime.cc:655]
runtime.cc:655]
                            | stack=0x76e440c000-0x76e440e000 stackSize=1043KB
                            held mutexes=
runtime.cc:655]
runtime.\ cc: 655] \\ native: \ \#00\ pc\ 0000000000004b350 \\ /apex/com.\ and \\ roid.\ runtime/lib64/bionic/libc.\ so\ (syscall+32) \\ /apex/com.\ runtime/lib64/bionic/libc.\ so\ (syscall+32) \\ /apex/com.\ runtime/libc.\ runtime/lib64/bionic/libc.
runtime.cc:655] native: #01 pc 000000000051528 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+1396)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
```

runtime.cc:655]

- waiting on an unknown object

at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:353)

```
at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.park(CoroutineScheduler.kt:795)
runtime.cc:655]
                  at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.tryPark(CoroutineScheduler.kt:740)
runtime.cc:655]
runtime.cc:655]
                 at kotlinx. coroutines. scheduling. CoroutineScheduler$Worker. runWorker(CoroutineScheduler. kt:711)
runtime.cc:655]
                 at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.run(CoroutineScheduler.kt:665)
runtime.cc:655]
runtime.cc:655] "DefaultDispatcher-worker-3" prio=5 tid=32 TimedWaiting
runtime.cc:655]
                 group="" sCount=1 dsCount=0 flags=1 obj=0x13303e48 self=0x78ceed4950
runtime.cc:655]
                  sysTid=22037 nice=0 cgrp=default sched=0/0 handle=0x76e33c5cc0
runtime.cc:655]
                 | state=S schedstat=( 65312546 2783804 49 ) utm=6 stm=0 core=5 HZ=100
runtime.cc:655] | stack=0x76e32c2000-0x76e32c4000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 000000000004b350 /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+32)
runtime.cc:655] native: #01 pc 00000000005a1528 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+1396)
runtime.cc:655]
                 native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                  at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
                 - waiting on an unknown object
runtime.cc:655]
                 at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:353)
runtime.cc:655]
                 at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.park(CoroutineScheduler.kt:795)
runtime.cc:655]
                 at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.tryPark(CoroutineScheduler.kt:740)
                 at kotlinx, coroutines, scheduling, CoroutineScheduler$Worker, runWorker(CoroutineScheduler, kt:711)
runtime.cc:655]
runtime.cc:655]
                  at kotlinx.coroutines.scheduling.CoroutineScheduler$Worker.run(CoroutineScheduler.kt:665)
runtime.cc:655]
runtime.cc:655] "Thread-9" prio=5 tid=34 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x14541a00 self=0x78ceed6520
runtime.cc:655] | sysTid=22039 nice=0 cgrp=default sched=0/0 handle=0x76e2050cc0
\texttt{runtime.cc:} 655 \texttt{]} \qquad | \texttt{ state=S schedstat=(49377809 4259844 145) utm=4 stm=0 core=5 HZ=100}
runtime.cc:655]
                 | stack=0x76e1f4d000-0x76e1f4f000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655]
                 native: \ \texttt{\#00 pc} \ \ 0000000000004b34c \quad / apex/com. \ and roid. \ runtime/lib64/bionic/libc. \ so \ \ (syscall+28)
runtime.cc:655]
                native: #01 pc 000000000531194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                 native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                 at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                  - waiting on an unknown object
runtime.cc:655]
                  at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                  at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
                  at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "Thread-10" prio=5 tid=35 Waiting
                 group="" sCount=1 dsCount=0 flags=1 obj=0x14541ac8 self=0x78ceee0c00
runtime.cc:655]
runtime.cc:655] | sysTid=22040 nice=0 cgrp=default sched=0/0 handle=0x76dfd6acc0
runtime.cc:655] | state=S schedstat=( 43585984 8434214 132 ) utm=4 stm=0 core=6 HZ=100
                 stack=0x76dfc67000-0x76dfc69000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655]
                  held mutexes=
runtime.cc:655]
                  native: #00 pc 00000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                 - waiting on an unknown object
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
runtime.cc:655]
                  at\ java.\ util.\ concurrent.\ locks.\ Abstract Queued Synchronizer \$ Condition 0bject.\ await (Abstract Queued Synchronizer.\ java: 2067)
runtime.cc:655]
                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                  at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                 at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-11" prio=5 tid=36 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x14541b90 self=0x78ceedd460
runtime.cc:655] | sysTid=22041 nice=0 cgrp=default sched=0/0 handle=0x76dec60cc0
runtime.cc:655] | state=S schedstat=( 50647564 25542343 126 ) utm=5 stm=0 core=7 HZ=100
\texttt{runtime.cc:} 655 \texttt{]} \qquad | \texttt{ stack=} 0x76 \texttt{deb5} \texttt{d000-} 0x76 \texttt{deb5} \texttt{f000} \texttt{ stackSize=} 1043 \texttt{KB} \texttt{}
runtime.cc:655]
                 held mutexes=
                  runtime.cc:655]
runtime.cc:655]
                  native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                 native: #02 pc 0000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                 at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                 - waiting on an unknown object
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
runtime.cc:655]
                  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                 at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
```

runtime.cc:655] "Thread-14" prio=1 tid=37 Waiting

```
group="" sCount=1 dsCount=0 flags=1 obj=0x14541c58 self=0x78ceee43a0
runtime.cc:655]
                          sysTid=22043 nice=19 cgrp=default sched=0/0 handle=0x76dc8b8cc0
runtime.cc:655]
runtime.cc:655]
                        | state=S schedstat=( 21970634 11498745 117 ) utm=2 stm=0 core=6 HZ=100
runtime.cc:655]
                        | stack=0x76dc7b5000-0x76dc7b7000 stackSize=1043KB
runtime.cc:655]
                       held mutexes=
runtime.cc:655]
                       native: #00 pc 00000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
                        native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
runtime.cc:655]
runtime.cc:655]
                         native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                         at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                        - waiting on an unknown object
runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                        at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                        at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                         at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
                         at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
runtime.cc:655]
                         at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
                        at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "Thread-13" prio=1 tid=38 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x14541d20 self=0x78ceedf030
runtime.cc:655]
                         sysTid=22042 nice=19 cgrp=default sched=0/0 handle=0x76dc9c2cc0
runtime.cc:655]
                        | state=S schedstat=( 31640309 6698232 28 ) utm=3 stm=0 core=7 HZ=100
runtime.cc:655] | stack=0x76dc8bf000-0x76dc8c1000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
                        native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
runtime.cc:655]
                         at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
                        - waiting on an unknown object
runtime.cc:655]
                        at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                        at java. util. concurrent. 1 ocks. Abstract Queued Synchronizer \$ Condition 0 bject. await (Abstract Queued Synchronizer. java: 2067) \\
runtime.cc:655]
                        at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                         at \quad java.\,util.\,concurrent.\,ThreadPoolExecutor.\,getTask\,(ThreadPoolExecutor.\,java:1092)
runtime.cc:655]
runtime.cc:655]
                         at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                         at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
                         at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "Thread-15" prio=1 tid=39 Waiting
\texttt{runtime.cc:} 655 \texttt{]} \qquad | \texttt{group=} \texttt{""} \texttt{sCount=1} \texttt{ dsCount=0} \texttt{ flags=1} \texttt{ obj=} 0x14541 \texttt{de8} \texttt{ self=} 0x78 \texttt{ceee} 5f70 \texttt{ }
                        sysTid=22045 nice=19 cgrp=default sched=0/0 handle=0x76dc6a4cc0
runtime.cc:655]
                         | state=S schedstat=( 31622601 6511826 27 ) utm=3 stm=0 core=6 HZ=100
runtime.cc:655]
runtime.cc:655]
                        stack=0x76dc5a1000-0x76dc5a3000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] \\ \qquad native: \#00 pc \ 0000000000004b34c \ /apex/com.android.runtime/lib64/bionic/libc.so \ (syscall+28) \\ \\ \qquad runtime.cc:655] \\ \qquad
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                        native: #02 pc 0000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe park( JNIEnv*, jobject*, unsigned char, long)+660)
runtime.cc:655]
                         at sun.misc.Unsafe.park(Native method)
                        - waiting on an unknown object
runtime.cc:655]
                        at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                        at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                        at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                         at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                         at java.\,util.\,concurrent.\,ThreadPoolExecutor\$Worker.\,run\,(ThreadPoolExecutor.\,java:641)
runtime.cc:655]
                         at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-12" prio=1 tid=40 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x14541eb0 self=0x78ceee7b40
runtime.cc:655]
                        | sysTid=22044 nice=19 cgrp=default sched=0/0 handle=0x76dc7aecc0
runtime.cc:655]
                        | state=S schedstat=( 16052188 42974016 115 ) utm=1 stm=0 core=5 HZ=100
                        stack=0x76dc6ab000-0x76dc6ad000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                        at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                         - waiting on an unknown object
runtime.cc:655]
                         at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                        at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                        at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                         at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                         at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                         at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
                         at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "Thread-16" prio=1 tid=41 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x14541f78 self=0x78ceee27d0
runtime.cc:655] sysTid=22046 nice=19 cgrp=default sched=0/0 handle=0x76d798acc0
runtime.cc:655]
                        | state=S schedstat=( 25202550 8688385 26 ) utm=2 stm=0 core=7 HZ=100
```

| stack=0x76d7887000-0x76d7889000 stackSize=1043KB

```
runtime.cc:655]
                 | held mutexes=
                 runtime.cc:655]
runtime.cc:655]
                 native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                 - waiting on an unknown object
runtime.cc:655]
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                 at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                 at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                 at \ java.\,util.\,concurrent.\,ThreadPoolExecutor.\,getTask\,(ThreadPoolExecutor.\,java:1092)
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                 at java. lang. Thread. run(Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-17" prio=1 tid=42 Waiting
                 group="" sCount=1 dsCount=0 flags=1 obj=0x14542040 self=0x78ceeeb2e0
runtime.cc:655]
runtime.cc:655]
                 sysTid=22047 nice=19 cgrp=default sched=0/0 handle=0x76d6877cc0
runtime.cc:655] | state=S schedstat=( 201980213 16411355 46 ) utm=19 stm=1 core=7 HZ=100
runtime.cc:655] | stack=0x76d6774000-0x76d6776000 stackSize=1043KB
runtime.cc:655]
                 held mutexes=
runtime.cc:655]
                 native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
                 native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
                native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                 - waiting on an unknown object
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                 at java.util.concurrent.locks. Abstract Queued Synchronizer \$ Condition 0 bject.await (Abstract Queued Synchronizer.java: 2067)
runtime.cc:655]
                 at \quad java.\,util.\,concurrent.\,Linked Blocking Queue.\,take\,(Linked Blocking Queue.\,java:442)
runtime.cc:655]
runtime.cc:655]
                 at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,getTask\,(ThreadPoolExecutor.\,java:1092)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                 at java. lang. Thread. run(Thread. java:923)
runtime.cc:655]
runtime.cc:655] "Thread-18" prio=1 tid=43 Waiting
runtime.cc:655]
                            sCount=1 dsCount=0 flags=1 obj=0x14542108 self=0x78ceeeceb0
runtime.cc:655] | sysTid=22048 nice=19 cgrp=default sched=0/0 handle=0x76d5764cc0
runtime.cc:655] | state=S schedstat=( 26653854 9629115 21 ) utm=2 stm=0 core=7 HZ=100
runtime.cc:655] | stack=0x76d5661000-0x76d5663000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
                 native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
runtime.cc:655]
                 native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                 at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
                 - waiting on an unknown object
runtime.cc:655]
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                 at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition Object. await (Abstract Queued Synchronizer. java: 2067)
runtime.cc:655]
runtime.cc:655]
                 at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                 at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                 at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,runWorker\,(ThreadPoolExecutor.\,java:1152)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                 at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-19" prio=1 tid=44 Waiting
runtime.cc:655]
                            sCount=1 dsCount=0 flags=1 obj=0x145421d0 self=0x78ceeeea80
runtime.cc:655]
                 sysTid=22049 nice=19 cgrp=default sched=0/0 handle=0x76d4651cc0
runtime.cc:655] | state=S schedstat=( 28043334 4846565 22 ) utm=2 stm=0 core=7 HZ=100
runtime.cc:655] | stack=0x76d454e000-0x76d4550000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655]
                 native: #00 pc 00000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
                 native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                 native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                 at sun.misc.Unsafe.park(Native method)
                 - waiting on an unknown object
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                 at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition 0 bject. await (Abstract Queued Synchronizer. java: 2067) \\
runtime.cc:655]
runtime.cc:655]
                 at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                 at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,runWorker\,(ThreadPoolExecutor.\,java:1152)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                 at java.lang. Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-20" prio=1 tid=45 Waiting
                            sCount=1 dsCount=0 flags=1 obj=0x14542298 self=0x78ceee9710
runtime.cc:655]
                 sysTid=22050 nice=19 cgrp=default sched=0/0 handle=0x76d4547cc0
runtime.cc:655]
runtime.cc:655] | state=S schedstat=( 15261461 4357657 29 ) utm=1 stm=0 core=7 HZ=100
runtime.cc:655] | stack=0x76d4444000-0x76d4446000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
```

native: #01 pc 0000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)

native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe\_park(\_JNIEnv\*, \_jobject\*, unsigned char, long)+660)

runtime.cc:655]

```
at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
runtime.cc:655]
                                       - waiting on an unknown object
runtime.cc:655]
                                       at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                                      at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                                      at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                                       at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,getTask\,(ThreadPoolExecutor.\,java:1092)
runtime.cc:655]
                                       at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                                       at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-21" prio=1 tid=46 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x14542360 self=0x78ceef0650
runtime.cc:655] \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0x76d33fbcc0 \\ | sysTid=22051 \ nice=19 \ cgrp=default \ sched=0/0 \ handle=0/0 \ ha
runtime.cc:655]
                                       | state=S schedstat=( 22003283 3257967 29 ) utm=2 stm=0 core=7 HZ=100
                                        | stack=0x76d32f8000-0x76d32fa000 stackSize=1043KB
runtime.cc:655]
                                      | held mutexes=
runtime.cc:655]
                                     native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
runtime.cc:655]
                                       native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                                       native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                                       at sun. misc. Unsafe, park (Native method)
runtime.cc:655]
                                       - waiting on an unknown object
runtime.cc:655]
                                       at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                                       at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                                       at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
                                       at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                                       at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "hwuiTask0" prio=6 tid=47 Native
\texttt{runtime.cc:} 655] \qquad | \texttt{ group=} "" \texttt{ sCount=1 } \texttt{ dsCount=0 } \texttt{ flags=1 } \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ self=} 0x78 \texttt{ ceef3} \texttt{ df0} \texttt{ obj=} 0x14542428 \texttt{ ceef3} \texttt{ df0} 
runtime.cc:655] | sysTid=22052 nice=-2 cgrp=default sched=0/0 handle=0x76d22e1cc0
                                      | state=S schedstat=( 466148 281354 10 ) utm=0 stm=0 core=5 HZ=100
runtime.cc:655]
runtime.cc:655]
                                       | stack=0x76d21ea000-0x76d21ec000 stackSize=995KB
runtime.cc:655]
                                      held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 000000000004ef34 /apex/com.android.runtime/lib64/bionic/libc.so (_futex_wait_ex(void volatile*, bool, int, bool, times
runtime.cc:655] native: #02 pc 000000000000b04d4 /apex/com.android.runtime/lib64/bionic/libc.so (pthread_cond_wait+60)
runtime.cc:655] native: #03 pc 00000000000584ec /system/lib64/libc++.so (std::_1::condition_variable::wait(std::_1::unique_lock<std::_1::mutex>&)+2
                                      native: #04 pc 0000000000233980 /system/lib64/libhwui.so (android::uirenderer::CommonPool::workerLoop()+84)
runtime.cc:655]
runtime.cc:655]
                                       native: #05 pc 0000000000233ba8 /system/lib64/libhwui.so (void* std::_1::__thread_proxy<std::__1::tuple<std::_1::tuple<std::_1::unique_ptr<std::__1
runtime.cc:655]
                                       native: \ \#06 \ pc \ 000000000000010ec \quad /apex/com. \ and roid. \ runtime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/lib64/bionic/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pthread\_start(void*) + 64) \ and \ rountime/libc. \ so \ (\_pth
runtime.cc:655]
                                      native: #07 pc 0000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so ( start thread+64)
runtime.cc:655]
                                      (no managed stack frames)
runtime.cc:655]
runtime.cc:655] "hwuiTask1" prio=6 tid=48 Native
runtime.cc:655]
                                                              sCount=1 dsCount=0 flags=1 obj=0x145424a0 self=0x78ceef2220
                                      sysTid=22053 nice=-2 cgrp=default sched=0/0 handle=0x76d21dacc0
runtime.cc:655]
runtime.cc:655] | state=S schedstat=( 371406 731250 4 ) utm=0 stm=0 core=5 HZ=100
runtime.cc:655] | stack=0x76d20e3000-0x76d20e5000 stackSize=995KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 000000000004ef34 /apex/com.android.runtime/lib64/bionic/libc.so (__futex_wait_ex(void volatile*, bool, int, bool, times
runtime.cc:655]
                                       native: #02 pc 00000000000004d4 /apex/com.android.runtime/lib64/bionic/libc.so (pthread_cond_wait+60)
runtime.cc:655]
                                      runtime.cc:655] native: #04 pc 0000000000233980 /system/lib64/libhwui.so (android::uirenderer::CommonPool::workerLoop()+84)
runtime.cc:655]
                                       native: #06 pc 00000000000b10ec /apex/com.android.runtime/lib64/bionic/libc.so (_pthread_start(void*)+64)
runtime.cc:655]
                                       native: #07 pc 000000000050288 /apex/com.android.runtime/lib64/bionic/libc.so (__start_thread+64)
runtime.cc:655]
                                       (no managed stack frames)
runtime.cc:655]
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x14542518 self=0x78ceef7590
runtime.cc:655] | sysTid=22054 nice=0 cgrp=default sched=0/0 handle=0x76cef4acc0
runtime.cc:655] | state=S schedstat=( 156262495 2415158 50 ) utm=15 stm=0 core=4 HZ=100
                                       | stack=0x76cee47000-0x76cee49000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655]
                                       held mutexes=
                                       runtime.cc:655]
runtime.cc:655]
                                       native: #01 pc 0000000000028a2c /apex/com.android.art/lib64/libopenjdk.so (NET Read+80)
runtime.cc:655]
                                       native: #02 pc 00000000000295a4 /apex/com.android.art/lib64/libopenjdk.so (SocketInputStream_socketRead0+216)
runtime.cc:655]
                                       at java.net.SocketInputStream.socketReadO(Native method)
runtime.cc:655]
                                       at java.net.SocketInputStream.socketRead(SocketInputStream.java:119)
runtime.cc:655]
                                       at java.net.SocketInputStream.read(SocketInputStream.java:176)
                                       at java.net.SocketInputStream.read(SocketInputStream.java:144)
runtime.cc:655]
                                       at \verb| com.| and \verb| roid.| org.| conscript. Conscript Engine Socket $$SLInputStream.| readFrom Socket (Conscript Engine Socket.| java: 936) is a conscript Engine Socket.| available to the conscript Engine 
runtime.cc:655]
runtime.cc:655] at com.android.org.conscrypt.ConscryptEngineSocket$SSLInputStream.processDataFromSocket(ConscryptEngineSocket.java:900)
runtime.cc:655] at com.android.org.conscrypt.ConscryptEngineSocket$SSLInputStream.readUntilDataAvailable(ConscryptEngineSocket.java:815)
runtime.cc:655]
                                       at com. android.org. conscrypt. ConscryptEngineSocket$SSLInputStream. read (ConscryptEngineSocket. java: 788)
```

runtime.cc:655]

- locked <0x0dd7662a> (a java.lang.Object)

at okio. InputStreamSource. read (JvmOkio. kt:91)

```
runtime.cc:655]
                       at okio. AsyncTimeout$source$1. read(AsyncTimeout.kt:129)
runtime.cc:655]
                       at okio. RealBufferedSource. request (RealBufferedSource. kt:206)
runtime.cc:655]
                       at okio. RealBufferedSource. require (RealBufferedSource. kt:199)
runtime.cc:655]
                      at okio. RealBufferedSource. readByte(RealBufferedSource.kt:209)
runtime.cc:655]
                      at okhttp3.internal.ws.WebSocketReader.readHeader(WebSocketReader.kt:119)
runtime.cc:655]
                       at okhttp3.internal.ws.WebSocketReader.processNextFrame(WebSocketReader.kt:102)
runtime.cc:655]
                       at okhttp3, internal, ws. RealWebSocket, loopReader (RealWebSocket, kt:293)
runtime.cc:655]
                       at okhttp3.internal.ws.RealWebSocket$connect$1.onResponse(RealWebSocket.kt:195)
runtime.cc:655]
                       at okhttp3.internal.connection.RealCall$AsyncCall.run(RealCall.kt:519)
                       at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1167)
runtime.cc:655]
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                       at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "OkHttp TaskRunner" prio=5 tid=52 TimedWaiting
                       group="" sCount=1 dsCount=0 flags=1 obj=0x145457d0 self=0x78cef05410
runtime.cc:655]
runtime.cc:655]
                       sysTid=22057 nice=0 cgrp=default sched=0/0 handle=0x76cb5cccc0
                      | state=S schedstat=( 16782760 3276718 17 ) utm=0 stm=1 core=5 HZ=100
runtime.cc:655]
runtime.cc:655] | stack=0x76cb4c9000-0x76cb4cb000 stackSize=1043KB
runtime.cc:655] | held mutexes=
                       native: \#00 \ pc \ 000000000004b350 \ /apex/com. and roid. \\ runtime/lib64/bionic/libc. \ so \ (syscall+32)
runtime.cc:655]
runtime.cc:655]
                       native: #01 pc 00000000005a1528 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+1396)
runtime.cc:655]
                       native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
                       at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
runtime.cc:655]
                       - waiting on an unknown object
runtime.cc:655] at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:230)
runtime.cc:655]
                       at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfil1(SynchronousQueue.java:461)
                       at java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
runtime.cc:655]
                       at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:937)
runtime.cc:655]
runtime.cc:655]
                       at \ java.\,util.\,concurrent.\,ThreadPoolExecutor.\,getTask\,(ThreadPoolExecutor.\,java:1091)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                       at java. lang. Thread. run(Thread. java:923)
runtime.cc:655]
runtime.cc:655] "Thread-23" prio=5 tid=3 Waiting
runtime.cc:655]
                                     sCount=1 dsCount=0 flags=1 obj=0x143c2138 self=0x78ceea5a60
runtime.cc:655] \\ | sysTid=22181 \ nice=0 \ cgrp=default \ sched=0/0 \ handle=0x774f880cc0 \\ | cgrp=0/0 \ handle=0/0 \ handle=0/0 \ handle=0/0 \\ | cgrp=0/0 \ handle=0/0 \\ |
runtime.cc:655] | state=S schedstat=( 43560823 2384534 136 ) utm=4 stm=0 core=5 HZ=100
runtime.cc:655] | stack=0x774f77d000-0x774f77f000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
                       native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
runtime.cc:655]
                       native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                      at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                       - waiting on an unknown object
runtime.cc:655]
                       at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                       at java.util.concurrent.locks. Abstract Queued Synchronizer \$ Condition 0 bject.await (Abstract Queued Synchronizer.java: 2067)
runtime.cc:655]
runtime.cc:655]
                       at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
                       at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                       at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-24" prio=5 tid=4 Waiting
runtime.cc:655]
                                     sCount=1 dsCount=0 flags=1 obj=0x143c2200 self=0x78cef0c350
runtime.cc:655]
                       sysTid=22182 nice=0 cgrp=default sched=0/0 handle=0x774f774cc0
runtime.cc:655] | state=S schedstat=(40814948 5299748 138) utm=4 stm=0 core=6 HZ=100
runtime.cc:655] | stack=0x774f671000-0x774f673000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655]
                      native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
                       native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                       native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                       at sun. misc. Unsafe. park (Native method)
                       - waiting on an unknown object
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                       at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition 0 bject. await (Abstract Queued Synchronizer. java: 2067) \\
runtime.cc:655]
runtime.cc:655]
                       at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                       at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,runWorker\,(ThreadPoolExecutor.\,java:1152)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                       at java.lang. Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-25" prio=5 tid=5 Waiting
runtime.cc:655]
                                     sCount=1 dsCount=0 flags=1 obj=0x143c22c8 self=0x78ceed9cc0
                       sysTid=22183 nice=0 cgrp=default sched=0/0 handle=0x774d656cc0
runtime.cc:655]
runtime.cc:655] | state=S schedstat=(41768599 48029848 140 ) utm=3 stm=1 core=5 HZ=100
runtime.cc:655] | stack=0x774d553000-0x774d555000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
```

native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)

native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe\_park(\_JNIEnv\*, \_jobject\*, unsigned char, long)+660)

runtime.cc:655]

```
at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
runtime.cc:655]
                                      - waiting on an unknown object
runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655] at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655] at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.\ cc: 655] \\ at java.\ util.\ concurrent.\ Thread Pool Executor.\ get Task (Thread Pool Executor.\ java: 1092) \\
runtime.cc:655]
                                     at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                                     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                                      at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-27" prio=1 tid=33 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x143c2390 self=0x78cef0df20
\texttt{runtime.cc:} 655] \qquad | \text{ sysTid=} 22185 \text{ nice=} 19 \text{ cgrp=} \\ \texttt{default sched=} 0/0 \text{ handle=} 0x774 \\ \texttt{d}3fdcc0
runtime.cc:655]
                                     | state=S schedstat=( 19661197 30946298 129 ) utm=1 stm=0 core=6 HZ=100
                                      | stack=0x774d2fa000-0x774d2fc000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                                     at sun, misc. Unsafe, park (Native method)
runtime.cc:655]
                                      - waiting on an unknown object
runtime.cc:655]
                                      at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655] at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655] at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                                     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                                     at java. lang. Thread. run(Thread. java:923)
runtime.cc:655]
runtime.cc:655] "Thread-28" prio=1 tid=50 Waiting
\texttt{runtime.cc:} 655] \qquad | \texttt{ group=} "" \texttt{ sCount=1 } \texttt{ dsCount=0 } \texttt{ flags=1 } \texttt{ obj=} 0x143c2458 \texttt{ self=} 0x78cee9b380 \\
runtime.cc:655] | sysTid=22186 nice=19 cgrp=default sched=0/0 handle=0x774d2f1cc0
\texttt{runtime.cc:655} \qquad | \  \, \texttt{state=S} \  \, \texttt{schedstat=(20833544\ 5469009\ 26\ )} \  \, \texttt{utm=2\ stm=0\ core=7\ HZ=100}
runtime.cc:655]
                                     | stack=0x774d1ee000-0x774d1f0000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] \\ \quad native: \#00 \ pc \ 0000000000004b34c \\ \quad /apex/com. and \\ roid. \\ runtime/lib64/bionic/libc. \\ so \ (syscall+28) \\ \quad (sy
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                                     - waiting on an unknown object
                                     at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
runtime.cc:655]
                                      at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition Object. await (Abstract Queued Synchronizer. java: 2067) \\
runtime.cc:655]
                                    at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                                     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                                     at java.lang. Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-26" prio=1 tid=54 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x143c2580 self=0x78cee997b0
runtime.cc:655] | sysTid=22184 nice=19 cgrp=default sched=0/0 handle=0x774d509cc0
runtime.\,cc:655] \hspace*{0.2in} | \hspace*{0.2in} state=S \hspace*{0.2in} schedstat=(\hspace*{0.2in} 19979790 \hspace*{0.2in} 5014635 \hspace*{0.2in} 31 \hspace*{0.2in}) \hspace*{0.2in} utm=1 \hspace*{0.2in} stm=0 \hspace*{0.2in} core=7 \hspace*{0.2in} HZ=100 \hspace*{0.2in} HZ=
                                     | stack=0x774d406000-0x774d408000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655]
                                     held mutexes=
runtime.\,cc:655] \qquad native: \ \#00 \ pc \ 0000000000004b34c \quad /apex/com.\,android.\,runtime/lib64/bionic/libc.\,so \ (syscall+28) \ and \ 
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                                     - waiting on an unknown object
runtime.cc:655]
                                     at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                                      at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
runtime.cc:655]
                                     at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                                     at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                                     at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-29" prio=1 tid=55 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x143c2648 self=0x78ceedb890
runtime.cc:655] | sysTid=22187 nice=19 cgrp=default sched=0/0 handle=0x76dd586cc0
runtime.cc:655] | state=S schedstat=( 24029741 11999009 138 ) utm=2 stm=0 core=5 HZ=100
\texttt{runtime.cc:} 655 \texttt{]} \qquad | \texttt{ stack=} 0x76 \texttt{dd}483000 - 0x76 \texttt{dd}485000 \texttt{ stackSize=} 1043 \texttt{KB} \\
runtime.cc:655]
                                     | held mutexes=
                                     native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                                    - waiting on an unknown object
                                     at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
```

 $at \ java.\,util.\,concurrent.\,locks.\,AbstractQueuedSynchronizer\\ \$Condition 0bject.\,await\\ (AbstractQueuedSynchronizer.\,java: 2067)\\ and the property of the$ 

runtime.cc:655]

```
at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                                  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
runtime.cc:655]
                                  at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                                  at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                                  at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-31" prio=1 tid=56 Waiting
runtime.cc:655]
                                                      sCount=1 dsCount=0 flags=1 obj=0x143c2710 self=0x78cef18600
runtime.cc:655]
                                  sysTid=22189 nice=19 cgrp=default sched=0/0 handle=0x76d7b1ccc0
                                | state=S schedstat=( 154647295 2682969 25 ) utm=11 stm=4 core=7 HZ=100
runtime.cc:655]
runtime.cc:655] | stack=0x76d7a19000-0x76d7a1b000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655]
                                  native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
                                  native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
runtime.cc:655]
                                  at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
                                  - waiting on an unknown object
                                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
runtime.cc:655]
                                  at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition 0 bject. await (Abstract Queued Synchronizer. java: 2067) is a simple of the concurrent of the co
runtime.cc:655]
                                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                                  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                                  at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,runWorker\,(ThreadPoolExecutor.\,java:1152)
                                  at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                                  at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-30" prio=1 tid=57 Waiting
                                 group="" sCount=1 dsCount=0 flags=1 obj=0x143c27d8 self=0x78cef13290
runtime.cc:655]
                                   | sysTid=22188 nice=19 cgrp=default sched=0/0 handle=0x76d7c26cc0
runtime.cc:655]
runtime.cc:655]
                                  state=S schedstat=( 24730732 10629378 32 ) utm=2 stm=0 core=7 HZ=100
                                stack=0x76d7b23000-0x76d7b25000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655]
                                held mutexes=
runtime.cc:655]
                                  native: \#00 \ pc \ 0000000000004b34c \ /apex/com. and roid. \\ runtime/lib64/bionic/libc. \ so \ (syscall+28) \\ runtime/lib64/bionic/libc. \\ so \ (syscall+28) \\ runtime/libc. \\ so
                                  native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
runtime.cc:655]
runtime.cc:655]
                                  native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                                  at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                                  - waiting on an unknown object
runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                                  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                                  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                                  at \quad java.\,util.\,concurrent.\,ThreadPoolExecutor.\,runWorker\,(ThreadPoolExecutor.\,java:1152)
runtime.cc:655]
runtime.cc:655]
                                  at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                                  at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-33" prio=1 tid=58 Waiting
runtime.cc:655] \\ | group="" sCount=1 dsCount=0 flags=1 obj=0x143c28a0 self=0x78cef1a1d0 | group=" scount=0 flags=1 obj=0x143c28a0 self=0x78cef1a1d0 | group=0x143c28a0 self=0x143c28a0 self=0x143
runtime.cc:655]
                                  sysTid=22191 nice=19 cgrp=default sched=0/0 handle=0x76ccdcbcc0
runtime.cc:655]
                                  | state=S schedstat=( 20753486 4880731 28 ) utm=2 stm=0 core=7 HZ=100
                                 stack=0x76cccc8000-0x76cccca000 stackSize=1043KB
runtime.cc:655]
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
                                  native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
runtime.cc:655]
                                  at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
                                  - waiting on an unknown object
runtime.cc:655]
                                  at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                                  at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition Object. await (Abstract Queued Synchronizer. java: 2067) \\
runtime.cc:655]
                                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                                  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                                  at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                                  at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                                  at java. lang. Thread. run(Thread. java:923)
runtime.cc:655]
runtime.cc:655] "Thread-34" prio=1 tid=59 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x143c2968 self=0x78cef16a30
                                  sysTid=22192 nice=19 cgrp=default sched=0/0 handle=0x76c727ecc0
runtime.cc:655]
                                   | state=S schedstat=( 22811983 4922918 24 ) utm=2 stm=0 core=7 HZ=100
runtime.cc:655]
runtime.cc:655]
                                  stack=0x76c717b000-0x76c717d000 stackSize=1043KB
runtime.cc:655]
                                held mutexes=
                                native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
runtime.cc:655]
                                  native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                                  native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                                  at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                                  - waiting on an unknown object
                                  at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                                  at java.util.concurrent.locks. Abstract Queued Synchronizer \$ Condition 0 bject.await (Abstract Queued Synchronizer.java: 2067)
runtime.cc:655]
                                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
runtime.cc:655]
                                  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
                                  at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
```

at java. util. concurrent. Thread Pool Executor \$ Worker. run (Thread Pool Executor. java: 641)

runtime.cc:655]

```
at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655]
runtime.cc:655] "Thread-35" prio=1 tid=60 Waiting
runtime.cc:655]
                 group="" sCount=1 dsCount=0 flags=1 obj=0x143c2a30 self=0x78cef1d970
runtime.cc:655]
                sysTid=22193 nice=19 cgrp=default sched=0/0 handle=0x76c7174cc0
runtime.cc:655] | state=S schedstat=( 21774111 2321514 21 ) utm=2 stm=0 core=7 HZ=100
runtime.cc:655]
                 stack=0x76c7071000-0x76c7073000 stackSize=1043KB
runtime.cc:655]
                 held mutexes=
runtime.cc:655]
                 native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                 - waiting on an unknown object
runtime.cc:655]
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                  at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition Object. await (Abstract Queued Synchronizer. java: 2067)
runtime.cc:655]
runtime.cc:655]
                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                 at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-32" prio=1 tid=61 Waiting
\texttt{runtime.cc:655} \qquad | \texttt{ group=""" sCount=1 dsCount=0 flags=1 obj=0x143c2af8 self=0x78cef14e60} \\
runtime.cc:655] | sysTid=22190 nice=19 cgrp=default sched=0/0 handle=0x76cf05acc0
runtime.cc:655] | state=S schedstat=( 18987596 10199169 27 ) utm=1 stm=0 core=7 HZ=100
runtime.cc:655] | stack=0x76cef57000-0x76cef59000 stackSize=1043KB
runtime.cc:655]
                 held mutexes=
                 native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655]
runtime.cc:655]
                 native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                 - waiting on an unknown object
runtime.cc:655]
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                 at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                 at java. lang. Thread. run(Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-39" prio=5 tid=62 Waiting
                 group="" sCount=1 dsCount=0 flags=1 obj=0x12f01d88 self=0x78cef22ce0
runtime.cc:655]
runtime.cc:655] | sysTid=22356 nice=0 cgrp=default sched=0/0 handle=0x77504becc0
runtime.cc:655] | state=S schedstat=( 35519473 33349221 105 ) utm=3 stm=0 core=6 HZ=100
runtime.cc:655] | stack=0x77503bb000-0x77503bd000 stackSize=1043KB
runtime.cc:655]
                 held mutexes=
runtime.cc:655]
                 native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655]
                 native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                 - waiting on an unknown object
runtime.cc:655]
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                 at java.util.concurrent.locks. Abstract Queued Synchronizer \$ Condition 0 bject.await (Abstract Queued Synchronizer.java: 2067)
runtime.cc:655]
runtime.cc:655]
                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                  at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,getTask\,(ThreadPoolExecutor.\,java:1092)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                 at java. lang. Thread. run(Thread. java:923)
runtime.cc:655]
runtime.cc:655] "Thread-37" prio=5 tid=63 Waiting
                 | group="
                            sCount=1 dsCount=0 flags=1 obj=0x12f016d8 self=0x78cef01c70
runtime.cc:655]
runtime.cc:655] | sysTid=22354 nice=0 cgrp=default sched=0/0 handle=0x77506dfcc0
runtime.cc:655] | state=S schedstat=( 31332970 3458278 142 ) utm=3 stm=0 core=5 HZ=100
runtime.cc:655] | stack=0x77505dc000-0x77505de000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655]
                  native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                 native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                 - waiting on an unknown object
runtime.cc:655]
                 at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                 at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                  at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
                  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
runtime.cc:655]
                 at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                 at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                  at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-38" prio=5 tid=64 Waiting
```

group="" sCount=1 dsCount=0 flags=1 obj=0x12f01a30 self=0x78cef248b0

```
runtime.cc:655]
                       sysTid=22355 nice=0 cgrp=default sched=0/0 handle=0x77505d3cc0
                       | state=S schedstat=( 31309689 3603077 109 ) utm=2 stm=1 core=6 HZ=100
runtime.cc:655]
runtime.cc:655]
                      stack=0x77504d0000-0x77504d2000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655]
                      native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                       at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                      - waiting on an unknown object
runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655] at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655] at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                       at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-41" prio=1 tid=65 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x12fc7bf8 self=0x78cef21110
                      sysTid=22357 nice=19 cgrp=default sched=0/0 handle=0x7750346cc0
runtime.cc:655]
runtime.cc:655]
                       | state=S schedstat=( 13835427 20803281 114 ) utm=1 stm=0 core=6 HZ=100
runtime.cc:655]
                      | stack=0x7750243000-0x7750245000 stackSize=1043KB
runtime.cc:655] | held mutexes=
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                      at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
                       - waiting on an unknown object
runtime.cc:655]
                       at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                      at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
runtime.cc:655]
                     at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                      at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                       at java.lang.Thread.run(Thread.java:923)
runtime.cc:655]
runtime.cc:655] "Thread-40" prio=1 tid=66 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x12f87bf8 self=0x78cef26480
runtime.cc:655] | sysTid=22358 nice=19 cgrp=default sched=0/0 handle=0x774fc6ccc0
                      | state=S schedstat=( 19712919 4421199 32 ) utm=1 stm=0 core=6 HZ=100
runtime.cc:655]
                       | stack=0x774fb69000-0x774fb6b000 stackSize=1043KB
runtime.cc:655]
                      held mutexes=
runtime.cc:655]
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655]
                      at sun. misc. Unsafe. park (Native method)
runtime.cc:655]
                       - waiting on an unknown object
                       at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                       at java. util. concurrent. 1 ocks. Abstract Queued Synchronizer \$ Condition 0 bject. await (Abstract Queued Synchronizer. java: 2067)
runtime.cc:655]
runtime.cc:655] at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655] at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                      at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
runtime.cc:655]
                       at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-42" prio=1 tid=67 Waiting
runtime.cc:655] \\ | group=""" sCount=1 dsCount=0 flags=1 obj=0x12f87de8 self=0x78cef28050 | group="" sCount=1 dsCount=0 flags=1 obj=0x12f87de8 self=0x78cef28050 | group=""" scount=1 dsCount=0 flags=1 obj=0x12f87de8 self=0x78cef28050 | group="" scount=1 dsCount=0 flags=1 obj=0x12f87de8 self=0x78cef28050 | group="" scount=1 dsCount=0 flags=1 obj=0x12f87de8 | group="" scount=1 dsCount=0 flags=1 obj=0x12f87de8 | group="" scount=1 dsCount=0 flags=1 obj=0x12f87de8 | group=" scount=1 dsCount=0 flags=1 dsCount=0 flag
runtime.cc:655] | sysTid=22359 nice=19 cgrp=default sched=0/0 handle=0x774dlaacc0
\texttt{runtime.cc:655} \qquad | \  \, \texttt{state=S} \  \, \texttt{schedstat=(20152033\ 3758335\ 37\ )} \  \, \texttt{utm=2} \  \, \texttt{stm=0} \  \, \texttt{core=7} \  \, \texttt{HZ=100}
runtime.cc:655]
                       | stack=0x774d0a7000-0x774d0a9000 stackSize=1043KB
                      held mutexes=
runtime.cc:655]
runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
runtime.cc:655] native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
runtime.cc:655] native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
runtime.cc:655] at sun.misc.Unsafe.park(Native method)
runtime.cc:655]
                       - waiting on an unknown object
runtime.cc:655]
                       at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
runtime.cc:655]
                       at java. util. concurrent. locks. Abstract Queued Synchronizer \$ Condition Object. await (Abstract Queued Synchronizer. java: 2067) \\
runtime.cc:655]
                       at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
runtime.cc:655]
                      at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
runtime.cc:655]
                      at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
runtime.cc:655]
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
runtime.cc:655]
                       at java. lang. Thread. run (Thread. java: 923)
runtime.cc:655]
runtime.cc:655] "Thread-43" prio=1 tid=68 Waiting
runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x12f47bf8 self=0x78cef2ef90
runtime.cc:655] | sysTid=22360 nice=19 cgrp=default sched=0/0 handle=0x774cf70cc0
runtime.cc:655] | state=S schedstat=( 17525572 14408959 106 ) utm=1 stm=0 core=5 HZ=100
runtime.cc:655]
                       | stack=0x774ce6d000-0x774ce6f000 stackSize=1043KB
```

held mutexes=

```
native: #00 pc 00000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
     runtime.cc:655]
                            native: #01 pc 0000000000531194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
     runtime.cc:655]
     runtime.cc:655]
                            native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
     runtime.cc:655]
                           at sun. misc. Unsafe. park (Native method)
     runtime.cc:655]
                           - waiting on an unknown object
     runtime.cc:655]
                           at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
     runtime.cc:655]
                            at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
     runtime.cc:655]
                            at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
     runtime.cc:655]
                            at \ java. \, util. \, concurrent. \, ThreadPoolExecutor. \, getTask \, (ThreadPoolExecutor. \, java: 1092)
                            at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
     runtime.cc:655]
     runtime.cc:655]
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     runtime.cc:655]
                            at java. lang. Thread. run (Thread. java: 923)
     runtime.cc:655]
     runtime.cc:655] "Thread-44" prio=1 tid=69 Waiting
                                         sCount=1 dsCount=0 flags=1 obj=0x12f898e8 self=0x78cef2b7f0
     runtime.cc:655]
     runtime.cc:655]
                            sysTid=22361 nice=19 cgrp=default sched=0/0 handle=0x76dcc26cc0
     runtime.cc:655] | state=S schedstat=( 17447811 2158230 21 ) utm=1 stm=0 core=7 HZ=100
     runtime.cc:655] | stack=0x76dcb23000-0x76dcb25000 stackSize=1043KB
     runtime.cc:655] | held mutexes=
                           native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
     runtime.cc:655]
     runtime.cc:655]
                            native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long)+480)
     runtime.cc:655]
                            native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
                           at sun. misc. Unsafe. park (Native method)
     runtime.cc:655]
     runtime.cc:655]
                           - waiting on an unknown object
     runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
                           at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
     runtime.cc:655]
     runtime.cc:655]
                            at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
     runtime.cc:655]
                            at \ java. \, util. \, concurrent. \, ThreadPoolExecutor. \, getTask \, (ThreadPoolExecutor. \, java: 1092)
     runtime.cc:655]
                            at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,runWorker\,(ThreadPoolExecutor.\,java:1152)
     runtime.cc:655]
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     runtime.cc:655]
                            at java. lang. Thread. run(Thread. java:923)
     runtime.cc:655]
     runtime.cc:655] "Thread-45" prio=1 tid=70 Waiting
     runtime.cc:655]
                                         sCount=1 dsCount=0 flags=1 obj=0x12f89a88 self=0x78cef2d3c0
     runtime.cc:655]
                           sysTid=22362 nice=19 cgrp=default sched=0/0 handle=0x76dcb1ccc0
     runtime.cc:655] | state=S schedstat=( 145286199 7005519 31 ) utm=13 stm=1 core=7 HZ=100
     runtime.cc:655] | stack=0x76dca19000-0x76dca1b000 stackSize=1043KB
     runtime.cc:655] | held mutexes=
     runtime.cc:655] native: #00 pc 000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscall+28)
                           native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
     runtime.cc:655]
                            native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
     runtime.cc:655]
     runtime.cc:655]
                            at sun.misc.Unsafe.park(Native method)
     runtime.cc:655]
                           - waiting on an unknown object
     runtime.cc:655]
                          at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
     runtime.cc:655]
                           at java. util. concurrent. 1 ocks. Abstract Queued Synchronizer \$ Condition 0 bject. await (Abstract Queued Synchronizer. java: 2067) is a simple of the property of the pro
     runtime.cc:655]
                            at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
     runtime.cc:655]
                            at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1092)
                            at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1152)
     runtime.cc:655]
     runtime.cc:655]
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
                            at java.lang. Thread.run(Thread.java:923)
     runtime.cc:655]
     runtime.cc:655]
     runtime.cc:655] "Thread-46" prio=1 tid=71 Waiting
                           group="" sCount=1 dsCount=0 flags=1 obj=0x12f89c40 self=0x78cef29c20
     runtime.cc:655]
     runtime.cc:655]
                            sysTid=22363 nice=19 cgrp=default sched=0/0 handle=0x76d7f36cc0
     runtime.cc:655]
                           | state=S schedstat=( 15971144 2476926 22 ) utm=1 stm=0 core=7 HZ=100
     runtime.cc:655] | stack=0x76d7e33000-0x76d7e35000 stackSize=1043KB
     runtime.cc:655] | held mutexes=
     runtime.cc:655]
                           native: #01 pc 00000000005a1194 /apex/com.android.art/lib64/libart.so (art::Thread::Park(bool, long) +480)
     runtime.cc:655]
                            native: #02 pc 00000000004da64c /apex/com.android.art/lib64/libart.so (art::Unsafe_park(_JNIEnv*, _jobject*, unsigned char, long)+660)
     runtime.cc:655]
                            at sun.misc.Unsafe.park(Native method)
     runtime.cc:655]
                           - waiting on an unknown object
     runtime.cc:655] at java.util.concurrent.locks.LockSupport.park(LockSupport.java:190)
     runtime.cc:655]
                           at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2067)
     runtime.cc:655]
                            at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)
     runtime.cc:655]
                            at \ java. \, util. \, concurrent. \, ThreadPoolExecutor. \, getTask \, (ThreadPoolExecutor. \, java: 1092)
     runtime.cc:655]
                            at java.\,util.\,concurrent.\,ThreadPoolExecutor.\,runWorker\,(ThreadPoolExecutor.\,java:1152)
     runtime.cc:655]
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:641)
     runtime.cc:655]
                            at java.lang. Thread.run(Thread.java:923)
     runtime.cc:655]
     runtime.cc:655] "Thread-48" prio=1 tid=72 Waiting
     runtime.cc:655] | group="" sCount=1 dsCount=0 flags=1 obj=0x12f89fb0 self=0x78cef30b60
                            sysTid=22365 nice=19 cgrp=default sched=0/0 handle=0x76c706acc0
     runtime.cc:655]
                           \mid state=S schedstat=( 17697604 3665156 16 ) utm=1 stm=0 core=7 HZ=100
     runtime.cc:655]
     runtime.cc:655] | stack=0x76c6f67000-0x76c6f69000 stackSize=1043KB
     runtime.cc:655] | held mutexes=
     runtime.cc:655] native: #00 pc 0000000000004b34c /apex/com.android.runtime/lib64/bionic/libc.so (syscal1+28)
D/sentry-native: captured backtrace with 22 frames
```

D/sentry-native: merging scope into event

trying to read modules from /proc/self/maps

```
D/sentry-native: inspecting module "[anon:dalvik-/apex/com.android.art/javalib/boot.art]"
    inspecting module "[anon:dalvik-/apex/com.android.art/javalib/boot-core-libart.art]
    inspecting \ \ module \ \ "[anon:dalvik-/apex/com. and roid.art/javalib/boot-core-icu4j.art]" \\
    inspecting module "[anon:dalvik-/apex/com.android.art/javalib/boot-okhttp.art]"
    inspecting \ \ module \ \ "[anon:dalvik-/apex/com. and roid. art/javalib/boot-bouncy castle. art]"
    inspecting module "[anon:dalvik-/apex/com.android.art/javalib/boot-apache-xml.art]"
D/sentry-native: inspecting module "/apex/com.android.art/javalib/arm64/boot.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot.vdex"
    inspecting module "/apex/com.android.art/javalib/arm64/boot.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-core-libart.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-core-libart.vdex"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-core-libart.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-core-icu4j.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-core-icu4j.vdex"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-core-icu4j.oat"
D/sentry-native: inspecting module "/apex/com.android.art/javalib/arm64/boot-okhttp.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-okhttp.vdex"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-okhttp.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-bouncycastle.vdex"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-bouncycastle.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-apache-xml.oat"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-apache-xml.vdex"
    inspecting module "/apex/com.android.art/javalib/arm64/boot-apache-xml.oat"
    inspecting module "[anon:dalvik-/system/framework/boot-framework.art]"
    inspecting module "[anon:dalvik-/system/framework/boot-ext.art]"
    inspecting module "[anon:dalvik-/system/framework/boot-telephony-common.art]"
    inspecting module "[anon:dalvik-/system/framework/boot-voip-common.art]"
    inspecting \ module \ "[anon:dalvik-/system/framework/boot-ims-common.art]"
    inspecting module "[anon:dalvik-/system/framework/boot-framework-atb-backward-compatibility.art]"
    inspecting module "[anon:dalvik-/system/framework/boot-org.ifaa.android.manager.art]"
    inspecting module "[anon:dalvik-/system/framework/boot-telephony-ext.art]"
    inspecting module "[anon:dalvik-/system/framework/boot-WfdCommon.art]"
D/sentry-native: inspecting module "/system/framework/arm64/boot-framework.oat"
    inspecting module "/system/framework/boot-framework.vdex"
    inspecting module "/system/framework/arm64/boot-framework.oat"
    inspecting module "/system/framework/arm64/boot-ext.oat"
    inspecting module "/system/framework/boot-ext.vdex"
    inspecting module "/system/framework/arm64/boot-ext.oat"
    inspecting module "/system/framework/arm64/boot-telephony-common.oat"
    inspecting \ module \ {\it "/system/framework/boot-telephony-common.vdex"}
    inspecting module "/system/framework/arm64/boot-telephony-common.oat"
    inspecting module "/system/framework/arm64/boot-voip-common.oat"
    inspecting module "/system/framework/boot-voip-common.vdex"
    inspecting module "/system/framework/arm64/boot-voip-common.oat"
D/sentry-native: inspecting module "/system/framework/arm64/boot-ims-common.oat"
    inspecting module "/system/framework/boot-ims-common.vdex"
    inspecting module "/system/framework/arm64/boot-ims-common.oat"
    inspecting module "/system/framework/arm64/boot-framework-atb-backward-compatibility.oat"
    inspecting module "/system/framework/boot-framework-atb-backward-compatibility.vdex"
    inspecting module "/system/framework/arm64/boot-framework-atb-backward-compatibility.oat"
    inspecting module "/system/framework/arm64/boot-org.ifaa.android.manager.oat"
    inspecting module "/system/framework/boot-org.ifaa.android.manager.vdex"
    inspecting module "/system/framework/arm64/boot-org.ifaa.android.manager.oat"
    inspecting module "/system/framework/arm64/boot-telephony-ext.oat"
    inspecting module "/system/framework/boot-telephony-ext.vdex"
    inspecting module "/system/framework/arm64/boot-telephony-ext.oat"
    inspecting module "/system/framework/arm64/boot-WfdCommon.oat"
    inspecting module "/system/framework/boot-WfdCommon.vdex"
D/sentry-native: inspecting module "/system/framework/arm64/boot-WfdCommon.oat"
D/sentry-native: inspecting module "/system/bin/app_process64"
\hbox{D/sentry-native: inspecting module "/vendor/lib64/hw/gralloc.sdm845.so"}
D/sentry-native: inspecting module "/data/app/~~r1VGlvqyCkAmpBNsK3wNiA==/com. jetbrains. handson. androidApp-dtKVfLBqhXGkdf0g5ZBvoQ==/base. apk"
    inspecting module "[anon:dalvik-classes25.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
    inspecting module "[anon:dalvik-classes17.dex extracted in memory from /data/app/~~r1VGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
    inspecting module "[anon:dalvik-classes.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkdf
    inspecting module "/data/data/com.jetbrains.handson.androidApp/code_cache/startup_agents/258aa4b3-agent.so"
    inspecting module "/apex/com.android.art/lib64/libopenjdkjvmti.so"
\hbox{D/sentry-native: inspecting module "/apex/com. and roid. art/lib64/libart-dex layout. so"}
    inspecting module "/system/lib64/libwebviewchromium_loader.so"
    inspecting module "/system/lib64/libcompiler_rt.so"
    inspecting module "/vendor/lib64/egl/eglSubDriverAndroid.so"
    inspecting module "/vendor/lib64/eg1/libGLESv1_CM_adreno.so"
D/sentry-native: inspecting module "/vendor/lib64/eg1/libGLESv2_adreno.so"
    inspecting module "/vendor/lib64/lib11vm-glnext.so"
    inspecting module "/vendor/lib64/libgs1.so"
    inspecting module "/apex/com.android.vndk.v30/lib64/libz.so"
    inspecting module "/vendor/lib64/egl/libEGL adreno.so"
    inspecting module "/vendor/lib64/libadreno_utils.so"
```

D/sentry-native: inspecting module "/vendor/lib64/vendor.qti.hardware.display.mapper@1.0.so"

```
inspecting module "/vendor/lib64/libgrallocutils.so"
                                         [anon:dalvik-classes24.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
       inspecting \ module \ "/vendor/lib64/hw/android.hardware.graphics.mapper @2.0-impl-qti-display.so" \ and \ are the support of the support o
       inspecting module "/apex/com. android. vndk. v30/lib64/android. hardware. graphics. common@1.2. so"
       inspecting module "[anon:dalvik-classes21.dex extracted in memory from /data/app/~~r1VGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
       inspecting module "/vendor/lib64/libgralloccore.so"
D/sentry-native: inspecting module "/apex/com, android, vndk, v30/lib64/libbase, so"
       inspecting module "/apex/com.android.vndk.v30/lib64/libutils.so"
       inspecting module "[anon:dalvik-classes18.dex extracted in memory from /data/app/~~r1VGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
       inspecting module "/vendor/lib64/vendor.qti.hardware.display.mapper@1.1.so"
       inspecting module "/apex/com. android. vndk. v30/lib64/android. hardware. graphics. common@1.1. so"
       inspecting module "/apex/com. android. vndk. v30/lib64/libprocessgroup. so"
       inspecting module "/data/app/~~r1VGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkdfOg5ZBvoQ==/base.apk"
       inspecting module "/vendor/lib64/libhidltransport.so"
                                         /apex/com. android. vndk. v30/lib64/android. hardware. graphics. mapper@2. 0. so"
       inspecting module
       inspecting module "[anon:dalvik-classes7.dex extracted in memory from /data/app/^~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkd
D/sentry-native: inspecting module "/apex/com.android.vndk.v30/1ib64/android.hardware.graphics.mapper@2.1.so"
       inspecting module "/apex/com.android.vndk.v30/lib64/libc++.so"
       inspecting \ module \ ''/apex/com. \ and roid. \ vndk. \ v30/lib64/and roid. \ hardware. \ common-V1-ndk\_platform. \ so''
       inspecting module "[anon:dalvik-classes22.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains, handson.androidApp-dtKVfLBqhXGk
       inspecting module "/data/data/com.jetbrains.handson.androidApp/code_cache/.overlay/base.apk/classes21.dex"
       inspecting module "/vendor/lib64/libqdMetaData.so"
       inspecting module "[anon:dalvik-classes23.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
       inspecting module "/data/data/com.jetbrains.handson.androidApp/code_cache/.overlay/base.apk/classes7.dex"
       inspecting module "/apex/com.android.vndk.v30/lib64/libgralloctypes.so"
       inspecting module "/data/data/com.jetbrains.handson.androidApp/code_cache/.overlay/base.apk/classes18.dex"
       inspecting module "/vendor/lib64/libgralloc.qti.so"
       inspecting module "[anon:dalvik-classes20.dex extracted in memory from /data/app/~~r1VGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
D/sentry-native: inspecting module "/apex/com.android.vndk.v30/lib64/libhidlbase.so"
       inspecting \ module \ "[anon:dalvik-classes 19. \ dex \ extracted \ in \ memory \ from \ /data/app/^{\sim}r1VGlvqyCkAmpBNsK3wNiA==/com. \ jetbrains. \ handson. \ androidApp-dtKVfLBqhXGkapBNsK3wNiA==/com. \ jetbrains. \ handson. \
       inspecting module "[anon:dalvik-classes14.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
       inspecting module "/apex/com. android. vndk. v30/lib64/android. hardware. graphics. common-V1-ndk_platform. so"
       inspecting module "[anon:dalvik-classes12.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
       inspecting module "/apex/com.android.vndk.v30/lib64/android.hardware.graphics.mapper@4.0.so"
       inspecting module "[anon:dalvik-classes16.dex extracted in memory from /data/app/~~r1VGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
       inspecting module "/apex/com. android. vndk. v30/lib64/libcutils. so"
       inspecting module "[anon:dalvik-classes10.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
       inspecting module "[anon:dalvik-classes8.dex extracted in memory from /data/app/^~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkd
       inspecting module "/apex/com. android. vndk. v30/lib64/android. hardware. graphics. common@1.0. so"
       inspecting module "/apex/com.android.vndk.v30/lib64/libhardware.so"
       inspecting module "/data/app/^~r1VGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkdf0g5ZBvoQ==/base.apk"
D/sentry-native: inspecting module "/system/framework/oat/arm64/android.test.base.odex"
       inspecting module "/system/framework/oat/arm64/android.test.base.vdex"
       inspecting module "/system/framework/oat/arm64/android.test.base.odex" and the statement of the statement o
       inspecting module "/system/framework/oat/arm64/android.hidl.manager-V1.0-java.odex"
       inspecting module "/system/framework/oat/arm64/android.hidl.manager-V1.0-java.vdex"
       inspecting module "/system/framework/oat/arm64/android.hidl.manager-V1.O-java.odex"
       inspecting module "/system/framework/oat/arm64/android.hidl.base-V1.0-java.odex"
       inspecting module "/system/framework/oat/arm64/android.hidl.base-V1.0-java.vdex"
       inspecting module "/system/framework/oat/arm64/android.hidl.base-V1.0-java.odex"
       inspecting module "/system/framework/framework-res.apk"
       inspecting module "/system/lib64/librs jni.so"
       inspecting module "[anon:dalvik-classes4.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkd
       inspecting module "/system/usr/hyphen-data/hyph-nn.hyb"
{\tt D/sentry-native: inspecting \ module \ ''/system/usr/hyphen-data/hyph-nb.\,hyb''}
D/sentry-native: inspecting module "/system/lib64/libmediadrmmetrics full.so"
       inspecting module "[anon:dalvik-classes3.dex extracted in memory from /data/app/^~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkd
       inspecting module "/system/lib64/libmtp.so"
D/sentry-native: inspecting module "/system/lib64/libmediadrmmetrics_consumer.so"
       inspecting module "/system/usr/hyphen-data/hyph-hu.hyb"
D/sentry-native: inspecting module "/system/lib64/libmedia_jni.so"
       inspecting module "[anon:dalvik-classes2.dex extracted in memory from /data/app/^~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkd
       inspecting module "/system/usr/hyphen-data/hyph-de-ch-1901.hyb"
D/sentry-native: inspecting module "/system/lib64/libprotobuf-cpp-full.so"
       inspecting module "/system/usr/hyphen-data/hyph-de-1996.hyb"
       inspecting module "/system/lib64/libsonivox.so"
       inspecting module "/data/data/com.jetbrains.handson.androidApp/code_cache/.overlay/base.apk/classes3.dex"
       inspecting module "/system/usr/hyphen-data/hyph-de-1901.hyb"
D/sentry-native: inspecting module "/system/lib64/libasyncio.so"
       inspecting module "/system/framework/framework-res.apk"
       inspecting module "/system/lib64/libaudioeffect_jni.so"
       inspecting module "/data/data/com. jetbrains. handson. androidApp/code cache/. overlay/base. apk/classes19. dex"
       inspecting module "/system/lib64/libsoundpool.so"
       inspecting module "[anon:dalvik-classes9.dex extracted in memory from /data/app/^~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkd
       inspecting module "/data/data/com.jetbrains.handson.androidApp/code_cache/.overlay/base.apk/classes10.dex"
       inspecting module "/apex/com.android.tzdata/etc/tz/tzdata"
       inspecting module "/system/fonts/NotoSansAnatolianHieroglyphs-Regular.otf"
       inspecting module "/system/fonts/NotoSansMongolian-Regular.ttf"
       inspecting module "/system/fonts/NotoColorEmoji.ttf"
```

inspecting module "/system/fonts/NotoSerifCJK-Regular.ttc"

```
D/sentry-native: inspecting module "/system/fonts/NotoSansCJK-Regular.ttc"
      inspecting module "/system/fonts/NotoSansSymbols-Regular-Subsetted.ttf"
     inspecting module "/system/fonts/NotoSansTibetan-Bold.ttf"
     inspecting module "/system/fonts/NotoSansTibetan-Regular.ttf"
      inspecting module "/system/fonts/NotoSansEgyptianHieroglyphs-Regular.ttf"
      inspecting module "/system/fonts/NotoSansCuneiform-Regular.ttf"
      inspecting module "/system/product/fonts/ZillaSlab-SemiBoldItalic.ttf"
      inspecting module "/system/product/fonts/ZillaSlab-SemiBold.ttf"
      inspecting module "/system/product/fonts/ZillaSlab-MediumItalic.ttf"
     inspecting module "/system/product/fonts/ZillaSlab-Medium.ttf"
     inspecting module "/system/product/fonts/Lato-BoldItalic.ttf"
      inspecting module "/system/product/fonts/Lato-Bold.ttf"
     inspecting module "/system/product/fonts/Lato-Italic.ttf"
      inspecting module "/system/product/fonts/Lato-Regular.ttf"
      inspecting module "/system/fonts/SourceSansPro-Bold.ttf"
     inspecting module "/system/fonts/SourceSansPro-SemiBold.ttf"
     inspecting module "/system/fonts/RobotoCondensed-BoldItalic.ttf"
      inspecting module "/system/fonts/RobotoCondensed-Bold.ttf"
     inspecting \ module \ {\it "/system/fonts/RobotoCondensed-MediumItalic.ttf"}
     inspecting module "/system/fonts/RobotoCondensed-Medium.ttf"
      inspecting module "/system/lib64/libssl.so"
D/sentry-native: inspecting module "/system/lib64/libcrypto.so"
     inspecting module "/system/lib64/libc++.so"
     inspecting module "/system/fonts/NotoSansYi-Regular.ttf"
     inspecting module "/apex/com. android. conscrypt/lib64/libjavacrypto. so"
     inspecting module "/apex/com.android.i18n/etc/icu/icudt661.dat"
     inspecting module "/apex/com.android.os.statsd/lib64/libstats_jni.so"
\hbox{D/sentry-native: inspecting module "/system/fonts/NotoSansBamum-Regular.ttf"}
D/sentry-native: inspecting \ module \ ''/data/data/com. jetbrains. \ handson. \ and roid App/code\_cache/startup\_agents/258aa4b3-agent. \ so''/data/data/com. jetbrains. \ handson. \ and roid App/code\_cache/startup\_agents/258aa4b3-agent. \ so''/data/data/com. jetbrains. \ handson. \ and roid App/code\_cache/startup\_agents/258aa4b3-agent. \ so''/data/data/com. jetbrains. \ handson. \
     inspecting module "/apex/com.android.art/lib64/libart-compiler.so"
     inspecting \ module \ {\it "/system/fonts/NotoSansBhaiksuki-Regular.otf"}
     inspecting module "/system/fonts/NotoSansMyanmarUI-Bold.otf"
     inspecting module "/apex/com.android.art/lib64/libvix1.so"
      inspecting module "/system/fonts/NotoSansMyanmarUI-Medium.otf"
\hbox{D/sentry-native: inspecting module "/apex/com. and roid. art/lib64/libopenjdk.so"}
     inspecting module "/system/fonts/NotoSansAdlam-VF.ttf"
     inspecting module "/apex/com.android.art/lib64/libopenjdkjvm.so"
     inspecting module "/system/fonts/NotoSansMyanmarUI-Regular.otf"
     inspecting module "/apex/com.android.i18n/etc/icu/icudt661.dat"
      inspecting module "/apex/com.android.art/lib64/libandroidio.so"
      inspecting module "/system/fonts/NotoSerifMyanmar-Bold.otf"
     inspecting module "/apex/com.android.art/lib64/libjavacore.so"
     inspecting module "/apex/com.android.art/lib64/libicu jni.so"
     inspecting module "/system/usr/hyphen-data/hyph-en-us.hyb"
\hbox{D/sentry-native: inspecting module "/system/fonts/RobotoCondensed-Italic.ttf"}
     inspecting module "/system/lib64/libwebviewchromium_plat_support.so"
D/sentry-native: inspecting module "/system/fonts/NotoSansLepcha-Regular.ttf"
     inspecting module "/system/lib64/libstdc++.so"
     inspecting \ module \ {\it "/system/fonts/NotoSerifMyanmar-Regular.otf"}
     inspecting module "/system/lib64/android.hardware.renderscript@1.0.so"
     inspecting module "/system/usr/hyphen-data/hyph-en-gb.hyb"
     inspecting module "/system/fonts/NotoSansMyanmar-Bold.otf"
     inspecting module "/system/lib64/libRS.so"
      inspecting module "/system/fonts/RobotoCondensed-Regular.ttf"
     inspecting module "/system/lib64/libutilscallstack.so"
D/sentry-native: inspecting module "[anon:dalvik-classes15.dex extracted in memory from /data/app/~r1VGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp
     inspecting module "/system/usr/hyphen-data/hyph-cu.hyb"
     inspecting module "/system/lib64/lib0penSLES.so"
      inspecting \ module \ {\it "/system/fonts/NotoSansMyanmar-Medium.otf"}
      inspecting module "/system/lib64/lib0penMAXAL.so"
      inspecting module "[anon:dalvik-/system/framework/framework.jar-transformed]"
     inspecting module "/system/fonts/RobotoCondensed-LightItalic.ttf"
D/sentry-native: inspecting module "/system/lib64/libjnigraphics.so"
     inspecting module "/system/fonts/NotoSansMyanmar-Regular.otf"
     inspecting module "/system/lib64/libcamera2ndk.so"
     inspecting module "/system/fonts/NotoSansKhmer-VF.ttf"
      inspecting module "/system/lib64/libamidi.so"
     inspecting module "/system/fonts/NotoSansSinhalaUI-Bold.otf"
     inspecting module "/system/lib64/libaaudio.so"
     inspecting module "[anon:dalvik-classes13.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
      inspecting module "/system/fonts/NotoSansSinhalaUI-Medium.otf"
      inspecting module "/system/fonts/NotoSansSinhalaUI-Regular.otf"
      inspecting module "/system/lib64/libaaudio_internal.so"
      inspecting module "/system/fonts/SourceSansPro-Regular.ttf"
     inspecting module "/system/lib64/libandroid.so"
D/sentry-native: inspecting module "/system/usr/hyphen-data/hyph-ga.hyb"
D/sentry-native: inspecting module "/system/fonts/NotoSerifSinhala-Bold.otf"
     inspecting module "/system/lib64/libpowermanager.so"
     inspecting module "/system/fonts/NotoSansNewa-Regular.otf"
```

inspecting module "/system/lib64/libxm12.so"

```
inspecting module "[anon:dalvik-/system/framework/framework.jar-transformed]"
    inspecting module "/system/fonts/NotoSansSinhala-Bold.otf"
    inspecting module "/apex/com.android.art/lib64/libperfetto_hprof.so"
    inspecting module "[anon:dalvik-classes.dex extracted in memory from /data/data/com.jetbrains.handson.androidApp/code_cache/.studio/instruments-69ca3d76.
    inspecting module "/system/fonts/NotoSansSinhala-Medium.otf"
    inspecting module "/apex/com.android.art/lib64/libadbconnection.so"
    inspecting module "[anon:dalvik-classes11.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGk
D/sentry-native: inspecting module "/system/fonts/NotoSansMarchen-Regular.otf"
    inspecting module "/system/fonts/NotoSansSinhala-Regular.otf"
    inspecting module "/apex/com.android.adbd/lib64/libadbconnection_client.so"
    inspecting module "/system/usr/hyphen-data/hyph-cy.hyb"
D/sentry-native: inspecting module "/system/fonts/NotoSansOriyaUI-Bold.ttf"
    inspecting module "/system/fonts/Roboto-BoldItalic.ttf"
    inspecting module "/apex/com.android.wifi/javalib/framework-wifi.jar"
    inspecting module "/apex/com.android.media/javalib/updatable-media.jar"
    inspecting module "/apex/com.android.conscrypt/javalib/conscrypt.jar"
D/sentry-native: inspecting module "[anon:dalvik-allocspace zygote / non moving space mark-bitmap 0]"
    inspecting module "[anon:dalvik-allocspace zygote / non moving space live-bitmap 0]"
    inspecting module "/system/framework/voip-common.jar"
    inspecting module "/system/framework/telephony-common.jar"
    inspecting module "/system/framework/framework.jar"
    inspecting module "/apex/com.android.art/javalib/core-icu4j.jar"
    inspecting module "/apex/com.android.art/javalib/core-oj.jar'
    inspecting module "/apex/com.android.art/lib64/libart.so"
    inspecting module "[anon:dalvik-classes5.dex extracted in memory from /data/app/~~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkd
D/sentry-native: inspecting module "/system/fonts/NotoSansOriyaUI-Regular.ttf"
    inspecting module "/system/lib64/libmediautils.so"
    inspecting module "/system/lib64/libandroid runtime.so"
    inspecting module "/system/fonts/NotoSerifTelugu-Bold.ttf"
    inspecting module "/system/lib64/libcgrouprc.so"
    inspecting module "/system/usr/hyphen-data/hyph-et.hyb"
{\tt D/sentry-native: inspecting \ module \ ''/system/fonts/NotoSerifTelugu-Regular.ttf''}
    inspecting module "/system/lib64/libunwindstack.so"
    inspecting module "/system/framework/android.test.base.jar"
    inspecting module "/system/fonts/NotoSansTeluguUI-Bold.ttf"
    inspecting module "/system/lib64/libstagefright_omx_utils.so"
    inspecting module "/system/framework/android.hidl.manager-V1.0-java.jar"
    inspecting module "/system/fonts/NotoSansWarangCiti-Regular.otf"
    inspecting module "/system/fonts/Roboto-BlackItalic.ttf"
    inspecting module "/system/lib64/libmedia_jni_utils.so"
    inspecting module "/system/fonts/NotoSansKhojki-Regular.otf"
    inspecting \ module \ {\it "/system/fonts/NotoSansTeluguUI-Regular.ttf"}
    inspecting module "/system/fonts/NotoSansTelugu-Regular.ttf"
    inspecting module "/system/lib64/libhardware.so"
    inspecting module "[anon:dalvik-/apex/com.android.art/javalib/core-libart.jar-transformed]"
    inspecting module "/system/fonts/NotoSansGunjalaGondi-Regular.otf"
D/sentry-native: inspecting module "/system/fonts/NotoSerifBengali-Bold.ttf"
    inspecting module "/system/lib64/libhidlallocatorutils.so"
    inspecting module "[anon:dalvik-classes6.dex extracted in memory from /data/app/^~rlVGlvqyCkAmpBNsK3wNiA==/com.jetbrains.handson.androidApp-dtKVfLBqhXGkd
    inspecting module "/system/fonts/NotoSerifBengali-Regular.ttf"
    inspecting module "/system/lib64/android.system.suspend@1.0.so"
    inspecting module "/system/fonts/NotoSansSharada-Regular.otf"
    inspecting module "/system/fonts/NotoSansLinearA-Regular.otf"
    inspecting module "/system/fonts/NotoSansGujaratiUI-Bold.ttf"
    inspecting module "/system/lib64/libnativedisplay.so"
    inspecting \ module \ "[anon:dalvik-/apex/com. and roid. art/javalib/core-oj. jar-transformed]" \\
    inspecting module "/system/fonts/NotoSansOriya-Bold.ttf"
    inspecting module "/system/lib64/libmediandk.so"
    inspecting module "/system/fonts/NotoSansVai-Regular.ttf"
    inspecting module "/system/lib64/libvintf.so"
    inspecting module "/system/fonts/NotoSansMasaramGondi-Regular.otf"
    inspecting module "/system/fonts/NotoSansTaiTham-Regular.ttf"
    inspecting module "/system/fonts/NotoSansGujaratiUI-Regular.ttf"
    inspecting module "/system/lib64/libmediadrmmetrics_lite.so"
D/sentry-native: inspecting module "/system/fonts/NotoSansOriya-Regular.ttf"
    inspecting module "/system/fonts/NotoSansGujarati-Bold.ttf"
    inspecting module "/system/lib64/libcodec2_hid1_client@1.0.so"
    inspecting module "/system/fonts/NotoSansTelugu-Bold.ttf"
    inspecting module "/system/lib64/libbufferhubqueue.so"
    inspecting module "/system/fonts/Roboto-MediumItalic.ttf"
    inspecting module "/system/lib64/server_configurable_flags.so"
    inspecting module "/system/fonts/NotoSansSyriacWestern-Regular.ttf"
    inspecting module "/system/lib64/libmedia_omx_client.so"
    inspecting module "/system/usr/hyphen-data/hyph-es.hyb"
{\tt D/sentry-native: inspecting \ module \ ''/system/fonts/Roboto-Bold.ttf''}
    inspecting module "/system/lib64/libdataloader.so"
    inspecting module "/system/fonts/NotoSerifKannada-Bold.ttf"
    inspecting module "/system/fonts/NotoSansGujarati-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.media@1.0.so"
```

inspecting module "/system/fonts/NotoSansKannadaUI-Bold.ttf"

```
D/sentry-native: inspecting module "/system/lib64/lib1zma.so"
    inspecting module "/system/fonts/Roboto-Black.ttf"
    inspecting module "/system/lib64/libandroid_runtime_lazy.so"
    inspecting \ module \ "/vendor/overlay/framework-res\_auto\_generated\_rro\_vendor.apk"
    inspecting module "/system/fonts/NotoSansLinearB-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.configstore@1.0.so"
    inspecting module "/system/fonts/NotoSerifKannada-Regular.ttf"
    inspecting module "/system/fonts/NotoSansDevanagariUI-Medium.otf"
    inspecting module "/system/lib64/libcodec2.so"
    inspecting module "/system/fonts/NotoSansKannadaUI-Regular.ttf"
    inspecting module "/system/lib64/libmediandk_utils.so"
    inspecting module "/system/fonts/NotoSansPhagsPa-Regular.ttf"
    inspecting module "/system/fonts/Roboto-Medium.ttf"
    inspecting module "/system/lib64/libprocinfo.so"
{\tt D/sentry-native: inspecting \ module \ ''/system/fonts/RobotoCondensed-Light.ttf''}
    inspecting module "/system/lib64/android.hardware.cas@1.0.so"
    inspecting module "/system/fonts/NotoSansDevanagari-Bold.otf"
    inspecting module "/system/lib64/libgraphicsenv.so"
    inspecting module "/system/fonts/NotoSansWancho-Regular.otf"
    inspecting module "/system/fonts/NotoSansDevanagari-Medium.otf"
    inspecting module "/system/fonts/NotoSansDevanagari-Regular.otf"
    inspecting module "/system/lib64/libjpeg.so"
    inspecting module "/system/fonts/NotoSansHanifiRohingya-Regular.otf"
    inspecting module "/system/fonts/NotoSerifEthiopic-Bold.otf"
    inspecting module "/system/lib64/libmemtrack.so"
    inspecting module "/system/fonts/NotoSerifSinhala-Regular.otf"
    inspecting module "/system/fonts/NotoSansEthiopic-Bold.ttf"
    inspecting module "/system/lib64/libnblog.so"
    inspecting module "/vendor/etc/passwd"
    inspecting module "/system/fonts/NotoSansKaithi-Regular.ttf"
{\tt D/sentry-native: inspecting \ module \ ''/system/lib64/libandroidfw.so''}
    inspecting \ module \ {\it "/system/fonts/NotoSansSyriacEastern-Regular.ttf"}
    inspecting module "/system/lib64/libmedia_helper.so"
    inspecting module "/system/fonts/NotoSansMiao-Regular.otf"
    inspecting module "/system/fonts/NotoSansEthiopic-Regular.ttf"
    inspecting module "/system/lib64/libsync.so"
    inspecting module "/system/framework/android.hidl.base-V1.0-java.jar"
    inspecting module "/system/fonts/Roboto-Italic.ttf"
    inspecting module "/apex/com.android.os.statsd/lib64/libstatspull.so"
    inspecting module "/system/fonts/NotoSansPauCinHau-Regular.otf"
    inspecting module "/system/fonts/NotoSansCherokee-Regular.ttf"
    inspecting module "/system/fonts/NotoNaskhArabicUI-Bold.ttf"
    inspecting module "/system/lib64/libbacktrace.so"
    inspecting \ \ module \ \ ''/system/fonts/NotoSansSymbols-Regular-Subsetted 2. \ ttf''
    inspecting module "/system/lib64/libprocessgroup.so"
    inspecting module "/system/fonts/NotoSansKannada-Bold.ttf"
    inspecting module "/system/lib64/libRScpp.so"
    inspecting module "/system/fonts/NotoSansSyriacEstrangela-Regular.ttf"
{\tt D/sentry-native: inspecting \ module \ ''/system/fonts/Roboto-LightItalic.ttf''}
    inspecting module "/system/lib64/libcodec2_hid1_client@1.1.so"
    inspecting module "/system/fonts/NotoSansChakma-Regular.otf"
    inspecting module "/system/lib64/libgui.so"
    inspecting module "/system/fonts/NotoSansPalmyrene-Regular.otf"
    inspecting module "/system/fonts/NotoSansCanadianAboriginal-Regular.ttf"
    inspecting module "/system/lib64/libharfbuzz_ng.so"
    inspecting module "/system/fonts/NotoSansBalinese-Regular.ttf"
    inspecting module "/system/lib64/libvulkan.so"
    inspecting module "/system/fonts/NotoSerifEthiopic-Regular.otf"
    inspecting module "/apex/com.android.art/lib64/libandroidicu.so"
    inspecting module "/system/fonts/NotoSansMeroitic-Regular.otf"
    inspecting module "/system/fonts/NotoSansLaoUI-Bold.ttf"
    inspecting \ module \ {\it "/system/fonts/NotoNaskhArabicUI-Regular.ttf"}
    inspecting module "/system/lib64/libstagefright_omx.so"
    inspecting module "/system/fonts/NotoSansKannada-Regular.ttf"
    inspecting module "/system/lib64/libexpat.so"
    inspecting module "/system/fonts/NotoSansBengaliUI-Medium.otf"
D/sentry-native: inspecting module "/system/lib64/libz.so"
    inspecting module "/system/fonts/NotoSansLaoUI-Regular.ttf"
    inspecting module "/system/fonts/NotoSerifLao-Bold.ttf"
    inspecting module "/system/fonts/NotoNaskhArabic-Bold.ttf"
    inspecting module "/system/lib64/libincfs.so"
    inspecting module "/system/fonts/NotoSansBengaliUI-Bold.otf"
    inspecting module "/system/fonts/NotoNaskhArabic-Regular.ttf"
    inspecting module "/system/lib64/libbpf.so"
    inspecting \ module \ {\it "/system/fonts/NotoSansDevanagariUI-Bold.otf"}
    inspecting module "/system/lib64/libhidlbase.so"
    inspecting module "/system/fonts/NotoSansTifinagh-Regular.otf"
    inspecting module "/system/product/fonts/BigShouldersText-ExtraBold.ttf"
    inspecting module "/system/lib64/android.frameworks.bufferhub@1.0.so"
    inspecting module "/system/fonts/NotoSansBengaliUI-Regular.otf"
```

```
inspecting module "/system/lib64/libnetdutils.so"
    inspecting module "/system/fonts/NotoSansManichaean-Regular.otf"
    inspecting module "/system/fonts/NotoSansBengali-Bold.otf"
    inspecting module "/system/product/fonts/Rubik-BoldItalic.ttf"
    inspecting module "/system/lib64/libstagefright_xmlparser.so"
    inspecting module "/system/fonts/NotoSerifLao-Regular.ttf"
    inspecting module "/system/product/fonts/Rubik-Bold.ttf"
D/sentry-native: inspecting module "/system/lib64/libmediametrics.so"
    inspecting \ module \ {\it "/system/fonts/NotoSansPahawhHmong-Regular.otf"}
    inspecting module "/system/fonts/NotoSansBengali-Medium.otf"
    inspecting module "/system/lib64/android.hardware.drm@1.1.so"
    inspecting module "/system/fonts/NotoSerifKhmer-Bold.otf"
    inspecting module "/system/product/fonts/Rubik-MediumItalic.ttf"
    inspecting module "/apex/com.android.art/lib64/libicuil8n.so"
    inspecting module "/system/fonts/NotoSansBengali-Regular.otf"
    inspecting \ module \ ''/system/lib64/libstagefright\_bufferqueue\_helper.so''
    inspecting module "/system/fonts/NotoSansTaiViet-Regular.ttf"
    inspecting module "/system/fonts/Roboto-Regular.ttf"
    inspecting module "/system/lib64/libnetd_client.so"
    inspecting \ module \ {\it "/system/fonts/NotoSansMalayalamUI-Bold.otf"}
    inspecting module "/system/fonts/NotoSansMalayalamUI-Medium.otf"
    inspecting module "/system/lib64/libGLESv1_CM.so"
    inspecting module "/system/usr/hyphen-data/hyph-sl.hyb"
D/sentry-native: inspecting module "/system/fonts/NotoSerif-BoldItalic.ttf"
    inspecting module "/system/lib64/libaudiofoundation.so"
    inspecting module "/system/usr/hyphen-data/hyph-mn-cyrl.hyb"
    inspecting module "/system/fonts/NotoSansSylotiNagri-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.graphics.common@1.1.so"
    inspecting module "/system/usr/hyphen-data/hyph-fr.hyb"
    inspecting module "/system/fonts/NotoSansLao-Bold.ttf"
    inspecting module "/system/fonts/NotoSansMalayalamUI-Regular.otf"
{\tt D/sentry-native: inspecting \ module \ ''/system/product/fonts/Rubik-Medium.}\ {\tt ttf''}
    inspecting module "/system/lib64/android.hidl.token@1.0-utils.so"
    inspecting module "/system/fonts/NotoSansSaurashtra-Regular.ttf"
    inspecting module "/system/fonts/NotoSerif-Italic.ttf"
    inspecting module "/system/lib64/libEGL.so"
    inspecting module "/system/fonts/NotoSansDevanagariUI-Regular.otf"
    inspecting module "/system/lib64/android.hardware.media.c2@1.0.so"
    inspecting \ module \ {\it "/system/fonts/NotoSansOldPermic-Regular.otf"}
    inspecting module "/system/fonts/NotoSansOldPersian-Regular.ttf"
    inspecting module "/system/fonts/NotoSerifMalayalam-Bold.ttf"
    inspecting module "/system/product/fonts/Rubik-Italic.ttf"
    inspecting module "/system/lib64/libstatslog.so"
    inspecting module "/system/fonts/NotoSerifMalayalam-Regular.ttf"
    inspecting module "/system/product/fonts/Rubik-Regular.ttf"
    inspecting module "/system/lib64/libcodec2_vndk.so"
    inspecting module "/system/fonts/NotoSansSoraSompeng-Regular.otf"
    inspecting module "/system/fonts/NotoSansLao-Regular.ttf"
    inspecting module "/system/lib64/libmediadrm.so"
    inspecting module "/system/fonts/NotoSansMalayalam-Bold.otf"
D/sentry-native: inspecting module "/system/product/fonts/GoogleSans-BoldItalic.ttf"
    inspecting module "/system/lib64/libpcre2.so"
    inspecting module "/system/fonts/NotoSerifDevanagari-Bold.ttf"
    inspecting module "/system/lib64/libstagefright_framecapture_utils.so"
    inspecting module "/system/fonts/NotoSansMalayalam-Medium.otf"
    inspecting module "/system/product/fonts/GoogleSans-Bold.ttf"
    inspecting module "/apex/com.android.os.statsd/lib64/libstatssocket.so"
    inspecting module "/system/fonts/NotoSansNKo-Regular.ttf"
    inspecting module "/system/fonts/Roboto-ThinItalic.ttf"
    inspecting module "/system/lib64/android.hardware.graphics.common@1.2.so"
    inspecting module "/system/fonts/NotoSansKhmerUI-Bold.ttf'
    inspecting module "/apex/com.android.runtime/lib64/bionic/libc.so"
    inspecting module "/system/fonts/NotoSansOldNorthArabian-Regular.otf"
    inspecting module "/system/fonts/NotoSansNewTaiLue-Regular.ttf"
    inspecting module "/system/fonts/NotoSerif-Bold.ttf"
    inspecting module "/system/lib64/libdexfile_support.so"
    inspecting module "/system/fonts/NotoSansMeeteiMayek-Regular.ttf"
    inspecting module "/system/fonts/NotoSerif-Regular.ttf"
    inspecting module "/system/lib64/libnativeloader lazy.so"
    inspecting module "/system/fonts/NotoSansNabataean-Regular.otf"
    inspecting module "/system/fonts/NotoSansMandaic-Regular.ttf"
D/sentry-native: inspecting module "/system/fonts/NotoSerifDevanagari-Regular.ttf"
    inspecting module "/system/product/fonts/GoogleSans-MediumItalic.ttf"
    inspecting module "/system/lib64/libft2.so"
    inspecting \ module \ {\it "/system/fonts/NotoSansMalayalam-Regular.otf"}
    inspecting module "/system/lib64/libcutils.so"
    inspecting module "/system/fonts/NotoSansMultani-Regular.otf"
    inspecting module "/system/fonts/Roboto-Light.ttf"
    inspecting module "/system/lib64/libbpf_android.so"
    inspecting module "/system/fonts/NotoSansKhmerUI-Regular.ttf"
```

```
inspecting module "/system/lib64/libmemunreachable.so"
    inspecting module "/system/fonts/NotoSerifKhmer-Regular.otf"
    inspecting module "/system/fonts/NotoSansTamilUI-Bold.otf"
    inspecting module "/system/lib64/android.hardware.drm@1.3.so"
    inspecting module "/system/fonts/NotoSansKharoshthi-Regular.ttf"
    inspecting module "/system/product/fonts/GoogleSans-Medium.ttf"
    inspecting module "/system/lib64/libappfuse.so"
    inspecting module "/system/fonts/NotoSansMro-Regular.otf"
    inspecting module "/system/fonts/NotoSansGlagolitic-Regular.ttf"
D/sentry-native: inspecting module "/system/fonts/Roboto-Thin.ttf"
    inspecting module "/system/lib64/android.hardware.graphics.common@1.0.so"
    inspecting module "/system/fonts/NotoSansTaiLe-Regular.ttf"
    inspecting module "/system/product/fonts/GoogleSans-Italic.ttf"
    inspecting module "/system/lib64/android.hidl.token@1.0.so"
    inspecting module "/system/fonts/NotoSansHatran-Regular.otf"
    inspecting module "/system/product/fonts/Barlow-Bold.ttf"
    inspecting module "/system/lib64/libui.so"
    inspecting module "/system/product/overlay/NavigationBarModeGestural/NavigationBarModeGesturalOverlay.apk"
    inspecting module "/apex/com.android.tzdata/etc/icu/icu_tzdata.dat"
    inspecting module "/system/lib64/libpdfium.so"
    inspecting module "/system/fonts/NotoSansBassaVah-Regular.otf"
    inspecting module "/system/fonts/NotoSansTamilUI-Medium.otf"
    inspecting module "/system/fonts/NotoSansTamilUI-Regular.otf"
    inspecting module "/apex/com.android.tzdata/etc/icu/icu_tzdata.dat"
    inspecting module "/system/lib64/libselinux.so"
    inspecting module "/system/product/overlay/NavigationBarModeGestural/NavigationBarModeGesturalOverlay.apk"
    inspecting module "/system/fonts/NotoSansUgaritic-Regular.ttf"
    inspecting module "/system/product/fonts/BigShouldersText-Bold.ttf"
    inspecting module "/system/lib64/libutils.so"
    inspecting module "/system/fonts/NotoSansCoptic-Regular.ttf"
    inspecting module "/system/fonts/NotoSerifTamil-Bold.otf"
    inspecting \ module \ {\it "/system/product/fonts/GoogleSans-Regular.ttf"}
{\tt D/sentry-native: inspecting \ module \ {\it "/system/lib64/libdatasource.so"}}
    inspecting module "/system/fonts/NotoSansBrahmi-Regular.ttf"
    inspecting module "/system/fonts/NotoSerifTamil-Regular.otf"
    inspecting module "/system/fonts/SourceSansPro-BoldItalic.ttf"
    inspecting module "/system/lib64/libaudioclient.so"
    inspecting module "/system/fonts/NotoSansTagbanwa-Regular.ttf"
    inspecting module "/system/fonts/NotoSansBatak-Regular.ttf"
    inspecting module "/system/fonts/SourceSansPro-SemiBoldItalic.ttf"
    inspecting module "/system/lib64/libinput.so"
    inspecting module "/system/usr/hyphen-data/hyph-und-ethi.hyb"
{\tt D/sentry-native: inspecting \ module \ ''/system/fonts/NotoSansTagalog-Regular.ttf''}
    inspecting module "/system/fonts/SourceSansPro-Italic.ttf"
    inspecting module "/system/lib64/libstagefright_codecbase.so"
    inspecting module "/system/fonts/NotoSansCham-Bold.ttf"
    inspecting module "/system/fonts/NotoSansTamil-Bold.otf"
    inspecting module "/system/lib64/android.hardware.graphics.allocator@4.0.so"
    inspecting module "/system/fonts/DancingScript-Bold.ttf"
    inspecting module "/system/lib64/libhwui.so"
    inspecting module "/system/fonts/NotoSansTamil-Medium.otf"
    inspecting module "/system/lib64/libstagefright_foundation.so"
    inspecting module "/system/usr/hyphen-data/hyph-tk.hyb"
    inspecting module "/system/fonts/NotoSansCham-Regular.ttf"
    inspecting module "/system/fonts/NotoSansTamil-Regular.otf"
    inspecting module "/system/lib64/libGLESv2.so"
\hbox{D/sentry-native: inspecting module "/system/fonts/NotoSansGurmukhiUI-Bold.ttf"}
    inspecting \ module \ {\it "/system/fonts/NotoSansGurmukhiUI-Regular.ttf"}
    inspecting module "/system/lib64/libstagefright.so"
    inspecting module "/system/fonts/NotoSansSundanese-Regular.ttf"
    inspecting module "/system/fonts/NotoSerifGujarati-Bold.ttf"
    inspecting module "/system/lib64/libpdx_default_transport.so"
    inspecting module "/system/usr/hyphen-data/hyph-te.hyb"
    inspecting module "/system/fonts/NotoSansAhom-Regular.otf"
    inspecting module "/system/fonts/NotoSerifGeorgian-VF.ttf"
    inspecting module "/system/lib64/libtinyxm12.so"
    inspecting module "/system/product/fonts/Barlow-Medium.ttf"
    inspecting module "/system/lib64/libmedia_omx.so"
    inspecting module "/system/usr/hyphen-data/hyph-ta.hyb"
D/sentry-native: inspecting module "/system/fonts/NotoSansShavian-Regular.ttf"
    inspecting module "/system/fonts/NotoSansThaana-Bold.ttf"
    inspecting module "/system/fonts/NotoSerifGurmukhi-Bold.otf"
    inspecting module "/system/lib64/libc++.so"
    inspecting module "/system/fonts/NotoSansSamaritan-Regular.ttf"
    inspecting module "/system/fonts/NotoSerifGujarati-Regular.ttf"
    inspecting module "/system/lib64/libETC1.so"
    inspecting module "/system/fonts/NotoSansRunic-Regular.ttf"
    inspecting module "/system/fonts/NotoSansGeorgian-VF.ttf"
    inspecting module "/system/lib64/libgralloctypes.so"
    inspecting module "/system/usr/hyphen-data/hyph-pt.hyb"
```

```
inspecting module "/system/fonts/DancingScript-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.drm@1.2.so"
    inspecting module "/system/fonts/DroidSansMono.ttf"
    inspecting module "/system/lib64/libbinder.so"
    inspecting module "/system/usr/hyphen-data/hyph-pa.hyb"
{\tt D/sentry-native: inspecting \ module \ {\tt "/system/fonts/NotoSansRejang-Regular.ttf"}}
    inspecting module "/system/lib64/libing utils.so"
    inspecting module "/system/fonts/NotoSansOsage-Regular.ttf"
    inspecting \ module \ {\it "/system/fonts/NotoSerifGurmukhi-Regular.otf"}
    inspecting module "/system/lib64/libsfplugin_ccodec.so"
    inspecting module "/system/usr/hyphen-data/hyph-or.hyb"
    inspecting module "/system/product/fonts/Fraunces-SemiBold.ttf"
    inspecting module "/system/lib64/libziparchive.so"
    inspecting module "/system/fonts/NotoSansThaana-Regular.ttf"
    inspecting module "/system/fonts/NotoSansGurmukhi-Bold.ttf"
    inspecting module "/system/lib64/libstagefright_http_support.so"
    inspecting module "/system/fonts/NotoSansPhoenician-Regular.ttf"
    inspecting module "/system/fonts/NotoSansGurmukhi-Regular.ttf"
    inspecting \ module \ {\it "/system/fonts/NotoSerifArmenian-Regular.otf"}
    inspecting module "/system/fonts/NotoSansArmenian-Bold.otf"
    inspecting module "/system/lib64/android.hardware.common-V1-ndk_platform.so"
    inspecting module "/system/fonts/NotoSansOsmanya-Regular.ttf"
    inspecting module "/system/fonts/NotoSansArmenian-Medium.otf"
    inspecting module "/system/lib64/android.hardware.memtrack@1.0.so"
D/sentry-native: inspecting module "/system/usr/hyphen-data/hyph-mr.hyb"
    inspecting module "/system/fonts/NotoSansOldTurkic-Regular.ttf"
    inspecting module "/system/fonts/NotoSansArmenian-Regular.otf"
    inspecting module "/system/fonts/NotoSansThaiUI-Bold.ttf"
    inspecting module "/system/fonts/NotoSansThaiUI-Regular.ttf"
    inspecting module "/system/lib64/libprotobuf-cpp-lite.so"
    inspecting module "/system/usr/hyphen-data/hyph-ml.hyb"
    inspecting module "/system/fonts/NotoSerifThai-Bold.ttf"
    inspecting module "/system/fonts/NotoSerifThai-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.graphics.mapper@4.0.so"
    inspecting module "/system/usr/hyphen-data/hyph-la.hyb"
    inspecting module "/system/fonts/NotoSansOldSouthArabian-Regular.ttf"
    inspecting module "/system/product/fonts/Fraunces-Regular.ttf"
D/sentry-native: inspecting module "/system/lib64/android.hardware.graphics.common-V1-ndk_platform.so"
    inspecting module "/system/fonts/NotoSansThai-Bold.ttf"
    inspecting module "/system/product/fonts/ArbutusSlab-Regular.ttf"
    inspecting module "/apex/com.android.art/lib64/libnativeloader.so"
    inspecting module "/system/fonts/NotoSansOldItalic-Regular.ttf"
    inspecting module "/system/fonts/NotoSansThai-Regular.ttf"
    inspecting module "/system/fonts/CarroisGothicSC-Regular.ttf"
    inspecting module "/system/lib64/libsqlite.so"
    inspecting module "/system/usr/hyphen-data/hyph-kn.hyb"
    inspecting module "/system/lib64/android.hardware.graphics.allocator@2.0.so"
    inspecting module "/system/fonts/NotoSansOlChiki-Regular.ttf"
    inspecting module "/system/fonts/NotoSerifHebrew-Bold.ttf"
    inspecting module "/apex/com.android.art/lib64/libnativebridge.so"
    inspecting module "/system/fonts/NotoSansOgham-Regular.ttf"
    inspecting module "/system/fonts/NotoSerifHebrew-Regular.ttf"
    inspecting module "/system/fonts/ComingSoon.ttf"
    inspecting module "/system/lib64/libvibrator.so'
    inspecting module "/system/usr/hyphen-data/hyph-hy.hyb"
D/sentry-native: inspecting module "/system/framework/telephony-common.jar"
    inspecting module "/system/lib64/android.hardware.drm@1.0.so"
    inspecting module "/system/usr/hyphen-data/hyph-hr.hyb"
    inspecting module "/system/fonts/NotoSansHebrew-Bold.ttf"
    inspecting module "/system/lib64/libcrypto.so"
    inspecting module "/system/fonts/NotoSansLydian-Regular.ttf"
    inspecting module "/system/fonts/NotoSansHebrew-Regular.ttf"
    inspecting module "/system/lib64/libmedia.so"
    inspecting module "/system/product/fonts/Lustria-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.configstore@1.1.so"
    inspecting module "/system/fonts/CutiveMono.ttf"
    inspecting module "/system/lib64/libtimeinstate.so"
    inspecting module "/system/usr/hyphen-data/hyph-hi.hyb"
    inspecting module "/system/framework/ext.jar"
D/sentry-native: inspecting module "/system/lib64/libnativebridge_lazy.so"
    inspecting module "/system/fonts/NotoSansLycian-Regular.ttf"
    inspecting module "/system/product/fonts/Karla-Regular.ttf"
    inspecting module "/system/lib64/libvndksupport.so"
    inspecting module "/system/lib64/android.hidl.memory.token@1.0.so"
    inspecting module "/system/fonts/NotoSansLimbu-Regular.ttf"
    inspecting module "/apex/com.android.os.statsd/javalib/framework-statsd.jar"
    inspecting module "/system/lib64/libpackagelistparser.so"
    inspecting module "/apex/com. android. tethering/javalib/framework-tethering.jar"
    inspecting module "/apex/com. android. mediaprovider/javalib/framework-mediaprovider. jar"
    inspecting module "/system/lib64/libspeexresampler.so"
```

```
inspecting module "/system/lib64/android.hardware.graphics.bufferqueue@1.0.so"
    inspecting module "/system/fonts/NotoSansLisu-Regular.ttf"
    inspecting module "/system/lib64/libmeminfo.so"
    inspecting module "/system/lib64/android.hardware.graphics.bufferqueue@2.0.so"
    inspecting module "/system/lib64/libstagefright_bufferpool@2.0.1.so"
    inspecting module "/apex/com.android.art/lib64/libicuuc.so"
D/sentry-native: inspecting module "/system/lib64/libhidlmemory.so"
    inspecting module "/system/lib64/android.hardware.media.c2@1.1.so"
    inspecting module "/system/lib64/android.hidl.memory@1.0.so"
    inspecting module "/system/lib64/libbase.so"
    inspecting module "/system/fonts/NotoSansElbasan-Regular.otf"
    inspecting module "/system/lib64/libnetdbpf.so"
    inspecting module "/system/fonts/NotoSansKayahLi-Regular.ttf"
    inspecting module "/system/lib64/libion.so"
    inspecting module "/system/lib64/libhardware_legacy.so"
    inspecting module "/system/fonts/NotoSansInscriptionalParthian-Regular.ttf"
    inspecting module "/system/lib64/android.hidl.safe_union@1.0.so"
    inspecting module "/system/fonts/NotoSansDeseret-Regular.ttf"
    inspecting module "/system/lib64/libbufferhub.so"
    inspecting module "/apex/com.android.art/lib64/libnativehelper.so"
    inspecting module "/system/fonts/NotoSansInscriptionalPahlavi-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.media.bufferpool@2.0.so"
    inspecting module "/system/fonts/NotoSansImperialAramaic-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.graphics.mapper@2.0.so"
    inspecting module "/system/lib64/libminikin.so"
    inspecting module "/system/product/overlay/PixelLiveWallpapersOverlay.apk"
    inspecting module "/system/lib64/libcamera_metadata.so"
D/sentry-native: inspecting module "/system/lib64/libsensor.so"
    inspecting module "/system/fonts/NotoSansHanunoo-Regular.ttf"
    inspecting module "/system/lib64/libaudioutils.so"
    inspecting \ module \ {\it "/system/product/overlay/PixelLiveWallpapersOverlay.apk"}
    inspecting module "/system/lib64/libdng_sdk.so"
    inspecting module "/system/lib64/capture_state_listener-aid1-V1-cpp.so"
    inspecting module "/system/lib64/libmedia_codeclist.so"
    inspecting module "/system/fonts/NotoSansGothic-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.graphics.mapper@2.1.so"
    inspecting module "/system/fonts/NotoSansCypriot-Regular.ttf"
    inspecting module "/system/lib64/android.hardware.configstore-utils.so"
    inspecting module "/system/lib64/libaudiomanager.so"
    inspecting module "/system/fonts/NotoSansAvestan-Regular.ttf"
    inspecting module "/apex/com.android.runtime/lib64/bionic/libdl android.so"
    inspecting module "/system/fonts/NotoSansCarian-Regular.ttf"
    inspecting module "/system/lib64/libcodec2 client.so"
    inspecting module "/system/fonts/NotoSansBuhid-Regular.ttf"
    inspecting module "/system/lib64/liblog.so"
    inspecting module "/data/resource-cache/system@product@overlay@PixelLiveWallpapersOverlay.apk@idmap"
D/sentry-native: inspecting module "/system/lib64/android.hardware.media.omx@1.0.so"
    inspecting module "/vendor/overlay/framework-res_auto_generated_rro_vendor.apk"
    inspecting module "/system/lib64/libsfplugin_ccodec_utils.so"
    inspecting module "/data/resource-cache/vendor@overlay@framework-res_auto_generated_rro_vendor.apk@idmap"
    inspecting module "/system/lib64/libnativewindow.so"
    inspecting module "/system/fonts/NotoSansBuginese-Regular.ttf"
    inspecting module "/system/lib64/libpiex.so"
    inspecting module "/system/fonts/NotoSerifArmenian-Bold.otf"
    inspecting module "/system/lib64/libbinder_ndk.so"
    inspecting module "/apex/com. android. tethering/javalib/framework-tethering. jar"
    inspecting module "/system/lib64/android.hardware.graphics.allocator@3.0.so"
    inspecting module "/apex/com.android.wifi/javalib/framework-wifi.jar"
    inspecting module "/apex/com. android. sdkext/javalib/framework-sdkextensions. jar"
    inspecting module "/apex/com.android.permission/javalib/framework-permission.jar"
    inspecting module "/system/lib64/libhidl-gen-utils.so"
    inspecting module "/system/lib64/libcamera_client.so"
    inspecting module "/system/framework/framework.jar"
    inspecting module "/system/lib64/libfmq.so"
    inspecting module "/apex/com.android.os.statsd/javalib/framework-statsd.jar"
    inspecting module "/system/lib64/libheif.so"
    inspecting module "/system/lib64/libdebuggerd_client.so"
    inspecting module "/apex/com.android.mediaprovider/javalib/framework-mediaprovider.jar"
    inspecting module "/apex/com.android.runtime/lib64/bionic/libdl.so"
    inspecting module "/apex/com.android.media/javalib/updatable-media.jar"
    inspecting module "/system/lib64/android.hardware.graphics.mapper@3.0.so"
D/sentry-native: inspecting module "/apex/com.android.runtime/lib64/bionic/libm.so"
    inspecting module "/apex/com. android. conscrypt/javalib/conscrypt.jar"
    inspecting module "/system/lib64/android.hardware.cas.native@1.0.so"
    inspecting module "/apex/com.android.art/javalib/core-icu4j.jar"
    inspecting module "/system/lib64/libwilhelm.so"
    inspecting module "/system/framework/WfdCommon.jar"
    inspecting module "/apex/com.android.art/javalib/core-oj.jar"
    inspecting module "/system/lib64/libGLESv3.so"
    inspecting module "/system/lib64/libusbhost.so"
```

```
inspecting module "/system/framework/telephony-ext.jar"
      inspecting module "/system/lib64/android.hid1.allocator@1.0.so"
      inspecting module "/system/lib64/libSurfaceFlingerProp.so"
      inspecting module "/system/lib64/libpng.so"
      inspecting module "/system/lib64/libaudiopolicy.so"
      inspecting module "/system/framework/org.ifaa.android.manager.jar"
      inspecting module "/apex/com.android.art/javalib/apache-xml.jar"
      inspecting module "/system/framework/framework-atb-backward-compatibility.jar"
      inspecting module "/apex/com.android.art/javalib/bouncycastle.jar"
      inspecting module "/system/usr/hyphen-data/hyph-gu.hyb"
D/sentry-native: inspecting module "/system/framework/ims-common.jar"
      inspecting module "/system/framework/voip-common.jar"
D/sentry-native: inspecting module "/system/lib64/libtombstoned_client.so"
      inspecting module "/system/framework/ext.jar"
      inspecting module "/system/lib64/libartpalette-system.so"
      inspecting module "/apex/com.android.art/javalib/apache-xml.jar"
      inspecting module "/apex/com.android.art/javalib/core-libart.jar"
      inspecting module "/apex/com.android.art/javalib/bouncycastle.jar"
      inspecting module "/apex/com.android.art/javalib/okhttp.jar"
      inspecting module "/apex/com.android.art/lib64/libartbase.so"
      inspecting module "/apex/com.android.art/javalib/okhttp.jar"
      inspecting module "/apex/com.android.art/lib64/libprofile.so"
      inspecting module "/apex/com.android.sdkext/javalib/framework-sdkextensions.jar"
      inspecting module "/system/framework/ims-common.jar"
      inspecting module "/apex/com.android.art/lib64/libartpalette.so"
      inspecting module "/system/lib64/libsigchain.so"
      inspecting module "/apex/com.android.art/lib64/libdexfile_external.so"
      inspecting module "/system/framework/WfdCommon.jar"
      inspecting module "/system/framework/telephony-ext.jar"
      inspecting module "/system/framework/arm64/boot-framework.art"
      inspecting module "/apex/com.android.art/lib64/libdexfile.so"
      inspecting module "/apex/com.android.permission/javalib/framework-permission.jar"
      inspecting module "/system/framework/org.ifaa.android.manager.jar"
      inspecting module "/system/framework/framework-atb-backward-compatibility.jar"
      inspecting module "/apex/com. android. art/javalib/core-libart. jar'
      inspecting module "/system/framework/arm64/boot-WfdCommon.art"
      inspecting module "/system/framework/arm64/boot-telephony-ext.art"
      inspecting module "/system/framework/arm64/boot-org.ifaa.android.manager.art"
      inspecting module "/system/framework/arm64/boot-voip-common.art"
      inspecting module "/apex/com. android. art/javalib/arm64/boot. art"
D/sentry-native: inspecting \ module \ ''/data/resource-cache/system@product@overlay@NavigationBarModeGestural@NavigationBarModeGesturalOverlay.apk@idmap'' | Anti-product@overlay@NavigationBarModeGesturalOverlay.apk@idmap'' | Anti-product@overlay@NavigationBarModeGesturalOverlay@NavigationBarModeGesturalOverlay@NavigationBarModeGesturalOverlay@NavigationBarModeGesturalOverlay@NavigationBarModeGesturalOverlay@NavigationBarModeGesturalOverlay@NavigationBarModeGesturalOverlay@NavigationBarModeGesturalOverlay.apk@NavigationBarModeGesturalOverlay.apk@NavigationBarModeGesturalOverlay.apk@NavigationBarModeGesturalOverlay.apk@NavigationBarModeGesturalOverlay.apk@NavigationBarModeGesturalOverlay.apk@NavigationBarModeGesturalOverlay@NavigationBarModeGe
     inspecting module "/system/usr/hyphen-data/hyph-eu.hyb"
D/sentry-native: inspecting module "/system/usr/hyphen-data/hyph-da.hyb"
      inspecting module "/system/usr/hyphen-data/hyph-bn.hyb"
      inspecting module "/system/usr/hyphen-data/hyph-bg.hyb"
      inspecting module "/system/usr/hyphen-data/hyph-be.hyb"
D/sentry-native: inspecting module "/system/usr/hyphen-data/hyph-as.hyb"
      inspecting module "/system/framework/arm64/boot-framework-atb-backward-compatibility.art"
      inspecting \ \ module \ \ ''/system/framework/arm 64/boot-telephony-common. art''
      inspecting module "/system/framework/arm64/boot-ims-common.art"
      inspecting module "/system/framework/arm64/boot-ext.art"
      inspecting module "/apex/com. android. art/javalib/arm64/boot-apache-xml. art"
      inspecting module "/apex/com.android.art/javalib/arm64/boot-core-icu4j.art"
      inspecting module "/apex/com. android. art/javalib/arm64/boot-bouncycastle. art"
      inspecting module "/apex/com.android.art/javalib/arm64/boot-okhttp.art"
      inspecting module "/apex/com.android.art/javalib/arm64/boot-core-libart.art"
      inspecting module "linux-gate.so"
      inspecting module "/apex/com.android.runtime/bin/linker64"
     read 304 modules from /proc/self/maps
D/sentry-native: adding attachments to envelope
      sending envelope
      serializing envelope into buffer
I/sentry-native: crash has been captured
      ---- beginning of crash
A/libc: Fatal signal 6 (SIGABRT), code -1 (SI_QUEUE) in tid 21994 (dson.androidApp), pid 21994 (dson.androidApp)
```

## COMMENTS

ba...@googlemail.com <ba...@googlemail.com>#2

```
Same for me.
In my code i am using:
val saveableStateHolder = rememberSaveableStateHolder()
saveableStateHolder.SaveableStateProvider(it.hashCode()) {
    content(it)
}
Not sure if it is related. Not investigated the issue yet.
```

lo@gmail.com <lo@gmail.com><u>#3</u></lo@gmail.com>
I was able to narrow down the cause of my problem somewhat: for example, it occurs when the app is running and I modify a string literal in the editor.
ex@gmail.com <ex@gmail.com>_#4</ex@gmail.com>
I get this in the "Rally" sample app. For example, if I edit the balance of the first account in RallyData.kt while the emulator has the app running. (Canary 8, Beta01, Kotlin 203-1.4.30-release-All part of the first account in RallyData.kt while the emulator has the app running.
es@google.com <es@google.com></es@google.com>
Assigned to ac@google.com.
ac@google.com <ac@google.com><u>#5</u></ac@google.com>
This is caused by a recent Compose API rename. We should have a fix for the next canary.
ac@google.com <ac@google.com><u>#6</u></ac@google.com>
Marked as fixed.
Should be fixed as of C10
mu@gmail.com <mu@gmail.com><u>#7</u></mu@gmail.com>
Change to newest version for all dependencies in gradle model helped for me