2022-10-09 10:41:36,342 [

2022-10-09 10:41:36,350

2022-10-09 10:41:36,446

2022-10-09 10:41:36,704

2022-10-09 10:41:39,612 [

2673]

2681]

3035]

5943]

IssueTracker Q Search IssueTracker Sign in ☐ Android Public Tracker > App Development > Android Studio > Emulator 252498303 ▼ ← C ☆ AVD Pixel 2 API 27 ARM fails to start on x86 64 system Hotlists **Unmark Duplicate** Δ Comments (1) Duplicates (0) Dependencies Blocking (0) Resources (0) Duplicate of <u>252489952</u> Bug P3 + Add Hotlist STATUS UPDATE No update yet. DESCRIPTION st...@gmail.com created issue #1 DESCRIBE THE ISSUE IN DETAIL: STEPS TO REPRODUCE: 1.Create the virtual machine on intel x86\_64 host 2.Run the vm 3.The qemu process has to be killed manually idea log. 2022-10-09 10:41:33,671 [ INFO - #c.i.i.StartupUtil - ---2] ---- IDE STARTED ---2022-10-09 10:41:33,731 [ INFO - #c.i.i.StartupUtil - JNA library (64-bit) loaded in 13 ms 62] 2022-10-09 10:41:33,745 [ 76] INFO - #c.i.i.p.PluginManager - Using cached broken plugins file 2022-10-09 10:41:33,762 [ INFO - #c.i.i.StartupUtil - IDE: Android Studio (build #AI-222.4167.29.2221.9133400, 04 Oct 2022 00:19) 93] 2022-10-09 10:41:33.763 [ INFO - #c.i.i.StartupUtil - OS: Linux (6.0.0-1-manjaro, amd64) 2022-10-09 10:41:33,763 94] INFO - #c.i.i. StartupUtil - JRE: 17.0.4.1+0-17.0.4.1b469.62-9127311 (JetBrains s.r.o.) 95] INFO - #c.i.i.StartupUtil - JVM: 17.0.4.1+0-17.0.4.1b469.62-9127311 (OpenJDK 64-Bit Server VM) 2022-10-09 10:41:33,764 [ 2022-10-09 10:41:33,765 [ 96] INFO - #c.i.i.StartupUtil - PID: 7851 2022-10-09 10:41:33,843 [ INFO - #c.i.i.StartupUtil - WM detected: KWin, desktop: KDE 174] 2022-10-09 10:41:33,844 [ INFO - #c.i.i.StartupUtil - JVM options: [-Xms256m, -Xmx1280m, -XX:ReservedCodeCacheSize=512m, -XX:+UseGIGC, -XX:SoftRefL 175] 2022-10-09 10:41:33,844 [ INFO - #c.i.i.StartupUtil - args: [] 175] 2022-10-09 10:41:33,845 [ INFO - #c.i.i.StartupUtil - library path: /usr/java/packages/lib:/usr/lib64:/lib64:/lib:/usr/lib 176] 2022-10-09 10:41:33.845 176] INFO - #c.i.i.StartupUtil - boot library path: /opt/android-studio-canary/jbr/lib 2022-10-09 10:41:33,853 [ 184 INFO - #c.i.i.StartupUtil - locale=en US JNU=UTF-8 file.encoding=UTF-8 idea.config.path=/home/jd/.config/Google/AndroidStudioPreview2022.2 idea.system.path=/home/jd/.cache/Google/AndroidStudioPreview2022.2 idea.plugins.path=/home/id/.local/share/Google/AndroidStudioPreview2022.2 idea.log.path=/home/id/.cache/Google/AndroidStudioPreview2022.2/log 2022-10-09 10:41:33,857 [ 188] INFO - #c.i.i. StartupUtil - CPU cores: 8; ForkJoinPool.commonPool: java.util.concurrent.ForkJoinPool@62a72a3c[Running, pa 2022-10-09 10:41:33,909 [ 240] INFO - #c.i.i.p.PluginManager - Plugin PluginDescriptor(name=Groovy, id=org.intellij.groovy, descriptorPath=plugin.xml, p 2022-10-09 10:41:33,910 [ 241] INFO - #c.i.i.p. PluginManager - Plugin PluginDescriptor(name=Groovy, id=org.intellij.groovy, descriptorPath=plugin.xml, p 2022-10-09 10:41:34,023 [ 354] INFO - #c.i.i.p. PluginManager - Module kotlin.features-trainer is not enabled because dependency training is not availabl Module kotlin grazie is not enabled because dependency tanvd grazi is not available Module kotlin.project-wizard.maven is not enabled because dependency org.jetbrains.idea.maven is not available Module kotlin.maven is not enabled because dependency org. jetbrains.idea.maven is not available Module kotlin.compiler-plugins.compiler-plugin-support.mayen is not enabled because dependency kotlin.mayen is not available Module kotlin.compiler-plugins.lombok.mayen is not enabled because dependency kotlin.mayen is not available Module kotlin.compiler-plugins.kotlinx-serialization.maven is not enabled because dependency kotlin.maven is not available Module kotlin.compiler-plugins.sam-with-receiver.maven is not enabled because dependency kotlin.maven is not available Module kotlin, compiler-plugins, noarg, mayen is not enabled because dependency kotlin, mayen is not available Module kotlin.compiler-plugins.allopen.maven is not enabled because dependency kotlin.maven is not available Module intellij. java. ide. customization/training is not enabled because dependency training is not available Module intellij.groovy/byte-code-viewer is not enabled because dependency ByteCodeViewer is not available Module intellij.groovy/ant is not enabled because dependency AntSupport is not available Module intellij.devkit.uiDesigner is not enabled because dependency com.intellij.uiDesigner is not available 2022-10-09 10:41:34,034 [ 365] INFO - #c.i.i.p. PluginManager - Loaded bundled plugins: Android (2022.2.1 Canary 3), GitHub (222.4167.29.2221.9133400), E 2022-10-09 10:41:34,694 [ 1025] INFO - #c.i.a.o.PathMacrosImpl - Loaded path macros: {} 2022-10-09 10:41:34,722 [ 1053] INFO - #o.j.i.BuiltInServerManager - built-in server started, port 63342 2022-10-09 10:41:34,761 [ 1092] INFO - #c.i.a.o.RegistryManager - Registry values changed by user: external.system.auto.import.disabled = true, ide.text. 2022-10-09 10:41:34,830 [ 1161 INFO - #c.i.u.i.FilePageCache - lower=100; upper=500; buffer=10; max=1260 2022-10-09 10:41:34,888 [ 1219] INFO - #c.i.o.e.c.i.AppFontOptions - Font setting migration: JetBrains Mono -> [JetBrains Mono, Regular, Bold] 2022-10-09 10:41:34,895 1226] INFO - #c.i.o.v.n.p. PersistentFSConnector - 10 ms to load free records and inverted name index INFO - #c.a.t.i.s.ServerFlagInitializer - Enabled server flags: 2022-10-09 10:41:35.038 13697 2022-10-09 10:41:35,067 1398] INFO - #c.i.u.n.s.CertificateManager - Default SSL context initialized 2022-10-09 10:41:35,146 [ 1477] INFO - #c.i.o.v.i.l.NativeFileWatcherImpl - Starting file watcher: /opt/android-studio-canary/bin/fsnotifier 2022-10-09 10:41:35,155 1486] INFO - #c.i.o.v.i.l.NativeFileWatcherImp1 - Native file watcher is operational. 2022-10-09 10:41:35,633 [ 1964] INFO - #c.i.o.u.r.RegistryValue - Registry value 'external.system.auto.import.disabled' has changed to 'true' 2022-10-09 10:41:35,645 [ 1976] INFO - #c.i.o.u.r.RegistryValue - Registry value 'ide.text.editor.with.preview.show.floating.toolbar' has changed to 'fal 2022-10-09 10:41:35.853 2184] INFO - #c.i.o.u.i.UpdateCheckerService - channel: eap 2022-10-09 10:41:35,856 2187] INFO - #c.i.o.u.i.UpdateCheckerService - channel set to 'eap' by com.android.tools.idea.AndroidStudioUpdateStrategyCustom 2022-10-09 10:41:36,220 [ INFO - #c.i.o.a. Experiments - Experimental features enabled for user: wsl.p9.support, wsl.prefer.p9.support, wsl.p9.show. 2022-10-09 10:41:36,224 2555] INFO - #c.i.o.w.i.GlobalMenuLinux - Start glib main loop in thread: GlobalMenuLinux loop 2022-10-09 10:41:36,228 [ 2559] INFO - #c.i.o.w.i.GlobalMenuLinux - Closed dbus-service 'com.canonical AppMenu.Registrar' 2022-10-09 10:41:36,321 [ 2652] INFO - #c.i.i. StartupUtil - notify that start-up thread is free

 $INFO - \#c. \ i. \ u. \ i. \ File Based Index Imp1 - Indices \ to \ be \ built: Filename Index (v = 258)$ 

INFO - #c.a.t.i.w.w.FirstRunWizardFrameProvider - Overriding welcome frame to be resizable

INFO - c.i.u.i.FileBasedIndexDataInitialization - Index data initialization done: 716 ms. Initialized indexes: [FilenameI

INFO - c.i.p.s. StubIndexImpl\$StubIndexInitialization - Index data initialization done: 95 ms. Initialized stub indexes: {

WARN - #c.a.t.i.a.AvdManagerConnection - Unable to determine if Pixel\_2\_API\_27 is online, assuming it's not

```
2022-10-09 10:41:43,326 [
                                          9657]
                                                      INFO - Emulator: Pixel 2 API 27 - /home/jd/Android/Sdk/emulator/emulator -netdelay none -netspeed full -no-snapstorage -a
2022-10-09 10:41:43,334 [
                                          9665]
                                                      INFO - Emulator: Pixel 2 API 27 - Android emulator version 31.3.10.0 (build_id 8807927) (CL:N/A)
                                                      INFO = Emulator: \ Pixel \ 2 \ API \ 27 - emulator: \ INFO: \ Found \ systemPath \ /home/jd/Android/Sdk/system-images/android-27/google\_a \ API \ 27 - emulator: \ INFO: \ Found \ systemPath \ /home/jd/Android/Sdk/system-images/android-27/google\_a \ API \ 27 - emulator: \ INFO: \ Found \ systemPath \ /home/jd/Android/Sdk/system-images/android-27/google\_a \ API \ 27 - emulator: \ API \ 2
2022-10-09 10:41:43,334 [
                                          9665]
2022-10-09 10:41:43,342 [
                                          9673]
                                                      INFO - #c.a.t.i.a.AdbService - Terminating ADB connection
2022-10-09 10:41:43,344 [
                                          9675]
                                                      INFO - #c.a.t.i.a. AdbService - ADB connection successfully terminated
2022-10-09 10:41:43,345 [
                                          9676]
                                                      INFO\ -\ \#c.\ a.\ t.\ i.\ a.\ Adb Service\ -\ Initializing\ adb\ using:\ /home/jd/Android/Sdk/platform-tools/adb
2022-10-09 10:41:43,345 [
                                          9676]
                                                      WARN - #c.i.u.j. JBCefApp - JCEF runtime version is not supported (Use JBR bundled with the IDE)
2022-10-09 10:41:43,362 [
                                          9693]
                                                      WARN - #c.a.ddmlib - * daemon not running; starting now at tcp:5037
2022-10-09 10:41:43,427 [
                                          9758]
                                                      INFO - Emulator: Pixel 2 API 27 - Fontconfig warning: "/usr/share/fontconfig/conf.avai1/05-reset-dirs-sample.conf", line
                                                      WARN - #c.a.ddmlib - * daemon started successfully
2022-10-09 10:41:43,480 [
                                         9811
2022-10-09 10:41:43,486 [
                                          9817]
                                                      INFO - #c.a.ddmlib - Connected to adb for device monitoring
2022-10-09 10:41:43,583 [
                                          9914]
                                                     WARN - Emulator: Pixel 2 API 27 - cannot add library /home/jd/Android/Sdk/emulator/qemu/linux-x86_64/lib64/vulkan/libvulk
2022-10-09 10:41:43,605 [
                                                      WARN - Emulator: Pixel 2 API 27 - *** No gRPC protection active, consider launching with the -grpc-use-jwt flag. ***
                                          9936]
2022-10-09 10:41:43,609 [
                                          9940]
                                                      INFO - Emulator: Pixel 2 API 27 - Duplicate loglines will be removed, if you wish to see each individual line launch with
2022-10-09 10:41:43,609 [
                                                      INFO\ -\ Emulator:\ Pixe1\ 2\ API\ 27\ -\ configAndStartRenderer:\ setting\ vsync\ to\ 60\ hz
                                          9940]
2022-10-09 10:41:43,609 [
                                          9940]
                                                      INFO - Emulator: Pixel 2 API 27 - added library /home/jd/Android/Sdk/emulator/lib64/vulkan/libvulkan.so
                                                      INFO - Emulator: Pixel 2 API 27 - Started GRPC server at 127.0.0.1:8554, security: Local, auth: none
2022-10-09 10:41:43,610 [
                                          9941]
                                                      {\tt INFO-Emulator:\ Pixel\ 2\ API\ 27-qemu-system-aarch64:\ PCI\ bus\ not\ available\ for\ hda}
2022-10-09 10:41:43,610 [
                                          9941]
2022-10-09 10:41:43,610 [
                                          9941]
                                                      INFO - Emulator: Pixel 2 API 27 - Advertising in: /run/user/1000/avd/running/pid_8012.ini
2022-10-09 10:41:43.611 [
                                         9942]
                                                      INFO - #c.a.t.i.d.v.VirtualDeviceChangeListener - emulator-5554 connected
2022-10-09 10:41:43,684 [
                                        10015]
                                                      INFO - #c.a.t.i.a.AdbService - Successfully connected to adb
2022-10-09 10:41:55,262 [
                                        21593]
                                                      {\tt INFO-\#c.i.c.ComponentStoreImp1-Saving\ appFileTypeManager\ took\ 11\ ms}
2022-10-09 17:42:49,217
                                                      WARN - #c.a.t.i.a.AvdManagerConnection - AVD not launched because an instance appears to be running on PID 8012
                                        75548]
                                                                                                                                                                                                                      01:06 /home/jd
2022-10-09 17:42:49,233 [ 75564]
                                                      WARN - #c.a.t.i.a.AvdManagerConnection - AVD process info: [ 8012 jd 0.6 ?
                                                                                                                                                                                        S1 00:00:00
2022-10-09 17:43:01,204 [ 87535]
                                                     WARN - #c.a.t.i.a.AvdManagerConnection - AVD not launched because an instance appears to be running on PID 8012
                                                     WARN - \#c.a.t.i.a.AvdManagerConnection - AVD process info: [ 8012 jd 0.5 ?
                                                                                                                                                                                        S1 00:00:00
2022-10-09 17:43:01, 219 [ 87550]
                                                                                                                                                                                                                      01:18 /home/jd
2022-10-09 17:43:13,036 [
                                                     INFO - Emulator: Pixel 2 API 27 - Process finished with exit code 143 (interrupted by signal 15: SIGTERM)
                                       99367]
2022-10-09 17:43:13,044 [ 99375] SEVERE - Emulator: Pixel 2 API 27 - Emulator terminated with exit code 143
java.lang.Throwable: Emulator terminated with exit code 143
           at com. intellij. openapi. diagnostic. Logger. error (Logger. java: 184)
           at\ com.\ and roid.\ tools.\ idea.\ avd manager.\ Emulator Process Handler.\ kt:89)
           at jdk.internal.reflect.GeneratedMethodAccessor16.invoke(Unknown Source)
           at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
           at java.base/java.lang.reflect.Method.invoke(Method.java:568)
           at com.intellij.execution.process.ProcessHandler$2.invoke(ProcessHandler.java:248)
           at jdk. proxy2/jdk. proxy2. $Proxy25. onTextAvailable (Unknown Source)
           at com.intellij.execution.process.ProcessHandler.notifyTextAvailable(ProcessHandler.java:222)
           at com. intellij. execution. process. ProcessTerminatedListener. processTerminated (ProcessTerminatedListener. java: 54)
           at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invokeO(Native Method)
           at java. \, base/jdk. \, internal. \, reflect. \, Native Method Accessor Impl. \, invoke \, (Native Method Accessor Impl. \, java: 77)
           at \ java. \ base/jdk. \ internal. \ reflect. \ Delegating Method Accessor Impl. \ invoke (Delegating Method Accessor Impl. \ java: 43)
           at java.base/java.lang.reflect.Method.invoke(Method.java:568)
           at com. intellij. execution. process. ProcessHandler $2. invoke (ProcessHandler. java: 248)
           at jdk.proxy2/jdk.proxy2.$Proxy25.processTerminated(Unknown Source)
           at \ com. in tellij. \ execution. \ process. Process Handler. \ lambda \$notify Terminated \$2 (Process Handler. \ java: 206) \\
           at com. intellij. execution. process. ProcessHandler$TasksRunner. execute(ProcessHandler. java:281)
           at com.intellij.execution.process.ProcessHandler.notifyTerminated(ProcessHandler.java:189)
           at com. intellij. execution. process. ProcessHandler. notifyProcessTerminated (ProcessHandler. java: 185)
           at com.intellij.execution.process.BaseProcessHandler.onOSProcessTerminated(BaseProcessHandler.java:61)
           at \ com. intellij. execution. process. Base OSP rocess Handler \$1.1 amb da \$start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and the start Notified \$0 (Base OSP rocess Handler. java: 98) and 1980 an
           at com.intellij.execution.process.ProcessWaitFor.lambda$new$0(ProcessWaitFor.java:45)
           at com.intellij.util.ConcurrencyUtil.runUnderThreadName(ConcurrencyUtil.java:212)
           at com. intellij. execution. process. ProcessWaitFor. lambda$new$1 (ProcessWaitFor. java:23)
           at java.\,base/java.\,util.\,concurrent.\,Executors \$ Runnable Adapter.\,call\,(Executors.\,java:539)
           at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
           at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)
           at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:635)
           at java. \ base/java. \ util. \ concurrent. \ Executors \$Privileged Thread Factory \$1\$1. \ run \ (Executors. \ java: 702)
           at java.base/java.util.concurrent.Executors$PrivilegedThreadFactory$1$1.run(Executors.java:699)
           at java.base/java.security.AccessController.doPrivileged(AccessController.java:399)
           at java.base/java.util.concurrent.Executors$PrivilegedThreadFactory$1.run(Executors.java:699)
           at java. base/java. lang. Thread. run (Thread. java: 833)
2022-10-09 17:43:13,049 [ 99380] SEVERE - Emulator: Pixel 2 API 27 - Android Studio Flamingo | 2022.2.1 Canary 3 Build #AI-222.4167.29.2221.9133400
2022-10-09 17:43:13,052 [ 99383] SEVERE - Emulator: Pixel 2 API 27 - JDK: 17.0.4.1; VM: OpenJDK 64-Bit Server VM; Vendor: JetBrains s.r.o.
2022-10-09\ 17{:}43{:}13,052\ [\quad 99383]\ SEVERE\ -\ Emulator:\ Pixel\ 2\ API\ 27\ -\ OS:\ Linux
2022-10-09 17:43:13,275 [ 99606]
                                                     INFO - #c.a.t.i.d.v. VirtualDeviceChangeListener - emulator-5554 disconnected
2022-10-09 17:43:13,765 [
                                      100096]
                                                      WARN - #c.a.t.i.a.AvdManagerConnection - Unable to determine if Pixel_2_API_27 is online, assuming it's not
2022-10-09 17:43:20,041 [ 106372]
                                                      INFO - #c.i.a.o.PathMacrosImp1 - Saved path macros: {}
                                                      INFO - #c.i.c.ComponentStoreImp1 - Saving appPluginAdvertiserExtensions took 11 ms
2022-10-09 17:43:20,058 [ 106389]
2022-10-09 17:43:20,086 [ 106417]
                                                      INFO - #c.i.o.v.i.l.NativeFileWatcherImpl - Watcher terminated with exit code 0
2022-10-09 17:43:20,090 [ 106421]
                                                      {\tt INFO} - {\tt \#o.\,j.\,i.\,BuiltInServer} - web server stopped
2022-10-09 17:43:20.092 [ 106423]
                                                      INFO - #c.a.t.i.a. AdbService - Disposing AdbService
2022-10-09 17:43:20,092 [ 106423]
                                                      INFO - #c.a.t.i.a.AdbService - Terminating ADB connection
2022-10-09 17:43:20,098 [ 106429]
                                                      INFO - #c.a.t.i.a. AdbService - ADB connection successfully terminated
                                                      INFO - #c.i.u.i.FileBasedIndexImp1 - START INDEX SHUTDOWN
2022-10-09 17:43:20,114 [ 106445]
2022-10-09 17:43:20,158 [ 106489]
                                                      INFO - #c.i.p.s.StubIndexImpl - StubIndexExtension-s were unloaded
2022-10-09 17:43:20,159 [ 106490]
                                                      INFO - #c.i.p.s.SerializationManagerImpl - Start shutting down /home/jd/.cache/Google/AndroidStudioPreview2022.2/index/re
2022-10-09 17:43:20,160 [ 106491]
                                                      INFO - #c.i.p.s.SerializationManagerImp1 - Finished shutting down /home/jd/.cache/Google/AndroidStudioPreview2022.2/index
2022-10-09 17:43:20,184 [ 106515]
                                                      INFO - #c.i.u.i.FileBasedIndexImpl - END INDEX SHUTDOWN
```

 $INFO \ - \ \#c. \ i. \ o. \ v. \ n. \ p. \ Persistent FSImp1 \ - \ VFS \ dispose \ started$ 

2022-10-09 17:43:20,477 [ 106808]

COMMENTS	
	sg@google.com <sg@google.com>  Assigned to an@google.com.</sg@google.com>
	bo@google.com <bo@google.com>  Status: Duplicate of 252489952</bo@google.com>