



AVD Device Manager: The emulator process has terminated

+1 12 Hotlists (4) Mark as Duplicate

Comments (11) Dependencies Duplicates (1) Blocking (0) Resources (1)

Can't Repro Bug P1 + Add Hotlist

STATUS UPDATE No update yet. Edit

DESCRIPTION st...@gmail.com created issue #1

Unable to start Android virtual device:

Device Manager:

The emulator process for AVD Pixel\_2\_API\_33 has terminated.

FULL LOG:

```
2022-10-09 11:33:39,988 [ 7] INFO - #c.i.i.StartupUtil - ----- IDE STARTED -----
2022-10-09 11:33:40,192 [ 211] INFO - #c.i.i.StartupUtil - JNA library (64-bit) loaded in 67 ms
2022-10-09 11:33:40,204 [ 223] INFO - #c.i.o.u.i.w.IdeaWin32 - Native filesystem for Windows is operational
2022-10-09 11:33:40,213 [ 232] INFO - #c.i.i.p.PluginManager - Using cached broken plugins file
2022-10-09 11:33:40,256 [ 275] INFO - #c.i.i.StartupUtil - IDE: Android Studio (build #AI-222.3739.54.2221.9043926, 09 Sep 2022 00:13)
2022-10-09 11:33:40,258 [ 277] INFO - #c.i.i.StartupUtil - OS: Windows 11 (10.0, amd64)
2022-10-09 11:33:40,272 [ 291] INFO - #c.i.i.StartupUtil - JRE: 11.0.15+0-b2043.56-8887301 (JetBrains s.r.o.)
2022-10-09 11:33:40,273 [ 292] INFO - #c.i.i.StartupUtil - JVM: 11.0.15+0-b2043.56-8887301 (OpenJDK 64-Bit Server VM)
2022-10-09 11:33:40,288 [ 307] INFO - #c.i.i.StartupUtil - PID: 23608
2022-10-09 11:33:40,294 [ 313] INFO - #c.i.i.StartupUtil - JVM options: [exit, -Xms256m, -Xmx1280m, -XX:ReservedCodeCacheSize=512m, -XX:+UseG1GC, -XX:So
2022-10-09 11:33:40,296 [ 315] INFO - #c.i.i.StartupUtil - args: []
2022-10-09 11:33:40,297 [ 316] INFO - #c.i.i.StartupUtil - library path: C:\Program Files\Android\android-studio-canary\bin;.
2022-10-09 11:33:40,299 [ 318] INFO - #c.i.i.StartupUtil - boot library path: C:\Program Files\Android\android-studio-canary\jbr\bin
2022-10-09 11:33:40,338 [ 357] INFO - #c.i.i.StartupUtil - locale=en_US JNU=Cp1252 file.encoding=Cp1252
idea.config.path=C:\Users\dms\AppData\Roaming\Google\AndroidStudioPreview2022.2
idea.system.path=C:\Users\dms\AppData\Local\Google\AndroidStudioPreview2022.2
idea.plugins.path=C:\Users\dms\AppData\Roaming\Google\AndroidStudioPreview2022.2\plugins
idea.log.path=C:\Users\dms\AppData\Local\Google\AndroidStudioPreview2022.2\log
2022-10-09 11:33:40,381 [ 400] INFO - #c.i.i.StartupUtil - CPU cores: 8; ForkJoinPool.commonPool: java.util.concurrent.ForkJoinPool@6686da92[Running, pa
2022-10-09 11:33:40,531 [ 550] INFO - #c.i.i.p.PluginManager - Plugin PluginDescriptor(name=Groovy, id=org.intellij.groovy, descriptorPath=plugin.xml, p
2022-10-09 11:33:40,532 [ 551] INFO - #c.i.i.p.PluginManager - Plugin PluginDescriptor(name=Groovy, id=org.intellij.groovy, descriptorPath=plugin.xml, p
2022-10-09 11:33:40,757 [ 776] INFO - #c.i.i.p.PluginManager - Module kotlin.features-trainer is not enabled because dependency training is not availabl
Module kotlin.grazie is not enabled because dependency tanvd.grazi is not available
Module kotlin.project-wizard.maven is not enabled because dependency org.jetbrains.idea.maven is not available
Module kotlin.maven is not enabled because dependency org.jetbrains.idea.maven is not available
Module kotlin.compiler-plugins.compiler-plugin-support.maven is not enabled because dependency kotlin.maven is not available
Module kotlin.compiler-plugins.lombok.maven is not enabled because dependency kotlin.maven is not available
Module kotlin.compiler-plugins.kotlinx-serialization.maven is not enabled because dependency kotlin.maven is not available
Module kotlin.compiler-plugins.sam-with-receiver.maven is not enabled because dependency kotlin.maven is not available
Module kotlin.compiler-plugins.noarg.maven is not enabled because dependency kotlin.maven is not available
Module kotlin.compiler-plugins.allopen.maven is not enabled because dependency kotlin.maven is not available
Module intellij.java.ide.customization/training is not enabled because dependency training is not available
Module intellij.groovy/byte-code-viewer is not enabled because dependency ByteCodeViewer is not available
Module intellij.groovy/ant is not enabled because dependency AntSupport is not available
Module intellij.devkit.uiDesigner is not enabled because dependency com.intellij.uiDesigner is not available
2022-10-09 11:33:40,795 [ 814] INFO - #c.i.i.p.PluginManager - Loaded bundled plugins: Toml (222.3739.54.2221.9043926), IDEA CORE (222.3739.54), TargetS
2022-10-09 11:33:41,954 [ 1973] INFO - #c.i.a.o.PathMacrosImpl - Loaded path macros: {}
2022-10-09 11:33:42,007 [ 2026] INFO - #o.j.i.BuiltInServerManager - built-in server started, port 63342
2022-10-09 11:33:42,107 [ 2126] INFO - #c.i.a.o.RegistryManager - Registry values changed by user: external.system.auto.import.disabled = true, ide.text.
2022-10-09 11:33:42,202 [ 2221] INFO - #c.i.d.JitWatcher - JIT compilation state checking enabled
2022-10-09 11:33:42,253 [ 2272] INFO - #c.i.u.i.FilePageCache - lower=100; upper=500; buffer=10; max=1260
2022-10-09 11:33:42,350 [ 2369] INFO - #c.i.o.e.c.i.AppFontOptions - Font setting migration: JetBrains Mono -> [JetBrains Mono, Regular, Bold]
2022-10-09 11:33:42,359 [ 2378] INFO - #c.i.o.v.n.p.PersistentFSConnector - 15 ms to load free records and inverted name index
2022-10-09 11:33:42,443 [ 2462] INFO - #c.i.u.n.s.CertificateManager - Default SSL context initialized
2022-10-09 11:33:42,465 [ 2484] INFO - #c.a.t.i.s.ServerFlagInitializer - Enabled server flags:
2022-10-09 11:33:42,524 [ 2543] INFO - #c.i.o.v.i.l.NativeFileWatcherImpl - Starting file watcher: C:\Program Files\Android\android-studio-canary\bin\fsn
2022-10-09 11:33:42,540 [ 2559] INFO - #c.i.o.v.i.l.NativeFileWatcherImpl - Native file watcher is operational.
2022-10-09 11:33:42,545 [ 2564] INFO - #c.i.o.v.i.w.WslFileWatcher - WSL file watcher: C:\Program Files\Android\android-studio-canary\bin\fsnotifier-wsl
2022-10-09 11:33:43,425 [ 3444] INFO - #c.i.o.u.r.RegistryValue - Registry value 'external.system.auto.import.disabled' has changed to 'true'
2022-10-09 11:33:43,425 [ 3444] INFO - #c.i.o.u.r.RegistryValue - Registry value 'ide.text.editor.with.preview.show.floating.toolbar' has changed to 'fal
2022-10-09 11:33:43,471 [ 3490] WARN - #c.i.u.s.SvgCacheManager - Icon cache will be recreated or previous version of data reused, (db=C:\Users\dms\AppData
2022-10-09 11:33:43,819 [ 3838] INFO - #c.i.o.u.i.UpdateCheckerService - channel: eap
2022-10-09 11:33:43,823 [ 3842] INFO - #c.i.o.u.i.UpdateCheckerService - channel set to 'eap' by com.android.tools.idea.AndroidStudioUpdateStrategyCustom
2022-10-09 11:33:44,750 [ 4769] INFO - #c.i.i.StartupUtil - notify that start-up thread is free
2022-10-09 11:33:44,870 [ 4889] INFO - #c.i.u.i.FileBasedIndexImpl - Indices to be built:FilenameIndex(v = 258)
2022-10-09 11:33:44,883 [ 4902] INFO - c.i.u.i.FileBasedIndexDataInitialization - Index data initialization done: 1434 ms. Initialized indexes: [Filename
2022-10-09 11:33:45,074 [ 5093] INFO - c.i.p.s.StubIndexImpl$StubIndexInitialization - Index data initialization done: 190 ms. Initialized stub indexes:
```

```
2022-10-09 11:33:45,495 [ 5514] INFO - #c.a.t.i.w.w.FirstRunWizardFrameProvider - Overriding welcome frame to be resizable
2022-10-09 11:33:49,214 [ 9233] INFO - #c.a.t.i.a.AvdManagerConnection - C:\Users\dms\.android\avd\Pixel_2_API_33_2.avd\hardware-qemu.ini.lock\pid not fo
2022-10-09 11:33:49,214 [ 9233] INFO - #c.a.t.i.a.AvdManagerConnection - C:\Users\dms\.android\avd\Pixel_2_API_33_2.avd\userdata-qemu.img.lock\pid not fo
2022-10-09 11:33:49,219 [ 9238] WARN - #c.a.t.i.a.AvdManagerConnection - Unable to determine if Pixel_2_API_33 is online, assuming it's not
2022-10-09 11:33:52,007 [ 12026] INFO - Emulator: Pixel 2 API 33 - C:\Users\dms\AppData\Local\Android\Sdk\emulator\emulator.exe -netdelay none -netspeed f
2022-10-09 11:33:52,036 [ 12055] WARN - #c.i.u.j.JBCefApp - JCEF runtime version is not supported (Use JBR bundled with the IDE)
2022-10-09 11:33:52,049 [ 12068] INFO - Emulator: Pixel 2 API 33 - PANIC: Avd's CPU Architecture 'arm64' is not supported by the QEMU2 emulator on x86_64
2022-10-09 11:33:52,056 [ 12075] INFO - Emulator: Pixel 2 API 33 - Android emulator version 32.1.2.0 (build_id 9112098) (CL:N/A)
2022-10-09 11:33:52,057 [ 12076] INFO - Emulator: Pixel 2 API 33 - Found systemPath C:\Users\dms\AppData\Local\Android\Sdk\system-images\android-33\google
2022-10-09 11:33:52,058 [ 12077] INFO - Emulator: Pixel 2 API 33 - Process finished with exit code 1
2022-10-09 11:33:52,066 [ 12085] SEVERE - Emulator: Pixel 2 API 33 - Emulator terminated with exit code 1
java.lang.Throwable: Emulator terminated with exit code 1
    at com.intellij.openapi.diagnostic.Logger.error(Logger.java:184)
    at com.android.tools.idea.avdmanager.EmulatorProcessHandler$ConsoleListener.onTextAvailable(EmulatorProcessHandler.kt:89)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:566)
    at com.intellij.execution.process.ProcessHandler$2.invoke(ProcessHandler.java:248)
    at com.sun.proxy.$Proxy29.onTextAvailable(Unknown Source)
    at com.intellij.execution.process.ProcessHandler.notifyTextAvailable(ProcessHandler.java:222)
    at com.intellij.execution.process.ProcessTerminatedListener.processTerminated(ProcessTerminatedListener.java:54)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:566)
    at com.intellij.execution.process.ProcessHandler$2.invoke(ProcessHandler.java:248)
    at com.sun.proxy.$Proxy29.processTerminated(Unknown Source)
    at com.intellij.execution.process.ProcessHandler.lambda$notifyTerminated$2(ProcessHandler.java:206)
    at com.intellij.execution.process.ProcessHandler$TasksRunner.execute(ProcessHandler.java:281)
    at com.intellij.execution.process.ProcessHandler.notifyTerminated(ProcessHandler.java:189)
    at com.intellij.execution.process.ProcessHandler.notifyProcessTerminated(ProcessHandler.java:185)
    at com.intellij.execution.process.BaseProcessHandler.onOSProcessTerminated(BaseProcessHandler.java:61)
    at com.intellij.execution.process.BaseOSProcessHandler$1.lambda$startNotified$0(BaseOSProcessHandler.java:98)
    at com.intellij.execution.process.ProcessWaitFor.lambda$new$0(ProcessWaitFor.java:45)
    at com.intellij.util.ConcurrencyUtil.runUnderThreadName(ConcurrencyUtil.java:212)
    at com.intellij.execution.process.ProcessWaitFor.lambda$new$1(ProcessWaitFor.java:23)
    at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)
    at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
    at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)
    at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:628)
    at java.base/java.util.concurrent.Executors$PrivilegedThreadFactory$1$1.run(Executors.java:668)
    at java.base/java.util.concurrent.Executors$PrivilegedThreadFactory$1$1.run(Executors.java:665)
    at java.base/java.security.AccessController.doPrivileged(Native Method)
    at java.base/java.util.concurrent.Executors$PrivilegedThreadFactory$1.run(Executors.java:665)
    at java.base/java.lang.Thread.run(Thread.java:829)
2022-10-09 11:33:52,071 [ 12090] SEVERE - Emulator: Pixel 2 API 33 - Android Studio Flamingo | 2022.2.1 Canary 1 Build #AI-222.3739.54.2221.9043926
2022-10-09 11:33:52,074 [ 12093] SEVERE - Emulator: Pixel 2 API 33 - JDK: 11.0.15; VM: OpenJDK 64-Bit Server VM; Vendor: JetBrains s.r.o.
2022-10-09 11:33:52,074 [ 12093] SEVERE - Emulator: Pixel 2 API 33 - OS: Windows 11
2022-10-09 11:33:52,265 [ 12284] INFO - #c.a.t.i.a.AvdManagerConnection - C:\Users\dms\.android\avd\Pixel_2_API_33_2.avd\hardware-qemu.ini.lock\pid not fo
2022-10-09 11:33:52,266 [ 12285] INFO - #c.a.t.i.a.AvdManagerConnection - C:\Users\dms\.android\avd\Pixel_2_API_33_2.avd\userdata-qemu.img.lock\pid not fo
2022-10-09 11:33:52,266 [ 12285] WARN - #c.a.t.i.a.AvdManagerConnection - Unable to determine if Pixel_2_API_33 is online, assuming it's not
2022-10-09 11:33:55,543 [ 15562] INFO - #c.i.a.o.PathMacrosImpl - Saved path macros: {}
2022-10-09 11:33:55,572 [ 15591] INFO - #c.i.c.ComponentStoreImpl - Saving appDaemonCodeAnalyzerSettings took 52 ms, FileTypeManager took 21 ms, PluginAdv
2022-10-09 11:33:55,631 [ 15650] INFO - #c.i.o.v.i.l.NativeFileWatcherImpl - Watcher terminated with exit code 0
2022-10-09 11:33:55,636 [ 15655] INFO - #o.j.i.BuiltInServer - web server stopped
2022-10-09 11:33:55,678 [ 15697] INFO - #c.i.u.i.FileBasedIndexImpl - START INDEX SHUTDOWN
2022-10-09 11:33:55,875 [ 15894] INFO - #c.i.p.s.StubIndexImpl - StubIndexExtension-s were unloaded
2022-10-09 11:33:55,876 [ 15895] INFO - #c.i.p.s.SerializationManagerImpl - Start shutting down C:\Users\dms\AppData\Local\Google\AndroidStudioPreview2022
2022-10-09 11:33:55,880 [ 15899] INFO - #c.i.p.s.SerializationManagerImpl - Finished shutting down C:\Users\dms\AppData\Local\Google\AndroidStudioPreview2
2022-10-09 11:33:56,030 [ 16049] INFO - #c.i.u.i.FileBasedIndexImpl - END INDEX SHUTDOWN
2022-10-09 11:33:56,542 [ 16561] INFO - #c.i.o.v.n.p.PersistentFSImpl - VFS dispose started
2022-10-09 11:33:56,550 [ 16569] INFO - #c.i.o.v.n.p.PersistentFSImpl - VFS dispose completed
2022-10-09 11:33:56,550 [ 16569] INFO - #c.i.o.f.i.FileTypeDetectionService - 0 auto-detected files. Detection took 0 ms
```

✓ Links (1)

🔗 Links (1)

"<http://127.0.0.1:8554>"

COMMENTS



sg...@google.com <sg...@google.com>

Assigned to an...@google.com.

bo...@google.com <bo...@google.com> [#2](#)

Reassigned to bo...@google.com.

could you create an avd using x86\_64 image, instead of arm64 image ?

st...@gmail.com <st...@gmail.com> [#3](#)

Yes I can create an avd using x86\_64 image.

[Deleted User] <[Deleted User]> [#4](#)

The Android Emulator doesn't work either for me.  
See the attached file for the error.

[Deleted User] <[Deleted User]> [#5](#)

The file :

 **error.txt**  
3.7 KB [View](#) [Download](#)

th...@memberson.com <th...@memberson.com> [#6](#)

I got the same problem

Here you go the log fetching from AndroidStudio2021.3\log\idea.log

```
2022-11-19 06:15:44,141 [ 7716] WARN - ctionSystem.impl.ActionUpdater - 209 ms to grab EDT for ToolbarTextButtonWrapper#update (com.intellij.openapi.wm.impl.welcomeScreen.WelcomeScreenImpl$ActionUpdater)
2022-11-19 06:15:45,737 [ 9312] WARN - ctionSystem.impl.ActionUpdater - 208 ms to grab EDT for ImportApkAction#update (com.android.tools.idea.apk.ImportApkAction)
2022-11-19 06:16:09,864 [ 33439] INFO - Emulator: Pixel 6 API 31 - D:\PROGRAMS\Android\Sdk\emulator\emulator.exe -netdelay none -netspeed full -avd Pixel_6_API_31
2022-11-19 06:16:09,880 [ 33455] INFO - roid.tools.idea.adb.AdbService - Terminating ADB connection
2022-11-19 06:16:09,882 [ 33457] WARN - #com.intellij.ui.jcef.JBCefApp - JCEF runtime library is not a JBR module (Use JBR bundled with the IDE)
2022-11-19 06:16:09,884 [ 33459] INFO - roid.tools.idea.adb.AdbService - ADB connection successfully terminated
2022-11-19 06:16:09,884 [ 33459] INFO - roid.tools.idea.adb.AdbService - Initializing adb using: D:\PROGRAMS\Android\Sdk\platform-tools\adb.exe
2022-11-19 06:16:09,929 [ 33504] INFO - Emulator: Pixel 6 API 31 - Android emulator version 31.3.13.0 (build_id 9189900) (CL:N/A)
2022-11-19 06:16:09,930 [ 33505] INFO - Emulator: Pixel 6 API 31 - emulator: INFO: Found systemPath D:\PROGRAMS\Android\Sdk\system-images\android-31\google_apis\x86_64\
2022-11-19 06:16:11,681 [ 35256] WARN - Emulator: Pixel 6 API 31 - unexpected system image feature string, emulator might not function correctly, please try updating the emulator.
2022-11-19 06:16:12,071 [ 35646] WARN - #com.android.ddmlib - * daemon not running; starting now at tcp:5037
2022-11-19 06:16:12,120 [ 35695] WARN - #com.android.ddmlib - * daemon started successfully
2022-11-19 06:16:12,133 [ 35708] INFO - #com.android.ddmlib - Connected to adb for device monitoring
2022-11-19 06:16:12,337 [ 35912] INFO - roid.tools.idea.adb.AdbService - Successfully connected to adb
2022-11-19 06:16:12,953 [ 36528] INFO - Emulator: Pixel 6 API 31 - Duplicate loglines will be removed, if you wish to see each individual line launch with the -log-nofilter flag.
2022-11-19 06:16:12,953 [ 36528] INFO - Emulator: Pixel 6 API 31 - IPv4 server found: 8.8.8.8
2022-11-19 06:16:12,953 [ 36528] INFO - Emulator: Pixel 6 API 31 - configAndStartRenderer: setting vsync to 60 hz
2022-11-19 06:16:12,954 [ 36529] INFO - Emulator: Pixel 6 API 31 - Sending adb public key [QAAAAJdIP+nZSLdPg5tpi3ggq59qJb/gQqc8lr8WR2qcPTua7wUBBrmqtpALVxyrsunDPXZi6rh]
2022-11-19 06:16:12,954 [ 36529] INFO - Emulator: Pixel 6 API 31 - added library vulkan-1.dll
2022-11-19 06:16:12,954 [ 36529] INFO - Emulator: Pixel 6 API 31 - injectedQemuChannel!
2022-11-19 06:16:12,954 [ 36529] INFO - Emulator: Pixel 6 API 31 - Informing listeners of injection.
2022-11-19 06:16:12,954 [ 36529] INFO - Emulator: Pixel 6 API 31 - Rootcanal has been activated.
2022-11-19 06:16:12,954 [ 36529] INFO - Emulator: Pixel 6 API 31 - HAX is working and emulator runs in fast virt mode.
2022-11-19 06:16:13,136 [ 36711] INFO - ab.VirtualDeviceChangeListener - emulator-5554 connected
2022-11-19 06:16:13,566 [ 37141] WARN - Emulator: Pixel 6 API 31 - *** No gRPC protection active, consider launching with the -grpc-use-jwt flag.***
2022-11-19 06:16:13,567 [ 37142] INFO - Emulator: Pixel 6 API 31 - Started gRPC server at 127.0.0.1:8554, security: Local, auth: none
2022-11-19 06:16:13,567 [ 37142] INFO - Emulator: Pixel 6 API 31 - Advertising in: C:\Users\kevin\AppData\Local\Temp\avd\running\pid_13560.ini
2022-11-19 06:16:13,882 [ 37457] INFO - Emulator: Pixel 6 API 31 - setDisplayConfigs w 1080 h 2400 dpiX 420 dpiY 420
2022-11-19 06:16:14,033 [ 37608] INFO - Emulator: Pixel 6 API 31 - D:\PROGRAMS\Android\Sdk\emulator\qemu\windows-x86_64\qemu-system-x86_64.exe: error while loading state fo
2022-11-19 06:16:14,039 [ 37614] INFO - Emulator: Pixel 6 API 31 - Deleting snapshot default_boot
2022-11-19 06:16:14,077 [ 37652] INFO - Emulator: Pixel 6 API 31 - VCPU shutdown request
2022-11-19 06:16:14,077 [ 37652] INFO - Emulator: Pixel 6 API 31 - VCPU shutdown request
2022-11-19 06:16:14,077 [ 37652] INFO - Emulator: Pixel 6 API 31 - VCPU shutdown request
2022-11-19 06:16:14,077 [ 37652] INFO - Emulator: Pixel 6 API 31 - VCPU shutdown request
2022-11-19 06:16:14,077 [ 37652] INFO - Emulator: Pixel 6 API 31 - VCPU shutdown request
2022-11-19 06:16:14,077 [ 37652] INFO - Emulator: Pixel 6 API 31 - VCPU shutdown request
2022-11-19 06:16:14,077 [ 37652] INFO - Emulator: Pixel 6 API 31 - VCPU shutdown request
2022-11-19 06:16:14,078 [ 37653] INFO - Emulator: Pixel 6 API 31 - VCPU shutdown request
2022-11-19 06:16:14,552 [ 38127] INFO - Emulator: Pixel 6 API 31 - Closing down rootcanal.
2022-11-19 06:16:15,022 [ 38597] INFO - rationStore.ComponentStoreImpl - Saving appDaemonCodeAnalyzerSettings took 24 ms, FileTypeManager took 13 ms
2022-11-19 06:16:16,180 [ 39755] INFO - Emulator: Pixel 6 API 31 - Process finished with exit code 0
2022-11-19 06:16:16,342 [ 39917] INFO - ab.VirtualDeviceChangeListener - emulator-5554 disconnected
```

jo...@gmail.com <jo...@gmail.com> [#7](#)

Comment has been deleted.

Message last modified on Mar 8, 2023 10:41PM

deleted

**gd...@gmail.com** <gd...@gmail.com> [#8](#)

I am also facing same issue.

What is the solution for it.

 **Errorlogs.txt**  
11 KB [View](#) [Download](#)

**bo...@google.com** <bo...@google.com> [#9](#)

- Emulator: Pixel 6 API 31 - D:\PROGRAMS\Android\Sdk\emulator\qemu\windows-x86\_64\qemu-system-x86\_64.exe: error while loading state for instance 0x0 of device 'goldfish\_pipe'  
2022-11-19 06:16:14,039 [ 37614] INFO - Emulator: Pixel

you might have corrupted snapshot;  
try do a cold boot

**an...@gmail.com** <an...@gmail.com> [#10](#)

AVD Device Manager: "The emulator process for AVD Pixel\_3\_API\_33 has terminated." error message is coming. Here is the log information :

2023-06-14 15:30:45,920 [14085310] INFO - Emulator: Pixel 3 API 33 - C:\Users\2029268\AppData\Local\Android\Sdk\emulator\emulator.exe -netdelay none -netspeed full -no-snapshot-loc  
2023-06-14 15:30:46,012 [14085402] INFO - Emulator: Pixel 3 API 33 - Android emulator version 32.1.13.0 (build\_id 10086546) (CL:N/A)  
2023-06-14 15:30:46,012 [14085402] INFO - Emulator: Pixel 3 API 33 - Found systemPath C:\Users\2029268\AppData\Local\Android\Sdk\system-images\android-33\google\_apis\_playstore  
2023-06-14 15:30:47,421 [14086811] INFO - Emulator: Pixel 3 API 33 - Process finished with exit code -1073741515 (0xC0000135)

**bo...@google.com** <bo...@google.com> [#11](#)

thanks,

can you try a cold boot ?

**bo...@google.com** <bo...@google.com>

*Status: Won't Fix (Not Reproducible)*