Manifest of measurement runs

Siomara van Straalen

September 2026

Every run made for the paper. Result JSON files contain the providers' own usage blocks per call; model outputs are stored as lengths only (textChars) except judge outputs in E2 (first 120 characters). No API keys are stored anywhere in this repository.

Machine-readable copy: `experiments/RUNS.json`. Run logs are in `experiments/results/`.

E1: Setting-cost ratio alpha on analytic prompts

Date	2026-09-11
Models	gpt-5.6-sol (OpenAI, reasoning_effort none/low/high); claude-opus-5 (Anthropic, output_config.effort low/high)
Design	5 prompts × settings × 2 models, one call per cell, max 24,000 output tokens (never reached)
Scripts	`experiments/e1-alpha.mjs`, `experiments/e1-retry.mjs`
Inputs	`experiments/prompts.json`
Spend, USD	stated 8; actual 2.17; recorded in files 2.168
Cells	25 recorded, 0 errors
Status	complete: 25/25 cells; 6 cells retried after transient OpenAI HTTP 500s (marked retried in the JSON)
Headline	alpha high/low = 2.83 (gpt-5.6-sol, per prompt 1.52-3.99); 3.18 vs none; 1.75 (claude-opus-5, per prompt 1.48-2.00)

Files and SHA-256

`experiments/results/e1-alpha-2026-09-11T07-41-26.json`, 20185 bytes

`37170e0b8662c5d507c68d53f9af3f0130cd8e269bd9d8195e650390e5f82b61`

`experiments/results/e1-alpha-run.log`, 4009 bytes

`531a911e42c755268161b852176a658a622fdc53af495c2b6fcd619eb576840b`

`experiments/results/e1-retry-run.log`, 1628 bytes

`dd8de47a8c8c0ec3c4f16aef7a31a581e2e6edb8fb99290f422698d9e56e2cb8`

`experiments/prompts.json` (input)

`103c5c42314909a1230b2d88afecea542674bc23e39f19952d9c5f9df099293e`

E2: Judging-side premises: prompt-cache hits, judge test-retest, order sensitivity, rho

Date	2026-09-11
Models	gpt-5.6-sol (OpenAI, reasoning_effort none, default sampling)
Design	3 calls sharing a ~920-token prefix; 5 repeated scorings of one answer; 3 batched calls under rotated orderings; 11 calls in total
Scripts	`experiments/e2-judge-cache.mjs`
Inputs	`experiments/prompts.json (task 1)`, `three fixed candidate answers and a generated 40-criterion rubric, both inside the script`
Spend, USD	stated 0.5; actual 0.19; recorded in files 0.188
Cells	11 recorded, 0 errors
Status	complete: 11/11 calls
Headline	cached tokens 0/0/0 with a 920-token prefix, 1,089/1,089 with an identical 1,089-token prompt; test-retest scores 50/50/60/50/43 (SD 6.1, range 17); order moved a score by up to 17 points with ranking preserved; rho ~ 0.14

Files and SHA-256

`experiments/results/e2-judge-cache-2026-09-11T07-41-29.json`, 5121 bytes

`f3873f18c2f336f82082dbefdb1f5940d2f607c778f70555577e6f69a3e8aca9`

`experiments/results/e2-judge-cache-run.log`, 996 bytes

`9018dd1f327de835316a22eb518018c1fa973c02f453d0bd8bad281d425be138`

`experiments/prompts.json` (input)

`103c5c42314909a1230b2d88afecea542674bc23e39f19952d9c5f9df099293e`

E3: Task-family test: alpha on AIME 2025 competition problems

Date	2026-09-11
Models	gpt-5.6-sol (low/high); claude-opus-5 (low/high)
Design	5 problems × 2 settings × 2 models, one call per cell, max 16,000 output tokens (never reached); correctness recorded against the dataset answers
Scripts	`experiments/e3-aime.mjs`, `experiments/e3-retry.mjs`
Inputs	`experiments/aime-problems.json (AIME 2025 I, problems 1-5, from the public dataset math-ai/aime25 via datasets-server.huggingface.co)`
Spend, USD	stated 6; actual 0.39; recorded in files 0.385
Cells	20 recorded, 0 errors
Status	complete: 20/20 cells; 8 cells retried after an OpenAI outage (HTTP 500), marked retried in the JSON
Headline	alpha high/low = 1.48 (gpt-5.6-sol, median 1.18, 5/5 correct at both settings); 2.67 (claude-opus-5, median 1.76, one item 72.7; 4/5 → 5/5 correct)

Files and SHA-256

`experiments/results/e3-aime-2026-09-11T08-35-02.json`, 17275 bytes

`8c5fd5ef1da417ff1c3f12a5bd3ee3a186b7c72734ac588f135c3334222877e0`

`experiments/results/e3-aime-run.log`, 4958 bytes

`a4cf190cdf675b5799123b9c3611aa0f3688da97cb14a274671b48cef5751412`

`experiments/results/e3-retry-run.log`, 899 bytes

`6fc1ae09279eede0bf1c77724b45eac3d0daf8b7f08f5d26b1f164b16b5aba0a`

`experiments/aime-problems.json` (input)

`a78b6af7cfeef9ead3f9d4c39f0abaf145c1af5b7d2074b4d39c4ee09e9e834e`
