



Default Layout

Table animal		
Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	sex_id	integer
*	breed_id	bigint
*	procedence_type_id	integer
	name	varchar(100)
*	colour	varchar(100)
Indexes		
Type	Name	On
Pk	pk_animal	id
Foreign Keys		
Type	Name	On
	fk_animal_sex (sex_id) ref sex (id)	
	fk_animal_breed (breed_id) ref breed (id)	
	fk_animal_procedence_type (procedence_type_id) ref procedence_type (id)	

Table animal_photos		
Idx	Name	Data Type
* Pk	id	bigint
*	animal_id	bigint
*	url	varchar(255)
Indexes		
Type	Name	On
Pk	pk_animal_photis	id
Foreign Keys		
Type	Name	On
	fk_animal_photis_animal (animal_id) ref animal (id)	

Table animal_status		
Idx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(100)
Indexes		
Type	Name	On
Pk	pk_animal_status	id

Table animal_status_hist		
Idx	Name	Data Type
* Pk	animal_id	bigint
*	status_id	integer
* Pk	date_from	date
	date_to	date
Indexes		
Type	Name	On
Pk	pk_animal_status_hist	animal_id, date_from
Foreign Keys		

Table animal_status_hist

Type	Name	On
------	------	----

	fk_animal_status_hist_animal (animal_id) ref animal (id)	
--	--	--

	fk_animal_status_hist (status_id) ref animal_status (id)	
--	--	--

Table appointment

Idx	Name	Data Type
-----	------	-----------

* Pk	customer_id	bigint
------	-------------	--------

* Pk	appointment_date	timestamp
------	------------------	-----------

	animal_id	bigint
--	-----------	--------

Indexes

Type	Name	On
------	------	----

Pk	pk_appointment	customer_id, appointment_date
----	----------------	-------------------------------

Foreign Keys

Type	Name	On
------	------	----

	fk_appointment_customer (customer_id) ref customer (id)	
--	---	--

	fk_appointment_animal (animal_id) ref animal (id)	
--	---	--

Table breed

Idx	Name	Data Type	Description
-----	------	-----------	-------------

* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY	
------	----	--	--

*	is_exotic	boolean	
---	-----------	---------	--

*	name	varchar(100)	
---	------	--------------	--

*	space_need	varchar(100)	define data type after seeing more data
---	------------	--------------	---

*	activity_need	varchar(100)	define data type after seeing more data
---	---------------	--------------	---

*	alimentation_need	varchar(100)	define data type after seeing more data
---	-------------------	--------------	---

*	dangerous_race	boolean	defines if this race is catalogued as a dangerous race or not
---	----------------	---------	---

*	time_dedication_need	varchar(100)	define data type when seeing more data
---	----------------------	--------------	--

Indexes

Type	Name	On	Description
------	------	----	-------------

Pk	pk_race	id	
----	---------	----	--

Table customer

Idx	Name	Data Type
-----	------	-----------

* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
------	----	---

* Unq	doc_number	varchar(100)
-------	------------	--------------

*	name	varchar(100)
---	------	--------------

*	surname	varchar(100)
---	---------	--------------

*	user_alias	varchar(100)
---	------------	--------------

*	date_birth	date
---	------------	------

*	banned	boolean DEFAULT FALSE
---	--------	-----------------------

*	email	varchar(255)
---	-------	--------------

*	phone1	varchar(20)
---	--------	-------------

	phone2	varchar(20)
--	--------	-------------

*	address	varchar(100)
---	---------	--------------

Indexes

Type	Name	On
------	------	----

Pk	pk_customer	id
----	-------------	----

Table customer

Unq	uniq_customer	doc_number
-----	---------------	------------

Table customer_pwd

Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	customer_id	bigint
*	pwd	varchar(255)

Indexes

Type	Name	On
Pk	pk_customer_pwd	id

Foreign Keys

Type	Name	On
	fk_customer_pwd_customer (customer_id) ref customer (id)	

Table procedence_type

Idx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(100)

Indexes

Type	Name	On
Pk	pk_procedence_type	id

Table sex

Idx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(100)

Indexes

Type	Name	On
Pk	pk_sex	id