Firewall: Rules









| ID | Proto | Source | Port | Destination | Port | Gateway | Queue | Schedule | Description | 0 |
|----|-----------------|--------------|----------------|------------------------|------|---------|-------|----------|---|---|
| 3 | IPv4 ICMP | 10.0.40.0/24 | * | MGMT Workstations | * | * | none | | Allow ICMP back to MGMT Workstations | |
| 3 | IPv4 ICMP | 10.0.40.0/24 | * | ! MGMT Workstations | * | * | none | | Block ICMP back to Anything Else | |
| 3 | IPv4 TCP | 10.0.40.10 | 80 (HTTP) | * | * | * | none | | Allow DMZ Web HTTP to Anywhere | |
| 3 | IPv4 TCP | 10.0.40.10 | 443 (HTTPS) | * | * | * | none | | Allow DMZ Web HTTPS to Anywhere | |
| | IPv4 UDP | 10.0.40.20 | 53 (DNS) | * | * | * | none | | Allow DMZ DNS to Anywhere | |
| 3 | IPv4 TCP | 10.0.40.10 | * | 10.0.20.30 | 5889 | * | none | | Allow DMZ Web to Transaction DB Server | 0 |
| 3 | IPv4 TCP/UDP | * | | | * | * | none | | Deny All | |

Firewall: Rules







| ID | Proto | Source | Port | Destination | Port | Gateway | Queue | Schedule | Description |
|----|-----------------|------------------------|--------------|---------------|----------------|---------|-------|----------|--|
| | * | * | * | LAN Address | 80 | * | * | | Anti-Lockout Rule |
| | IPv4 ICMP | MGMT Workstations | * | * | * | * | none | | Allow ICMP from MGMT to |
| | IPv4 ICMP | ! MGMT Workstations | * | A | * | * | none | | Anywhere Deny ICMP from everywhere else |
| | IPv4 TCP | 10.0.10.30 | * | 27.18.160.120 | 443 (HTTPS) | * | none | | Allow Log Server to send Backups |
| | IPv4 TCP | * | * | 10.0.40.10 | 80 (HTTP) | * | none | | Allow LAN to DMZ Web HTTP |
| | IPv4 TCP | * | * | 10.0.40.10 | 443 (HTTPS) | * | none | | Allow LAN to DMZ Web HTTPS |
| | IPv4 TCP | MGMT Workstations | * | * | 443 (HTTPS) | * | none | | Allow HTTPS from MGMT to Internet |
| | IPv4 TCP | 10.0.30.0/24 | * | * | 443 (HTTPS) | * | none | | Allow HTTPS from USERS to Internet |
| | IPv4 UDP | MGMT Workstations | * | 8.8.8.8 | 53 (DNS) | * | none | | Allow DNS from MGMT to Internet |
| | IPv4 UDP | 10.0.30.0/24 | * | 8.8.8.8 | 53 (DNS) | * | none | | Allow DNS from USERS to Internet |
| | IPv4 TCP/UDP | * | * | * | * | * | none | | Deny All |
| | IPv4 TCP | 10.0.20.50 | 25 (SMTP) | * | * | * | none | | Allow SMTP Out |
| | IPv4 TCP | 10.0.20.30 | 5889 | 10.0.40.10 | * | * | none | | Allow Transaction DB Server to Update DMZ |







| ing WAN LAN OPT1 | | | | | | | | | | |
|------------------|-------------------------|-------------------------------------|----------------|------------------------|----------------|---------|-------|----------|---|---|
| ID | Proto | Source | Port | Destination | Port | Gateway | Queue | Schedule | Description | C |
| | * | RFC 1918 networks | *: | * | * | * | * | | Block private networks | 3 |
| | * | Reserved/not assigned by IANA | * | * | * | * | * | * | Block bogon networks | |
| | IPv4 TCP | * | 443 (HTTPS) | MGMT Workstations | * | * | none | | Allow HTTPS to MGMT | |
| | IPv4 TCP | * | 443 (HTTPS) | 10.0.30.0/24 | * | * | none | | Allow HTTPS to USERS | |
| | IPv4 UDP | 8.8.8.8 | 53 (DNS) | MGMT Workstations | * | * | none | | Allow DNS to MGMT | |
| | IPv4 UDP | 8.8.8.8 | 53 (DNS) | 10.0.30.0/24 | * | * | none | | Allow DNS to USERS | |
| | IPv4 TCP | 27.18.160.120 | 443 (HTTPS) | 10.0.10.30 | * | * | none | | Allow Log Backup back to Log Server | |
| | IPv4 ICMP echorep | * | * | MGMT Workstations | * | * | none | | Allow Echo Replies back to MGMT Workstations | |
| | IPv4 ICMP | * | * | ! MGMT Workstations | * | * | none | | Block ICMP Inbound except Echo Replies to MGMT WS | |
| | IPv4 TCP | * | * | 10.0.40.10 | 80 (HTTP) | * | none | | Allow Internet to DMZ Web HTTP | |
| | IPv4 TCP | * | * | 10.0.40.10 | 443 (HTTPS) | * | none | | Allow Internet to DMZ Web HTTPS | |
| | IPv4 UDP | * | | 10.0.40.20 | 53 (DNS) | * | none | | Allow Internet to DMZ DNS | 6 |
| | IPv4 TCP | * | * | 10.0.20.50 | 25 (SMTP) | * | none | | Allow SMTP to Email Server | 6 |