## Firewall: Rules









ID	Proto	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	0
3	IPv4 ICMP	10.0.40.0/24	*	MGMT Workstations	*	*	none		Allow ICMP back to MGMT Workstations	
3	IPv4 ICMP	10.0.40.0/24	*	! MGMT Workstations	*	*	none		Block ICMP back to Anything Else	
3	IPv4 TCP	10.0.40.10	80 (HTTP)	*	*	*	none		Allow DMZ Web HTTP to Anywhere	
3	IPv4 TCP	10.0.40.10	443 (HTTPS)	*	*	*	none		Allow DMZ Web HTTPS to Anywhere	
	IPv4 UDP	10.0.40.20	53 (DNS)	*	*	*	none		Allow DMZ DNS to Anywhere	
3	IPv4 TCP	10.0.40.10	*	10.0.20.30	5889	*	none		Allow DMZ Web to Transaction DB Server	
3	IPv4 TCP/UDP	*			*	*	none		Deny All	

## Firewall: Rules

atin	g [	WAN LA	N OPT1								
i	ID	Proto	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	0
		*	*	*	LAN Address	80	*	*		Anti-Lockout Rule	3
		IPv4 ICMP	MGMT Workstations	*	*	*	*	none		Allow ICMP from MGMT to Anywhere	
<b>E3</b>		IPv4	1	*	*	*	*	none		Deny ICMP	-

ICMP	MGMI Workstations					none	from MGMT to Anywhere	
IPv4 ICMP	! MGMT Workstations	*	*	*	*	none	Deny ICMP from everywhere else	

							Anywhere	-
IPv4 ICMP	! MGMT Workstations	*	*	*	*	none	Deny ICMP from everywhere else	
IPv4 TCF	10.0.10.30	*	27.18.160.120	443 (HTTPS)	*	none	Allow Log Server to send Backups	

07682							everywhere else	Q.
IPv4 TCP	10.0.10.30	*	27.18.160.120	443 (HTTPS)	*	none	Allow Log Server to send Backups	
IPv4 TCP	*	*	10.0.40.10	80 (HTTP)	*	none	Allow LAN to DMZ Web HTTP	

443

443

443

53

53

(DNS)

(DNS)

(HTTPS)

(HTTPS)

(HTTPS)

\*

none

none

none

none

none

none

none

none

10.0.40.10

8.8.8.8

8.8.8.8

10.0.40.10

IPv4 TCP

IPv4 TCP

IPv4 TCP

IPv4

UDP

IPv4

UDP

IPv4 TCP

IPv4 TCP

IPv4

TCP/UDP

MGMT Workstations

MGMT Workstations

10.0.30.0/24

10.0.30.0/24

10.0.20.50

10.0.20.30

\*

25

(SMTP)

5889

HTTPS

Allow LAN to DMZ Web

Allow HTTPS

Allow HTTPS

from USERS

to Internet

Allow DNS

from MGMT

to Internet

Allow DNS from USERS

to Internet

Out

Allow

Allow SMTP

Transaction

DB Server to

Update DMZ Web

Deny All

from MGMT

to Internet

ALe

CX L

J.e

X

€ e

X

ale

X

ale

X

ALE

(X)

al e

RE

(X)







Ating WAN LAN OPT1										
ID	Proto	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	C
	*	RFC 1918 networks	* :	*	*	*	*		Block private networks	3
	*	Reserved/not assigned by IANA	*	*	*	*	*	*	Block bogon networks	
	IPv4 TCP	*	443 (HTTPS)	MGMT Workstations		*	none		Allow HTTPS to MGMT	
	IPv4 TCP	*	443 (HTTPS)	10.0.30.0/24	*	*	none		Allow HTTPS to USERS	
	IPv4 UDP	8.8.8.8	53 (DNS)	MGMT Workstations	*	*	none		Allow DNS to MGMT	
	IPv4 UDP	8.8.8.8	53 (DNS)	10.0.30.0/24	*	*	none		Allow DNS to USERS	
	IPv4 TCP	27.18.160.120	443 (HTTPS)	10.0.10.30	*	*	none		Allow Log Backup back to Log Server	
	IPv4 ICMP echorep	*	*	MGMT Workstations	*	*	none		Allow Echo Replies back to MGMT Workstations	
	IPv4 ICMP	*	*	! MGMT Workstations	*	*	none		Block ICMP Inbound except Echo Replies to MGMT WS	
	IPv4 TCP	*	*	10.0.40.10	80 (HTTP)	*	none		Allow Internet to DMZ Web HTTP	
	IPv4 TCP	**	*	10.0.40.10	443 (HTTPS)	*	none		Allow Internet to DMZ Web HTTPS	
	IPv4 UDP	*		10.0.40.20	53 (DNS)	*	none		Allow Internet to DMZ DNS	6
	IPv4 TCP	*	*	10.0.20.50	25 (SMTP)	*	none		Allow SMTP to Email Server	6