PRACTICAL EXAM / PRELIM 2026

Speirs Artifacts Gallery

Project handoff, evidence, and exam coverage

PAIR Keith Alan T. Speirs + Matt Arron M. Mondares

CLASS ITC C301-301I

APP http://127.0.0.1:5173/

PREPARED 18 August 2026

REQUESTED FORMAT This document replaces the repeated zip packaging with a concise, visual handoff: what the app contains, how the main flows work, and the screenshots that demonstrate the required experience.

The attached PDF is treated as the exam brief, not as a replacement for your request. Its required project behaviors are summarized below, while the deliverable format follows your instruction to put the explanation and evidence in one document.

The project source remains in the shared ReactAuth workspace. This file is the readable submission and walkthrough layer.

READ THIS FIRST

Exam brief vs. requested package

The exam document and your request overlap on the app requirements, but they differ on packaging. Keeping the two lanes separate makes the handoff unambiguous.

Attached exam instruction	Your requested package
• Submit a complete project folder as a zip. • Include screenshots of Signup, Login, Gallery, and a protected-route access attempt. • Use the required React, routing, auth, gallery, and context structure.	• Package the project explanation and evidence in one minimal document instead of another zip. • Show how the app works, with fresh local screenshots and the supplied project-structure screenshot. • Keep the exam brief visible as a reference, separate from the requested deliverable format.

What the attached exam asks for

- Part 1 - Create the React project, install react-router-dom and axios, and create the specified source structure.
- Part 2 - Build Signup and Login pages with field validation, errors, loading state, authentication handling, and navigation links.
- Part 3 - Configure public and protected routes, a 404 page, and a responsive searchable/filterable gallery with detail navigation.
- Part 4 - Provide AuthContext state and functions, wrap the app with AuthProvider, persist a safe login snapshot, and change navigation by auth status.
- Submission guidelines - Provide the project folder and screenshots of Signup, Login, Gallery, and protected-route access.

SCOPE NOTE This file includes the requested screenshots and documentation. It does not reproduce every source file verbatim; the working source is kept in the shared workspace.

01 / PROJECT MAP

What is in the project

Speirs Artifacts Gallery is a local-first React and Express application for browsing Filipino and Philippine artworks through a protected interface. The public entry point is an editorial landing page; authenticated visitors can search the collection, load more works, open detail records, and view a profile.

Route map

Route	Access	Purpose
/	Public	Editorial landing page and entry points.
/login	Public	Existing-user authentication, validation, remember-me option.
/signup	Public	Account creation with role and terms validation.
/gallery	Protected	Searchable, filterable artwork grid; 18-work pages.
/artifacts/:id	Protected	Artwork detail record, rights metadata, source link.
/profile	Protected	Safe account summary and logout.
*	Public	Not-found response for unknown routes.

The current route map follows the exam brief and extends it with an explicit profile view and a public not-found response.

Project structure

The supplied project-tree screenshot shows the required React folders plus the supporting Express server, data adapters, artwork assets, and tests added for the gallery experience.




Figure 01. Supplied project-structure screenshot from the ReactAuth workspace.

02 / HOW IT WORKS

The main user flow

The app keeps the browser experience simple while making the server session the authority for protected access.

1. The app boots inside AuthProvider, which checks /api/auth/session before protected pages render.
2. A visitor can stay public on Home, Login, or Signup. Signup validates name, email, password length, confirmation, role, and terms.
3. A successful login receives a server session cookie and redirects to Gallery. The browser stores only a safe display snapshot for the header, never a password or token.
4. ProtectedRoute checks the auth context. Signed-out visitors are sent to Login, with the original requested location preserved for the next successful sign-in.
5. Gallery requests Filipino and Philippine collection records from The Met in batches of 18, supports title or metadata search, category filtering, and Load more works.
6. If the collection request is unavailable on the initial unfiltered load, the interface shows a clear notice and falls back to the saved local SVG set. Detail pages expose medium, dimensions, collection, rights, and source metadata.

Data and security notes

- The hq_session HttpOnly cookie and MongoDB session record are the authentication source of truth.
- speirs_artifacts_user is only a safe local display snapshot containing id, name, email, and role.
- The Gallery adapter filters unusable images and non-public-domain records before display and deduplicates paged results.
- The screenshots use synthetic local test data and contain no real credentials.

How to run it

From the project folder, install dependencies, start the Express API and Vite frontend in separate terminals, then open the local app URL.

```
npm install
npm run dev:server
npm run dev
```

03 / EVIDENCE 01

Home: public entry point




Figure 02. Public Home page with the primary gallery entry points.

This is the public first impression: the navigation exposes Login and Sign up, while the hero keeps the gallery as the central action.

03 / EVIDENCE 02

Login: validation and recovery affordance




Figure 03. Login page showing the invalid-credentials response, remember-me option, and non-functional password-recovery link.

The form keeps the validation response close to the fields and preserves the path to account creation.

03 / EVIDENCE 03

Signup: field-level validation




Figure 04. Signup page showing required-field, role, and terms validation messages.

The validation contract matches the exam: all fields, valid email, minimum eight-character password, matching confirmation, allowed role, and accepted terms.

03 / EVIDENCE 04

Protected route: signed-out access attempt




Figure 05. A signed-out visit to /gallery returns the user to Login.

This demonstrates the protected-route behavior required by the brief: the gallery is not rendered for a signed-out visitor.

03 / EVIDENCE 05

Gallery: authenticated collection view




Figure 06. Gallery evidence snapshot showing the authenticated header, search and category filters, six artwork cards, and detail links.

04 / COVERAGE AND HANDOFF

Exam coverage at a glance

Part	Exam area	Evidence in the current project
Part 1	Project setup and structure	React/Vite app, routing and Axios dependencies, required src folders, Express server, tests, and artwork assets.
Part 2	Authentication pages	Signup and Login components with validation messages, loading states, redirect behavior, remember-me control, and links between flows.
Part 3	Gallery and routing	BrowserRouter, public and protected routes, ProtectedRoute, NotFound, gallery grid, search, category filtering, detail links, and responsive layout.
Part 4	Context and auth state	AuthProvider and useAuth expose user, login, signup, logout, isAuthenticated, and loading; safe local persistence drives display-only state and navigation visibility.

The mapping is a concise reading aid; the source files remain the authoritative implementation.

Verification completed

- npm test - 15 tests passed.
- npm run build - production frontend build completed successfully.
- git diff --check - no whitespace errors reported.
- Manual browser review - Home, Login, Signup, protected redirect, and Gallery evidence were reviewed from the local app or project evidence.

HANDOFF Use this document as the visual submission and walkthrough. Use the shared ReactAuth folder as the complete editable source package.

Reference materials: Practical Exam Instruction Prelim 2026.pdf; README.md; PROJECT-DOCUMENTATION.md; local app at http://127.0.0.1:5173/.