```
<!DOCTYPE html>
<html lang="en">
   <head>
       <meta charset="UTF-8">
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <title>MentorGram</title>
       <link rel="stylesheet" href="css/about_us_style.css">
href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,500,600,7
00|Montserrat:thin,extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700"
rel="stylesheet">
       link
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
 rel="stylesheet">
   </head>
<body>
   <nav>
       <u1>
           id="logo">
               <a href="index.html">
                   MentorGram
               </a>
           <
               <a href="about_us.html" class="underline">
                   About Us
               </a>
           <
               <a href="contact.html">
                   Contact
               </a>
           <1i>>
               <a href=""><button class="round-button"></button></a>
           </nav>
    <div id="contentbox1">
       <h2>Page in construction</h2>
   </div>
   <footer>
       © 2023
```

```
</footer>
</body>
</html>
```

Contact.html:

```
<!DOCTYPE html>
<html lang="en">
   <head>
       <meta charset="UTF-8">
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <title>MentorGram</title>
       <link rel="stylesheet" href="css/contact_style.css">
href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,500,600,7
00|Montserrat:thin,extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700 "
rel="stylesheet">
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
" rel="stylesheet">
   </head>
<body>
   <nav>
       <u1>
           id="logo">
               <a href="index.html">
                   MentorGram
               </a>
           <
               <a href="about_us.html">
                   About Us
               </a>
           <1i>>
               <a href="contact.html" class="underline">
                   Contact
               </a>
           <1i>>
               <a href=""> <button class="round-button"></button></a>
```

Index.html:

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <title>MentorGram</title>
        <link rel="stylesheet" href="css/index style.css">
href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,500,600,7
00 | Montserrat: thin, extra-light, light, 100, 200, 300, 400, 500, 600, 700, 800 "
rel="stylesheet">
        <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/simple-line-
icons/2.4.1/css/simple-line-icons.css" />
    </head>
<body>
    <div class="full-frame">
        <div id="wrapper1">
            <div class="box">
                Welcome to <span id="undfrumi">MentorGram</span>
!
            </div>
            <div class="box" id="question">
                Are you a
                <a href='mentee signup.html'>
                    <button type="button" class="slide">
                    <div id="f"> mentee</div>
                    <i class="icon-arrow-right"></i></i>
                    </button>
                </a>
                or a 
                <a href='mentor signup.html'>
                    <button type="button" class="slide">
                    <div id="f"> mentor</div>
                    <i class="icon-arrow-right"></i>
```

Mentee_book.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <title>MentorGram</title>
   <link rel="stylesheet" href="css/mentee_book_style.css">
       href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,5
00,600,700|Montserrat:thin,extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700 "
       rel="stylesheet">
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
 rel="stylesheet">
</head>
<body>
   <nav>
       <l
           id="logo">
               <a href="index.html">
                   MentorGram
               for mentees
           <1i>>
               <a href="mentor_search.html">
                   Search
               </a>
           <
```

```
<a href="about_us.html">
                    About Us
                </a>
            <1i>>
                <a href="contact.html">
                   Contact
               </a>
            <
                <a href=""><button class="round-button"></button></a>
            </nav>
    <div id="contentbox1">
        <div id="contentbox2">
            <div id="contentbox3">
                <h3>Confirm your meeting with (Mentor name) by choosing a time
slot:</h3>
                <div>
                    Select a day of the week:
                    <label for="day"></label>
                    <select required>
                        <option value="" disabled selected hidden>Select your
option</option>
                        <option value="Monday">Monday</option>
                        <option value="Tuesday">Tuesday</option>
                        <option value="Wednesday">Wednesday</option>
                        <option value="Thursday">Thursday</option>
                        <option value="Friday">Friday</option>
                    </select>
                </div>
                <div>
                    Select a time slot :
                    <label for="day"></label>
                    <select required name="sex" id="sex" placeholder="fefef">
                        <option value="" disabled selected hidden>Select your
option</option>
                        <option value="9:30"> 9:30</option>
                        <option value="10:30">10:30</option>
                        <option value="11:30">11:30</option>
                        <option value="13:30">13:30</option>
                        <option value="14:30">14:30</option>
                        <option value="15:30">15:30</option>
                        <option value="16:30">16:30</option>
                        <option value="17:30">17:30</option>
                        <option value="18:30">18:30</option>
                    </select>
```

Mentee_meet.html:

```
<!DOCTYPE html>
<html lang="en">
   <head>
        <meta charset="UTF-8">
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <title>MentorGram</title>
       <link rel="stylesheet" href="css/mentee_meet_style.css">
href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,500,600,7
00 | Montserrat: thin, extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700 |
rel="stylesheet">
       link
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
 rel="stylesheet">
   </head>
<body>
   <nav>
       <l>
           id="logo">
               <a href="index.html">
                   MentorGram
                for mentors
           <1i>>
               <a href="mentee_meet.html" class="underline">
                   Meetings
               </a>
```

```
<1i>>
              <a href="mentee search.html">
                  Search
              </a>
           <1i>>
               <a href="about_us.html">
                  About Us
              </a>
           <1i>>
              <a href="contact.html">
                  Contact
              </a>
           <1i>>
               <a href=""><button class="round-button"></button></a>
           </nav>
   <div id="contentbox1">
       <div id="confmeetbox">
           <h4>You have 6 confirmed meetings:</h4>
           <div id="confmeet">
               #1 Meeting with: <span class="highlightme">(Mentor)
name)</span>
               <div id="conftopic">
                  Meeting topic:
                  Discussing stress
              </div>
               <div id="dtcd">
                  Time slot: <span class="highlightme">(Day,
Time)</span>, on <span class="highlightme">(Date)</span>
                  <a><button type="button" class="fill">Cancel</button></a>
              </div>
           </div>
           <div id="confmeet">
               #2 Meeting with: <span class="highlightme">(Mentor)
name)</span>
              <div id="conftopic">
                  Meeting topic:
                  Discussing stress
              </div>
               <div id="dtcd">
                  Time slot: <span class="highlightme">(Day,
Time)</span>, on <span class="highlightme">(Date)</span>
                  <a><button type="button" class="fill">Cancel</button></a>
```

```
</div>
           </div>
           <div id="confmeet">
               #3 Meeting with: <span class="highlightme">(Mentor)
name)</span>
              <div id="conftopic">
                  Meeting topic:
                  Discussing stress
              </div>
              <div id="dtcd">
                  Time slot: <span class="highlightme">(Day,
Time)</span>, on <span class="highlightme">(Date)</span>
                  <a><button type="button" class="fill">Cancel</button></a>
              </div>
           </div>
           <div id="confmeet">
               #4 Meeting with: <span class="highlightme">(Mentor)
name)</span>
              <div id="conftopic">
                  Meeting topic:
                  Discussing stress
              </div>
              <div id="dtcd">
                  Time slot: <span class="highlightme">(Day,
Time)</span>, on <span class="highlightme">(Date)</span>
                  <a><button type="button" class="fill">Cancel</button></a>
              </div>
           </div>
           <div id="confmeet">
              #5 Meeting with: <span class="highlightme">(Mentor)
name)</span>
              <div id="conftopic">
                  Meeting topic:
                  Discussing stress
              </div>
              <div id="dtcd">
                  Time slot: <span class="highlightme">(Day,
Time)</span>, on <span class="highlightme">(Date)</span>
                  <a><button type="button" class="fill">Cancel</button></a>
              </div>
           </div>
           <div id="confmeet">
               #6 Meeting with: <span class="highlightme">(Mentor)
name)</span>
              <div id="conftopic">
                  Meeting topic:
                  Discussing stress
              </div>
```

Mentee_search.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MentorGram</title>
    <link rel="stylesheet" href="css/mentee_search_style.css">
    link
       href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,5
00,600,700 | Montserrat: thin, extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700 "
        rel="stylesheet">
    link
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
 rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
</head>
<body>
   <nav>
       <l
           id="logo">
                <a href="index.html">
                   MentorGram
               </a>
               for mentees
           <1i>>
               <a href="mentee_meet.html">
                   Meetings
```

```
</a>
            <1i>>
                <a href="mentor_search.html" class="underline">
                    Search
                </a>
            <1i>>
                <a href="about us.html">
                    About Us
                </a>
            <1i>>
                <a href="contact.html">
                    Contact
                </a>
            <1i>>
                <a href=""><button class="round-button"></button></a>
            </nav>
    <div id="contentbox-1">
        <div id="contentbox0">
            <input type="text" placeholder="Search for a mentor..."</pre>
width=100000px>
        </div>
        <div id="contentbox1">
            <div id="contentbox2">
                <h3 style="margin: 0;">Filters</h3>
                <div>
                    <h5>Skills</h5>
                    <div class="optionbox">
                        <div class="opt">
                            <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                            Skill 1
                        </div>
                        <div class="opt">
                            <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                            Skill 2
                        </div>
                        <div class="opt">
                            <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                           Skill 3
```

```
</div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Skill 4
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Skill 5
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Skill 6
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Skill 7
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Skill 8
                         </div>
                     </div>
                 </div>
                 <div>
                     <h5>Jobs</h5>
                     <div class="optionbox">
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 1
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 2
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 3
                          </div>
                         <div class="opt">
```

```
<input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 4
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 5
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 6
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 7
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 8
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 9
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 10
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Job 11
                          </div>
                     </div>
                 </div>
                 <div>
                     <h5>Company</h5>
                     <div class="optionbox">
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 1
```

```
</div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 2
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 3
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 4
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 5
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 6
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 7
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 8
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 9
                          </div>
                          <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 10
                          </div>
                         <div class="opt">
```

```
<input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 11
                         </div>
                         <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Company 12
                         </div>
                     </div>
                 </div>
                 <div style="display: flex; flex-direction: column;">
                     <h5>Review score</h5>
                     <div>
                     <input type="range" value="5" min="1" max="5"</pre>
oninput="this.nextElementSibling.value = this.value">
                     <output>5</output> <label for="volume">star(s) out of
five.</label>
                 </div>
                 </div>
                 <div>
                     <h5>Location</h5>
                     <div class="optionbox">
                         <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Location 1
                         </div>
                         <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Location 2
                         </div>
                         <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Location 3
                         </div>
                         <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                             Location 4
                         </div>
                         <div class="opt">
                              <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                              Location 5
                         </div>
```

```
<div class="opt">
                            <input id="cb" type="checkbox" style="float: left;</pre>
margin-top: 5px;">
                            Location 6
                        </div>
                    </div>
                </div>
                <button type="button" class="fill" id="applyf">Apply</button>
            <div id="vertdec">
            </div>
            <div id="contentbox3">
                <div style="padding-left: 2rem;">
                    <h6>9 Results</h6>
                </div>
                <div id="profiles">
                    <div id="mentoracc">
                        <div id="picrecinf">
                            <div id="picrec">
                                <div>
                                    <img id="pic" src="./profilepics/p1.jpeg"</pre>
alt="Avatar">
                                </div>
                                <div id="rec">
                                    <i class="fa fa-star"></i></i>
                                    <i class="fa fa-star"></i>
                                    <i class="fa fa-star"></i></i>
                                    <i class="fa fa-star"></i>
                                    <i class="fa fa-star-half-o "></i></i>
                                </div>
                            </div>
                            <div id="inf">
                                Name:<span class="highlightme">
(Name)</span>
                                Location:<span class="highlightme">
(Location)</span>
                                Company:<span class="highlightme">
(Company)</span>
                                Job category:<span class="highlightme">
(Job cat)</span>
                            </div>
                        </div>
                        <div id="skill">
                            <div>Skills:</div>
                            <div id="sk">skill 1</div>
                            <div id="sk">skill 2</div>
                            <div id="sk">skill 3</div>
                            <div id="sk">skill 4</div>
```

```
<div id="sk">skill 5</div>
                            <div id="sk">skill 6</div>
                            <div id="sk">skill 7</div>
                        </div>
                        <div id="skill">
                            <div>Available:</div>
                            <div id="sk">Mon</div>
                            <div id="sk">Tue</div>
                            <div id="sk">Fri</div>
                        </div>
                        <div id="bookbtn">
                            <a href="mentee book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                        </div>
                    </div>
                    <div id="mentoracc">
                        <div id="picrecinf">
                            <div id="picrec">
                                <div>
                                     <img id="pic" src="./profilepics/p2.jpeg"</pre>
alt="Avatar">
                                </div>
                                 <div id="rec">
                                     <i class="fa fa-star"></i></i>
                                    <i class="fa fa-star"></i>
                                     <i class="fa fa-star"></i>
                                    <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star-half-o "></i></i>
                                </div>
                            </div>
                            <div id="inf">
                                Name:<span class="highlightme">
(Name)</span>
                                Location:<span class="highlightme">
(Location)</span>
                                Company:<span class="highlightme">
(Company)</span>
                                Job category:<span class="highlightme">
(Job cat)</span>
                            </div>
                        </div>
                        <div id="skill">
                            <div>Skills:</div>
                            <div id="sk">skill 1</div>
                            <div id="sk">skill 2</div>
                            <div id="sk">skill 3</div>
```

```
<div id="sk">skill 4</div>
                            <div id="sk">skill 5</div>
                            <div id="sk">skill 6</div>
                             <div id="sk">skill 7</div>
                        </div>
                        <div id="skill">
                            <div>Available:</div>
                             <div id="sk">Mon</div>
                            <div id="sk">Tue</div>
                             <div id="sk">Fri</div>
                        </div>
                        <div id="bookbtn">
                             <a href="mentee_book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                        </div>
                    </div>
                    <div id="mentoracc">
                        <div id="picrecinf">
                             <div id="picrec">
                                 <div>
                                     <img id="pic" src="./profilepics/p3.jpeg"</pre>
alt="Avatar">
                                 </div>
                                 <div id="rec">
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                    <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i>
                                     <i class="fa fa-star-half-o "></i></i>
                                 </div>
                             </div>
                             <div id="inf">
                                 Name:<span class="highlightme">
(Name)</span>
                                 Location:<span class="highlightme">
(Location)</span>
                                 Company:<span class="highlightme">
(Company)</span>
                                 Job category:<span class="highlightme">
(Job cat)</span>
                             </div>
                        </div>
                        <div id="skill">
                            <div>Skills:</div>
                             <div id="sk">skill 1</div>
                            <div id="sk">skill 2</div>
```

```
<div id="sk">skill 3</div>
                             <div id="sk">skill 4</div>
                             <div id="sk">skill 5</div>
                             <div id="sk">skill 6</div>
                             <div id="sk">skill 7</div>
                        </div>
                        <div id="skill">
                             <div>Available:</div>
                             <div id="sk">Mon</div>
                             <div id="sk">Tue</div>
                             <div id="sk">Fri</div>
                        </div>
                        <div id="bookbtn">
                             <a href="mentee_book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                        </div>
                    </div>
                    <div id="mentoracc">
                        <div id="picrecinf">
                             <div id="picrec">
                                 <div>
                                     <img id="pic" src="./profilepics/p4.jpeg"</pre>
alt="Avatar">
                                 </div>
                                 <div id="rec">
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star-half-o "></i></i>
                                 </div>
                             </div>
                             <div id="inf">
                                 Name:<span class="highlightme">
(Name)</span>
                                 Location:<span class="highlightme">
(Location)</span>
                                 Company:<span class="highlightme">
(Company)</span>
                                 Job category:<span class="highlightme">
(Job cat)</span>
                             </div>
                        </div>
                        <div id="skill">
                             <div>Skills:</div>
                            <div id="sk">skill 1</div>
```

```
<div id="sk">skill 2</div>
                            <div id="sk">skill 3</div>
                            <div id="sk">skill 4</div>
                            <div id="sk">skill 5</div>
                            <div id="sk">skill 6</div>
                             <div id="sk">skill 7</div>
                        </div>
                        <div id="skill">
                            <div>Available:</div>
                            <div id="sk">Mon</div>
                            <div id="sk">Tue</div>
                            <div id="sk">Fri</div>
                        </div>
                        <div id="bookbtn">
                            <a href="mentee book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                        </div>
                    </div>
                    <div id="mentoracc">
                        <div id="picrecinf">
                            <div id="picrec">
                                 <div>
                                     <img id="pic" src="./profilepics/p5.jpeg"</pre>
alt="Avatar">
                                 </div>
                                 <div id="rec">
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star-half-o "></i></i>
                                 </div>
                            </div>
                            <div id="inf">
                                 Name:<span class="highlightme">
(Name)</span>
                                 Location:<span class="highlightme">
(Location)</span>
                                 Company:<span class="highlightme">
(Company)</span>
                                 Job category:<span class="highlightme">
(Job cat)</span>
                            </div>
                        </div>
                        <div id="skill">
                            <div>Skills:</div>
```

```
<div id="sk">skill 1</div>
                             <div id="sk">skill 2</div>
                             <div id="sk">skill 3</div>
                             <div id="sk">skill 4</div>
                            <div id="sk">skill 5</div>
                             <div id="sk">skill 6</div>
                             <div id="sk">skill 7</div>
                        </div>
                        <div id="skill">
                             <div>Available:</div>
                             <div id="sk">Mon</div>
                            <div id="sk">Tue</div>
                             <div id="sk">Fri</div>
                        </div>
                        <div id="bookbtn">
                             <a href="mentee book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                        </div>
                    </div>
                    <div id="mentoracc">
                        <div id="picrecinf">
                             <div id="picrec">
                                 <div>
                                     <img id="pic" src="./profilepics/p6.jpeg"</pre>
alt="Avatar">
                                 </div>
                                 <div id="rec">
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star-half-o "></i></i>
                                 </div>
                             </div>
                             <div id="inf">
                                 Name:<span class="highlightme">
(Name)</span>
                                 Location:<span class="highlightme">
(Location)</span>
                                 Company:<span class="highlightme">
(Company)</span>
                                Job category:<span class="highlightme">
(Job cat)</span>
                             </div>
                        </div>
                        <div id="skill">
```

```
<div>Skills:</div>
                             <div id="sk">skill 1</div>
                             <div id="sk">skill 2</div>
                             <div id="sk">skill 3</div>
                            <div id="sk">skill 4</div>
                             <div id="sk">skill 5</div>
                             <div id="sk">skill 6</div>
                             <div id="sk">skill 7</div>
                         </div>
                         <div id="skill">
                             <div>Available:</div>
                             <div id="sk">Mon</div>
                             <div id="sk">Tue</div>
                             <div id="sk">Fri</div>
                         </div>
                         <div id="bookbtn">
                             <a href="mentee_book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                         </div>
                    </div>
                    <div id="mentoracc">
                         <div id="picrecinf">
                             <div id="picrec">
                                 <div>
                                     <img id="pic" src="./profilepics/p7.jpeg"</pre>
alt="Avatar">
                                 </div>
                                 <div id="rec">
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star-half-o "></i></i>
                                 </div>
                             </div>
                             <div id="inf">
                                 Name:<span class="highlightme">
(Name)</span>
                                 Location:<span class="highlightme">
(Location)</span>
                                 Company:<span class="highlightme">
(Company)</span>
                                 Job category:<span class="highlightme">
(Job cat)</span>
                             </div>
                        </div>
```

```
<div id="skill">
                             <div>Skills:</div>
                            <div id="sk">skill 1</div>
                             <div id="sk">skill 2</div>
                            <div id="sk">skill 3</div>
                            <div id="sk">skill 4</div>
                            <div id="sk">skill 5</div>
                            <div id="sk">skill 6</div>
                             <div id="sk">skill 7</div>
                        </div>
                        <div id="skill">
                            <div>Available:</div>
                            <div id="sk">Mon</div>
                            <div id="sk">Tue</div>
                             <div id="sk">Fri</div>
                        </div>
                        <div id="bookbtn">
                             <a href="mentee_book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                        </div>
                    </div>
                    <div id="mentoracc">
                        <div id="picrecinf">
                             <div id="picrec">
                                 <div>
                                     <img id="pic" src="./profilepics/p8.jpeg"</pre>
alt="Avatar">
                                 </div>
                                 <div id="rec">
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i>
                                     <i class="fa fa-star-half-o "></i></i>
                                 </div>
                            </div>
                             <div id="inf">
                                 Name:<span class="highlightme">
(Name)</span>
                                 Location:<span class="highlightme">
(Location)</span>
                                 Company:<span class="highlightme">
(Company)</span>
                                 Job category:<span class="highlightme">
(Job cat)</span>
                            </div>
```

```
</div>
                        <div id="skill">
                             <div>Skills:</div>
                             <div id="sk">skill 1</div>
                             <div id="sk">skill 2</div>
                             <div id="sk">skill 3</div>
                            <div id="sk">skill 4</div>
                            <div id="sk">skill 5</div>
                            <div id="sk">skill 6</div>
                             <div id="sk">skill 7</div>
                        </div>
                        <div id="skill">
                             <div>Available:</div>
                             <div id="sk">Mon</div>
                             <div id="sk">Tue</div>
                             <div id="sk">Fri</div>
                        </div>
                        <div id="bookbtn">
                             <a href="mentee_book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                        </div>
                    </div>
                    <div id="mentoracc">
                        <div id="picrecinf">
                             <div id="picrec">
                                     <img id="pic" src="./profilepics/p9.jpeg"</pre>
alt="Avatar">
                                 </div>
                                 <div id="rec">
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star"></i></i>
                                     <i class="fa fa-star-half-o "></i></i>
                                 </div>
                             </div>
                             <div id="inf">
                                 Name:<span class="highlightme">
(Name)</span>
                                 Location:<span class="highlightme">
(Location)</span>
                                 Company:<span class="highlightme">
(Company)</span>
                                 Job category:<span class="highlightme">
(Job cat)</span>
```

```
</div>
                        </div>
                        <div id="skill">
                             <div>Skills:</div>
                            <div id="sk">skill 1</div>
                             <div id="sk">skill 2</div>
                            <div id="sk">skill 3</div>
                            <div id="sk">skill 4</div>
                            <div id="sk">skill 5</div>
                            <div id="sk">skill 6</div>
                            <div id="sk">skill 7</div>
                        </div>
                        <div id="skill">
                            <div>Available:</div>
                            <div id="sk">Mon</div>
                            <div id="sk">Tue</div>
                             <div id="sk">Fri</div>
                        </div>
                        <div id="bookbtn">
                            <a href="mentee_book.html"> <button class="custom-</pre>
btn btn-5"><span
                                         class="highlightme">Book</span></butto</pre>
n></a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <footer>
        © 2023
    </footer>
</body>
</html>
```

Mentee signup.html:

```
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700 "
rel="stylesheet">
       link
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
rel="stylesheet">
   </head>
<body>
   <nav>
           id="logo">
               <a href="index.html">
                   MentorGram
                for mentees
           <1i>>
               <a href="about us.html">
                   About Us
               </a>
           <1i>>
               <a href="contact.html">
                   Contact
               </a>
           </nav>
    <div id="contentbox1">
       <div id="contentbox2">
           <div id="contentbox3">
               <div>
                   <h4>Sign up</h4>
               </div>
               <div style="display: flex;</pre>
               flex-wrap: wrap;
               gap:20px">
                   <div class="shortfield">
                       <label for="">First name</label>
                       <input type="text" placeholder="Andrew">
                   </div>
                   <div class="shortfield">
                       <label for="">Last name</label>
                       <input type="text" placeholder="Tate">
                   </div>
               </div>
               <div class="shortfield">
```

```
<label for="sex">Sex</label>
                  <select required name="sex" id="sex" placeholder="fefef">
                      <option value="" disabled selected hidden>Select your
option</option>
                      <option value="Female">Female</option>
                      <option value="Male">Male</option>
                      <option value="Other" >Other</option>
                  </select>
              </div>
              <div class="longfield">
                  <label for="">Language</label>
                  <input type="text" placeholder="Simlish">
              </div>
              <div class="longfield">
                  <label for="">Username</label>
                  <input type="text" placeholder="ILovePizzas">
              </div>
              <div class="longfield">
                  <label for="">Email</label>
                  <input type="text" placeholder="andrew.tate@yahoo.com">
              </div>
              <div class="longfield">
                  <label for="">Password</label>
                  </div>
              <div class="longfield">
                  <label for="">Confirm password</label>
                  </div>
               <label for="Bio">Bio:</label>
              <textarea id="bio" name="bio" rows="6" cols="25"
placeholder="
               My unmatched perspicacity coupled with sheer indefatigability
makes me a feared opponent in any realm of human
endeavor."></textarea>
              Address:
              <div style="display: flex;</pre>
              flex-wrap: wrap;
              gap:20px">
                  <div class="shortfield">
                      <label for="">Country</label>
                      <input type="text" placeholder="Romania">
                  </div>
                  <div class="shortfield">
                      <label for="">Post code</label>
                      <input type="text" placeholder="077190">
                  </div>
```

```
</div>
               <div style="display: flex;</pre>
               flex-wrap: wrap;
               gap:20px">
                   <div class="shortfield">
                       <label for="">Street name</label>
                       <input type="text" placeholder="Drumul Bisericii">
                   </div>
                   <div class="shortfield">
                       <label for="">House Number</label>
                       <input type="text" placeholder="50">
                   </div>
               </div>
               <div>
                   <a href="mentee_search.html"><button type="button"</pre>
class="fill">Register</button></a>
               </div>
           </div>
           <div id="contentbox4">
                   <h4>Already have an account?</h4>
               </div>
               <div class="longfield">
                   <label for="">Email</label>
                   <input type="text" placeholder="andrew.tate@yahoo.com">
               </div>
               <div class="longfield">
                   <label for="">Password</label>
                   </div>
               <div>
                   <a href="mentee_search.html"><button type="button"</pre>
class="fill">Sign in</button></a>
               </div>
           </div>
       </div>
   </div>
   <footer>
       © 2023
    </footer>
</body>
</html>
```

Mentor confirm meet.html:

```
<!DOCTYPE html>
```

```
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MentorGram</title>
    <link rel="stylesheet" href="css/mentor_confirm_meet_style.css">
    link
       href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,5
00,600,700 | Montserrat: thin, extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700 |
        rel="stylesheet">
    link
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
 rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
</head>
<body>
   <nav>
           id="logo">
               <a href="index.html">
                   MentorGram
               </a>
               for mentors
            <1i>>
               <a href="mentor_meet.html" class="underline">
                   Meetings
               </a>
           <1i>>
               <a href="mentor_schedule.html" class="underline">
                   Schedule
               </a>
            <1i>>
               <a href="about_us.html">
                   About Us
               </a>
            <
               <a href="contact.html">
                   Contact
               </a>
```

```
<1i>>
             <a href=""><button class="round-button"></button></a>
          </nav>
   <div id="contentbox1">
      <div id="contentbox2">
          <div>
             <h5>Set up your meeting with (Mentee name): </h5>
          </div>
          <div id="contentbox3">
             <label for="Bio">Enter the meeting topic: </label>
             <textarea id="bio" name="bio" rows="6" cols="80"
                placeholder="
                               Someone who preaches toxic masculinity
needs control, and they will lure someone in by manipulating
them."></textarea>
          </div>
          <div id="contentbox3">
             <label for="Bio">Select available dates: </label>
             <div id="contentbox4" class="calendar">
                <div id="Monthselector">
                    <a href=""><i class="fa fa-angle-left"></i></a>
                    <h5 style="margin:0.7rem;">January 2023</h5>
                    <a href=""><i class="fa fa-angle-right"></i></a>
                </div>
                <thead>
                       Sun
                           Mon
                           Tue
                           Wed
                           Thu
                           Fri
                           Sat
                       </thead>
                    1
```

```
2
3
4
5
6
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
1
2
3
4
5
6
```

Mentor_meet.html:

```
<!DOCTYPE html>
<html lang="en">
    <head>
       <meta charset="UTF-8">
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <title>MentorGram</title>
       <link rel="stylesheet" href="css/mentor_meet_style.css">
       link
href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,500,600,7
00 | Montserrat: thin, extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700 "
rel="stylesheet">
       k
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
 rel="stylesheet">
    </head>
<body>
   <nav>
       <u1>
           id="logo">
               <a href="index.html">
                   MentorGram
               </a>
                for mentors
           <1i>>
               <a href="mentor_meet.html" class="underline">
                   Meetings
```

```
</a>
       <1i>>
          <a href="mentor_schedule.html">
              Schedule
          </a>
       <1i>>
          <a href="about us.html">
              About Us
          </a>
       <1i>>
          <a href="contact.html">
              Contact
          </a>
       <a href=""><button class="round-button"></button></a>
       </nav>
<div id="contentbox1">
   <div id="confmeetbox">
       <h4>Confirmed meetings</h4>
       <div id="confmeet">
          #1 (Mentee name)
          <div id="timeanddate">
              Time slot: Mon, 19:00
              Date: 01/01/2020
          </div>
       </div>
       <div id="confmeet">
          #2 (Mentee name)
          <div id="timeanddate">
              Time slot: Mon, 19:00
              Date: 01/01/2020
          </div>
       </div>
       <div id="confmeet">
          #3 (Mentee name)
          <div id="timeanddate">
              Time slot: Mon, 19:00
              Date: 01/01/2020
          </div>
       </div>
       <div id="confmeet">
          #4 (Mentee name)
```

```
<div id="timeanddate">
                   Time slot: Mon, 19:00
                   Date: 01/01/2020
               </div>
           </div>
           <div id="confmeet">
               #5 (Mentee name)
               <div id="timeanddate">
                   Time slot: Mon, 19:00
                   Date: 01/01/2020
               </div>
           </div>
       </div>
       <div id="meetreqbox">
           <h4>Meeting requests</h4>
           <div id="meetreq">
               Request #1 from <span class="highlightme">(Mentee)
name)</span> made on
                   <span class="highlightme">(08.08.2040)</span>
               <div id="dtcd">
                   Requested time slot: <span</pre>
class="highlightme">(Day, Time)</span>
                   <a href="mentor_confirm_meet.html"><button type="button"</pre>
class="fill">Confirm</button></a>
                   <a><button type="button" class="fill">Delete</button></a>
               </div>
           </div>
           <div id="meetreq">
               Request #1 from <span class="highlightme">(Mentee)
name)</span> made on
                   <span class="highlightme">(08.08.2040)</span>
               <div id="dtcd">
                   Requested time slot: <span</pre>
class="highlightme">(Day, Time)</span>
                   <a href="mentor_confirm_meet.html"><button type="button"</pre>
class="fill">Confirm</button></a>
                   <a><button type="button" class="fill">Delete</button></a>
               </div>
           </div>
           <div id="meetreg">
               Request #1 from <span class="highlightme">(Mentee)
name)</span> made on
                   <span class="highlightme">(08.08.2040)</span>
               <div id="dtcd">
                   Requested time slot: <span</pre>
class="highlightme">(Day, Time)</span>
                   <a href="mentor_confirm_meet.html"><button type="button"</pre>
class="fill">Confirm</button></a>
```

```
<a><button type="button" class="fill">Delete</button></a>
               </div>
            </div>
            <div id="meetreq">
                Request #1 from <span class="highlightme">(Mentee)
name)</span> made on
                   <span class="highlightme">(08.08.2040)</span>
               <div id="dtcd">
                   Requested time slot: <span</pre>
class="highlightme">(Day, Time)</span>
                   <a href="mentor_confirm_meet.html"><button type="button"</pre>
class="fill">Confirm</button></a>
                    <a><button type="button" class="fill">Delete</button></a>
                </div>
           </div>
            <div id="meetreq">
                Request #1 from <span class="highlightme">(Mentee)
name)</span> made on
                   <span class="highlightme">(08.08.2040)</span>
                <div id="dtcd">
                   Requested time slot: <span</pre>
class="highlightme">(Day, Time)</span>
                   <a href="mentor_confirm_meet.html"><button type="button"</pre>
class="fill">Confirm</button></a>
                   <a><button type="button" class="fill">Delete</button></a>
               </div>
           </div>
            <div id="meetreq">
                Request #1 from <span class="highlightme">(Mentee)
name)</span> made on
                   <span class="highlightme">(08.08.2040)</span>
               <div id="dtcd">
                   Requested time slot: <span</pre>
class="highlightme">(Day, Time)</span>
                   <a href="mentor_confirm_meet.html"><button type="button"</pre>
class="fill">Confirm</button></a>
                   <a><button type="button" class="fill">Delete</button></a>
               </div>
           </div>
       </div>
   </div>
    <footer>
        © 2023
    </footer>
</body>
```

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MentorGram</title>
   <link rel="stylesheet" href="css/mentor_schedule_style.css">
       href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,5
00,600,700 | Montserrat: thin, extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700 "
       rel="stylesheet">
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
 rel="stylesheet">
<body>
   <nav>
       <l
           id="logo">
               <a href="index.html">
                   MentorGram
               for mentors
           <1i>>
               <a href="mentor_meet.html">
                   Meetings
               </a>
           <1i>>
               <a href="mentor_schedule.html" class="underline">
                   Schedule
               </a>
           <1i>>
               <a href="about_us.html">
                   About Us
               </a>
           <1i>>
               <a href="contact.html">
                   Contact
               </a>
           <
```

```
<a href=""><button class="round-button"></button></a>
  </nav>
<div id="contentbox1">
 <div id="contentbox2">
  <div>
    <h1>My mentoring schedule</h1>
  </div>
  <div>
    <b>Day/Period</b>
       <b>9:30-10:20</b>
       <b>10:30-11:20</b>
       <b>11:30-12:20</b>
       <b>12:30-13:20</b>
       <b>13:30-14:20</b>
       <b>14:30-15:20</b>
       <b>15:30-16:20</b>
       <b>16:30-17:20</b>
       <b>17:30-18:20</b>
       <b>18:30-19:20</b>
```

```
<b>Monday</b>
        <h2>L<br>U<br>N<br>C<br>H</h2>
        <td align="center" height="50" style="background-
color: rgba(115, 226, 121, 0.459);">
        <b>Tuesday</b>
        <td align="center" height="50" style="background-
color: rgba(226, 115, 115, 0.459);">
        <td align="center" height="50" style="background-
color: rgba(115, 226, 121, 0.459);">
        <b>Wednesday</b>
        <td align="center" height="50" style="background-
color: rgba(115, 226, 121, 0.459);">
        <td align="center" height="50" style="background-
color: rgba(226, 115, 115, 0.459);">
```

```
<td align="center" height="50" style="background-
color: rgba(115, 226, 121, 0.459);">
          <b>Thursday</b>
          <td align="center" height="50" style="background-
color: rgba(115, 226, 121, 0.459);">
          >
          <b>Friday</b>
          <td align="center" height="50" style="background-
color: rgba(226, 115, 115, 0.459);">
          <td align="center" height="50" style="background-
color: rgba(226, 115, 115, 0.459);">
          </div>
     <div id="contentbox3">
      <div>
        <h4>Add another available time slot:</h4>
      </div>
      <div>
        Select a day of the week:
        <label for="day"></label>
```

```
<select required>
                        <option value="" disabled selected hidden>Select your
option</option>
                        <option value="Monday">Monday</option>
                        <option value="Tuesday">Tuesday</option>
                        <option value="Wednesday" >Wednesday</option>
                        <option value="Thursday">Thursday</option>
                        <option value="Friday">Friday</option>
                    </select>
                </div>
                <div>
                    Select a time slot :
                    <label for="day"></label>
                    <select required name="sex" id="sex" placeholder="fefef">
                        <option value="" disabled selected hidden>Select your
option</option>
                        <option value="9:30"> 9:30</option>
                        <option value="10:30">10:30</option>
                        <option value="11:30" >11:30</option>
                        <option value="13:30">13:30</option>
                        <option value="14:30">14:30</option>
                        <option value="15:30">15:30</option>
                        <option value="16:30">16:30</option>
                        <option value="17:30">17:30</option>
                        <option value="18:30">18:30</option>
                    </select>
                </div>
                <div>
                    <a href="mentormeet.html"><button type="button"</pre>
class="fill">Confirm</button></a>
                </div>
            </div>
       </div>
    </div>
<footer>
    © 2023
</footer>
</body>
</html>
```

Mentor_signup.html:

```
<!DOCTYPE html>
```

```
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <title>MentorGram</title>
        <link rel="stylesheet" href="css/mentor_signup_style.css">
        k
href="https://fonts.googleapis.com/css?family=Cormorant+Garamond:400,500,600,7
00 | Montserrat: thin, extra-
light, light, 100, 200, 300, 400, 500, 600, 700, 800 | Josefin+Sans: 300, 400, 500, 600, 700"
rel="stylesheet">
        link
href="https://fonts.googleapis.com/css2?family=EB+Garamond:ital@1&display=swap
 rel="stylesheet">
    </head>
<body>
   <nav>
        <u1>
           id="logo">
               <a href="index.html">
                   MentorGram
               </a>
                for mentors
           <1i>>
               <a href="about_us.html">
                   About Us
               </a>
           <1i>>
               <a href="contact.html">
                   Contact
               </a>
           </nav>
    <div id="contentbox1">
        <div id="contentbox2">
           <div id="contentbox3">
               <div>
                    <h4>Sign up</h4>
               <div style="display: flex;</pre>
               flex-wrap: wrap;
               gap:20px">
                   <div class="shortfield">
```

```
<label for="">First name</label>
                      <input type="text" placeholder="Andrew">
                   </div>
                   <div class="shortfield">
                      <label for="">Last name</label>
                       <input type="text" placeholder="Tate">
                   </div>
               </div>
               <div class="shortfield">
                   <label for="sex">Sex</label>
                   <select required>
                      <option value="" disabled selected hidden>Select your
option</option>
                      <option value="Female">Female
                      <option value="Male">Male</option>
                      <option value="Other" >Other
                   </select>
               </div>
               <div class="longfield">
                   <label for="">Language</label>
                   <input type="text" placeholder="Simlish">
               </div>
               <div class="longfield">
                   <label for="">Username</label>
                   <input type="text" placeholder="ILovePizzas">
               </div>
               <div class="longfield">
                   <label for="">Email</label>
                   <input type="text" placeholder="andrew.tate@yahoo.com">
               </div>
               <div class="longfield">
                   <label for="">Password</label>
                   </div>
               <div class="longfield">
                   <label for="">Confirm password</label>
                   <input type="password" placeholder="************">
               </div>
               <label for="Bio">Bio:</label>
               <textarea id="bio" name="bio" rows="6" cols="25"</pre>
               My unmatched perspicacity coupled with sheer indefatigability
placeholder="
makes me a feared opponent in any realm of human
endeavor."></textarea>
               Address:
               <div style="display: flex;</pre>
               flex-wrap: wrap;
               gap:20px">
                  <div class="shortfield">
```

```
<label for="">Country</label>
                       <input type="text" placeholder="Romania">
                   </div>
                   <div class="shortfield">
                       <label for="">Post code</label>
                       <input type="text" placeholder="077190">
                   </div>
               </div>
               <div style="display: flex;</pre>
               flex-wrap: wrap;
               gap:20px">
                   <div class="shortfield">
                       <label for="">Street name</label>
                       <input type="text" placeholder="Drumul Bisericii">
                   </div>
                   <div class="shortfield">
                       <label for="">House Number</label>
                       <input type="text" placeholder="50">
                   </div>
               </div>
               <div>
                   <a href="mentor_meet.html"><button type="button"</pre>
class="fill">Register</button></a>
               </div>
            </div>
            <div id="contentbox4">
               <div>
                   <h4>Already have an account?</h4>
               </div>
               <div class="longfield">
                   <label for="">Email</label>
                   <input type="text" placeholder="andrew.tate@yahoo.com">
               </div>
               <div class="longfield">
                   <label for="">Password</label>
                   </div>
               <div>
                    <a href="mentor_meet.html"><button type="button"</pre>
class="fill">Sign in</button></a>
               </div>
           </div>
       </div>
    </div>
```

About_us_style.css:

```
html,
body {
   padding: 0;
   margin: 0px;
   height: 100%;
   font-family: 'Montserrat', sans-serif;
    font-weight: 400;
   color: #131310;
   font-size: 20px;
   background: #ebe4de;
nav{
    padding-right: 1rem;
    padding-left: 1rem;
    border-bottom: 3px dotted hsl(0deg 0% 0% / 0.2);
ul{
   list-style-type: none;
    align-items:center;
   padding: 0px;
   margin: 0px;
   display: flex;
   gap: 5%;
ul a{
    font-family: 'Josefin Sans';
   font-weight: 400;
   color: #131310;
    text-decoration: none;
   font-size: 0.9rem;
a:hover{
   color:rgb(122, 120, 120);
    transition: all 0.5s ease;
```

```
a:active{
   color: #403f47;
.underline {
   text-decoration: none;
   position: relative;
.underline:after {
   position: absolute;
   height: 4px;
   margin: 0 auto;
    content: '';
   left: 0;
   right: 0;
   width: 90%;
   color: #000;
   background-color: #e0cbc4;
   left: 0;
   bottom: -6px;
#logo{
    display: flex;
    align-items: baseline;
   gap: 0.4rem;
   margin-right: auto;
#cname{
   color: #131310;
   font-family: 'Cormorant Garamond';
   font-weight: 700;
   letter-spacing: 1px;
   font-size: 1.4rem;
#extra{
   color: #131310;
   font-family: 'EB Garamond', serif;
   font-size: 1rem;
footer {
  font-family: 'Montserrat';
```

```
font-weight: 500;
   text-align: center;
   font-size: 0.6rem;
   padding: 0.6rem;
   background-color: #9b9a94;
   color: #131310;
 #contentbox1{
   display: flex;
   justify-content:space-evenly;
   align-items: flex-start;
   background-image: url("../ttt.png");
   background-color: rgb(2, 88, 2);
   background-size:
                      cover;
   background-repeat: no-repeat;
   background-position: center center;
   padding: 3rem;
   flex-grow: 1;
   min-height: 1000px;
   flex-wrap: wrap;
   gap:3rem;
.round-button {
   width: 1.7rem;
   height: 1.7rem;
   border: none;
   border-color: inherit;
   border-radius: 1.7rem;
   background-image: url("../p.png");
   background-size:contain;
   background-repeat: no-repeat;
   background-color: inherit;
   cursor: pointer;
```

Contact style.css:

```
html,
body {
    padding: 0;
    margin: 0px;
    height: 100%;
    font-family: 'Montserrat', sans-serif;
    font-weight: 400;
    color: #131310;
```

```
font-size: 20px;
    background: #ebe4de;
nav{
   padding-right: 1rem;
    padding-left: 1rem;
   border-bottom: 3px dotted hsl(0deg 0% 0% / 0.2);
ul{
   list-style-type: none;
    align-items:center;
   padding: 0px;
   margin: 0px;
   display: flex;
   gap: 5%;
ul a{
   font-family: 'Josefin Sans';
   font-weight: 400;
   color: #131310;
   text-decoration: none;
   font-size: 0.9rem;
a:hover{
   color:rgb(122, 120, 120);
    transition: all 0.5s ease;
a:active{
   color: #403f47;
.underline {
   text-decoration: none;
   position: relative;
.underline:after {
   position: absolute;
   height: 4px;
   margin: 0 auto;
    content: '';
   left: 0;
```

```
right: 0;
   width: 90%;
    color: #000;
    background-color: #e0cbc4;
   left: 0;
   bottom: -6px;
#logo{
    display: flex;
    align-items: baseline;
   gap: 0.4rem;
   margin-right: auto;
#cname{
    color: #131310;
    font-family: 'Cormorant Garamond';
    font-weight: 700;
    letter-spacing: 1px;
   font-size: 1.4rem;
#extra{
    color: #131310;
    font-family: 'EB Garamond', serif;
   font-size: 1rem;
footer {
   font-family: 'Montserrat';
    font-weight: 500;
   text-align: center;
    font-size: 0.6rem;
    padding: 0.6rem;
   background-color: #9b9a94;
   color: #131310;
  #contentbox1{
    display: flex;
    justify-content:space-evenly;
    align-items: flex-start;
    background-color: rgb(2, 88, 2);
    padding: 3rem;
    flex-grow: 1;
   min-height: 1000px;
   flex-wrap: wrap;
```

```
gap:3rem;
   background-image: url("../ttt.png");
   background-color: rgb(2, 88, 2);
   background-size:
   background-repeat: no-repeat;
   background-position: center center;
.round-button {
   width: 1.7rem;
   height: 1.7rem;
   border: none;
   border-color: inherit;
   border-radius: 1.7rem;
   background-image: url("../p.png");
   background-size:contain;
   background-repeat: no-repeat;
   background-color: inherit;
   cursor: pointer;
```

Index_style.css:

```
html,
body {
    margin: 0px;
    height: 100%;
    font-size: 25px;
.full-frame {
    display: flex;
    align-items: center;
    justify-content: center;
    background: #ebe4de;
    height: 100%;
.box{
    display: flex;
    flex-direction: row;
    align-items: center;
    gap: 0.6rem;
    /* background: rgb(178, 137, 41); */
```

```
#wrapper1{
    display: flex;
    align-items: baseline;
    flex-direction: column;
   /* background: rgb(255, 0, 0); */
    gap: 3rem;
   padding: 1rem;
#few{
    font-size: 2rem;
    font-family: 'Cormorant Garamond',serif;
    font-weight: 600;
    color: #131310;
#undfrumi{
   text-decoration: underline;
    text-decoration-color: #E0CBC4;
    text-decoration-thickness: 0.3rem;
#undfrumi {
 text-decoration: none;
 position: relative;
#undfrumi:after {
  position: absolute;
   height: 10px;
  margin: 0 auto;
  content: '';
  left: 0;
  right: 0;
  width: 100%;
  color: #000;
  background-color: #E0CBC4;
  left: 0;
  bottom: 8px; /* adjust this to move up and down. you may have to adjust the
line height of the paragraph if you move it down a lot. */
  mix-blend-mode: multiply;
#question{
    font-size: 1rem;
    font-family: 'Montserrat', sans-serif;
    font-weight: 400;
   color: #131310;
```

```
.slide {
   font-size: 0.8rem;
   font-family: 'Montserrat', sans-serif;
   font-weight: 500;
   letter-spacing: 1.6px;
   padding: 13px 30px 8px;
   outline: 0;
   border: 1px solid black;
   cursor: pointer;
   position: relative;
   background-color: rgba(0, 0, 0, 0);
 .slide i {
   opacity: 0;
   font-size: 13px;
   transition: 0.2s;
   position: absolute;
   right: 10px;
   top: 21px;
   transition: transform 1;
 .slide div {
   transition: transform 0.8s;
 .slide:hover div {
   transform: translateX(-6px);
 .slide::after {
   content: "";
   background-color: #e0cbc4;
   width: 100%;
   position:absolute;
   height: 100%;
   top: 7px;
   left: 7px;
   mix-blend-mode: multiply;
 .slide:hover i {
   opacity: 1;
   transform: translateX(-6px);
```

```
footer {
  font-family: 'Montserrat';
  font-weight: 500;
  text-align: center;
  font-size: 0.6rem;
  padding: 0.6rem;
  background-color: #9b9a94;
  color: #131310;
}
```

Mentee_book_style.css:

```
html,
body {
    padding: 0;
    margin: 0px;
    height: 100%;
    font-family: 'Montserrat', sans-serif;
    font-weight: 500;
    color: #131310;
    font-size: 20px;
    background: #ebe4de;
nav{
    padding-right: 1rem;
    padding-left: 1rem;
    border-bottom: 3px dotted hsl(0deg 0% 0% / 0.2);
ul{
    list-style-type: none;
    align-items:center;
    padding: 0px;
    margin: 0px;
    display: flex;
    gap: 5%;
    flex-wrap: wrap;
ul a{
    font-family: 'Josefin Sans';
    font-weight: 400;
    color: #131310;
    text-decoration: none;
```

```
font-size: 0.9rem;
a:hover{
   color:#9b9a94;
    transition: all 0.5s ease;
a:active{
   color: #403f47;
#logo{
    display: flex;
    align-items: baseline;
   gap: 0.4rem;
   margin-right: auto;
#cname{
   color: #131310;
   font-family: 'Cormorant Garamond';
   font-weight: 700;
   letter-spacing: 1px;
   font-size: 1.4rem;
#extra{
    color: #131310;
    font-family: 'EB Garamond', serif;
    font-size: 1rem;
#contentbox1{
   display: flex;
    justify-content: center;
    align-items: flex-start;
      background-image: url("../ttt.png");
 background-repeat: repeat;
    flex-direction: row;
   flex-grow: 1;
   min-height: 1000px;
   padding: 3rem;
#contentbox2{
  display: flex;
```

```
padding: 2rem;
    background-color: #ebe4de;
   width: fit-content;
    flex-wrap: wrap;
    font-weight: 300;
    font-size: 0.8rem;
   border-radius: 5px;
#contentbox3{
  padding: 5%;
 flex-grow: 1;
 /* background-color: rgb(203, 1, 1); */
 gap: 20px;
 display: flex;
 flex-direction: column;
  background-color: #ebe4de(0 0% 0%);
#contentbox4{
    padding: 5%;
   flex-grow: 1;
    gap: 20px;
   display: flex;
   flex-direction: column;
   /* background-color: rgb(210, 14, 187); */
footer {
   font-family: 'Montserrat';
    font-weight: 500;
   text-align: center;
    font-size: 0.6rem;
    padding: 0.6rem;
   background-color: #9b9a94;
    color: #131310;
.shortfield{
    display: flex;
   flex-direction: column;
   max-width: fit-content;
   min-width: 5rem;
    gap:5px;
.longfield{
```

```
display: flex;
   flex-direction: column;
   max-width: fit-content;
   min-width: 10rem;
   gap:5px;
.fill {
   font-family: 'Montserrat';
   font-size: 0.7rem;
   font-weight: 500;
   letter-spacing: 1px;
   padding: 10px 20px 10px;
   outline: 0;
   border: 1px solid black;
   cursor: pointer;
   position: relative;
   background-color: rgba(0, 0, 0, 0);
   margin-top: 1rem;
 .fill::after {
   content: "";
   background-color: #e0cbc4;
   width: 100%;
   z-index: 0;
   mix-blend-mode: multiply;
   position: absolute;
   height: 100%;
   top: 7px;
   left: 7px;
   transition: 0.2s;
 .fill:hover::after {
   top: 0px;
   left: 0px;
 input[type=text] {
   font-family: 'Montserrat';
   background-color: #ffffff;
   padding: 14px 20px;
   border: none;
   border-radius: 4px;
 input[type=password] {
```

```
font-family: 'Montserrat';
  background-color: #ffffff;
  padding: 14px 20px;
  border: none;
 border-radius: 4px;
textarea {
  font-family: 'Montserrat';
  background-color: #ffffff;
  padding: 14px 20px;
 border: none;
 border-radius: 4px;
select {
  font-family: 'Montserrat';
  background-color: #ffffff;
  padding: 14px 20px;
 border: none;
 border-radius: 4px;
select:invalid{
 color: #8e8e8e;
option[disabled] {
 display: none;
option {
 color: black;
::placeholder {
 color: #8e8e8e;
#addid{
 margin-top:1.2rem;
 margin-bottom: 0.1rem;
 font-size: 0.8rem;
 font-weight: 400;
.round-button {
 width: 1.7rem;
```

```
height: 1.7rem;
border: none;
border-color: inherit;
border-radius: 1.7rem;
background-image: url("../p.png");
background-size:contain;
background-repeat: no-repeat;
background-color: inherit;
cursor: pointer;
}
```

mentee_meet_style:

```
html,
body {
    padding: 0;
    margin: 0px;
    height: 100%;
    font-family: 'Montserrat', sans-serif;
    font-weight: 400;
    color: #131310;
    font-size: 20px;
    background: #ebe4de;
nav{
    padding-right: 1rem;
    padding-left: 1rem;
    border-bottom: 3px dotted hsl(0deg 0% 0% / 0.2);
ul{
    list-style-type: none;
    align-items:center;
    padding: 0px;
    margin: 0px;
    display: flex;
    flex-wrap: wrap;
    gap: 5%;
ul a{
    font-family: 'Josefin Sans';
    font-weight: 400;
    color: #131310;
    text-decoration: none;
    font-size: 0.9rem;
```

```
a:hover{
   color:#9b9a94;
   transition: all 0.5s ease;
a:active{
   color: #403f47;
#logo{
   display: flex;
   align-items: baseline;
   gap: 0.4rem;
   margin-right: auto;
#cname{
   color: #131310;
   font-family: 'Cormorant Garamond';
   font-weight: 700;
   letter-spacing: 1px;
   font-size: 1.4rem;
#extra{
    color: #131310;
    font-family: 'EB Garamond', serif;
   font-size: 1rem;
.underline {
   text-decoration: none;
   position: relative;
 .underline:after {
     position: absolute;
    height: 4px;
     margin: 0 auto;
     content: '';
     left: 0;
     right: 0;
     width: 90%;
     color: #000;
     background-color: #e0cbc4;
     left: 0;
```

```
bottom: -6px;
#contentbox1{
    display: flex;
    justify-content:space-evenly;
    align-items: flex-start;
    background-image: url("../ttt.png");
    background-repeat: repeat;
    padding: 3rem;
    flex-grow: 1;
   min-height: 1000px;
   flex-wrap: wrap;
    gap:3rem;
   margin-bottom: 10;
#confmeetbox{
    display: flex;
    flex-direction: column;
    border: 1px;
    background-color: #EBE4DE;
    padding: 2rem;
    gap: 1rem;
   min-width: fit-content;
   width: 600px;
   max-width: 60%;
   border-radius: 5px;
#dtcd{
    /* background-color: blue; */
    display: flex;
   flex-direction: row;
    column-gap: 2rem;
   flex-wrap: wrap;
   align-items: center;
#confmeet{
   display: flex;
   flex-direction: column;
  /* background-color: brown; */
   padding: 1rem;
    border-color: #9B9A94;
   border-style: solid;
   border-radius: 5px;
```

```
#conftopic{
    display: flex;
    flex-direction: row;
    gap: 10px;
   flex-wrap: wrap;
#timeanddate{
   /* background-color: blue; */
    display: flex;
   flex-direction: row;
    column-gap: 1rem;
   flex-wrap: wrap;
.highlightme {
    font-weight: 500;
.round-button {
   width: 1.7rem;
   height: 1.7rem;
    border: none;
    border-color: inherit;
    border-radius: 1.7rem;
    background-image: url("../p.png");
    background-size:contain;
    background-repeat: no-repeat;
    background-color: inherit;
    cursor: pointer;
.fill {
    font-family: 'Montserrat';
    font-size: 0.7rem;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 10px 20px 10px;
    outline: 0;
    border: 1px solid black;
    cursor: pointer;
    position: relative;
    background-color: rgba(0, 0, 0, 0);
    margin-top: 1rem;
```

```
.fill::after {
    content: "";
    background-color: #e0cbc4;
   width: 100%;
    z-index: 0;
   mix-blend-mode: multiply;
    position: absolute;
   height: 100%;
   top: 7px;
   left: 7px;
   transition: 0.2s;
  .fill:hover::after {
   top: 0px;
    left: 0px;
#pp{
   margin-right: auto;
footer {
   font-family: 'Montserrat';
   font-weight: 500;
   text-align: center;
    font-size: 0.6rem;
    padding: 0.6rem;
   background-color: #9b9a94;
    color: #131310;
```

mentee_search_style:

```
html,
body {
  padding: 0;
  margin: 0px;
  height: 100%;
  font-family: 'Montserrat', sans-serif;
  font-weight: 500;
  color: #131310;
  font-size: 20px;
  background: #ebe4de;
}
```

```
padding-right: 1rem;
  padding-left: 1rem;
 border-bottom: 3px dotted hsl(0deg 0% 0% / 0.2);
ul {
 list-style-type: none;
 align-items: center;
 padding: 0px;
 margin: 0px;
 display: flex;
 gap: 5%;
 flex-wrap: wrap;
ul a {
 font-family: 'Josefin Sans';
 font-weight: 400;
 color: #131310;
 text-decoration: none;
 font-size: 0.9rem;
a:hover {
 color: #9b9a94;
 transition: all 0.5s ease;
a:active {
 color: #403f47;
#logo {
 display: flex;
 align-items: baseline;
 gap: 0.4rem;
 margin-right: auto;
#cname {
 color: #131310;
 font-family: 'Cormorant Garamond';
 font-weight: 700;
 letter-spacing: 1px;
 font-size: 1.4rem;
```

```
#extra {
  color: #131310;
 font-family: 'EB Garamond', serif;
 font-size: 1rem;
.underline {
 text-decoration: none;
 position: relative;
.underline:after {
  position: absolute;
 height: 4px;
 margin: 0 auto;
 content: '';
  left: 0;
 right: 0;
 width: 90%;
 color: #000;
 background-color: #e0cbc4;
 left: 0;
 bottom: -6px;
#contentbox-1 {
 background-color: pink;
  background-image: url("../ttt.png");
 background-repeat: repeat;
 display: flex;
 flex-direction: column;
 padding: 3rem;
 gap: 1rem;
#contentbox1 {
 display: flex;
 flex-direction: row;
 justify-content: center;
 background-color: rgba(7, 249, 7, 0.606);
 border-radius: 15px;
 flex-direction: row;
 min-height: 1000px;
#vertdec {
 min-width: 1rem;
```

```
background-image: url("../vertical_deco.jpg");
  background-repeat: repeat-y;
  background-size: contain;
#contentbox2 {
 display: flex;
  flex-direction: column;
 gap: 1rem;
 padding: 2rem;
  background-color: #c9b4a2;
  border-top-left-radius: 15px;
  border-bottom-left-radius: 15px;
  flex-wrap: wrap;
  font-weight: 300;
  font-size: 0.8rem;
 width: 325px;
.optionbox {
  background: white;
 width: 250px;
 height: 150px;
 border: 4px solid;
  border-color: #9B9A94;
  overflow: scroll;
  display: flex;
 flex-direction: column;
 gap: 5px;
  overflow-x: hidden;
.opt {
 display: flex;
 gap: 5px;
#contentbox3 {
 flex-grow: 1;
 display: flex;
 flex-direction: column;
  background-color: #EBE4DE;
  border-top-right-radius: 15px;
  border-bottom-right-radius: 15px;
 width: 85%;
```

```
#contentbox4 {
  padding: 5%;
 flex-grow: 1;
 gap: 20px;
 display: flex;
 flex-direction: column;
  /* background-color: rgb(210, 14, 187); */
#profiles {
  gap: 1rem;
 display: flex;
 flex-wrap: wrap;
  justify-content: space-evenly;
  background-color: #EBE4DE;
 border-top: #9B9A94 solid;
 padding: 1cm;
footer {
  font-family: 'Montserrat';
 font-weight: 500;
 text-align: center;
 font-size: 0.6rem;
 padding: 0.6rem;
 background-color: #9b9a94;
  color: #131310;
.shortfield {
 display: flex;
 flex-direction: column;
 max-width: fit-content;
 min-width: 5rem;
  gap: 5px;
.longfield {
 display: flex;
 flex-direction: column;
 max-width: fit-content;
 min-width: 10rem;
  gap: 5px;
```

```
.fill {
  font-family: 'Montserrat';
  font-size: 0.7rem;
  font-weight: 500;
  letter-spacing: 1px;
  padding: 10px 20px 10px;
  outline: 0;
  border: 1px solid black;
  cursor: pointer;
  position: relative;
  background-color: rgba(0, 0, 0, 0);
 margin-top: 1rem;
 margin-right: 0;
.fill::after {
  content: "";
 background-color: #e0cbc4;
 width: 100%;
 z-index: 0;
 mix-blend-mode: multiply;
  position: absolute;
 height: 100%;
 top: 7px;
 left: 7px;
  transition: 0.2s;
.fill:hover::after {
 top: 0px;
  left: 0px;
input[type=text] {
 font-family: 'Montserrat';
  background-color: #EBE4DE;
  padding: 14px 20px;
 border: none;
 border-radius: 4px;
 width: fit-content;
input[type=password] {
 font-family: 'Montserrat';
  background-color: #ffffff;
 padding: 14px 20px;
  border: none;
 border-radius: 4px;
```

```
textarea {
  font-family: 'Montserrat';
  background-color: #ffffff;
 padding: 14px 20px;
 border: none;
 border-radius: 4px;
select {
 font-family: 'Montserrat';
  background-color: #ffffff;
 padding: 14px 20px;
  border: none;
  border-radius: 4px;
select:invalid {
  color: #8e8e8e;
option[disabled] {
  display: none;
option {
  color: black;
::placeholder {
  color: #8e8e8e;
.round-button {
 width: 1.7rem;
  height: 1.7rem;
  border: none;
  border-color: inherit;
  border-radius: 1.7rem;
  background-image: url("../p.png");
  background-size: contain;
  background-repeat: no-repeat;
  background-color: inherit;
  cursor: pointer;
```

```
#mentoracc {
  max-width: 300px;
  flex-grow: 0;
  font-size: 0.6rem;
  border-style: solid;
  border-color: #9B9A94;
  padding: 20px;
 display: flex;
 flex-direction: column;
 gap: 20px;
 /* background-color: palegreen; */
#inf {
 display: flex;
 flex-direction: column;
 justify-content: space-between;
#picrecinf {
 display: flex;
 flex-direction: row;
 padding: px;
 gap: 10px;
  justify-content: space-around;
#picrec {
 display: flex;
 flex-direction: column;
 gap: 3px;
.fa {
 color: #585752;
#pic {
 border-color: #9B9A94;
 border-style: solid;
 border-radius: 50%;
 width: 120px;
 height: 120px;
 object-fit: cover;
#rec {
```

```
display: flex;
  justify-content: center;
  gap: 3px;
#bookbtn {
 display: flex;
 justify-content: center;
.highlightme {
 font-weight: 600;
#skill {
 border-style: solid;
 border-color: #9B9A94;
 padding: 15px;
 display: flex;
 flex-wrap: wrap;
 flex-direction: row;
 gap: 10px;
 align-items: center;
#sk {
 border-color: #9B9A94;
 border-style: dashed;
 padding: 5px;
#applyf {
 margin-right: 0;
 width: 100px;
.custom-btn {
 width: 300px;
 height: 40px;
 padding: 10px 25px;
  border: 2px solid #000;
  font-family: 'Lato', sans-serif;
 font-weight: 500;
 background: transparent;
 cursor: pointer;
 transition: all 0.3s ease;
 position: relative;
```

```
display: inline-block;
.btn-5 {
 background: #725a55;
 color: #ece9e6;
 line-height: 42px;
 padding: 0;
 border: none;
.btn-5:hover {
 background: #c9b4a2;
 color: #131310;
 box-shadow:
   -7px -7px 20px 0px #fff9,
    -4px -4px 5px 0px #fff9,
   7px 7px 20px 0px #0002,
   4px 4px 5px 0px #0001;
.btn-5:before,
.btn-5:after {
 content: '';
 position: absolute;
 top: 0;
  right: 0;
 height: 2px;
 width: 0;
 background: black;
 transition: 400ms ease all;
.btn-5:after {
 right: inherit;
 top: inherit;
 left: 0;
 bottom: 0;
.btn-5:hover:before,
.btn-5:hover:after {
 width: 100%;
 transition: 800ms ease all;
```

mentor_confirm_meet_style:

```
html,
body {
```

```
padding: 0;
    margin: 0px;
    height: 100%;
    font-family: 'Montserrat', sans-serif;
    font-weight: 400;
    color: #131310;
    font-size: 20px;
   background: #ebe4de;
nav{
    padding-right: 1rem;
    padding-left: 1rem;
   border-bottom: 3px dotted hsl(0deg 0% 0% / 0.2);
ul{
    list-style-type: none;
    align-items:center;
   padding: 0px;
   margin: 0px;
   display: flex;
   gap: 5%;
ul a{
   font-family: 'Josefin Sans';
    font-weight: 400;
    color: #131310;
    text-decoration: none;
   font-size: 0.9rem;
.round-button {
   width: 1.7rem;
   height: 1.7rem;
   border: none;
    border-color: inherit;
    border-radius: 1.7rem;
    background-image: url("../p.png");
    background-size:contain;
    background-repeat: no-repeat;
    background-color: inherit;
   cursor: pointer;
```

```
a:hover{
    color:#9b9a94;
    transition: all 0.5s ease;
a:active{
   color: #403f47;
#logo{
    display: flex;
    align-items: baseline;
   gap: 0.4rem;
   margin-right: auto;
#cname{
   color: #131310;
   font-family: 'Cormorant Garamond';
   font-weight: 700;
   letter-spacing: 1px;
   font-size: 1.4rem;
#extra{
    color: #131310;
    font-family: 'EB Garamond', serif;
    font-size: 1rem;
#contentbox1{
   display: flex;
    justify-content: center;
    align-items: flex-start;
   background-image: url("../ttt.png");
   background-repeat: repeat;
   flex-direction: row;
   min-height: 1000px;
   padding: 3rem;
#contentbox2{
   display: flex;
    padding: 2rem;
    background-color: #EBE4DE;
   max-width: 1200px;
   flex-wrap: wrap;
```

```
font-weight: 300;
    font-size: 1rem;
    border-radius: 5px;
    flex-direction: column;
    gap: 2rem;
#contentbox3{
   padding: 0;
   display: flex;
   flex-direction: column;
   gap: 1rem;
#contentbox4{
   border-style: solid;
    display: flex;
   flex-direction: column;
    background-color: white;
    padding-bottom: 5px;
    border-color: #9B9A94;
    border-width: 0.2rem;
#contentbox5{
   display: flex;
    justify-content: end;
#Monthselector{
   display: flex;
   justify-content: center;
   align-items: center;
    gap: 3rem;
    border-bottom-style: solid;
    border-bottom-color:#9B9A94
th{
   font-size: 0.8rem;
table{
   margin-top: 10px;
td{
   text-align: center;
```

```
padding-top: 5px;
    padding-bottom: 5px;
    font-size: 0.7rem;
    cursor: pointer;
footer {
    font-family: 'Montserrat';
    font-weight: 500;
    text-align: center;
    font-size: 0.6rem;
    padding: 0.6rem;
    background-color: #9b9a94;
   color: #131310;
.fill {
    font-family: 'Montserrat';
    font-size: 0.7rem;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 10px 20px 10px;
    outline: 0;
    border: 1px solid black;
    cursor: pointer;
    position: relative;
    background-color: rgba(0, 0, 0, 0);
    margin-top: 1rem;
  .fill::after {
    content: "";
    background-color: #e0cbc4;
    width: 100%;
    z-index: 0;
    mix-blend-mode: multiply;
    position: absolute;
    height: 100%;
    top: 7px;
    left: 7px;
    transition: 0.2s;
  .fill:hover::after {
    top: 0px;
    left: 0px;
```

```
textarea {
   font-family: 'Montserrat';
   background-color: #fffffff;
   padding: 14px 20px;
   border: none;
   border-radius: 4px;
}
```

mentor_meet_style:

```
html,
body {
    padding: 0;
    margin: 0px;
    height: 100%;
    font-family: 'Montserrat', sans-serif;
    font-weight: 400;
    color: #131310;
    font-size: 20px;
    background: #ebe4de;
nav{
    padding-right: 1rem;
    padding-left: 1rem;
    border-bottom: 3px dotted hsl(0deg 0% 0% / 0.2);
ul{
    list-style-type: none;
    align-items:center;
    padding: 0px;
    margin: 0px;
    display: flex;
    flex-wrap: wrap;
    gap: 5%;
ul a{
    font-family: 'Josefin Sans';
    font-weight: 400;
    color: #131310;
    text-decoration: none;
    font-size: 0.9rem;
a:hover{
   color:#9b9a94;
```

```
transition: all 0.5s ease;
a:active{
   color: #403f47;
#logo{
   display: flex;
   align-items: baseline;
   gap: 0.4rem;
   margin-right: auto;
#cname{
   color: #131310;
   font-family: 'Cormorant Garamond';
   font-weight: 700;
   letter-spacing: 1px;
   font-size: 1.4rem;
#extra{
   color: #131310;
   font-family: 'EB Garamond', serif;
   font-size: 1rem;
.underline {
   text-decoration: none;
   position: relative;
 .underline:after {
     position: absolute;
     height: 4px;
     margin: 0 auto;
     content: '';
     left: 0;
     right: 0;
     width: 90%;
     color: #000;
     background-color: #e0cbc4;
     left: 0;
     bottom: -6px;
#contentbox1{
```

```
display: flex;
    justify-content:space-evenly;
    align-items: flex-start;
    background-image: url("../ttt.png");
    background-repeat: repeat;
    padding: 3rem;
    flex-grow: 1;
    min-height: 1000px;
    flex-wrap: wrap;
    gap:3rem;
   margin-bottom: 10;
#confmeetbox{
    display: flex;
    flex-direction: column;
    border: 1px;
    background-color: #EBE4DE;
    padding: 2rem;
    gap: 1rem;
    flex-grow: 0.3;
   border-radius: 5px;
#confmeet{
   display: flex;
   flex-direction: column;
   /* background-color: brown; */
   padding: 1rem;
    border-color: #9B9A94;
   border-style: solid;
   border-radius: 5px;
#timeanddate{
   /* background-color: blue; */
   display: flex;
   flex-direction: row;
    column-gap: 1rem;
    flex-wrap: wrap;
.highlightme {
    font-weight: 500;
.round-button {
```

```
width: 1.7rem;
    height: 1.7rem;
    border: none;
    border-color: inherit;
    border-radius: 1.7rem;
    background-image: url("../p.png");
    background-size:contain;
    background-repeat: no-repeat;
    background-color: inherit;
   cursor: pointer;
#meetreqbox{
   background-color: #EBE4DE;
    display: flex;
    flex-direction: column;
    border: 1px;
   padding: 2rem;
    gap: 1rem;
   flex-grow: 0.6;
   border-radius: 5px;
#meetreq{
   border-color: #9B9A94;
    border-style: solid;
    border-radius: 5px;
    /* background-color: blueviolet; */
   display: flex;
   flex-direction: column;
   padding: 1rem;
#dtcd{
    /* background-color: blue; */
   display: flex;
   flex-direction: row;
    column-gap: 2rem;
   flex-wrap: wrap;
   align-items: center;
.fill {
   font-family: 'Montserrat';
    font-size: 0.7rem;
    font-weight: 500;
    letter-spacing: 1px;
   padding: 10px 20px 10px;
```

```
outline: 0;
    border: 1px solid black;
    cursor: pointer;
    position: relative;
   background-color: rgba(0, 0, 0, 0);
   margin-top: 1rem;
  .fill::after {
    content: "";
   background-color: #e0cbc4;
   width: 100%;
    z-index: 0;
   mix-blend-mode: multiply;
    position: absolute;
   height: 100%;
    top: 7px;
   left: 7px;
   transition: 0.2s;
  .fill:hover::after {
   top: 0px;
   left: 0px;
#pp{
   margin-right: auto;
footer {
   font-family: 'Montserrat';
    font-weight: 500;
   text-align: center;
   font-size: 0.6rem;
    padding: 0.6rem;
    background-color: #9b9a94;
    color: #131310;
```

mentor_schedule_style:

```
html,
body {
    padding: 0;
    margin: 0px;
    height: 100%;
    font-family: 'Montserrat', sans-serif;
    font-weight: 400;
    color: #131310;
    font-size: 20px;
```

```
background: #ebe4de;
nav{
   padding-right: 1rem;
    padding-left: 1rem;
   border-bottom: 3px dotted rgba(0, 0, 0, 0.2);
ul{
    list-style-type: none;
    align-items:center;
   padding: 0px;
   margin: 0px;
   display: flex;
   flex-wrap: wrap;
   gap: 5%;
ul a{
   font-family: 'Josefin Sans';
   font-weight: 400;
   color: #131310;
   text-decoration: none;
   font-size: 0.9rem;
a:hover{
   color:#9b9a94;
   transition: all 0.5s ease;
a:active{
   color: #403f47;
#logo{
    display: flex;
   align-items: baseline;
   gap: 0.4rem;
   margin-right: auto;
#cname{
    color: #131310;
    font-family: 'Cormorant Garamond';
   font-weight: 700;
   letter-spacing: 1px;
```

```
font-size: 1.4rem;
#extra{
   color: #131310;
    font-family: 'EB Garamond', serif;
   font-size: 1rem;
.underline {
   text-decoration: none;
   position: relative;
 .underline:after {
     position: absolute;
     height: 4px;
     margin: 0 auto;
     content: '';
     left: 0;
     right: 0;
     width: 90%;
     color: #000;
     background-color: #e0cbc4;
     left: 0;
     bottom: -6px;
table{
 border-style: solid;
 border-color: #9B9A94;
#contentbox1{
   display: flex;
   justify-content:space-evenly;
    align-items: flex-start;
    background-image: url("../ttt.png");
    background-repeat: repeat;
   padding: 3rem;
   flex-grow: 1;
   min-height: 1000px;
   flex-wrap: wrap;
   gap:3rem;
   margin-bottom: 10;
#contentbox2{
   flex-grow: 1;
```

```
display: flex;
    padding: 2rem;
    background-color: #ebe4de;
    max-width: 800px;
    flex-wrap: wrap;
    font-weight: 300;
    font-size: 0.8rem;
    border-radius: 5px;
    gap:2rem;
#contentbox3{
    display: flex;
    flex-direction: column;
    border-style: solid;
    border-color: #9B9A94;
    padding: 1rem;
    padding-top:0rem;
    padding-bottom: 1.7rem;
    gap:1rem;
.fill {
    font-family: 'Montserrat';
    font-size: 0.7rem;
    font-weight: 500;
    letter-spacing: 1px;
    padding: 10px 20px 10px;
    outline: 0;
    border: 1px solid black;
    cursor: pointer;
    position: relative;
    background-color: rgba(0, 0, 0, 0);
    margin-top: 1rem;
  .fill::after {
    content: "";
    background-color: #e0cbc4;
    width: 100%;
    z-index: 0;
    mix-blend-mode: multiply;
    position: absolute;
    height: 100%;
    top: 7px;
    left: 7px;
    transition: 0.2s;
```

```
.fill:hover::after {
   top: 0px;
   left: 0px;
footer {
    font-family: 'Montserrat';
    font-weight: 500;
    text-align: center;
   font-size: 0.6rem;
    padding: 0.6rem;
   background-color: #9b9a94;
   color: #131310;
  select {
   margin-left: 0.5rem;
    font-family: 'Montserrat';
    background-color: #ffffff;
   padding: 5px 5px;
   border: none;
   border-radius: 4px;
  select:invalid{
    color: #8e8e8e;
  option[disabled] {
   display: none;
  option {
   color: black;
  .round-button {
   width: 1.7rem;
   height: 1.7rem;
    border: none;
   border-color: inherit;
    border-radius: 1.7rem;
    background-image: url("../p.png");
    cursor: pointer;
    background-size:contain;
    background-repeat: no-repeat;
   background-color: inherit;
```

}

```
mentor_signup_style:
```

```
html,
body {
   padding: 0;
   margin: 0px;
   height: 100%;
    font-family: 'Montserrat', sans-serif;
    font-weight: 500;
    color: #131310;
    font-size: 20px;
   background: #ebe4de;
nav{
    padding-right: 1rem;
    padding-left: 1rem;
   border-bottom: 3px dotted hsl(0deg 0% 0% / 0.2);
ul{
   list-style-type: none;
    align-items:center;
   padding: 0px;
   margin: 0px;
   display: flex;
    gap: 5%;
   flex-wrap: wrap;
ul a{
   font-family: 'Josefin Sans';
   font-weight: 400;
   color: #131310;
    text-decoration: none;
   font-size: 0.9rem;
a:hover{
    color:#9b9a94;
   transition: all 0.5s ease;
a:active{
   color: #403f47;
```

```
#logo{
    display: flex;
    align-items: baseline;
    gap: 0.4rem;
   margin-right: auto;
#cname{
   color: #131310;
    font-family: 'Cormorant Garamond';
    font-weight: 700;
    letter-spacing: 1px;
   font-size: 1.4rem;
#extra{
    color: #131310;
    font-family: 'EB Garamond', serif;
    font-size: 1rem;
#contentbox1{
   display: flex;
    justify-content: center;
    align-items: flex-start;
      background-image: url("../ttt.png");
  background-repeat: repeat;
    flex-direction: row;
   flex-grow: 1;
   min-height: 1000px;
   padding: 3rem;
#contentbox2{
    flex-grow: 1;
    display: flex;
    padding: 2rem;
    background-color: #ebe4de;
   max-width: 1200px;
    flex-wrap: wrap;
   font-weight: 300;
   font-size: 0.8rem;
   border-radius: 5px;
#contentbox3{
```


```
padding: 5%;
  flex-grow: 1;
  /* background-color: rgb(203, 1, 1); */
  gap: 20px;
  display: flex;
  flex-direction: column;
 background-color: #ebe4de(0 0% 0%);
  border-right-style: solid;
  border-right-width: 2px;
#contentbox4{
    padding: 5%;
    flex-grow: 1;
    gap: 20px;
   display: flex;
   flex-direction: column;
   /* background-color: rgb(210, 14, 187); */
footer {
    font-family: 'Montserrat';
    font-weight: 500;
   text-align: center;
   font-size: 0.6rem;
   padding: 0.6rem;
   background-color: #9b9a94;
   color: #131310;
.shortfield{
   display: flex;
   flex-direction: column;
   max-width: fit-content;
   min-width: 5rem;
    gap:5px;
.longfield{
    display: flex;
   flex-direction: column;
   max-width: fit-content;
   min-width: 10rem;
    gap:5px;
fill {
```

```
font-family: 'Montserrat';
  font-size: 0.7rem;
  font-weight: 500;
  letter-spacing: 1px;
  padding: 10px 20px 10px;
  outline: 0;
  border: 1px solid black;
  cursor: pointer;
  position: relative;
  background-color: rgba(0, 0, 0, 0);
 margin-top: 1rem;
.fill::after {
  content: "";
 background-color: #e0cbc4;
 width: 100%;
  z-index: 0;
  mix-blend-mode: multiply;
  position: absolute;
 height: 100%;
 top: 7px;
 left: 7px;
  transition: 0.2s;
.fill:hover::after {
 top: 0px;
 left: 0px;
input[type=text] {
  font-family: 'Montserrat';
  background-color: #ffffff;
  padding: 14px 20px;
 border: none;
 border-radius: 4px;
input[type=password] {
  font-family: 'Montserrat';
  background-color: #ffffff;
  padding: 14px 20px;
 border: none;
 border-radius: 4px;
textarea {
```

```
font-family: 'Montserrat';
  background-color: #ffffff;
  padding: 14px 20px;
 border: none;
 border-radius: 4px;
select {
 font-family: 'Montserrat';
  background-color: #ffffff;
 padding: 14px 20px;
 border: none;
 border-radius: 4px;
select:invalid{
 color: #8e8e8e;
option[disabled] {
 display: none;
option {
 color: black;
::placeholder {
 color: #8e8e8e;
#addid{
 margin-top:1.2rem;
 margin-bottom: 0.1rem;
 font-size: 0.8rem;
  font-weight: 400;
```


Req table:

Requirement numbe	Description	Contributor name
1	Site map	Robert
2	Wireframing	Cosmin
3	About Us	Cosmin
4	Contact	Robert
5	Index	Cosmin
6	Mentee book	Robert
7	Mentee meet	Robert
8	Mentee search	Cosmin
9	Mentor confirm meet	Robert
10	Mentor meet	Cosmin
11	Mentor Schedule	Cosmin
12	Mentor + mentee signup	Robert




emap:

Wireframe:



Mentor - meeting confirmation



Mentee - Log In copy

Mentee - Log In copy



Mentee - search page



Mentee - meeting confirmation

