
## **API Flowchart**



## 1. User Authentication:

- The user registers via the POST /auth/register endpoint.
- The user logs in via the POST /auth/jwt/login endpoint and receives a JWT (JSON Web Token).
- o All subsequent requests must include this JWT in the Authorization header.

#### 2. User Management:

- The user's profile can be retrieved or updated via the GET /users/me and PATCH /users/me endpoints respectively.
- Specific user profiles can be managed via the GET /users/{id}, PATCH /users/{id}, and DELETE /users/{id} endpoints.

# 3. **Product Catalog**:

- All products can be listed via the GET /products endpoint.
- New products can be added via the POST /products/add endpoint.
- Existing products can be updated or removed via the PATCH /products/{product\_id} and DELETE /products/{product\_id} endpoints respectively.

#### 4. Shopping Cart:

- The cart can be viewed via the GET /cart/show endpoint.
- o Items can be added to the cart via the POST /cart/add endpoint.
- Items can be removed from the cart via the DELETE /cart/remove/{item\_id} endpoint.
- o A summary of the cart can be obtained via the GET /cart/summary endpoint.

### 5. Checkout and Orders:

- o The checkout process can be initiated via the POST /checkout endpoint.
- New orders can be created via the POST /orders/create endpoint.
- Existing orders can be viewed or edited via the POST /orders/view and PUT /orders/edit/{order\_id} endpoints respectively.

# **Ashte API Endpoints**

# **Authentication Endpoints:**

- POST /auth/jwt/login: Authenticate and receive JWT.
  - Input: username: str, password: str
  - Output: Access Token Bearer type
- POST /auth/jwt/logout: Terminate the current JWT session.
  - Input: Gets access token
  - Output: "User successfully logged out"
- **POST /auth/register**: Register a new user account.
  - Input:

```
    "email": "user@example.com",
    "password": "string",
    "is_active": true,
    "is_superuser": false,
    "is_verified": false,
    "first_name": "string",
    "last_name": "string"
}
```

- Output:

```
• {
    "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "email": "user@example.com",
    "is_active": true,
    "is_superuser": false,
    "is_verified": false,
    "first_name": "string",
    "last_name": "string"
    }
}
```

- POST /auth/forgot-password: Request a password reset.
  - Input:

```
{"email": "user@example.com"}
```

• **POST /auth/reset-password**: Reset the password using a token.

- Input:

```
{"token": "string","password": "string"}
```

• **POST /auth/request-verify-token**: Request a token for account verification.

- Input:

```
{"email": "user@example.com"}
```

- POST /auth/verify: Verify user account with a token.
  - Input

```
{"token": "string"}
```

Output :

```
• {
    "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "email": "user@example.com",
    "is_active": true,
    "is_superuser": false,
    "is_verified": false,
    "first_name": "string",
    "last_name": "string"
    }
}
```

#### **User Management:**

- GET /users/me: Retrieve current user's profile.
- PATCH /users/me: Update current user's profile.
  - Input:

- **GET /users/{id}**: Get a specific user's profile by ID. (Visible only to superuser)
  - **Input**: id: str
- PATCH /users/{id}: Update a specific user's profile by ID. (Visible only to superuser)
  - Input : id : str

```
f
    "password": "string",
    "email": "user@example.com",
    "is_active": true,
    "is_superuser": true,
    "is_verified": true,
    "first_name": "string",
    "last_name": "string"
}
```

- **DELETE /users/{id}**: Delete a specific user's profile by ID. (Visible only to superuser)
  - Input: id: str

## **Product Catalog:**

• **GET /products**: List all products.

## **Only for Superuser**

- POST /products/add: Add a new product.
  - Input:

```
• {
• "title": "string",
• "description": "string",
• "price": 0,
• "release_date": "2023-12-25",
• "quantity": 0,
• "is_visible": false
• }
```

- PATCH /products/{product id}: Update an existing product.
  - **Input**: same Input schema as add product
- **DELETE /products/{product\_id}**: Remove a product from the catalog.
  - **Input**: product id: int

## **Shopping Cart:**

- **GET /cart/show**: Display items in the cart.
- **POST /cart/add**: Add an item to the cart.
  - Input: JSON List of product\_ids and quantities
- **DELETE /cart/remove/{item\_id}**: Remove an item from the cart.
  - **Input**: cart item id
- GET /cart/summary: Get a summary of the cart contents.
  - Input : cart\_id

#### **Checkout and Orders:**

- POST /checkout: Initiate the checkout process.
  - Input:

- **POST /orders/create**: Create a new order.
- **POST /orders/view**: View an existing order.
- PUT /orders/edit/{order\_id}: Edit an existing order. (Visible only to superuser)
  - Input : order\_id : int

```
{"shipped": true,"paid": true}
```

# Miscellaneous:

• **GET /authenticated-route**: Access a route that requires authentication.

Note – Things yet to be done:

- 1) Routes are not yet tested for production
- 2) Shift to production database
- 3) SMTP mail server configuration

Author: Kaustubh M (Github repo- https://github.com/Sirczechs-Kaustubh/Ashte-fastapi)