

CASE STUDY-1

--→TRAVEL BILLS:

index.html – Home page

```
<!doctype html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8" />
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1" />
```

```
  <title>Travel Bliss • Home</title>
```

```
  <link rel="stylesheet" href="style.css" />
```

```
</head>
```

```
<body>
```

```
  <!-- Header -->
```

```
  <header class="site-header">
```

```
    <div class="container navbar">
```

```
      <a class="brand" href="index.html">
```

```
        <span class="brand-logo">TB</span>
```

```
        <span>Travel Bliss</span>
```

```
      </a>
```

```
    <nav class="nav">
```

```
      <a class="active" href="index.html">Home</a>
```

```
      <a href="destinations.html">Destinations</a>
```

```
      <a href="booking.html">Booking</a>
```

```
      <a href="contact.html">Contact</a>
```

```
    </nav>
```

```
  </div>
```

```
</header>
```

```
<!-- Hero -->
```

```
<section class="hero">
```

```
<div class="container hero-grid">
```

```
<div>
```

```
<h1>Plan trips you'll actually take</h1>
```

```
<p>Pick a destination, choose dates, add the little extras, and you're set. Clean design, quick to book.</p>
```

```
<a class="cta" href="booking.html">Start a booking</a>
```

```
</div>
```

```
<div class="hero-card">
```

```
<strong>Why Travel Bliss?</strong>
```

```
<ul>
```

```
<li>Handpicked destinations with clear pricing</li>
```

```
<li>Simple forms with helpful validation</li>
```

```
<li>Mobile-friendly layout</li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Featured Destinations -->
```

```
<section class="section">
```

```
<div class="container">
```

```
<h2>Popular right now</h2>
```

```
<div class="grid-3">
```

```
<article class="card">
```

```

```

```
<div class="card-body">
```

```
<p class="card-title">Bali, Indonesia</p>

<p class="card-text">Sun, surf, and laid-back cafés.</p>

</div>

</article>

<article class="card">

  

  <div class="card-body">

    <p class="card-title">Swiss Alps</p>

    <p class="card-text">Crisp air, scenic trains, cozy stays.</p>

  </div>

</article>

<article class="card">

  

  <div class="card-body">

    <p class="card-title">Tokyo, Japan</p>

    <p class="card-text">Sushi, neon nights, quiet shrines.</p>

  </div>

</article>

</div>

</div>

</section>

<!-- Footer -->

<footer class="site-footer">

  <div class="container">

    <span>© <span id="year"></span> Travel Bliss</span>

    <div class="footer-links">
```

```
<a href="contact.html">Support</a>

<a href="booking.html">Make a booking</a>

</div>

</div>

</footer>


<script>

    document.getElementById('year').textContent = new Date().getFullYear();

</script>

</body>

</html>
```

2. Destinations.html – Grid of images

```
<!doctype html>

<html lang="en">

<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1" />

    <title>Travel Bliss • Destinations</title>

    <link rel="stylesheet" href="style.css" />

</head>

<body>

    <header class="site-header">

        <div class="container navbar">

            <a class="brand" href="index.html">

                <span class="brand-logo">TB</span>

                <span>Travel Bliss</span>

            </a>
```

```
<nav class="nav">

  <a href="index.html">Home</a>

  <a class="active" href="destinations.html">Destinations</a>

  <a href="booking.html">Booking</a>

  <a href="contact.html">Contact</a>

</nav>

</div>

</header>


<main class="section">

  <div class="container">

    <h2>Browse destinations</h2>

    <p class="card-text">Grid layout with clean spacing using the CSS box model.</p>

    <div class="grid-3">

      <!-- Duplicate or swap URLs as you like -->

      <article class="card">

        

        <div class="card-body">

          <p class="card-title">Santorini, Greece</p>

          <p class="card-text">White-blue domes and sunset views.</p>

        </div>

      </article>

      <article class="card">

        

        <div class="card-body">

          <p class="card-title">New York, USA</p>

          <p class="card-text">Iconic skyline and food from everywhere.</p>

        </div>

      </article>

    </div>

  </div>

</main>
```

</div>

</article>

<article class="card">

<div class="card-body">

<p class="card-title">Kyoto, Japan</p>

<p class="card-text">Temples, gardens, and tea houses.</p>

</div>

</article>

<article class="card">

<div class="card-body">

<p class="card-title">Iceland</p>

<p class="card-text">Waterfalls, glaciers, northern lights.</p>

</div>

</article>

<article class="card">

<div class="card-body">

<p class="card-title">Paris, France</p>

<p class="card-text">Cafés, museums, and long walks.</p>

</div>

</article>

<article class="card">


```

<div class="card-body">

  <p class="card-title">Maldives</p>

  <p class="card-text">Overwater villas and turquoise water.</p>

</div>

</article>

</div>

</div>

</main>


<footer class="site-footer">

  <div class="container">

    <span>© <span id="year"></span> Travel Bliss</span>

    <div class="footer-links">

      <a href="contact.html">Support</a>

      <a href="booking.html">Make a booking</a>

    </div>

  </div>

</footer>

<script>document.getElementById('year').textContent = new
Date().getFullYear();</script>

</body>

</html>

```

3. booking.html – Booking form with radio buttons & checkboxes

```

<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8" />

```

```
<meta name="viewport" content="width=device-width, initial-scale=1" />

<title>Travel Bliss • Booking</title>

<link rel="stylesheet" href="style.css" />

</head>

<body>

  <header class="site-header">

    <div class="container navbar">

      <a class="brand" href="index.html">

        <span class="brand-logo">TB</span>

        <span>Travel Bliss</span>

      </a>

      <nav class="nav">

        <a href="index.html">Home</a>

        <a href="destinations.html">Destinations</a>

        <a class="active" href="booking.html">Booking</a>

        <a href="contact.html">Contact</a>

      </nav>

    </div>

  </header>

  <main class="section">

    <div class="container">

      <h2>Book your trip</h2>

      <p class="card-text">HTML5 validation, radio buttons, checkboxes, and a clean layout.</p>

      <form class="form" action="contact.html" method="get">

        <!-- Contact info -->
```



```
<div class="form-row">

  <div>

    <label class="label" for="fullName">Full name</label>

    <input id="fullName" name="fullName" class="input" type="text"
placeholder="Jane Doe" required />

  </div>

  <div>

    <label class="label" for="email">Email</label>

    <input id="email" name="email" class="input" type="email"
placeholder="jane@example.com" required />

  </div>

</div>
```

```
<div class="form-row">

  <div>

    <label class="label" for="phone">Phone</label>

    <input id="phone" name="phone" class="input" type="tel" pattern="[0-9+\\-\\s]{7,}"
placeholder="+1 555 555 5555" required />

  </div>

  <div>

    <label class="label" for="destination">Destination</label>

    <select id="destination" name="destination" class="select" required>

      <option value="" disabled selected>Select one</option>

      <option>Bali, Indonesia</option>

      <option>Swiss Alps</option>

      <option>Tokyo, Japan</option>

      <option>Paris, France</option>

      <option>Iceland</option>

      <option>Maldives</option>

    </select>

  </div>

</div>
```

```
</select>
```

```
</div>
```

```
</div>
```

```
<!-- Dates -->
```

```
<div class="form-row">
```

```
<div>
```

```
<label class="label" for="startDate">Start date</label>
```

```
<input id="startDate" name="startDate" class="input" type="date" required />
```

```
</div>
```

```
<div>
```

```
<label class="label" for="endDate">End date</label>
```

```
<input id="endDate" name="endDate" class="input" type="date" required />
```

```
</div>
```

```
</div>
```

```
<!-- Trip type (radio) -->
```

```
<fieldset style="border:0; padding:0; margin-top:10px;">
```

```
<span class="label">Trip type</span>
```

```
<label><input type="radio" name="tripType" value="solo" required /> Solo</label>
```

```
<label style="margin-left:10px;"><input type="radio" name="tripType" value="couple" /> Couple</label>
```

```
<label style="margin-left:10px;"><input type="radio" name="tripType" value="family" /> Family</label>
```

```
</fieldset>
```

```
<!-- Add-ons (checkbox) -->
```

```
<fieldset style="border:0; padding:0; margin-top:10px;">
```

```
<span class="label">Add-ons</span>
```

```
<label><input type="checkbox" name="addons" value="airport-transfer" /> Airport
transfer</label>
```

```
<label style="margin-left:10px;"><input type="checkbox" name="addons"
value="breakfast" /> Breakfast</label>
```

```
<label style="margin-left:10px;"><input type="checkbox" name="addons"
value="city-tour" /> City tour</label>
```

```
</fieldset>
```

```
<div style="margin-top:10px;">
```

```
<label class="label" for="notes">Notes</label>
```

```
<textarea id="notes" name="notes" class="textarea" rows="4"
placeholder="Anything specific you want?"></textarea>
```

```
</div>
```

```
<div class="actions">
```

```
<button class="btn primary" type="submit">Submit booking</button>
```

```
<button class="btn secondary" type="reset">Reset</button>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</main>
```

```
<footer class="site-footer">
```

```
<div class="container">
```

```
<span>© <span id="year"></span> Travel Bliss</span>
```

```
<div class="footer-links">
```

```
<a href="contact.html">Support</a>
```

```
<a href="booking.html">Make a booking</a>
```

```
</div>
```

```
</div>

</footer>

<script>document.getElementById('year').textContent = new
Date().getFullYear();</script>

</body>

</html>
```

4. contact.html – Contact info and form

```
<!doctype html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1" />

  <title>Travel Bliss • Contact</title>

  <link rel="stylesheet" href="style.css" />

</head>

<body>

  <header class="site-header">

    <div class="container navbar">

      <a class="brand" href="index.html">

        <span class="brand-logo">TB</span>

        <span>Travel Bliss</span>

      </a>

      <nav class="nav">

        <a href="index.html">Home</a>

        <a href="destinations.html">Destinations</a>

        <a href="booking.html">Booking</a>

        <a class="active" href="contact.html">Contact</a>
```

</nav>

</div>

</header>

<main class="section">

<div class="container">

<h2>Get in touch</h2>

<p class="card-text">We usually reply within one business day.</p>

<div class="grid-3" style="grid-template-columns: 1.2fr 0.8fr;">

<form class="form" action="#" method="post">

<div class="form-row">

<div>

<label class="label" for="cname">Your name</label>

<input id="cname" name="cname" class="input" type="text" required />

</div>

<div>

<label class="label" for="cemail">Email</label>

<input id="cemail" name="cemail" class="input" type="email" required />

</div>

</div>

<div style="margin-top:10px;">

<label class="label" for="cmsg">Message</label>

<textarea id="cmsg" name="cmsg" class="textarea" rows="5"
required></textarea>

</div>

```
<fieldset style="border:0; padding:0; margin-top:10px;">

  <span class="label">Preferred contact</span>

  <label><input type="radio" name="pref" value="email" required /> Email</label>

  <label style="margin-left:10px;"><input type="radio" name="pref" value="phone"
/> Phone</label>

</fieldset>
```

```
<div class="actions">

  <button class="btn primary" type="submit">Send</button>

  <button class="btn danger" type="button" onclick="alert('Help: email us at
support@travelbliss.example')">Need help?</button>

</div>

</form>
```

```
<aside class="form" aria-label="Company info">

  <h3 style="margin:0 0 6px 0;">Travel Bliss</h3>

  <p class="card-text">

    123 Ocean Drive, Anywhere<br />

    support@travelbliss.example<br />

    +1 (555) 555-5555

  </p>

  <p class="card-text">Hours: Mon–Fri, 9:00–18:00</p>

</aside>

</div>

</div>

</main>
```

```
<footer class="site-footer">

  <div class="container">
```

```
<span>© <span id="year"></span> Travel Bliss</span>

<div class="footer-links">

  <a href="contact.html">Support</a>

  <a href="booking.html">Make a booking</a>

</div>

</div>

</footer>

<script>document.getElementById('year').textContent = new
Date().getFullYear();</script>

</body>

</html>
```

5. style.css – External CSS file

```
/* ===== CSS Reset + Variables ===== */

:root {

  --brand: #1e90ff;

  --brand-dark: #1168b7;

  --ink: #1a1a1a;

  --muted: #6b7280;

  --bg: #ffffff;

  --bg-soft: #f5f7fb;

  --card: #ffffff;

  --accent: #10b981;

  --danger: #ef4444;

  --radius: 14px;

  --shadow: 0 10px 24px rgba(0,0,0,0.08);

}
```

```
*,
*::before,
*::after { box-sizing: border-box; }
```

```
html, body {
  margin: 0;
  padding: 0;
  font-family: system-ui, -apple-system, Segoe UI, Roboto, Inter, Arial, sans-serif;
  color: var(--ink);
  background: var(--bg);
  line-height: 1.6;
}
```

```
/* ===== Layout ===== */
```

```
.container {
  width: min(1100px, 92vw);
  margin: 0 auto;
  padding: 24px 0;
}
```

```
/* ===== Header / Nav ===== */
```

```
.site-header {
  position: sticky;
  top: 0;
  z-index: 50;
  background: var(--bg);
  border-bottom: 1px solid #e5e7eb;
  box-shadow: 0 3px 12px rgba(0,0,0,0.03);
```



```
}
```

```
.navbar {  
  display: flex;  
  align-items: center;  
  justify-content: space-between;  
  gap: 16px;  
  padding: 16px 0;  
}
```

```
.brand {  
  display: flex;  
  align-items: center;  
  gap: 10px;  
  font-weight: 700;  
  font-size: 1.1rem;  
  letter-spacing: 0.3px;  
}
```

```
.brand-logo {  
  width: 36px;  
  height: 36px;  
  border-radius: 10px;  
  background: linear-gradient(135deg, var(--brand), #60a5fa);  
  display: grid;  
  place-items: center;  
  color: white;  
  font-weight: 800;
```

```
    box-shadow: var(--shadow);  
}
```

```
.nav {  
    display: flex;  
    gap: 14px;  
    flex-wrap: wrap;  
}
```

```
.nav a {  
    text-decoration: none;  
    color: var(--ink);  
    padding: 8px 12px;  
    border-radius: 10px;  
    transition: background 0.2s ease, color 0.2s ease;  
}
```

```
.nav a:hover {  
    background: var(--bg-soft);  
}
```

```
.nav a.active {  
    background: var(--brand);  
    color: white;  
}
```

```
/* ===== Hero ===== */
```

```
.hero {
```

```
background: linear-gradient(180deg, #eaf3ff, #ffffff);  
padding: 48px 0 20px;  
border-bottom: 1px solid #eef2f7;  
}
```

```
.hero-grid {  
  display: grid;  
  grid-template-columns: 1.15fr 0.85fr;  
  gap: 28px;  
  align-items: center;  
}
```

```
.hero h1 {  
  margin: 0 0 10px 0;  
  font-size: clamp(28px, 4vw, 44px);  
  line-height: 1.15;  
}
```

```
.hero p {  
  color: var(--muted);  
  margin: 0 0 16px 0;  
  font-size: 1.05rem;  
}
```

```
.cta {  
  display: inline-block;  
  background: var(--brand);  
  color: white;
```

```
padding: 12px 18px;

border-radius: 12px;

text-decoration: none;

box-shadow: var(--shadow);
}

.cta:hover { background: var(--brand-dark); }

.hero-card {

background: var(--card);

border: 1px solid #eef2f7;

border-radius: var(--radius);

box-shadow: var(--shadow);

padding: 18px;
}

/* ===== Cards / Grids ===== */

.section {

padding: 28px 0;
}

.section h2 {

margin: 0 0 12px 0;

font-size: clamp(22px, 3vw, 30px);
}

.grid-3 {

display: grid;
```

```
grid-template-columns: repeat(3, 1fr);  
gap: 18px;  
}
```

```
.card {  
  background: var(--card);  
  border: 1px solid #eef2f7;  
  border-radius: var(--radius);  
  overflow: hidden;  
  box-shadow: var(--shadow);  
}
```

```
.card img {  
  width: 100%;  
  aspect-ratio: 16/10;  
  object-fit: cover;  
  display: block;  
}
```

```
.card-body { padding: 14px; }  
.card-title { font-weight: 700; margin: 0 0 4px 0; }  
.card-text { color: var(--muted); margin: 0; }
```

```
/* ===== Forms ===== */
```

```
.form {  
  background: var(--card);  
  border: 1px solid #eef2f7;  
  border-radius: var(--radius);
```

```
padding: 18px;
box-shadow: var(--shadow);
}
```

```
.form-row {
display: grid;
grid-template-columns: 1fr 1fr;
gap: 14px;
}
```

```
.label { font-weight: 600; display: block; margin-bottom: 6px; }
.input, .select, .textarea {
width: 100%;
padding: 10px 12px;
border: 1px solid #dbe2ea;
border-radius: 10px;
background: #fff;
outline: none;
}
```

```
.input:focus, .select:focus, .textarea:focus {
border-color: var(--brand);
box-shadow: 0 0 0 3px rgba(30,144,255,0.12);
}
```

```
.actions {
display: flex;
gap: 10px;
```

```
margin-top: 10px;
}

.btn {
padding: 10px 16px;
border-radius: 10px;
border: none;
cursor: pointer;
}

.btn.primary { background: var(--brand); color: white; }
.btn.secondary { background: var(--bg-soft); color: var(--ink); }
.btn.danger { background: var(--danger); color: white; }


/* ===== Footer ===== */

.site-footer {
margin-top: 28px;
background: var(--bg-soft);
border-top: 1px solid #e5e7eb;
color: #374151;
}

.site-footer .container {
padding: 18px 0;
display: flex;
justify-content: space-between;
gap: 16px;
flex-wrap: wrap;
}

.footer-links {
display: flex;
```

```
gap: 12px;
}

.footer-links a { color: #374151; text-decoration: none; }
.footer-links a:hover { text-decoration: underline; }


/* ===== Responsive ===== */

@media (max-width: 900px) {
  .hero-grid { grid-template-columns: 1fr; }
  .grid-3 { grid-template-columns: 1fr 1fr; }
  .form-row { grid-template-columns: 1fr; }
}

@media (max-width: 560px) {
  .nav { gap: 8px; }
  .grid-3 { grid-template-columns: 1fr; }
}
```


Screenshots of output:



