





Explorer
itue301-exam-24it103-B2
backend
config
db.js
controllers
middleware
models
node_modules
routes
.env
.env.example
EventHub.postman_collection.json
package-lock.json
package.json
seed.js
server.js
frontend
node_modules
src
index.html
package-lock.json
package.json
vite.config.js
.gitignore
README.md
SCREENSHOT_CHECKLIST.md
VIVA_NOTES.md
EventHub.postman_collection.json
.env
.env.example
db.js
itue301-exam-24it103-B2 > backend > config > db.js > ...
// Connects to MongoDB using the connection string stored in .env
const mongoose = require('mongoose');
const connectDB = async () => {
if (!process.env.MONGO_URI) {
throw new Error('MONGO_URI is missing. Create a .env file (see .env.example).');
}
await mongoose.connect(process.env.MONGO_URI);
console.log('MongoDB connected:', mongoose.connection.host, '/', mongoose.connection.name);
};
module.exports = connectDB;
Agent
Authenticati
Please sign in.
Problems
Output
Debug Console
Terminal
Ports
powershell
powershell...
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend> npm dev run
Unknown command: "dev"
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend>
Outline
Timeline
main
Ln 1, Col 1
Spaces: 2
Type here to search


File Edit Selection View Go Run Terminal Help
itue301-exam-24it103-B2 - Antigravity - index.html [Administrator]
Open Agent Manager
Explorer
itue301-exam-24it103-B2
backend
frontend
node_modules
src
index.html
package-lock.json
package.json
vite.config.js
.gitignore
README.md
SCREENSHOT_CHECKLIST.md
VIVA_NOTES.md
EventHub.postman_collection.json
.env
.env.example
index.html
itue301-exam-24it103-B2 > frontend > index.html > ...
<!doctype html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>EventHub - Ticket Booking</title>
</head>
<body>

<script type="module" src="/src/main.jsx"></script>
</body>
</html>
Agent
Authentication
Please sign in.
Problems
Output
Debug Console
Terminal
Ports
powershell
powershell...
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend> npm dev run
Unknown command: "dev"
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend>
Outline
Timeline


File Edit Selection View Go Run Terminal Help
itue301-exam-24it103-B2 - Antigravity - package-lock.json [Administrator]
Open Agent Manager
Explorer
itue301-exam-24it103-B2
backend
frontend
node_modules
src
index.html
package-lock.json
package.json
vite.config.js
.gitignore
README.md
SCREENSHOT_CHECKLIST.md
VIVA_NOTES.md
EventHub.postman_collection.json
.env
.env.example
package-lock.json
itue301-exam-24it103-B2 > frontend > package-lock.json > ...
{
"name": "eventhub-frontend",
"version": "1.0.0",
"lockfileVersion": 3,
"requires": true,
"packages": {
"": {
"name": "eventhub-frontend",
"version": "1.0.0",
"dependencies": {
"react": "^18.3.1",
"react-dom": "^18.3.1",
"react-router-dom": "^6.26.0"
},
"devDependencies": {
"@vitejs/plugin-react": "^4.3.1",
"vite": "^5.4.0"
}
},
"node_modules/@babel/code-frame": {
"version": "7.29.7",
"resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.7.tgz",
"integrity": "sha512-Aup7aUOfpbAUg2ROOJN6Iw5f9DMBlzu0mIkm/mallQFN/YQgO48wCj0Kxa3sEHJvPVFg7siR+qRInwXd2qhQKw==",
"dev": true,
"license": "MIT",
"dependencies": {
"@babel/helper-validator-identifier": "^7.29.7",
"js-tokens": "^4.0.0",
"picocolors": "^1.1.1"
},
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/compat-data": {
Problems Output Debug Console Terminal Ports
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend> npm dev run
Unknown command: "dev"
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend>
Outline
Timeline
main
Type here to search


File Edit Selection View Go Run Terminal Help
itue301-exam-24it103-B2 - Antigravity - package-lock.json [Administrator]
Open Agent Manager
Explorer
itue301-exam-24it103-B2
backend
config
controllers
middleware
models
node_modules
routes
.env
.env.example
EventHub.postman_collection.json
package-lock.json
package.json
seed.js
server.js
frontend
node_modules
src
index.html
package-lock.json
package.json
vite.config.js
.gitignore
README.md
SCREENSHOT_CHECKLIST.md
VIVA_NOTES.md
EventHub.postman_collection.json
.env
.env.example
package-lock.json
itue301-exam-24it103-B2 > backend > package-lock.json > ...
{
"name": "eventhub-backend",
"version": "1.0.0",
"lockfileVersion": 3,
"requires": true,
"packages": {
"": {
"name": "eventhub-backend",
"version": "1.0.0",
"hasInstallScript": true,
"dependencies": {
"bcryptjs": "^2.4.3",
"cors": "^2.8.5",
"dotenv": "^16.4.5",
"express": "^4.19.2",
"jsonwebtoken": "^9.0.2",
"mongoose": "^8.5.1"
}
},
"node_modules/@mongodb-js/saslprep": {
"version": "1.6.1",
"resolved": "https://registry.npmjs.org/@mongodb-js/saslprep/-/saslprep-1.6.1.tgz",
"integrity": "sha512-D4CQtk9IwjCLAvCf1xvHEod3960q0XMUzfmdRU9qjUNlHnesGuTOvJcOTaPm9koZ1caUKA2aTbszZiAkcmSgmg==",
"license": "MIT",
"dependencies": {
"sparse-bitfield": "^3.0.3"
}
},
"node_modules/@types/webidl-conversions": {
"version": "7.0.3",
"resolved": "https://registry.npmjs.org/@types/webidl-conversions/-/webidl-conversions-7.0.3.tgz",
"integrity": "sha512-CiJJvcRtIgzadHCYXw7dqEnMNRjhGZlYK05Mj9OyktqV8uVT8fD2BFOB7S1uwBEJKj2Z+4UyPmFw/Ixgw/LAlA==",
"license": "MIT"
},
"node_modules/@types/whatwg-url": {
Problems Output Debug Console Terminal Ports
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend> npm dev run
Unknown command: "dev"
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend>
Agent
Authentication Requ
Please sign in.
Outline
Timeline
main
Ln 1, Col 1
Spaces: 2
UTF-8
Type here to search


File Edit Selection View Go Run Terminal Help
itue301-exam-24it103-B2 - Antigravity - seed.js [Administrator]
Open Agent Manager
Explorer
itue301-exam-24it103-B2
backend
config
controllers
middleware
models
node_modules
routes
.env
.env.example
EventHub.postman_collection.json
package-lock.json
package.json
seed.js
server.js
frontend
node_modules
src
index.html
package-lock.json
package.json
vite.config.js
.gitignore
README.md
SCREENSHOT_CHECKLIST.md
VIVA_NOTES.md
EventHub.postman_collection.json
.env
.env.example
seed.js
itue301-exam-24it103-B2 > backend > seed.js > ...
// Run with: npm run seed (clears Attendee/Event/Ticket and inserts demo data)
require('dotenv').config();
const mongoose = require('mongoose');
const connectDB = require('./config/db');
const Attendee = require('./models/Attendee');
const Event = require('./models/Event');
const Ticket = require('./models/Ticket');
const day = 24 * 60 * 60 * 1000;
const inDays = (n) => new Date(Date.now() + n * day);
(async () => {
await connectDB();
await Promise.all([Attendee.deleteMany(), Event.deleteMany(), Ticket.deleteMany()]);
// use save() (via create) so the password gets hashed
await Attendee.create([
{ name: 'Aarav Attendee', email: 'attendee@eventhub.com', phone: '9876543210', password: 'attendee123', role: 'attendee' },
{ name: 'Olivia Organizer', email: 'organizer@eventhub.com', phone: '9876500001', password: 'organizer123', role: 'organizer' },
{ name: 'Adam Admin', email: 'admin@eventhub.com', phone: '9876500002', password: 'admin123', role: 'admin' },
]);
await Event.create([
{ title: 'Garba Night 2026', category: 'Cultural', date: inDays(10), venue: 'Anand Community Hall', ticketsAvailable: 120 },
{ title: 'Tech Talk: AI in Web Dev', category: 'Technology', date: inDays(14), venue: 'CSPIT Auditorium', ticketsAvailable: 60 },
{ title: 'Charusat Cricket Cup Final', category: 'Sports', date: inDays(21), venue: 'University Ground', ticketsAvailable: 200 },
{ title: 'Stand-up Comedy Evening', category: 'Entertainment', date: inDays(7), venue: 'Town Hall, Vadodara', ticketsAvailable: 5 },
{ title: 'Classical Music Concert', category: 'Music', date: inDays(30), venue: 'Sardar Patel Hall', ticketsAvailable: 80 },
{ title: 'Startup Pitch Day (SOLD OUT)', category: 'Business', date: inDays(5), venue: 'Innovation Hub', ticketsAvailable: 0 },
]);
console.log('Seed complete. Logins:');
console.log(' attendee -> attendee@eventhub.com / attendee123');
console.log(' organizer -> organizer@eventhub.com / organizer123');
console.log(' admin -> admin@eventhub.com / admin123');
Problems Output Debug Console Terminal Ports
powershell
powershell...
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend> npm dev run
Unknown command: "dev"
Did you mean this?
npm run dev # run the "dev" package script
To see a list of supported npm commands, run:
npm help
PS C:\Users\Administrator\Downloads\itue301-exam-24it103-B2\itue301-exam-24it103-B2\frontend>
Agent
Authentication Requir
Please sign in.
Outline
Timeline
main
Fetching data for better TypeScript IntelliSense
Ln 1, Col 1 Spaces: 2 UTF-8 LF
Type here to search