C	S_TOGO	$\sim$
47853C	STUDENT REPORT  STUDENT REPORT  LUBP 3C5EL 31 KURP 3C5EL 3	, C
	STUDENT REPORT  LUBDASSELTATION  STUDENT REPORT  LUBDASSELTATION  LUBDASSE	1 K185,2
DE	ETAILS 1725 EF131 HUB13 SEF131 (131 HUB13 SEF131 ) THUB13 SEF131 HUB13 SEFT31 HUB13 SEFT31 SEFT31 HUB13 SEFT31 SEFT31 HUB13 SEFT31 SEFT31 HUB13 SEFT31 SEFT	5
3 <sup>C3</sup>	STUDENT REPORT  ETAILS  Name 3 1  Na	SE131
. 1	SIRISHA K	
31 K187	Roll Number	
( <sub>3</sub> )	KUB23CSF137	1 47B
۷,	PERIMENTO SEE STATE OF THE PROPERTY OF THE PRO	43
£X Titl	PERIMENTO PROPERTY PROPERTY AND ASSET OF THE PROPERTY ASSET OF THE PROPERTY AND ASSET OF THE PROPERTY ASSET OF THE PRO	^
50 110	ELECTIONS 31 KIND 30 CSEL31 KONDON SELECTIONS 31 KIND 30 CSEL31 KIND 31 KI	365
	ELECTIONS TO THE SECOND	FIR.
3	PERIMENT RESERVANT AND RESERVA	4
	You are the head of the election committee in your village. Each Political party is associated with a unique number and the	K13143
47853c	votes are represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's number. Return -1 if there is no party with a majority.	FIBIZCE
	Note: If only one vote is there he is the winner.	File
305/2003	Input Format :	
303	input1: An integer value representing the number the number of voters	,C5E131
	input2: An integer array A representing the votes of the voters.	,03
37 478	output Format:	
3,	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	1 K182
Č.	Example 1:	31
23°CSX	Input:	.^
200	6	13C5V
+	112223	<i>\( \)</i>
SE131+	Output:	1 Pr
)	2	1693°
F78532	Explanation:	
470	As 2 got the most number of votes i.e 3.	233
	Example 2:	2 This
	Input:	
	6	(A) (A)
	121122	363,
	Output:	
	-1	L KENED
	Explanation:	30

**Source Code:** 

De Cale Paris Care Company

13/2 FA1/60

(ESTA) 3

WESTS O

```
n=int(input())
arr=list(map(int,input().split()))
d={ }
if n==1:
   print(arr[0])
else:
   for i in arr:
        if i not in d:
           d[i]=1
        else:
           d[i]+=1
   x=sorted(d.items(),key=lambda x:x[1], reverse =True)
   if x[0][1]==x[1][1]:
       print(-1)
   else:
        print(x[0][0])
```

RESULT

6 / 6 Test Cases Passed | 100 %

tup sty

BUSS

14

FIB.

43,

823

3142