	Logo √S' √S' S' S' S' S' C' L' S' C'	
37 1182	SEE THE STUDENT REPORT TO THE SEE SEE SEE SEE SEE SEE SEE SEE SEE S	55*
1 +UB1	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
ם ס	ETAILS (54) 1812 (1812)	1478,
~ (×)		1
323	SIRISHA K	] st/31
	Rôll Number	1300
3145	KUB23CSE137	2
£\^*	XPERIMENT 305th 1 LUBP 305 SECTION 1 LUBP 305 SECTI	31 41187
E) สมั	XPERIMENT 3C LV SK	
FAB53	ADVACED CHE ADDAY BOODI EM	c St
		UB230
13		
3CSE131	You are competing in a basketball contest. In this contest the score for each successful shot depends on both the distance	,5E131 K
	from the basket and the player's position. The ball is shot N times, successfully. You are given an array A containing the	,54
31 KUB2	multiplying the position with the distance from the basket.	C
31	Your task is to find and return an integer value, representing the maximum possible score you can achieve by choosing a contiguous subarray of size K from the given array.	KIBIS
£	Note:	,
813C5E)	* A subarray is a contiguous part of array.	£13
)	* Assume 1 based indexing.	1303
£131 K	* The array contains both negative and positive values.	
£1,3	* Assume the player is standing on a cartesian plane.	131 KUB
	Input Format	, ,
K1873C	- input1:An integer value N representing the number of shots made by the player	SK
4		J873C5E
.31	inputo: 7 th array of integers	-
3051731	Sample Input 5	2351
	2	3255
47BJ	12345	3141833
	Sample Output	47B355
	14	31,
	Source Code: Sourc	28
	Source Code: VIV 1997 200 5 5 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1333 CSSV
	LED 3C3 JUNE SCELLS LIBERS SELL SALLES	20
	Source Code: VIB 23 C5E131 KUB	SA S
	with the state of	133

```
goals=int(input())
   size=int(input())
   l=list(map(int,input().split()))
   for i in range(0,len(1)):
      sub=l[i:i+size]
      k=1
      s=0
      for j in sub:
          s+=(j*k)
          k+=1
          if s>max:
                                                                                          max=s
   print(max)
RESULT
 5 / 5 Test Cases Passed | 100 \%
```