

Build a responsive web application for Event Management page with css features, flex and grid.

Aim:- To design a Event Management with beautiful templates automated episode imports ,and a customizable audio player ,there,s nothing in your way –its an easy as it gets.

Description:- The main aim of the event management system is to provide a platform for the users to view information about the events that took place in the past and the ones that are about to take place shortly. The application enables the user to view and book an ongoing or upcoming event in a particular locality.

Login page:-

Login.html:-

```
<!DOCTYPE html>


<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <link rel="stylesheet" href="style.css" />
    <title>Document</title>
  </head>
  <body>
    <div class="container">
      <h1>Login</h1>
      <form>
        <label for="username">Username</label>
        <input type="text" name="username" />
        <label for="password">Password</label>
        <input type="password" name="password" />
        <a href="project.html">login</a>
      </form>
    </div>
    <script src="./login.js"></script>
  </body>
</html>
```

Style.css:-

```
*{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}
body{
  background-color: rebeccapurple;
  display: grid;
  place-items: center;
  height: 100vh;
}
.container{
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  height: 350px;
  width: 300px;
  background-color: #fff;
  border-radius: 10px;
  padding: 20px;
}
h1{
  font-family: Arial, Helvetica, sans-serif;
  padding-bottom: 30px;
}
p{
  text-align: center;
}
form{
  display: flex;
  flex-direction: column;
}
label{
  font-size: 20px;
  font-weight: bold;
}

input{
  padding: 5px;
```

```
border: none;
border-bottom: 1px solid rgb(137, 137, 137);
margin-top: 10px;
outline: none;
}
```



Project.html:-

->Header section html code:-

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>LUXURE EVENTS </title>
    <!--swiper css-->
    <link
      rel="stylesheet"
      href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.css"/>
    <!--font awesome-->
    <link
      rel="stylesheet"
      href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.1/css/all.min.css"
    />
    <!--css file-->
    <link rel="stylesheet" href="styles1.css" />
  </head>
```

```

<body>
  <!-- header section starts -->
  <header class="header">
    <a href="#" class="logo"><span>LUXURE EVENTS</span></a>

    <nav class="navbar">
      <a href="#home">home</a>
      <a href="#service">service</a>
      <a href="#about">about</a>
      <a href="#gallery">gallery</a>
      <a href="#price">price</a>
      <a href="#review">review</a>
      <a href="#contact">contact</a>
    </nav>
    <div id="menu-bars" class="fas fa-bars"></div>
  </header>

```

Css:-

```

@import
url("https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&displa
y=swap");
:root {
  --theme-color: #3867d6;}
* {
  font-family: "Poppins", sans-serif;
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  outline: none;
  border: none;
  text-decoration: none;
  text-transform: capitalize;
  transition: 0.2s linear;
}
html {
  font-size: 62.5%;
  overflow-x: hidden;
  scroll-padding-top: 7rem;
  scroll-behavior: smooth;
}
html::-webkit-scrollbar {


```

```
    width: 1rem;
}
html::-webkit-scrollbar-track {
    background: #444;
}
html::-webkit-scrollbar-thumb {
    background: var(--theme-color);
    border-radius: 5rem;
}
body {
    background: #222;
}
section {
    padding: 2rem 9%;
}
.heading {
    text-align: center;
    padding-bottom: 2rem;
    color: #fff;
    text-transform: uppercase;
    font-size: 4rem;
}
.heading span {
    color: var(--theme-color);
    text-transform: uppercase;
}
.btn {
    margin-top: 1rem;
    display: inline-block;
    padding: 0.8rem 3rem;
    font-size: 1.7rem;
    border-radius: 0.5rem;
    background: #666;
    color: #fff;
    cursor: pointer;
    font-weight: 600;
}
.btn:hover {
    background: var(--theme-color);}
.header {
    position: fixed;
```

```

top: 0;
left: 0;
right: 0;
z-index: 10000;
background: #333;
display: flex;
align-items: center;
justify-content: space-between;
padding: 1.5rem 9%;
}
.header .logo {
  font-weight: bolder;
  color: #fff;
  font-size: 2.5rem;
}
.header .logo span {
  color: var(--theme-color);}
.header .navbar a {
  font-size: 1.7rem;
  color: #fff;
  margin-left: 2rem;}
.header .navbar a: hover {
  color: var(--theme-color);}

```



->Home section html:-

```

<!-- home section starts -->
<section class="home" id="home">
  <div class="search-box">
    <h3>
      WHERE EVENTS BRING OUT COLOURS AND MEMORIES INTO YOUR LIFE
    </h3>
    <p><span> LUXURE EVENTS </span></p>
    <a href="#" class="btn">get quote</a>
  </div>
  <div class="swiper-container home-slider">

```

```
<div class="swiper-wrapper">
  <div class="swiper-slide">
    
  </div>
  <div class="swiper-slide">
    
  </div>
  <div class="swiper-slide">
    
  </div>
  <div class="swiper-slide">
    
  </div>
  <div class="swiper-slide">
    
  </div>
  <div class="swiper-slide">
    
  </div>
</div>
</div>
</section>
```


Css:-

```
.home .content {
  text-align: center;
  padding-top: 6rem;
  margin: 2rem auto;
  max-width: 70rem;
}
.home .content h3 {
  color: #fff;
  font-size: 4.5rem;
  text-transform: uppercase;
}
.home .content h3 span {
  color: var(--theme-color);
  text-transform: uppercase;
}
.home .home-slider .swiper-slide {
  overflow: hidden;
  border-radius: 0.5rem;
```

```

    height: 50rem;
width: 35rem;}
.home .home-slider .swiper-slide img {
height: 100%;
width: 100%;
object-fit: cover;
}

```



Service section html code:-

```

<!-- service section starts -->
<section class="service" id="service">
  <h1 class="heading">our <span>services</span></h1>
  <div class="box-container">
    <div class="box">
      <i class="fas fa-envelope"></i>
      <h3>Invitation card design</h3>
      <p>
        Design your invitation design your happiness.
      </p>
    </div>
    <div class="box">
      <i class="fas fa-photo-video"></i>
      <h3>Photos and videos</h3>
      <p>

```



```

    They are not just photos they are memories
  </p>
</div>
<div class="box">
  <i class="fas fa-music"></i>
  <h3>Entertainment</h3>
  <p>
    have fun with your one
  </p>
</div>
<div class="box">
  <i class="fas fa-car"></i>
  <h3>Event vehicles</h3>
  <p>
    Ride the adventerous journey
  </p>
</div>
<div class="box">
  <i class="fas fa-map-marker-alt"></i>
  <h3>Venue selection</h3>
  <p>
    Your journey starts here!
  </p>
</div>
<div class="box">
  <i class="fas fa-birthday-cake"></i>
  <h3>Food catering</h3>
  <p>
    Food is an experience
  </p>
</div>
</div>
</section>

```

CSS:-

```

service .box-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(27rem, 1fr));
  gap: 1.5rem;
}
.service .box-container .box {
  border-radius: 0.5rem;
}


```

```
background: #333;
text-align: center;
padding: 2.5rem;
}
.service .box-container .box i {
height: 6rem;
width: 6rem;
line-height: 6rem;
border-radius: 50%;
font-size: 2.5rem;
background: var(--theme-color);
color: #fff;
}
.service .box-container .box h3 {
font-size: 2rem;
color: #fff;
padding: 1rem 0;
}
.service .box-container .box p {
font-size: 1.4rem;
color: #eee;
line-height: 1.8;
}
.about .row {
display: flex;
align-items: center;
flex-wrap: wrap;
gap: 1.5rem;
}
.about .row .image {
flex: 1 1 45rem;
padding: 1rem;
}
.about .row .image img {
width: 100%;
border-radius: 0.5rem;
border: 1rem solid #333;}
.about .row .content {
flex: 1 1 45rem;}
.about .row .content h3 {
font-size: 3.5rem;
```

```

color: #fff;}
.about .row .content p {
font-size: 1.5rem;
color: #eee;
padding: 1rem 0;
line-height: 2;}

```



->About section html code:-

```

<!-- about section starts -->
<section class="about" id="about">
  <h1 class="heading"><span>about</span> us</h1>
  <div class="row">
    <div class="image">
      
    </div>
    <div class="content">
      <h3>your occasion deserves our careful planning</h3>
      <p>
        Luxure Events is a comprehensive event management website that handles all aspects of
        event planning. From weddings to corporate gatherings, Luxure Events specializes in creating
        memorable experiences tailored to each client's needs. With a keen eye for detail and a
        commitment to excellence, they ensure seamless coordination from start to finish, allowing
        clients to relax and enjoy their special occasions. Whether it's venue selection, catering,
        entertainment, or logistics, Luxure Events takes care of everything to make every event
        extraordinary.
      </p>
      <a href="#" class="btn">reach us</a>
    </div>
  </div>

```

</section>

->Gallery html code:-

```
<!-- gallery section starts -->
<section class="gallery" id="gallery">
  <h1 class="heading">our <span>gallery</span></h1>
  <div class="box-container">
    <div class="box">
      
      <h3 class="title">best events</h3>
      <div class="icons">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-share"></a>
        <a href="#" class="fas fa-eye"></a>
      </div>
    </div>
    <div class="box">
      
      <h3 class="title">best events</h3>
      <div class="icons">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-share"></a>
        <a href="#" class="fas fa-eye"></a>
      </div>
    </div>
    <div class="box">
      
      <h3 class="title">best events</h3>
      <div class="icons">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-share"></a>
        <a href="#" class="fas fa-eye"></a>
      </div>
    </div>
    <div class="box">
      
      <h3 class="title">best events</h3>
      <div class="icons">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-share"></a>
      </div>
    </div>
  </div>
</section>
```

```
        <a href="#" class="fas fa-eye"></a>
    </div>
</div>
<div class="box">
    
    <h3 class="title">best events</h3>
    <div class="icons">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-share"></a>
        <a href="#" class="fas fa-eye"></a>
    </div>
</div>
<div class="box">
    
    <h3 class="title">best events</h3>
    <div class="icons">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-share"></a>
        <a href="#" class="fas fa-eye"></a>
    </div>
</div>
<div class="box">
    
    <h3 class="title">best events</h3>
    <div class="icons">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-share"></a>
        <a href="#" class="fas fa-eye"></a>
    </div>
</div>

<div class="box">
    
    <h3 class="title">best events</h3>
    <div class="icons">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-share"></a>
        <a href="#" class="fas fa-eye"></a>
    </div>
</div>
<div class="box">
```

```


<h3 class="title">best events</h3>
<div class="icons">
  <a href="#" class="fas fa-heart"></a>
  <a href="#" class="fas fa-share"></a>
  <a href="#" class="fas fa-eye"></a>
</div>
</div>
</div>
</section>


```

Css:-

```

.gallery .box-container
{
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(27rem, 1fr));
  gap: 1.5rem;
}
.gallery .box-container .box
{
  position: relative;
  border: 1rem solid #333;
  border-radius: 0.5rem;
  height: 25rem;
  cursor: pointer;
  overflow: hidden;
}

```



->price section html code:-

```
<!-- price section starts -->
<section class="price" id="price">
  <h1 class="heading">our <span>pricing</span></h1>
  <div class="box-container">
    <div class="box">
      <h3 class="title">basic</h3>
      <h3 class="amount">$879.00</h3>
      <ul>
        <li><i class="fas fa-check"></i>full services</li>
        <li><i class="fas fa-check"></i> decorations</li>
        <li><i class="fas fa-check"></i> music and photos</li>
        <li><i class="fas fa-check"></i> food and drinks</li>
        <li><i class="fas fa-check"></i> invitation card</li>
      </ul>
      <a href="#" class="btn">check out</a>
    </div>
    <div class="box">
      <h3 class="title">prime</h3>
      <h3 class="amount">$799.00</h3>
      <ul>
        <li><i class="fas fa-check"></i>full services</li>
        <li><i class="fas fa-check"></i> decorations</li>
        <li><i class="fas fa-check"></i> music and photos</li>
        <li><i class="fas fa-check"></i> food and drinks</li>
        <li><i class="fas fa-check"></i> invitation card</li>
      </ul>
      <a href="#" class="btn">check out</a>
    </div>
    <div class="box">
      <h3 class="title">luxury</h3>
      <h3 class="amount">$379.00</h3>
      <ul>
        <li><i class="fas fa-check"></i>full services</li>
        <li><i class="fas fa-check"></i> decorations</li>
        <li><i class="fas fa-check"></i> music and photos</li>
        <li><i class="fas fa-check"></i> food and drinks</li>
        <li><i class="fas fa-check"></i> invitation card</li>
      </ul>
      <a href="#" class="btn">check out</a>
    </div>
  </div>
</div>
```

```

<h3 class="title">ultra</h3>
<h3 class="amount">$920.00</h3>
<ul>
  <li><i class="fas fa-check"></i>full services</li>
  <li><i class="fas fa-check"></i> decorations</li>
  <li><i class="fas fa-check"></i> music and photos</li>
  <li><i class="fas fa-check"></i> food and drinks</li>
  <li><i class="fas fa-check"></i> invitation card</li>
</ul>
<a href="#" class="btn">check out</a>
</div>
</div>
</section>


```

Css:-

```

price .box-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(25rem, 1fr));
  gap: 1.5rem;
}
.price .box-container .box
{
  padding: 2rem 0;
  background: #333;
  border-radius: 0.5rem;
  text-align: center;
}

```



->Review html code:-


```

<!-- review section starts -->
<section class="reivew" id="review">
  <h1 class="heading">client's <span>review</span></h1>
  <div class="review-slider swiper-container">
    <div class="swiper-wrapper">
      <div class="swiper-slide box">
        <i class="fas fa-quote-right"></i>
        <div class="user">
          
          <div class="user-info">
            <h3>Kiara advani</h3>
            <span>happy customer</span>
          </div>
        </div>
      </div>
    </div>
    <p>

```

"I couldn't have asked for a more magical event, all thanks to Luxure Events! From the vibrant decorations to the seamless coordination, every detail was perfect. I felt like a queen on my special day, and my guests were absolutely delighted. Luxure Events truly knows how to turn dreams into reality. Thank you for making my event unforgettable!"

```

    </p>
  </div>
  <div class="swiper-slide box">
    <i class="fas fa-quote-right"></i>
    <div class="user">
      
      <div class="user-info">
        <h3>Dev Dutt Padikal</h3>
        <span>happy customer</span>
      </div>
    </div>
    <p>

```

"Choosing Luxure Events was the best decision I made for my special day! As an A male customer, I had specific cultural and personal preferences, and Luxure Events not only respected but celebrated them. The attention to detail in incorporating my traditions into the event was remarkable. From the rich colors of the décor to the thoughtful touches throughout the celebration, I felt deeply understood and appreciated. Thank you, Luxure Events, for honoring my heritage and creating an experience beyond my expectations!"

```

    </div>
  <div class="swiper-slide box">
    <i class="fas fa-quote-right"></i>
    <div class="user">

```

```


<div class="user-info">
  <h3>Elsa</h3>
  <span>happy customer</span>
</div>
</div>
<p>

```

"Wow! Luxure Events absolutely blew me away with their attention to detail and creativity! As a girl dreaming of the perfect event, they made every moment sparkle with their magical touch. From the enchanting color schemes to the charming little surprises, it felt like stepping into a fairytale. Thank you, Luxure Events, for making me feel like a princess on my special day!"

```

</p>
</div>
<div class="swiper-slide box">
  <i class="fas fa-quote-right"></i>
  <div class="user">
    
    <div class="user-info">
      <h3>Reethu Varma</h3>
      <span>happy customer</span>
    </div>
  </div>
</div>
<p>

```

"Absolutely thrilled with Luxure Events! From the moment I stepped into the venue, I was greeted with a burst of color and joy. As a girl with high expectations for her event, they exceeded every one of them. The vibrant decorations, the lively atmosphere, and the seamless organization made for an unforgettable experience. Thank you, Luxure Events, for turning my dreams into reality with your kaleidoscope of creativity!"

```

</div>
</div>
</div>
</section>

```

Css:-

```


.reivew .box {
  border-radius: 0.5rem;
  background: #333;
  padding: 2rem;
  position: relative;
}
.reivew .box .fa-quote-right {

```

```

position: absolute;
top: 2rem;
right: 2rem;
color: var(--theme-color);
font-size: 5rem;
}
.reivew .box .user {
display: flex;
align-items: center;
gap: 1.5rem;
padding-bottom: 1rem;
}

```



->Contact html code:-

```

<!-- contact section starts -->
<section class="contact" id="contact">
  <h1 class="heading"><span>contact</span> us</h1>
  <form action="">
    <div class="inputBox">
      <input type="text" placeholder="name" />
      <input type="email" placeholder="email" />
    </div>
    <div class="inputBox">
      <input type="tel" placeholder="number" />
      <input type="text" placeholder="subject" />
    </div>
    <textarea

```

```
    name=""
    placeholder="message"
    id=""
    cols="30"
    rows="10"
  ></textarea>
  <input type="submit" value="send message" class="btn" />
</form>
</section>
```

Css:-

```
.contact form {
  max-width: 70rem;
  margin: 1rem auto;
  text-align: center;}
.contact form .inputBox {
  display: flex;
  justify-content: space-between;
  flex-wrap: wrap;}
.contact form .inputBox input,
.contact form textarea {
  width: 100%;
  background: #333;
  border-radius: 0.5rem;
  padding: 1rem;
  margin: 0.7rem 0;
  font-size: 1.5rem;
  color: #fff;
```

text-transform: none;}

CONTACT US

Message

Send Message

Branches

Quick Links

Contact Info

Follow Us

->Footer section html code:-

```
<!-- footer section starts -->
```

```
<section class="footer">
```

```
<div class="box-container">
```

```
<div class="box">
```

```
<h3>branches</h3>
```

```
<a href="#"> <i class="fas fa-map-marker-alt"></i> bangalore </a>
```

```
<a href="#"> <i class="fas fa-map-marker-alt"></i> hyderabad </a>
```

```
<a href="#"> <i class="fas fa-map-marker-alt"></i> delhi </a>
```

```
<a href="#"> <i class="fas fa-map-marker-alt"></i> kolkata </a>
```

```
<a href="#"> <i class="fas fa-map-marker-alt"></i> chennai </a>
```

```
</div>
```

```
<div class="box">
```

```
<h3>quick links</h3>
```

```
<a href="#"> <i class="fas fa-arrow-right"></i> home </a>
```

```
<a href="#"> <i class="fas fa-arrow-right"></i> service </a>
```

```
<a href="#"> <i class="fas fa-arrow-right"></i> about </a>
```

```
<a href="#"> <i class="fas fa-arrow-right"></i> gallery </a>
```

```
<a href="#"> <i class="fas fa-arrow-right"></i> price </a>
```

```
<a href="#"> <i class="fas fa-arrow-right"></i> reivew </a>
```

```
<a href="#"> <i class="fas fa-arrow-right"></i> contact </a>
```

```
</div>
```

```
<div class="box">
```

```
<h3>contact info</h3>
```

```

<a href="#"> <i class="fas fa-phone"></i> +91 8801456784 </a>
<a href="#"> <i class="fas fa-phone"></i> +91 9391245763</a>
<a href="#"> <i class="fas fa-envelope"></i> luxureevents@gmail.com </a>
<a href="#"> <i class="fas fa-envelope"></i> luxureind@gmail.com </a>
<a href="#">
  <i class="fas fa-map-marker-alt"></i> hyderabad, india - 500070
</a>
</div>
<div class="box">
  <h3>follow us</h3>
  <a href="#"> <i class="fab fa-facebook-f"></i> facebook </a>
  <a href="#"> <i class="fab fa-twitter"></i> twitter </a>
  <a href="#"> <i class="fab fa-instagram"></i> instagram </a>
  <a href="#"> <i class="fab fa-linkedin-in"></i> linkedin </a>
</div>
</div>
</section>
<!-- theme toggler -->
<div class="theme-toggler">
  <div class="toggle-btn">
    <i class="fas fa-cog"></i>
  </div>
  <h3>choose color</h3>
  <div class="buttons">
    <div class="theme-btn" style="background: #ccff33"></div>
    <div class="theme-btn" style="background: #d35400"></div>
    <div class="theme-btn" style="background: #f39c12"></div>
    <div class="theme-btn" style="background: #1abc9c"></div>
    <div class="theme-btn" style="background: #3498db"></div>
    <div class="theme-btn" style="background: #9b59b6"></div>
  </div>
</div>
<!-- Swiper JS -->
<script src="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.js"></script>
<!--JS file-->
<script src="app.js"></script>
</body>
</html>

```

Css:-

```

.footer {
  background: #111;}

```

```

.footer .box-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(25rem, 1fr));
  gap: 1.5rem;}
.footer .box-container .box h3 {
  font-size: 2.5rem;
  padding: 1rem 0;
  color: #fff;}
.footer .box-container .box a {
  display: block;
  font-size: 1.5rem;
  padding: 1rem 0;
  color: #eee;}

```

