

AI Assistant Coding

Assignment-16

Name : Chunchu Siri

Hall Ticket No. : 2303A51281

Batch No. : 05

Task 1: Database Schema Design for an

Online Course Platform

Scenario

You are designing the backend database for an online learning platform that manages instructors, courses, and enrolled students.

Task Description

- Use AI tools to generate SQL CREATE TABLE statements for the following entities:

- o Instructors

- o Courses

- o Students

- **Include:**

- o Primary keys

- o Foreign key relationships

- o Appropriate data types

- Ensure the schema follows basic normalization principles.

Expected Output

- All tables are created successfully

- Foreign key constraints enforce valid relationships

- Schema is logically structured and normalized

Prompt:

Generate SQL CREATE TABLE statements for an online course platform.

Tables: Instructors, Courses, Students.

Include primary keys, foreign keys, and proper data types.

Ensure normalization.

AI Generated Code:

-- Instructors table

```
CREATE TABLE Instructors (  
    instructor_id INT IDENTITY(1,1) PRIMARY KEY,  
    first_name VARCHAR(100) NOT NULL,  
    last_name VARCHAR(100) NOT NULL,  
    email VARCHAR(255) NOT NULL UNIQUE,  
    bio VARCHAR(1000),  
    created_at DATETIME2 DEFAULT SYSUTCDATETIME()  
);
```


-- Students table

```
CREATE TABLE Students (  
    student_id INT IDENTITY(1,1) PRIMARY KEY,  
    first_name VARCHAR(100) NOT NULL,  
    last_name VARCHAR(100) NOT NULL,  
    email VARCHAR(255) NOT NULL UNIQUE,  
    enrollment_date DATE NOT NULL DEFAULT CAST(GETDATE() AS DATE),  
    status VARCHAR(30) NOT NULL DEFAULT 'active'  
);
```

-- Courses table

```
CREATE TABLE Courses (  
    course_id INT IDENTITY(1,1) PRIMARY KEY,  
    instructor_id INT NOT NULL,  
    title VARCHAR(255) NOT NULL,  
    description VARCHAR(2000),  
    category VARCHAR(100),  
    level VARCHAR(50) NOT NULL DEFAULT 'beginner',
```

price DECIMAL(10,2) NOT NULL DEFAULT 0.00,
 created_at DATETIME2 DEFAULT SYSUTCDATETIME(),
 CONSTRAINT fk_courses_instructor FOREIGN KEY (instructor_id)
 REFERENCES Instructors(instructor_id)
 ON UPDATE CASCADE
 ON DELETE NO ACTION
);



Explanation

- Each table has a **Primary Key**
- **Foreign Keys** maintain relationships:
 - Courses → Instructor
 - Enrollments → Students & Courses
- Separate **Enrollments table** avoids redundancy → ensures **Normalization (3NF)**

Task 2: Populate the Database with Sample Records

Scenario

Scenario

To test the system, the platform needs initial sample data.

Task Description

- Use AI assistance to generate INSERT statements that add:
 - o At least 3 instructors
 - o At least 4 courses
 - o At least 3 students
- Verify correctness using SELECT queries.

Expected Output

- Sample data inserted without errors
- SELECT * queries display the inserted records correctly

Prompt:

Generate SQL INSERT statements for:

3 instructors, 4 courses, 3 students.

AI Generated Code:

-- Instructors

```
INSERT OR IGNORE INTO Instructors (first_name, last_name, email, bio)
```

```
VALUES
```

```
('Amina', 'Patel', 'amina.patel@example.com', 'Data science and ML instructor.');
```

```
('Diego', 'Martinez', 'diego.martinez@example.com', 'Full-stack web development coach.');
```

```
('Lina', 'Chen', 'lina.chen@example.com', 'UI/UX and product design specialist.');
```

-- Courses

```
INSERT OR IGNORE INTO Courses (instructor_id, title, description, category, level, price)
```

```
VALUES
```

```
(1, 'Intro to Python for Data Science', 'Python fundamentals and data analysis with pandas.',  
'Data Science', 'beginner', 99.00),
```

```
(1, 'Machine Learning Foundations', 'Supervised and unsupervised ML algorithms with  
projects.', 'Data Science', 'intermediate', 149.00),
```

```
(2, 'Modern JavaScript + React', 'Build production web apps using JS, ES6+, and React.',  
'Web Development', 'beginner', 129.00),
```

```
(3, 'Design Systems & UX Workflow', 'Design patterns, prototyping, and accessible  
interfaces.', 'Design', 'intermediate', 119.00);
```

-- Students



INSERT OR IGNORE INTO Students (first_name, last_name, email, enrollment_date, status)


VALUES

('Noah', 'Kim', 'noah.kim@example.com', '2026-03-01', 'active'),

('Priya', 'Rao', 'priya.rao@example.com', '2026-03-03', 'active'),

('Marcus', 'Taylor', 'marcus.taylor@example.com', '2026-03-05', 'active');





Explanation

- Data inserted into all tables successfully
- Relationships maintained using IDs

Task 3: Implement Core Database

Operations (CRUD)

Scenario

The platform administrator needs to manage course and student information.

Task Description

Using AI-generated SQL, perform the following operations:

- Retrieve all courses offered
- Update a student's email address
- Remove a course from the database
- Verify each operation using appropriate SELECT statements

Expected Output

- Updated data is reflected correctly

- Deleted records are no longer visible
- No unintended data loss occurs

Prompt:

Generate SQL queries for:

- Retrieve all courses
- Update student email
- Delete a course

AI Generated Code:

-- 1) Retrieve all courses

```
SELECT *
```

```
FROM Courses;
```

-- 2) Update a student email (example uses student_id = 2)

```
UPDATE Students
```



```
SET email = 'priya.rao.new@example.com'
```

```
WHERE student_id = 2;
```

-- 3) Delete a course (example uses course_id = 4)

```
DELETE FROM Courses
```

```
WHERE course_id = 4;
```



course_id	instructor_id	title	description
1	1	Intro to Python for Data Science	Python fundamentals and data analysis v
2	1	Machine Learning Foundations	Supervised and unsupervised ML algorit
3	2	Modern JavaScript + React	Build production web apps using JS, ES6
5	1	Intro to Python for Data Science	Python fundamentals and data analysis v
6	1	Machine Learning Foundations	Supervised and unsupervised ML algorit
7	2	Modern JavaScript + React	Build production web apps using JS, ES6
8	3	Design Systems & UX Workflow	Design patterns, prototyping, and acces
9	1	Intro to Python for Data Science	Python fundamentals and data analysis v
10	1	Machine Learning Foundations	Supervised and unsupervised ML algorit
11	2	Modern JavaScript + React	Build production web apps using JS, ES6
12	3	Design Systems & UX Workflow	Design patterns, prototyping, and acces

student_id	first_name	last_name	email	enrollment_date	status
1	Noah	Kim	noah.kim@example.com	2026-03-01	active
2	Priya	Rao	priya.rao.new@example.com	2026-03-03	active
3	Marcus	Taylor	marcus.taylor@example.com	2026-03-05	active

Explanation

- SELECT retrieves data
- UPDATE modifies existing data
- DELETE removes records safely

Task 4: Reporting Using Aggregate Queries

Scenario

The platform management wants summary reports for decision-making.

Task Description

- Use AI tools to generate SQL queries that:
 - o Count the number of students enrolled in each course
 - o List courses with more than a specified number of

enrollments

- Analyze the query results for correctness.

Expected Output

- Accurate aggregated results
- Queries use GROUP BY and HAVING appropriately

Prompt:

Generate SQL queries to:

- Count students per course
- List courses with more than 1 enrollment

AI Generated Code:

-- Count students per course

```
SELECT c.course_id,  
       c.title,  
       COUNT(e.student_id) AS student_count  
FROM Courses c  
LEFT JOIN Enrollments e ON c.course_id = e.course_id  
GROUP BY c.course_id, c.title  
ORDER BY student_count DESC;
```

-- Courses with more than 1 enrollment

```
SELECT c.course_id,  
       c.title,  
       COUNT(e.student_id) AS student_count  
FROM Courses c  
JOIN Enrollments e ON c.course_id = e.course_id  
GROUP BY c.course_id, c.title  
HAVING COUNT(e.student_id) > 1  
ORDER BY student_count DESC;
```

File Edit Selection View ... Assignment16

EXPLORER

- OPEN EDITORS
 - schema.sql
 - database.db
 - data.sql
 - queries.sql
- ASSIGNMENT16
 - data.sql
 - database.db
 - queries.sql
 - schema.sql

queries.sql

```

1 -- Run on active connection | Select block
2 -- Count students per course
3 SELECT c.course_id,
4       c.title,
5       COUNT(e.student_id) AS student_count
6 FROM Courses c
7 LEFT JOIN Enrollments e ON c.course_id = e.course_id
8 GROUP BY c.course_id, c.title
9 ORDER BY student_count DESC;
10
11 -- Courses with more than 1 enrollment
12 SELECT c.course_id,
13       c.title,
14       COUNT(e.student_id) AS student_count
15 FROM Courses c
16 LEFT JOIN Enrollments e ON c.course_id = e.course_id
17 GROUP BY c.course_id, c.title
18 HAVING COUNT(e.student_id) > 1
19 ORDER BY student_count DESC;

```

SQL

```

1 -- Run on active connection | Select block
2 -- Count students per course
3 SELECT c.course_id,
4       c.title,
5       COUNT(e.student_id) AS student_count
6 FROM Courses c
7 LEFT JOIN Enrollments e ON c.course_id = e.course_id
8 GROUP BY c.course_id, c.title
9 ORDER BY student_count DESC;

```

CHAT

SQL CREATE TABLE STATEMENTS ...

1) Create enrollments table

```

CREATE TABLE IF NOT EXISTS E
enrollment_id INTEGER PRIM
student_id INTEGER NOT NULL
course_id INTEGER NOT NULL
enrolled_at DATETIME DEFAU
FOREIGN KEY(student_id) RE
FOREIGN KEY(course_id) REF
);

```

2) Sample enrollments (so the queries return results)

```

INSERT INTO Enrollments (stu
(1, 1),
(1, 2),
(2, 1),
(2, 3),
(3, 1),
(3, 4);

```

3) Queries

```

-- Count students per course
SELECT c.course_id,
       c.title,
       COUNT(e.student_id) A
FROM Courses c
LEFT JOIN Enrollments e ON c
GROUP BY c.course_id, c.titl

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL ...

Filter (e.g. text, lexcludeText, L...)

Prettier

["INFO" - 3:53:40 PM] No local configuration (i.e. .prettierrc or .editorconfig) detected, will fall back to VS Code configuration

["INFO" - 3:54:02 PM] EditorConfig support is enabled, checking for .editorconfig files

["INFO" - 3:54:02 PM] No local configuration (i.e. .prettierrc or .editorconfig) detected, will fall back to VS Code configuration

["INFO" - 3:54:17 PM] Editorconfig support is enabled, checking for .editorconfig files

File Edit Selection View ... Assignment16

EXPLORER

- OPEN EDITORS
 - schema.sql
 - database.db
 - data.sql
 - queries.sql
- ASSIGNMENT16
 - data.sql
 - database.db
 - queries.sql
 - schema.sql

queries.sql

```

1 -- Run on active connection | Select block
2 -- Count students per course
3 SELECT c.course_id,
4       c.title,
5       COUNT(e.student_id) AS student_count
6 FROM Courses c
7 LEFT JOIN Enrollments e ON c.course_id = e.course_id
8 GROUP BY c.course_id, c.title
9 ORDER BY student_count DESC;
10
11 -- Courses with more than 1 enrollment
12 SELECT c.course_id,
13       c.title,
14       COUNT(e.student_id) AS student_count
15 FROM Courses c
16 LEFT JOIN Enrollments e ON c.course_id = e.course_id
17 GROUP BY c.course_id, c.title
18 HAVING COUNT(e.student_id) > 1
19 ORDER BY student_count DESC;

```

SQL

```

1 -- Run on active connection | Select block
2 -- Count students per course
3 SELECT c.course_id,
4       c.title,
5       COUNT(e.student_id) AS student_count
6 FROM Courses c
7 LEFT JOIN Enrollments e ON c.course_id = e.course_id
8 GROUP BY c.course_id, c.title
9 ORDER BY student_count DESC;

```

course_id	title	student_count
1	Intro to Python for Data Science	3
2	Machine Learning Foundations	1
3	Modern JavaScript + React	1
5	Intro to Python for Data Science	0
6	Machine Learning Foundations	0
7	Modern JavaScript + React	0
8	Design Systems & UX Workflow	0
9	Intro to Python for Data Science	0
10	Machine Learning Foundations	0
11	Modern JavaScript + React	0
12	Design Systems & UX Workflow	0

SQL

```

1 -- Run on active connection | Select block
2 -- Count students per course
3 SELECT c.course_id,
4       c.title,
5       COUNT(e.student_id) AS student_count
6 FROM Courses c
7 LEFT JOIN Enrollments e ON c.course_id = e.course_id
8 GROUP BY c.course_id, c.title
9 ORDER BY student_count DESC;

```

course_id	title	student_count
1	Intro to Python for Data Science	3

CHAT

SQL CREATE TABLE STATEMENTS ...

1) Create enrollments table

```

CREATE TABLE IF NOT EXISTS E
enrollment_id INTEGER PRIM
student_id INTEGER NOT NULL
course_id INTEGER NOT NULL
enrolled_at DATETIME DEFAU
FOREIGN KEY(student_id) RE
FOREIGN KEY(course_id) REF
);

```

2) Sample enrollments (so the queries return results)

```

INSERT INTO Enrollments (stu
(1, 1),
(1, 2),
(2, 1),
(2, 3),
(3, 1),
(3, 4);

```

3) Queries

```

-- Count students per course
SELECT c.course_id,
       c.title,
       COUNT(e.student_id) A
FROM Courses c
LEFT JOIN Enrollments e ON c
GROUP BY c.course_id, c.titl

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL ...

Filter (e.g. text, lexcludeText, L...)

Prettier

["INFO" - 3:54:17 PM] No local configuration (i.e. .prettierrc or .editorconfig) detected, will fall back to VS Code configuration

["INFO" - 3:55:40 PM] EditorConfig support is enabled, checking for .editorconfig files

["INFO" - 3:55:40 PM] No local configuration (i.e. .prettierrc or .editorconfig) detected, will fall back to VS Code configuration

course_id	title	student_count
1	Intro to Python for Data Science	3
2	Machine Learning Foundations	1
3	Modern JavaScript + React	1
5	Intro to Python for Data Science	0
6	Machine Learning Foundations	0
7	Modern JavaScript + React	0
8	Design Systems & UX Workflow	0
9	Intro to Python for Data Science	0
10	Machine Learning Foundations	0
11	Modern JavaScript + React	0
12	Design Systems & UX Workflow	0

SQL ▼

< 1 / 1 > 1 - 1 of 1

course_id	title	student_count
1	Intro to Python for Data Science	3

Explanation

- GROUP BY groups records
- COUNT() calculates totals
- HAVING filters aggregated results

Task 5: Query Optimization with AI

Scenario

As the platform grows, query performance becomes critical.

Task Description

- Use AI to analyze an existing query that retrieves courses taught

by instructors from a specific country.

- Refactor the query using:
 - o Efficient joins
 - o Optional indexing suggestions
- Compare results before and after optimization.

Expected Output

- Optimized query returns the same results as the original
- Improved readability and performance for larger datasets

Prompt:

Optimize SQL query to fetch courses taught by instructors from a specific country.

Use joins and suggest indexing.

AI Generated Code:

-- BEFORE OPTIMIZATION (Using Subquery)

```
SELECT title
FROM Courses
WHERE instructor_id IN (
    SELECT instructor_id
    FROM Instructors
    WHERE country = 'India'
);
```


-- AFTER OPTIMIZATION (Using JOIN)

```
SELECT c.title
FROM Courses c
JOIN Instructors i
ON c.instructor_id = i.instructor_id
WHERE i.country = 'India';
```

-- INDEXING FOR PERFORMANCE IMPROVEMENT

```
CREATE INDEX idx_instructor_country
ON Instructors(country);
```

```
CREATE INDEX idx_course_instructor  
ON Courses(instructor_id);
```




```
--- BEFORE OPTIMIZATION (Using Subquery)  
SELECT title  
FROM Courses  
WHERE instructor_id IN (  
    SELECT instructor_id  
    FROM Instructors  
    WHERE country = 'India');  
);
```

Results - Messages Table Data Query Data Database

LIMIT 50 (v) Co -

	title
1	Intro to Python for Data Science
2	Machine Learning Foundations

Result: 2 rows in set (259 ms) ✓ Copy



```
--- AFTER OPTIMIZATION (Using JOIN)  
SELECT c.title  
FROM Courses c  
JOIN Instructors i ON c.instructor_id = i.instructor_id  
WHERE i.country = 'India';
```

Results - Messages Table Data Query Data Database

LIMIT 50 (v) Co -

	title
1	Intro to Python for Data Science
2	Machine Learning Foundations

Result: 2 rows in set (92 ms) ✓ Copy

Explanation

- JOIN is faster than subquery for large datasets
- Indexing improves search speed