```
1 package guiManager;
 3 import java.awt.EventQueue;
 4 import javax.swing.JFrame;
 5 import java.awt.CardLayout;
 6 import javax.swing.JPanel;
 7 import javax.swing.JScrollPane;
 8 import javax.swing.JButton;
 9 import java.awt.event.ActionListener;
10 import java.io.File;
11 import java.awt.event.ActionEvent;
12 import javax.swing.JTextField;
13 import javax.swing.JLabel;
14 import javax.swing.JOptionPane;
15 import javax.swing.JCheckBox;
16 import javax.swing.JTextPane;
17 import accountsManager.TaxpayerAccountsManager;
18 import taxpayer. Taxpayer;
19
20 public class GuiManager {
21
      private JScrollPane scrollPane;
2.2
      private JFrame frame;
2.3
      private JTextField textFieldInputFilePath;
24
      private JTextField textFieldTaxpayerAfm;
25
      private JPanel panelSetOutputFilePath;
2.6
      private JPanel panelShowMainMenu;
27
      private JPanel panelLoadTaxpayer;
2.8
      private JPanel panelChooseTaxpayer;
29
      private JPanel panelChosenTaxpayerMenu;
30
      private JPanel panelDeleteTaxpayer;
31
      private JPanel panelAddReceipt;
32
      private JPanel panelShowReport;
33
      private JPanel panelDeleteReceipt;
34
      private JPanel panelSaveTaxpayer;
35
      private String inputFilePath;
36
      private String outputFilePath;
37
      private Taxpayer chosenTaxpayer;
38
      private TaxpayerAccountsManager accountsManager =
39
              new TaxpayerAccountsManager();
40
      private JTextField textFieldReceiptForDelete;
41
      private JTextField textFieldKind;
42
      private JTextField textFieldID;
      private JTextField textFieldDate;
43
44
      private JTextField textFieldAmount;
45
      private JTextField textFieldCompany;
46
      private JTextField textFieldCountry;
47
      private JTextField textFieldCity;
48
      private JTextField textFieldStreet;
49
      private JTextField textFieldNumber;
50
      private String category;
51
      private int receiptCode;
52
      private String dateOfIssue;
53
      private int amountPaid;
54
      private String companyName;
55
      private String country;
56
      private String city;
57
      private String street;
58
      private int streetNumber;
59
      private JTextField textFieldDeleteTaxpayer;
60
      private JTextField textFieldOutputFilePath;
61
62
      public static void main(String[] args) {
```

```
63
           EventQueue.invokeLater(new Runnable() {
 64
                public void run() {
                    try {
 65
 66
                        GuiManager window = new GuiManager();
 67
                        window.frame.setVisible(true);
 68
                    } catch (Exception e) {
 69
                        e.printStackTrace();
 70
 71
                }
            });
 72
 73
 74
 75
       public GuiManager() {
 76
            initialize();
 77
 78
 79
       private void initialize() {
 80
            frame = new JFrame();
            frame.setBounds(100, 100, 450, 300);
 81
 82
            frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
 83
           deleteTaxpayer();
 84
            loadTaxpayer();
 85
           showTaxpayerInfo();
 86
           chooseTaxpayer();
 87
           chosenTaxpayerMenu();
 88
           addReceipt();
 89
           deleteReceipt();
 90
           saveTaxpayer();
 91
           showMainMenu();
 92
           showReport();
 93
           setOutputFile();
 94
 95
 96
       private void setOutputFile(){
 97
           panelSetOutputFilePath = new JPanel();
 98
           frame.getContentPane().add(panelSetOutputFilePath,
 99
                    "name_1030804165165594");
100
           panelSetOutputFilePath.setLayout(null);
101
           panelSetOutputFilePath.setVisible(true);
102
103
           textFieldOutputFilePath = new JTextField();
104
           textFieldOutputFilePath.setBounds(39, 59, 350, 68);
105
           panelSetOutputFilePath.add(textFieldOutputFilePath);
106
           textFieldOutputFilePath.setColumns(10);
107
108
           JButton btnChooseFileFromSetOutputPathPanel =
109
                    new JButton("CHOOSE FILE");
110
           btnChooseFileFromSetOutputPathPanel.addActionListener(
111
                    new ActionListener() {
112
                public void actionPerformed(ActionEvent arg0) {
113
                    outputFilePath = textFieldOutputFilePath.getText();
114
                    createDirectoryIfNeeded(outputFilePath);
115
                    accountsManager.setDomain(outputFilePath);
116
                    panelShowMainMenu.setVisible(true);
117
                    panelSetOutputFilePath.setVisible(false);
118
119
            });
120
           btnChooseFileFromSetOutputPathPanel.setBounds(139, 167, 145,
121
                    45);
122
           panelSetOutputFilePath.add(
123
                    btnChooseFileFromSetOutputPathPanel);
124
```

```
125
           JLabel lblNewLabel_11 =
126
                    new JLabel("Enter output file's path");
127
           lblNewLabel_11.setBounds(154, 34, 116, 14);
128
           panelSetOutputFilePath.add(lblNewLabel_11);
129
130
131
       private void createDirectoryIfNeeded(String directoryName) {
132
         File theDirectory = new File(directoryName);
133
         if (!theDirectory.exists() | !theDirectory.isDirectory())
134
135
             JOptionPane.showMessageDialog(null,
136
                      "Can't locate directory's path");
137
             System.exit(-1);
138
139
140
141
       private void showReport(){
142
           panelShowReport = new JPanel();
143
           frame.getContentPane().add(panelShowReport,
144
                    "name_981382272378719");
145
           panelShowReport.setLayout(null);
146
           panelShowReport.setVisible(false);
147
           JCheckBox chckbxPieChart = new JCheckBox("pie chart");
148
149
           chckbxPieChart.setBounds(155, 47, 97, 23);
150
           panelShowReport.add(chckbxPieChart);
151
           chckbxPieChart.setSelected(true);
152
153
           JCheckBox chckbxBarChart = new JCheckBox("bar chart");
154
           chckbxBarChart.setBounds(155, 91, 97, 23);
155
           panelShowReport.add(chckbxBarChart);
156
           chckbxBarChart.setSelected(true);
157
158
           JButton btnShowChart = new JButton("SHOW CHART");
159
           btnShowChart.addActionListener(new ActionListener() {
160
               public void actionPerformed(ActionEvent e) {
161
                    if(chckbxPieChart.isSelected()){
162
                        accountsManager.createPieChart(chosenTaxpayer);
163
164
                    if(chckbxBarChart.isSelected()){
165
                        accountsManager.createBarChart(chosenTaxpayer);
166
167
                   panelChosenTaxpayerMenu.setVisible(true);
168
                   panelShowReport.setVisible(false);
169
           });
170
171
           btnShowChart.setBounds(135, 156, 138, 23);
172
           panelShowReport.add(btnShowChart);
173
           JLabel lblChoose = new JLabel("Choose chart type");
174
175
           lblChoose.setBounds(155, 11, 97, 14);
176
           panelShowReport.add(lblChoose);
177
       }
178
179
180
       private void showTaxpayerInfo(){
181
           scrollPane = new JScrollPane();
182
           frame.getContentPane().add(scrollPane,
183
                    "name_730639875189510");
184
           scrollPane.setVisible(false);
185
186
           JTextPane textPane = new JTextPane();
```

```
187
           scrollPane.setViewportView(textPane);
188
189
           JButton btnNewButton = new JButton("OK");
190
           scrollPane.setRowHeaderView(btnNewButton);
191
           btnNewButton.addActionListener(new ActionListener() {
192
               public void actionPerformed(ActionEvent e) {
193
                    panelChosenTaxpayerMenu.setVisible(true);
194
                    scrollPane.setVisible(false);
195
           });
196
197
198
           JButton btnNewButton 1 = new JButton("SHOW TAXPAYER'S INFO");
199
           scrollPane.setColumnHeaderView(btnNewButton 1);
200
           btnNewButton 1.addActionListener(new ActionListener() {
201
               public void actionPerformed(ActionEvent e) {
202
                    textPane.setText(
203
                            chosenTaxpayer.getTaxpayerInformationString()
204
                            );
205
           });
206
207
208
209
210
       private void showMainMenu(){
211
           panelShowMainMenu = new JPanel();
212
           frame.getContentPane().add(panelShowMainMenu,
213
                    "name_723228577274520");
214
           panelShowMainMenu.setLayout(null);
215
           panelShowMainMenu.setVisible(false);
216
217
           JLabel lblMainMenu = new JLabel("Main Menu");
218
           lblMainMenu.setBounds(188, 11, 64, 14);
219
           panelShowMainMenu.add(lblMainMenu);
220
221
           JButton btnDeleteTaxpayer = new JButton("DELETE TAXPAYER");
2.2.2
           btnDeleteTaxpayer.addActionListener(new ActionListener() {
223
               public void actionPerformed(ActionEvent e) {
224
                    panelDeleteTaxpayer.setVisible(true);
225
                    panelShowMainMenu.setVisible(false);
226
227
           });
228
           btnDeleteTaxpayer.setBounds(122, 190, 184, 48);
229
           panelShowMainMenu.add(btnDeleteTaxpayer);
230
231
           JButton btnChooseTaxpayer = new JButton("CHOOSE TAXPAYER");
232
           btnChooseTaxpayer.addActionListener(new ActionListener() {
233
               public void actionPerformed(ActionEvent e) {
234
                    panelChooseTaxpayer.setVisible(true);
235
                    panelShowMainMenu.setVisible(false);
236
                }
           });
237
238
239
           JButton btnLoadTaxpayer = new JButton("LOAD TAXPAYER");
240
           btnLoadTaxpayer.addActionListener(new ActionListener() {
2.41
               public void actionPerformed(ActionEvent e) {
2.42
                    panelLoadTaxpayer.setVisible(true);
243
                    panelShowMainMenu.setVisible(false);
244
245
           });
246
           btnLoadTaxpayer.setBounds(122, 44, 184, 48);
247
           panelShowMainMenu.add(btnLoadTaxpayer);
248
           btnChooseTaxpayer.setBounds(122, 118, 184, 48);
```

```
249
           panelShowMainMenu.add(btnChooseTaxpayer);
250
251
252
       private void loadTaxpayer(){
253
           panelLoadTaxpayer = new JPanel();
254
           frame.getContentPane().add(panelLoadTaxpayer,
255
                    "name_723228625387284");
256
           panelLoadTaxpayer.setLayout(null);
257
           panelLoadTaxpayer.setVisible(false);
258
259
           textFieldInputFilePath = new JTextField();
260
           textFieldInputFilePath.setBounds(27, 61, 379, 56);
261
           panelLoadTaxpayer.add(textFieldInputFilePath);
           textFieldInputFilePath.setColumns(10);
262
263
264
           JLabel lblEnterTaxpayeData = new JLabel(
265
                    "Enter taxpaye's data file's path");
           lblEnterTaxpayeData.setBounds(130, 11, 158, 39);
266
267
           panelLoadTaxpayer.add(lblEnterTaxpayeData);
268
269
           JButton btnLoad = new JButton("LOAD");
270
           btnLoad.addActionListener(new ActionListener()
271
               public void actionPerformed(ActionEvent e) {
272
                    inputFilePath = textFieldInputFilePath.getText();
273
                    accountsManager.insertTaxpayerFromFile(inputFilePath);
274
                    panelShowMainMenu.setVisible(true);
275
                    panelLoadTaxpayer.setVisible(false);
276
277
           });
278
           btnLoad.setBounds(27, 151, 163, 56);
279
           panelLoadTaxpayer.add(btnLoad);
280
281
           JButton btnExit = new JButton("EXIT");
282
           btnExit.addActionListener(new ActionListener()
283
               public void actionPerformed(ActionEvent e)
284
                    panelShowMainMenu.setVisible(true);
2.85
                    panelLoadTaxpayer.setVisible(false);
286
287
           });
288
           btnExit.setBounds(253, 151, 153, 56);
289
           panelLoadTaxpayer.add(btnExit);
290
291
292
       private void saveTaxpayer(){
293
           panelSaveTaxpayer = new JPanel();
294
           frame.getContentPane().add(panelSaveTaxpayer,
                    "name 723228821548180");
295
296
           panelSaveTaxpayer.setLayout(null);
297
           panelSaveTaxpayer.setVisible(false);
298
299
           JCheckBox chckbxTxt = new JCheckBox("TXT");
300
           chckbxTxt.setBounds(163, 50, 97, 23);
301
           panelSaveTaxpayer.add(chckbxTxt);
302
           chckbxTxt.setSelected(true);
303
304
           JCheckBox chckbxXml = new JCheckBox("XML");
           chckbxXml.setBounds(163, 97, 97, 23);
305
306
           panelSaveTaxpayer.add(chckbxXml);
307
           chckbxXml.setSelected(true);
308
309
           JButton btnSaveFromSaveTaxpayer = new JButton("SAVE");
310
           btnSaveFromSaveTaxpayer.addActionListener(
```

```
311
                   new ActionListener() {
312
               public void actionPerformed(ActionEvent arg0) {
313
                    if(chckbxTxt.isSelected()){
314
                        accountsManager.createLogTextFile(chosenTaxpayer);
315
316
                    if(chckbxXml.isSelected()){
317
                        accountsManager.createLogXmlFile(chosenTaxpayer);
318
319
                   panelChosenTaxpayerMenu.setVisible(true);
320
                    panelSaveTaxpayer.setVisible(false);
321
                }
322
           });
323
           btnSaveFromSaveTaxpayer.setBounds(147, 149, 127, 48);
324
           panelSaveTaxpayer.add(btnSaveFromSaveTaxpayer);
325
326
           JButton btnExitFromSaveTaxpayerPanel = new JButton("EXIT");
327
           btnExitFromSaveTaxpayerPanel.addActionListener(
                    new ActionListener() {
328
329
               public void actionPerformed(ActionEvent e) {
330
                    panelChosenTaxpayerMenu.setVisible(true);
331
                    panelSaveTaxpayer.setVisible(false);
332
333
           });
334
           btnExitFromSaveTaxpayerPanel.setBounds(341, 211, 83, 39);
335
           panelSaveTaxpayer.add(btnExitFromSaveTaxpayerPanel);
336
337
           JLabel lblChooseFileType = new JLabel("Choose file type");
338
           lblChooseFileType.setBounds(162, 11, 127, 14);
339
           panelSaveTaxpayer.add(lblChooseFileType);
340
341
342
       private void deleteReceipt(){
           panelDeleteReceipt = new JPanel();
343
344
           frame.getContentPane().add(panelDeleteReceipt,
345
                    "name_723228783398802");
346
           panelDeleteReceipt.setLayout(null);
347
           panelDeleteReceipt.setVisible(false);
348
349
           JLabel lblNewLabel_1 = new JLabel(
350
                    "Enter receipt's ID for deletion");
351
           lblNewLabel_1.setBounds(133, 19, 205, 14);
352
           panelDeleteReceipt.add(lblNewLabel_1);
353
354
           textFieldReceiptForDelete = new JTextField();
355
           textFieldReceiptForDelete.setBounds(50, 44, 329, 62);
356
           panelDeleteReceipt.add(textFieldReceiptForDelete);
357
           textFieldReceiptForDelete.setColumns(10);
358
359
           JButton btnDeleteReceiptFromDeleteReceiptPanel =
                   new JButton("DELETE RECEIPT");
360
361
           btnDeleteReceiptFromDeleteReceiptPanel.addActionListener(
362
                    new ActionListener() {
363
               public void actionPerformed(ActionEvent e) {
364
                    receiptCode = Integer.parseInt(
365
                            textFieldReceiptForDelete.getText());
366
                    accountsManager.deleteReceiptFromTaxpayer(
367
                            chosenTaxpayer, receiptCode);
368
                    accountsManager.updateInfoFiles(chosenTaxpayer);
369
                    panelChosenTaxpayerMenu.setVisible(true);
370
                    panelDeleteReceipt.setVisible(false);
371
           });
372
```

```
373
           btnDeleteReceiptFromDeleteReceiptPanel.setBounds(50, 163, 148,
374
                    62);
375
           panelDeleteReceipt.add(
376
                   btnDeleteReceiptFromDeleteReceiptPanel);
377
378
           JButton btnExitFromDeleteReceiptPanel = new JButton("EXIT");
379
           btnExitFromDeleteReceiptPanel.addActionListener(
380
                   new ActionListener() {
381
               public void actionPerformed(ActionEvent e) {
382
                   panelChosenTaxpayerMenu.setVisible(true);
383
                   panelDeleteReceipt.setVisible(false);
384
385
           });
386
           btnExitFromDeleteReceiptPanel.setBounds(231, 163, 148, 62);
387
           panelDeleteReceipt.add(btnExitFromDeleteReceiptPanel);
388
       }
389
390
       private void chosenTaxpayerMenu(){
391
           panelChosenTaxpayerMenu = new JPanel();
392
           frame.getContentPane().add(panelChosenTaxpayerMenu,
393
                    "name_723228713281209");
394
           panelChosenTaxpayerMenu.setLayout(null);
395
           panelChosenTaxpayerMenu.setVisible(false);
396
397
           JButton btnAddNewReceipt = new JButton("ADD NEW RECEIPT");
398
           btnAddNewReceipt.addActionListener(new ActionListener() {
399
               public void actionPerformed(ActionEvent e) {
400
                   panelAddReceipt.setVisible(true);
401
                   panelChosenTaxpayerMenu.setVisible(false);
402
403
           });
404
           btnAddNewReceipt.setBounds(96, 11, 229, 33);
405
           panelChosenTaxpayerMenu.add(btnAddNewReceipt);
406
407
           JButton btnDeleteReceipt = new JButton("DELETE RECEIPT");
408
           btnDeleteReceipt.addActionListener(new ActionListener() {
409
               public void actionPerformed(ActionEvent e) {
410
                   panelDeleteReceipt.setVisible(true);
411
                   panelChosenTaxpayerMenu.setVisible(false);
412
413
           });
414
           btnDeleteReceipt.setBounds(96, 140, 229, 33);
415
           panelChosenTaxpayerMenu.add(btnDeleteReceipt);
416
417
           JButton btnShowReport = new JButton("SHOW REPORT");
418
           btnShowReport.addActionListener(new ActionListener() {
419
               public void actionPerformed(ActionEvent e) {
420
                   panelShowReport.setVisible(true);
421
                   panelChosenTaxpayerMenu.setVisible(false);
422
423
           });
424
           btnShowReport.setBounds(96, 52, 229, 33);
425
           panelChosenTaxpayerMenu.add(btnShowReport);
426
427
           JButton btnDeleteCurrentTaxpayer =
428
                   new JButton("DELETE CURRENT TAXPAYER");
429
           btnDeleteCurrentTaxpayer.addActionListener(
430
                    new ActionListener() {
431
               public void actionPerformed(ActionEvent e) {
432
                    accountsManager.deleteTaxpayer(chosenTaxpayer);
433
                   JOptionPane.showMessageDialog(null,
434
                            "Current taxpayer successfully deleted");
```

```
435
                    panelShowMainMenu.setVisible(true);
436
                    panelChosenTaxpayerMenu.setVisible(false);
437
           });
438
439
           btnDeleteCurrentTaxpayer.setBounds(96, 96, 229, 33);
440
           panelChosenTaxpayerMenu.add(btnDeleteCurrentTaxpayer);
441
442
           JButton btnExitFromChosenTaxpayerMenu = new JButton("EXIT");
443
           btnExitFromChosenTaxpayerMenu.addActionListener(
444
                   new ActionListener() {
445
               public void actionPerformed(ActionEvent e) {
446
                   panelShowMainMenu.setVisible(true);
447
                   panelChosenTaxpayerMenu.setVisible(false);
448
449
           });
450
           btnExitFromChosenTaxpayerMenu.setBounds(169, 228, 86, 22);
451
           panelChosenTaxpayerMenu.add(btnExitFromChosenTaxpayerMenu);
452
453
           JButton btnSaveTaxpayer = new JButton("SAVE TAXPAYER");
454
           btnSaveTaxpayer.addActionListener(new ActionListener() {
455
               public void actionPerformed(ActionEvent e) {
456
                    panelSaveTaxpayer.setVisible(true);
457
                   panelChosenTaxpayerMenu.setVisible(false);
458
459
           });
460
           btnSaveTaxpayer.setBounds(96, 184, 229, 33);
461
           panelChosenTaxpayerMenu.add(btnSaveTaxpayer);
462
       }
463
464
       private void addReceipt(){
465
           panelAddReceipt = new JPanel();
           frame.getContentPane().add(panelAddReceipt,
466
467
                    "name 723228748503867");
468
           panelAddReceipt.setLayout(null);
469
           panelAddReceipt.setVisible(false);
470
471
           textFieldKind = new JTextField();
           textFieldKind.setBounds(140, 34, 86, 20);
472
473
           panelAddReceipt.add(textFieldKind);
474
           textFieldKind.setColumns(10);
475
476
           textFieldID = new JTextField();
477
           textFieldID.setBounds(140, 83, 86, 20);
478
           panelAddReceipt.add(textFieldID);
479
           textFieldID.setColumns(10);
480
481
           textFieldDate = new JTextField();
482
           textFieldDate.setBounds(140, 131, 86, 20);
483
           panelAddReceipt.add(textFieldDate);
484
           textFieldDate.setColumns(10);
485
486
           textFieldAmount = new JTextField();
487
           textFieldAmount.setBounds(140, 178, 86, 20);
488
           panelAddReceipt.add(textFieldAmount);
489
           textFieldAmount.setColumns(10);
490
491
           textFieldCompany = new JTextField();
492
           textFieldCompany.setBounds(338, 34, 86, 20);
493
           panelAddReceipt.add(textFieldCompany);
494
           textFieldCompany.setColumns(10);
495
496
           textFieldCountry = new JTextField();
```

```
497
           textFieldCountry.setBounds(338, 83, 86, 20);
498
           panelAddReceipt.add(textFieldCountry);
499
           textFieldCountry.setColumns(10);
500
501
           textFieldCity = new JTextField();
502
           textFieldCity.setBounds(338, 131, 86, 20);
503
           panelAddReceipt.add(textFieldCity);
504
           textFieldCity.setColumns(10);
505
506
           textFieldStreet = new JTextField();
507
           textFieldStreet.setBounds(338, 178, 86, 20);
508
           panelAddReceipt.add(textFieldStreet);
509
           textFieldStreet.setColumns(10);
510
511
           textFieldNumber = new JTextField();
512
           textFieldNumber.setBounds(338, 230, 86, 20);
513
           panelAddReceipt.add(textFieldNumber);
514
           textFieldNumber.setColumns(10);
515
516
           JLabel lblNewLabel_3 = new JLabel("Date");
           lblNewLabel_3.setBounds(22, 137, 95, 14);
517
518
           panelAddReceipt.add(lblNewLabel_3);
519
520
           JLabel lblNewLabel = new JLabel("ID");
           lblNewLabel.setBounds(22, 89, 95, 14);
521
522
           panelAddReceipt.add(lblNewLabel);
523
524
           JLabel lblNewLabel_2 = new JLabel("Kind");
525
           lblNewLabel_2.setBounds(22, 40, 95, 14);
526
           panelAddReceipt.add(lblNewLabel_2);
527
528
           JLabel lblNewLabel_4 = new JLabel("Company");
529
           lblNewLabel 4.setBounds(236, 40, 92, 14);
530
           panelAddReceipt.add(lblNewLabel_4);
531
           JLabel lblNewLabel_5 = new JLabel("Country");
532
           lblNewLabel_5.setBounds(236, 89, 92, 14);
533
534
           panelAddReceipt.add(lblNewLabel_5);
535
536
           JLabel lblNewLabel_6 = new JLabel("City");
537
           lblNewLabel_6.setBounds(236, 137, 92, 14);
538
           panelAddReceipt.add(lblNewLabel_6);
539
540
           JLabel lblNewLabel_7 = new JLabel("Street");
541
           lblNewLabel_7.setBounds(236, 184, 92, 14);
542
           panelAddReceipt.add(lblNewLabel_7);
543
544
           JLabel lblNewLabel_8 = new JLabel("Street's number");
545
           lblNewLabel_8.setBounds(236, 236, 92, 14);
546
           panelAddReceipt.add(lblNewLabel_8);
547
548
           JLabel lblNewLabel 9 = new JLabel("Amount");
           lblNewLabel_9.setBounds(22, 184, 95, 14);
549
550
           panelAddReceipt.add(lblNewLabel_9);
551
552
           JButton btnAddReceiptFromAddReceiptPanel =
553
                   new JButton("ADD RECEIPT");
554
           btnAddReceiptFromAddReceiptPanel.addActionListener(
555
                    new ActionListener() {
556
               public void actionPerformed(ActionEvent e) {
557
                    category = textFieldKind.getText();
558
                    receiptCode = Integer.parseInt(textFieldID.getText());
```

```
559
                   dateOfIssue = textFieldDate.getText();
560
                    amountPaid = Integer.parseInt(
561
                            textFieldAmount.getText());
562
                    companyName = textFieldCompany.getText();
563
                    country = textFieldCountry.getText();
564
                    city = textFieldCity.getText();
565
                   street = textFieldStreet.getText();
566
                   streetNumber = Integer.parseInt(
567
                            textFieldNumber.getText());
568
                    accountsManager.insertNewReceiptForTaxpayer(
569
                            chosenTaxpayer, category, receiptCode,
570
                            dateOfIssue, amountPaid, companyName, country,
571
                            city, street, streetNumber);
572
                    accountsManager.updateInfoFiles(chosenTaxpayer);
573
                   panelChosenTaxpayerMenu.setVisible(true);
574
                   panelAddReceipt.setVisible(false);
575
576
           });
           btnAddReceiptFromAddReceiptPanel.setBounds(10, 229, 117, 23);
577
578
           panelAddReceipt.add(btnAddReceiptFromAddReceiptPanel);
579
           JButton btnExitFromAddReceiptPanel = new JButton("EXIT");
580
581
           btnExitFromAddReceiptPanel.addActionListener(
582
                   new ActionListener() {
583
               public void actionPerformed(ActionEvent arg0) {
584
                    panelChosenTaxpayerMenu.setVisible(true);
585
                    panelAddReceipt.setVisible(false);
586
587
           });
588
           btnExitFromAddReceiptPanel.setBounds(137, 229, 89, 23);
589
           panelAddReceipt.add(btnExitFromAddReceiptPanel);
590
591
592
       private void chooseTaxpayer(){
593
           panelChooseTaxpayer = new JPanel();
594
           frame.getContentPane().add(panelChooseTaxpayer,
595
                    "name_723228670069488");
596
           panelChooseTaxpayer.setLayout(null);
597
           panelChooseTaxpayer.setVisible(false);
598
599
           textFieldTaxpayerAfm = new JTextField();
600
           textFieldTaxpayerAfm.setBounds(33, 40, 365, 57);
601
           panelChooseTaxpayer.add(textFieldTaxpayerAfm);
602
           textFieldTaxpayerAfm.setColumns(10);
603
604
           JLabel lblEnterTaxpayersAfm = new JLabel(
605
                    "Enter taxpayer's AFM");
606
           lblEnterTaxpayersAfm.setBounds(164, 11, 145, 18);
607
           panelChooseTaxpayer.add(lblEnterTaxpayersAfm);
608
609
           JButton btnGetTaxpayer = new JButton("GET TAXPAYER");
           btnGetTaxpayer.addActionListener(new ActionListener() {
610
611
               public void actionPerformed(ActionEvent e) {
612
                    chosenTaxpayer = accountsManager.getTaxpayer(
613
                            Integer.parseInt(
614
                                    textFieldTaxpayerAfm.getText()));
615
                    if (chosenTaxpayer == null){
616
                        JOptionPane.showMessageDialog(null,
617
                                "Can't find such taxpayer!");
618
                    }else{
619
                        scrollPane.setVisible(true);
620
                        panelChooseTaxpayer.setVisible(false);
```

```
621
                    }
622
           });
623
624
           btnGetTaxpayer.setBounds(33, 163, 151, 57);
625
           panelChooseTaxpayer.add(btnGetTaxpayer);
626
627
           JButton btnExitChooseTaxpayer = new JButton("EXIT");
628
           btnExitChooseTaxpayer.addActionListener(new ActionListener() {
629
               public void actionPerformed(ActionEvent e) {
630
                    panelShowMainMenu.setVisible(true);
631
                   panelChooseTaxpayer.setVisible(false);
632
633
           });
634
           btnExitChooseTaxpayer.setBounds(265, 163, 133, 57);
635
           panelChooseTaxpayer.add(btnExitChooseTaxpayer);
636
       }
637
638
       private void deleteTaxpayer(){
639
            frame.getContentPane().setLayout(new CardLayout(0, 0));
640
           panelDeleteTaxpayer = new JPanel();
641
           frame.getContentPane().add(panelDeleteTaxpayer,
642
                    "name_723228522571934");
643
           panelDeleteTaxpayer.setLayout(null);
644
           panelDeleteTaxpayer.setVisible(false);
645
646
           textFieldDeleteTaxpayer = new JTextField();
647
           textFieldDeleteTaxpayer.setBounds(31, 51, 368, 55);
648
           panelDeleteTaxpayer.add(textFieldDeleteTaxpayer);
649
           textFieldDeleteTaxpayer.setColumns(10);
650
651
           JButton btnDeleteTaxpayerFromDeleteTaxpayer =
652
                   new JButton("DELETE TAXPAYER");
653
           btnDeleteTaxpayerFromDeleteTaxpayer.addActionListener(
654
                   new ActionListener() {
655
               public void actionPerformed(ActionEvent e) {
656
                    receiptCode = Integer.parseInt(
657
                            textFieldDeleteTaxpayer.getText());
658
                    accountsManager.deleteTaxpayer(receiptCode);
659
                    panelShowMainMenu.setVisible(true);
660
                   panelDeleteTaxpayer.setVisible(false);
661
662
           });
663
           btnDeleteTaxpayerFromDeleteTaxpayer.setBounds(31, 165, 152,
664
665
           panelDeleteTaxpayer.add(btnDeleteTaxpayerFromDeleteTaxpayer);
666
667
           JButton btnExitFromDeleteTaxpayer = new JButton("EXIT");
668
           btnExitFromDeleteTaxpayer.addActionListener(
669
                    new ActionListener() {
670
               public void actionPerformed(ActionEvent arg0) {
671
                    panelShowMainMenu.setVisible(true);
672
                   panelDeleteTaxpayer.setVisible(false);
673
674
           });
675
           btnExitFromDeleteTaxpayer.setBounds(247, 165, 152, 59);
676
           panelDeleteTaxpayer.add(btnExitFromDeleteTaxpayer);
677
678
           JLabel lblNewLabel_10 = new JLabel(
679
                    "Enter taxpayer's AFM for deletion");
680
           lblNewLabel_10.setBounds(125, 26, 175, 14);
681
           panelDeleteTaxpayer.add(lblNewLabel_10);
682
       }
```

683 } 684