```
ructorsDemo.java - Eclipse IDE
   Project
            Run
                  Window
                            Help
            🗖 🚨 Calculator1 java
                    EmailSearch.java
                                         typeCasting.java AccessSpecifiers.java methodExec
      1 package Types:
      3 class Empinfo(
      4
             int id:
      5
             String name:
      6
      FC.
             woid display() [
      8
                 System.out.println(id+" "+name);
      9
             ħ
     10 )
     m
     12 public class ConstructorsDemo (
     13
             public static void main(String[] args) (
     140
     15
                 // TODO Auto-generated method stub
     16
     17
                 EmpInfo empl=new EmpInfo();
EmpInfo emp2=new EmpInfo();
     18
     19
     20
                 empl.display();
                 emp2.display();
     21
     22
             7
     23 )
     24
     25 //parameterized constructor
     26 class Std
     27 (
     28
             int ida
     29
            String name;
     30
     310
             Std(int i, String n)
     32
             id=i;
     33
     34
             name=n;
     35
     36
     370
             void display() (
     38
             System. out. println (id+" "+name);
     39
     40 )
     41
    142 public class paramConstrDemo (
                                        Writable
                                                             Smart Insert
                                                                                  47:40:700
                  Q Search
```

```
nstructorsDemojava - Edipse IDE
arch
      Project
                RUM
                       Window
                      ローニのノーニャ 日の日本三年・第一年十一年
 " 5 @ Calculator1.java
                         EmailSearchijava • typeCasting.java • AccessSepecifiers.java • ma
        12 public class Constructorshiso (
                public static void main (String() args) (
        15
                     // 1000 huto-generated method step
        16 17
                     Empinio empl=new Empinio():
Empinio empl=new Empinio():
        18
        20
                     emp1.display();
emp2.display();
        21
        22
23 )
                 Π
        24
        25 //parameterized constructor
        26 class sed
27 (
         28
                 int ids
         29
30
                 String name;
         310
                 Std (int i, String n)
         32
         33
                 10=17
         34
                 name=n;
         35
         36
         370
38
                 void display() (
                 System.out.println(id+" "+name);
         39
         40 1
         41
        142 public class paramConstrDemo (
        43
        446
45
46
47
48
49
                 public static void main(String args[]) (
                        Std std1=new Std(2, "Alex");
                        Std std2=new Std(10, "Annie");
stdl.display();
                        std2.display();
                 n
         51
52
                                                Writable
                                                                        Smart Insert
                                                                                               47:
                      Q Search
```

