

1. TITLE

Design Static Webpage Using HTML Components

2. AIM

To design a static webpage using pure HTML and semantic HTML components without external CSS.

3. OBJECTIVES

1. To understand the structure of a static HTML webpage.
2. To use semantic HTML elements such as header, nav, main, article, section, aside and footer.
3. To create navigation links and structured webpage content.
4. To create forms using native HTML interaction elements.
5. To understand how browsers render raw HTML using their default styles.

4. THEORY

A static webpage can be created using HTML without external style sheets. Semantic elements provide meaningful structure to the document and help browsers, screen readers and other tools understand the organization of content. The webpage in this experiment uses a header, navigation area, showcase section, main content area, articles, a sidebar, a form and a footer. Tables are used for structural layout, while native HTML controls provide user interaction.

5. ALGORITHM/PROCEDURE

1. Create a new HTML file.
2. Declare the HTML5 document type and set the language to English.
3. Add the character encoding and webpage title.
4. Create the header with the StaticWeb heading and navigation links.
5. Create the home/showcase section with a heading, description and article link.
6. Create the main content area using a structural table.
7. Add articles explaining core structural tags and native interaction elements.
8. Insert photo elements stacked vertically ("down by down") within the second article section.
9. Create the inquiry form using fieldset, legend, labels, input, select and textarea elements.
10. Create the sidebar using the aside element and display lists of benefits and components.
11. Create the footer with copyright information.
12. Save the file with an .html extension.
13. Open the file in a web browser and verify the output.

6. PROGRAM

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Pure Semantic HTML Static Webpage</title>
</head>
<body>
<!-- Header Section -->
<header>
<table width="100%" border="0" cellspacing="0" cellpadding="10">
<tr>
<td><h1>StaticWeb</h1></td>
<td align="right">
<nav>
<a href="#home">Home</a> &nbsp; &nbsp; &nbsp; ;
<a href="#articles">Articles</a>
<a href="#about">About</a> &nbsp; &nbsp; &nbsp; ;
<a href="#contact">Contact Us</a>
&nbsp; &nbsp; &nbsp; ;
&nbsp; &nbsp; &nbsp; ;
</nav>
</td>
</tr>
</table>
</header>
<hr>
<!-- Hero / Showcase Section -->
<section id="home">
<center>
<h2>Semantic Structures Without CSS</h2>
<p>This layout uses raw HTML components to build an organized document hierarchy that browsers can cleanly parse out-of-the-box.</p>
<p><a href="#articles"><b>Read Our Articles Below &darr;</b></a></p>
</center>
</section>
<hr>
<!-- Main Content Layout using a Structural Table -->
<table width="100%" border="0" cellspacing="0" cellpadding="20">
<tr valign="top">
<!-- Left Side: Main Content Column -->
<td width="70%">
<main id="articles">
<article>
<h2>1. Core Structural Tags</h2>
<p>Published: July 7, 2026</p>
<p>When you omit cascading style sheets entirely, the semantic markup handles all of the structural heavy lifting. Elements like &lt;main&gt;, &lt;article&gt;, and &lt;section&gt; tell screen readers and web scrapers exactly how information flows.</p>
<p>Using raw browser defaults ensures excellent loading performance,
```

```

perfect accessibility compliance, and absolute structural clarity.</p>
</article>
<br><hr><br>
<article>
<h2>2. Native Interaction Elements</h2>
<p>Published: July 5, 2026</p>
<p>Browsers come equipped with excellent interactive elements by
default. We can capture text inputs, provide multiple-choice configurations, and
submit
structured information to backend parsers using pure markup.</p>
<!-- Photos Added Stacked Vertically (Down by Down) -->
<p>
<br><br>

</p>
<h3>Interactive Demonstration Forms</h3>
<form id="contact" action="#" method="post">
<fieldset>
<legend><b>User Inquiry Form</b></legend>
<p>
<label for="name">Full Name: </label>
<input type="text" id="name" name="username" required placeholder="John Doe">
</p>
<p>
<label for="email">Email Address: </label>
<input type="email" id="email" name="useremail" required>
</p>
<p>
<label for="topic">Inquiry Topic: </label>
<select id="topic" name="usertopic">
<option value="general">General Feedback</option>
<option value="technical">Technical Architecture</option>
<option value="academics">Academic Curriculum</option>
</select>
</p>
<p>
<label for="message">Message Details: </label><br>
<textarea id="message" name="usermessage" rows="5" cols="40" placeholder="Type your
notes here..."></textarea>
</p>
<input type="submit" value="Submit Form Data">
<input type="reset" value="Clear Entries">
</fieldset>
</form>
</article>
</main>
</td>
<!-- Right Side: Sidebar Column -->
<td width="30%" bgcolor="#f4f4f4">
<aside id="about">
<h3>Document References</h3>
<p>Static pages map data out directly without real-time database queries or
processor overhead.</p>

```

```

<h4>Core Benefits:</h4>
<ul>
<li>Instant browser painting</li>
<li>Low memory footprints</li>
<li>High data compatibility</li>
</ul>
<h4>Required Components:</h4>
<ol>
<li>Document Type Definition</li>
<li>Semantic Wrapper Blocks</li>
<li>Data Input Control Interfaces</li>
</ol>
</aside>
</td>
</tr>
</table>
<hr>
<!-- Footer Section -->
<footer>
<center>
<p>&copy; 2026 Pure HTML Architecture. Assembled completely without style
configurations.</p>
</center>
</footer>
</body>
</html>

```


7. CODE EXPLANATION

Component	Purpose
<code><!DOCTYPE html></code>	Declares the document type as HTML5.
<code><header></code>	Contains the website heading and navigation links.
<code><nav></code>	Provides links to navigate to different sections of the page.
<code><section></code>	Groups related content into a logical showcase section.
<code><main></code>	Contains the primary body content of the webpage.
<code><article></code>	Contains independent article content.
<code></code>	Embeds photos/images stacked vertically into the article content.
<code><form></code>	Provides an interactive interface for entering and submitting data.
<code><fieldset> / <legend></code>	Groups related form controls and gives the input block a caption title.
<code><aside></code>	Contains supplementary sidebar or reference information.
<code> / </code>	Displays unordered and ordered lists of items.

Component	Purpose
<footer>	Contains the copyright and website footer details.

8. OUTPUT

Browser Output (Screenshot):



9. RESULT

Thus, a static webpage was successfully designed using pure HTML and semantic HTML components. The webpage includes navigation, structured articles, a native HTML form, sidebar information, lists and a footer, and can be rendered directly by a web browser without external CSS.