Assignment-01

Group ID – MTIT-110

Year 4 Semester 2

IT4020 - Modern Topics in IT

Registration No	Name
IT19958620	Wickramasinghe T. L
IT19966618	Siriwardana H.D.T.H
IT19965550	Walpola S. R
IT19964010	Abeysekara M.M

(A) Scenario

We developed a producer-consumer plugin project using eclipse Equinox OSGI Framework for an inventory management system which is a private institute where students can learn music by enrolling in a preferred course as per their wish. Admin can manage inventories, orders, invoices services as well as cases. Customer can manage cases (view canceled cases, view case response, create new case, delete case), search order by shipping date and view my invoices by order ID. Supplier can add new items and view all items in inventory and supplier can create new orders and invoice according to the order ID. Furthermore suppliers al so can create cases. Today transporters can view items to transport, return invoices, approved invoices and create cases. Middle service publisher acts as a common interface for all the publisher services. Altogether 4 consumer bundles and 4 publisher bundles were implemented to cater to this scenario.

The 4 main clients/ consumers who will be using this system for multiple different purposes associated with the academy are as follows:

- Administrator
- Customer
- Supplier
- Transporter

The services provided by the 4 publishers to all the above-mentioned consumers are as follows:

Administrator

- Add new item for inventory.
- View all inventory items.
- Create new order.
- View all available orders.
- Create new Invoice.
- View all invoices.
- View all cases.

Customer

- View Canceled cases.
- View case response
- Create new Case.
- Search order by shipping date
- View my invoice by order ID.
- Delete case by ID.


Supplier

- Add new item for inventory.
- View all inventory items.
- Create new order.
- Invoice according to the order ID
- Create new cases.


Transporter

- View today inventory Item to transport.
- View return invoices
- View approved invoices.
- Create new Case.

System diagram



Manifest files of all publishers and consumers



Consumer Manifest

```
AdminConsumer X

I Manifest-Version: 1.0
2 Bundle-ManifestVersion: 2
3 Bundle-Name: AdminConsumer
4 Bundle-SymbolicName: AdminConsumer
5 Bundle-Version: 1.0.0.qualifier
6 Bundle-Activator: adminconsumer.Activator
7 Bundle-RequiredExecutionEnvironment: JavaSE-16
8 Automatic-Module-Name: AdminConsumer
9 Import-Package: caseservice,
10 invoiceproducer,
11 itemservice,
12 middlepiplineservice,
13 orderpublisher,
14 org.osgi.framework; version="1.3.0"
15 Bundle-ActivationPolicy: lazy
16
```

```
CustomerConsumer X

1 Manifest-Version: 1.0
2 Bundle-ManifestVersion: 2
3 Bundle-Name: CustomerConsumer
4 Bundle-SymbolicName: CustomerConsumer
5 Bundle-Version: 1.0.0.qualifier
6 Bundle-Activator: customerconsumer.Activator
7 Bundle-RequiredExecutionEnvironment: JavaSE-16
8 Automatic-Module-Name: CustomerConsumer
9 Import-Package: caseservice,
10 invoiceproducer,
11 itemservice,
12 middlepiplineservice,
13 orderpublisher,
14 org.osgi.framework; version="1.3.0"

15 Bundle-ActivationPolicy: lazy
```

```
TransporterConsumer X

1 Manifest-Version: 1.0
2 Bundle-ManifestVersion: 2
3 Bundle-Name: TransporterConsumer
4 Bundle-SymbolicName: TransporterConsumer
5 Bundle-Version: 1.0.0.qualifier
6 Bundle-Activator: transporterconsumer.Activator
7 Bundle-RequiredExecutionEnvironment: JavaSE-16
8 Automatic-Module-Name: TransporterConsumer
9 Import-Package: caseservice,
10 invoiceproducer,
11 itemservice,
12 middlepiplineservice,
13 orderpublisher,
14 org.osgi.framework;version="1.3.0"

15 Bundle-ActivationPolicy: lazy
16
```

```
SupplierConsumer X

1 Manifest-Version: 1.0
2 Bundle-ManifestVersion: 2
3 Bundle-Name: SupplierConsumer
4 Bundle-SymbolicName: SupplierConsumer
5 Bundle-Version: 1.0.0.qualifier
6 Bundle-Activator: supplierconsumer.Activator
7 Bundle-RequiredExecutionEnvironment: JavaSE-16
8 Automatic-Module-Name: SupplierConsumer
9 Import-Package: caseservice,
10 invoiceproducer,
11 itemservice,
12 middlepiplineservice,
13 orderpublisher,
14 org.osgi.framework; version="1.3.0"
15 Bundle-ActivationPolicy: lazy
```

Publisher Manifest

```
InvoiceProducer X

1 Manifest-Version: 1.0
2 Bundle-ManifestVersion: 2
3 Bundle-Name: InvoiceProducer
4 Bundle-SymbolicName: InvoiceProducer
5 Bundle-Version: 1.0.0.qualifier
6 Bundle-Activator: invoiceproducer.Activator
7 Bundle-RequiredExecutionEnvironment: JavaSE-16
8 Automatic-Module-Name: InvoiceProducer
9 Import-Package: org.osgi.framework; version="1.3.0"
10 Bundle-ActivationPolicy: lazy
11 Export-Package: invoiceproducer
12
```

```
OrderPublisher X

1 Manifest-Version: 1.0
2 Bundle-ManifestVersion: 2
3 Bundle-Name: OrderPublisher
4 Bundle-SymbolicName: OrderPublisher
5 Bundle-Version: 1.0.0.qualifier
6 Bundle-Activator: orderpublisher.OrderPublisherActivator
7 Bundle-RequiredExecutionEnvironment: JavaSE-1.8
8 Automatic-Module-Name: OrderPublisher
9 Import-Package: org.osgi.framework;version="1.3.0"
10 Bundle-ActivationPolicy: lazy
11 Export-Package: orderpublisher
```

```
ItemServiceProducer X

I Manifest-Version: 1.0

2 Bundle-ManifestVersion: 2

3 Bundle-Name: ItemService

4 Bundle-SymbolicName: ItemServiceProducer

5 Bundle-Version: 1.0.0.qualifier

6 Bundle-Activator: itemservice.ItemActivator

7 Bundle-RequiredExecutionEnvironment: JavaSE-16

8 Automatic-Module-Name: ItemService

9 Import-Package: org.osgi.framework; version="1.3.0"


10 Bundle-ActivationPolicy: lazy

11 Export-Package: itemservice
```

```
1 Manifest-Version: 1.0
2 Bundle-ManifestVersion: 2
3 Bundle-Name: CaseService
4 Bundle-SymbolicName: caseservice
5 Bundle-Version: 1.0.0.qualifier
6 Bundle-Activator: caseservice.CaseActivator
7 Bundle-RequiredExecutionEnvironment: JavaSE-16
8 Automatic-Module-Name: caseservice
9 Import-Package: org.osgi.framework;version="1.3.0"
10 Bundle-ActivationPolicy: lazy
11 Export-Package: caseservice
12
```

Run configuration file.

Initially the Invoice service publisher & Admin consumer will be started once the program is run in the OSGI framework.



Run all publishers and consumers.

Checked the status of this bundle using **lb** command.

```
gogo: CommandNotFoundException: Command not found: er
osgi> ss
 'Framework is launched."
id
                     Bundle
        State
        ACTIVE
                     org.eclipse.osgi_3.16.300.v20210525-1715
                     Fragments=718
        ACTIVE
                     org.eclipse.equinox.simpleconfigurator 1.4.0.v20210315-2228
2
3
4
5
6
7
8
9
        ACTIVE
                     AdminConsumer_1.0.0.qualifier
                     CustomerConsumer_1.0.0.qualifier
InvoiceProducer_1.0.0.qualifier
        ACTIVE
        ACTIVE
                     ItemServiceProducer_1.0.0.qualifier
        ACTIVE
        ACTIVE
                     MiddlePiplineService_1.0.0.qualifier
        ACTIVE
                     OrderPublisher_1.0.0.qualifier
                     SupplierConsumer_1.0.0.qualifier
        ACTIVE
        ACTIVE
                     TransporterConsumer_1.0.0.qualifier
                      ntr.aGnrs.nuattn_p.p.a.sastassstpto
                     caseservice 1.0.0.qualifier
        ACTIVE
11
12
        ACTIVE
                     ch.qos.logback.classic_1.2.3.v20200428-2012
                     Fragments=607
13
        ACTIVE
                     ch.qos.logback.core_1.2.3.v20200428-2012
14
        RESOLVED
                      ch.qos.logback.slf4j_1.2.3.v20200428-2012
                     Master=938
15
        ACTIVE
                     com.google.gson_2.8.6.v20201231-1626
```

1. Consuming the Invoice service by Admin, Customer, Transporter

```
osgi> start 2
Admin Consumer Started...
==== Welcome to the Invent HUB ====
==== Login As Admin ====
==== Select an option to operate ====
======= Import Item section =======
Enter 1 - Add New Item for Inventory
Enter 2 - View All Inventory Items
======= Order section =======
Enter 3 - Create New Order
Enter 4 - View All Availble Orders
Enter 5 - Create New Invoice
Enter 6 - View All Invoices
Enter 7 - View All Cases
Enter 8 - Go to the menu
Enter -1 - Exit
Please Select an Option
```

Creating the Invoice by Admin

```
Enter 5 - Create New Invoice
Enter 6 - View All Invoices
Enter 7 - View All Cases
Enter 8 - Go to the menu
Enter -1 - Exit
Please Select an Option
====== Please Create New Invoice ==========
Enter Invoice No : ===>
INV200
Enter Customer ID : ===>
Enter Order ID : ===>
Enter Invoice Date : ===>
Enter InvoiceorderAmount : ===>
2000
Is this return ? : ===>
Invoice Created Successfully..
Do you want to create another invoice (Y/N)
```

Admin can view all invoice List.

Customer can View Invoice by Order ID

```
Customer Consumer Started...

==== Login As Customer ====
Enter 1 - View Canceled Cases
Enter 2 - View Case response
Enter 3 - Create new Case
Enter 4 - Serach Order by Shipping date
Enter 5 - View My Invoice by Order ID
Enter 6 - Delete Case by ID
Enter 7 - go to menu
Enter -1 - Exit
Please Select an Option
5
Enter Order No : ===>
01221
======= Invoice for the Order0I221
======= Invoice ID : INV200
======= Customer ID : CI200
======= Order ID : 0I221
======= Invoice Amount ID : 2000.0
```

Transporter can view return invoice list for reference.

2. Consuming the Case service by Admin, Customer

Customer can create the Case

```
Customer Consumer Started...
==== Login As Customer ====
Enter 1 - View Canceled Cases
Enter 2 - View Case response
Enter 3 - Create new Case
Enter 4 - Serach Order by Shipping date
Enter 5 - View My Invoice by Order ID
Enter 6 - Delete Case by ID
Enter 7 - go to menu
Enter -1 - Exit
Please Select an Option
Enter case id: 221
Case Description: 323
Enter the Case Type Enter 1, if Customer;
Enter 2, if Importer;
Enter 3, if Supplier;
Enter 4, if Transport:
Case Date(DD/MM/YY): 5-3-2023
Enter the Case Response state Enter 1, if Active;
Enter 2, if Sorted;
Enter 3, if Hold:
'221' Case added successfully...
```

Admin can view all cases

```
osgi> start 2
Admin Consumer Started...
==== Welcome to the Invent HUB ====
 === Login As Admin ==
==== Select an option to operate ====
Enter 1 - Add New Item for Inventory
Enter 2 - View All Inventory Items
======= Order section =======
Enter 3 - Create New Order
Enter 4 - View All Availble Orders
======= Invoice section ========
Enter 5 - Create New Invoice
Enter 6 - View All Invoices
Enter 7 - View All Cases
Enter 8 - Go to the menu
Enter -1 - Exit
Please Select an Option
Cases Received
caseId: 22
caseDescription: 44434
caseType: Customer
caseDate: 5-3-2023
caseResponseStatus: Active
```

Customer can delete the case by ID

```
ACTIVE
                   org.wsc.aom.svg_1.1.0.
osgi> stop 3
Customer Consumer Stopped...
osgi> start 3
Customer Consumer Started...
==== Login As Customer ====
Enter 1 - View Canceled Cases
Enter 2 - View Case response
Enter 3 - Create new Case
Enter 4 - Serach Order by Shipping date
Enter 5 - View My Invoice by Order ID
Enter 6 - Delete Case by ID
Enter 7 - go to menu
Enter -1 - Exit
Please Select an Option
Enter Case Id to delete: 22
Case Deleted
```

Customer can view the deleted case and case response

```
7
==== Login As Customer ====
Enter 1 - View Canceled Cases
Enter 2 - View Case response
Enter 3 - Create new Case
Enter 4 - Serach Order by Shipping date
Enter 5 - View My Invoice by Order ID
Enter 6 - Delete Case by ID
Enter 7 - go to menu
Enter -1 - Exit
Please Select an Option
2
Enter Case id to check the response 22
Case Not found
```

```
Enter 1 - View Canceled Cases
Enter 2 - View Case response
Enter 3 - Create new Case
Enter 4 - Serach Order by Shipping date
Enter 5 - View My Invoice by Order ID
Enter 6 - Delete Case by ID
Enter 7 - go to menu
Enter -1 - Exit
Please Select an Option
1
Enter the case id deleted:
22
Deleted Case Details
Case Id: 22
Case Description: 44434
Case Status: Active
```

3. Consuming the Import Item service by Supplier, Customer, Transporter

Supplier can add new import item.

```
Supplier Consumer Started...
==== Login As Suplier ====
Enter 1 - Add New Item for Inventory
Enter 2 - View All Inventory Items
Enter 3 - Create New Order
Enter 4 - Invoice according to the order ID
Enter 5 - Create new Case
Enter 6 - Go to the menu
Enter -1 - Exit
Please Select an Option
------Add new Item------
Enter item ID: 111
Enter item name: item1
Enter item quantity: 2
Enter imported date: 2023-3-5
Enter avaiability
true
'item1' Item added successfully...
Do you want to add another item? (y/n)
```

Transporter can view today imported items.

```
Transporter Consumer Started...

==== Login As Trasportor====
Enter 1 - View Today Invetory Item to Trasport
Enter 2 - View Return Invoices
Enter 3 - View Approved Invoices
Enter 4 - Create new Case
Enter 5 - Go to the menu
Enter -1 - Exit
Please Select an Option

I
Item ID: 111
Item Name: item1
Item Quantity: 2
Date: 2023-3-5
```

Admin can see all Imported item and available items

4.Consuming the Order service by Admin, Customer, Transporter

Admin can create order.

Admin can view all order list.

Customer can view order by shipping date.

We can start and stop consumer separately as well.

Admin Consumer

```
osgi> stop 2
Admin Consumer Stopped...

osgi> start 2
Admin Consumer Started...

==== Welcome to the Invent HUB ====

==== Login As Admin ====

==== Select an option to operate ====

Enter 1 - Add New Item for Inventory
Enter 2 - View All Inventory Items

======== Order section ========

Enter 3 - Create New Order
Enter 4 - View All Availble Orders

======== Invoice section ========

Enter 5 - Create New Invoice
Enter 6 - View All Invoices

========= Cases Section =========

Enter 7 - View All Cases
Enter 8 - Go to the menu
Enter -1 - Exit
Please Select an Option
```

Customer Consumer

```
osgi> stop 3
Customer Consumer Stopped...

osgi> start 3
Customer Consumer Started...
==== Login As Customer ====
Enter 1 - View Canceled Cases
Enter 2 - View Case response
Enter 3 - Create new Case
Enter 4 - Serach Order by Shipping date
Enter 5 - View My Invoice by Order ID
Enter 6 - Delete Case by ID
Enter 7 - go to menu
Enter -1 - Exit
Please Select an Option
```

Supplier Consumer

```
osgi> stop 8
Supplier Consumer Stopped...
osgi> start 8
Supplier Consumer Started...
==== Login As Suplier ====
Enter 1 - Add New Item for Inventory
Enter 2 - View All Inventory Items
Enter 3 - Create New Order
Enter 4 - Invoice according to the order ID
Enter 5 - Create new Case
Enter 6 - Go to the menu
Enter -1 - Exit
Please Select an Option
```

Transporter Consumer

```
osgi> stop 9
Transporte Consumer Stopped...

osgi> start 9
Transporter Consumer Started...
==== Login As Trasportor====
Enter 1 - View Today Invetory Item to Trasport
Enter 2 - View Return Invoices
Enter 3 - View Approved Invoices
Enter 4 - Create new Case
Enter 5 - Go to the menu
Enter -1 - Exit
Please Select an Option
```

Workload Distribution

Registration Number	Workload
IT19958620	Import item service
IT19966618	Invoice Service
IT19965550	Case Service
IT19964010	Transporter Service

End