

เผ่าปัญญาทรานสปอร์ต-915154893

Documentation

Generated at:

15/9/2569 02:56:32



เผ่าปัญญา ทรานสปอร์ต

Data Summary

90 Tables
2304 Columns
8 Slices

UX Summary

115 Views
11 Format Rules

Behavior Summary

214 Actions
0 Workflow Rules

Short Name	เผ่าปัญญา ทรานสปอร์ต
Version	1.004638
Default app folder	/appsheet/data/เผ่าปัญญาทรานสปอร์ต-915154893
Function	Other
Runnable?	Yes
Deployable?	No
Personal use only?	No

Data

Tables

Table name SCGนครหลวงJWDภูมิภาค

Table name	SCGนครหลวงJWDภูมิภาค
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	SCGนครหลวงJWDภูมิภาค_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "ADDS_AND_UPDATES", "READ_ONLY")
Security filter	=OR(USERROLE() = "ADMIN", [Email พนักงาน] = USEREMAIL())
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	SCGนครหลวงJWDภูมิภาค
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	th-TH
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources? No

Partitioned across many worksheets? No

Table name ข้อมูลการเข้าบำรุงรักษา

Table name	ข้อมูลการเข้าบำรุงรักษา
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ข้อมูลการเข้าบำรุงรักษา_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "ADDS_AND_UPDATES", "READ_ONLY")
Security filter	=OR(USERROLE() = "ADMIN", [Email พนักงาน] = USEREMAIL())
Source Path	แผ่นปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ข้อมูลการเข้าบำรุงรักษา
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ข้อมูลการวางบิล

Table name	ข้อมูลการวางบิล
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ข้อมูลการวางบิล_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "ADDS_AND_UPDATES", "READ_ONLY")
Security filter	=OR(USERROLE() = "ADMIN", [Email พนักงาน] = USEREMAIL())
Source Path	แผ่นปัญญา ทรานสปอร์ต

Worksheet Name/Qualifier	ข้อมูลการวางบิล
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ตารางงานประจำวัน

Table name	ตารางงานประจำวัน
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ตารางงานประจำวัน_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "ADDS_AND_UPDATES", "READ_ONLY")
Security filter	=OR(USERROLE() = "ADMIN", [Email พนักงาน] = USEREMAIL())
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ตารางงานประจำวัน
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ราคาน้ำมันดีเซล

Table name	ราคาน้ำมันดีเซล
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ราคาน้ำมันดีเซล_Schema

Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ราคาน้ำมันดีเซล
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ราคาในระบบก่อนส่งสินค้า

Table name	ราคาในระบบก่อนส่งสินค้า
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ราคาในระบบก่อนส่งสินค้า_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ราคาในระบบก่อนส่งสินค้า
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name หน้าหลัก

Table name	หน้าหลัก
Visible?	ALWAYS

Shared?	Yes
Data locale	en-GB
Schema	หน้าหลัก_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	หน้าหลัก
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ปรีนใบวางบิล

Table name	ปรีนใบวางบิล
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ปรีนใบวางบิล_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ปรีนใบวางบิล
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name PDFพนักงาน

Table name	PDFพนักงาน
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	PDFพนักงาน_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	PDFพนักงาน
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name แจ้งปัญหาระหว่างวัน

Table name	แจ้งปัญหาระหว่างวัน
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	แจ้งปัญหาระหว่างวัน_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "ADDS_AND_UPDATES", "READ_ONLY")
Security filter	=OR(USERROLE() = "ADMIN", [Email พนักงาน] = USEREMAIL())
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	แจ้งปัญหาระหว่างวัน
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name รับงานคืนได้เงิน200

Table name	รับงานคืนได้เงิน200
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	รับงานคืนได้เงิน200_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "ADDS_AND_UPDATES", "READ_ONLY")
Security filter	=OR(USERROLE() = "ADMIN", [Email พนักงาน] = USEREMAIL())
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	รับงานคืนได้เงิน200
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ข้อมูลงานRT

Table name	ข้อมูลงานRT
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ข้อมูลงานRT_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ข้อมูลงานRT
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name FILTER

Table name	FILTER
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	FILTER_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	FILTER
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ข้อมูลพนักงาน

Table name	ข้อมูลพนักงาน
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ข้อมูลพนักงาน_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")

Source Path	เผ่าปัญญาทธานสปอร์ต-915154893
Worksheet Name/Qualifier	ข้อมูลพนักงาน
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ข้อมูลชิ้นงานต้นทางปลายทาง

Table name	ข้อมูลชิ้นงานต้นทางปลายทาง
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ข้อมูลชิ้นงานต้นทางปลายทาง_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญาทธานสปอร์ต-915154893
Worksheet Name/Qualifier	ข้อมูลชิ้นงานต้นทางปลายทาง
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name สรุปรเบิกส่วนต่าง

Table name	สรุปรเบิกส่วนต่าง
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	สรุปรเบิกส่วนต่าง_Schema

Are updates allowed?	ALL_CHANGES
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	สรุปเบิกส่วนต่าง
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Doc_Return

Table name	Doc_Return
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	Doc_Return_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	Doc_Return
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Image_Doc_Return

Table name	Image_Doc_Return
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB

Schema	Image_Doc_Return_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	Image_Doc_Return
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ทำเบิกส่วนต่างScgวังน้อย

Table name	ทำเบิกส่วนต่างScgวังน้อย
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ทำเบิกส่วนต่างScgวังน้อย_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "ADDS_ONLY", "READ_ONLY")
Security filter	=OR(USERROLE() = "ADMIN", [Email พนักงาน] = USEREMAIL())
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ทำเบิกส่วนต่างScgวังน้อย
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ข้อมูลงานRW

Table name	ข้อมูลงานRW
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ข้อมูลงานRW_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ข้อมูลงานRW
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name สร้างเอกสาร

Table name	สร้างเอกสาร
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	สร้างเอกสาร_Schema
Are updates allowed?	ALL_CHANGES
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	สร้างเอกสาร
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ScanDocs

Table name	ScanDocs
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ScanDocs_Schema
Are updates allowed?	ALL_CHANGES
Source Path	เฟ้าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ScanDocs
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name สรูป_เจ้าของสินค้า

Table name	สรุป_เจ้าของสินค้า
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	สรุป_เจ้าของสินค้า_Schema
Are updates allowed?	ALL_CHANGES
Source Path	เฟ้าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	สรุป_เจ้าของสินค้า
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name สรูป_Shipment

Table name	สรุป_Shipment
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	สรุป_Shipment_Schema
Are updates allowed?	ALL_CHANGES
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	สรุป_Shipment
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name PriceOverride

Table name	PriceOverride
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	PriceOverride_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	PriceOverride
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Price_Table

Table name	Price_Table
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	Price_Table_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	Price_Table
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ส่งงานที่ยังไม่มีข้อมูลในระบบ

Table name	ส่งงานที่ยังไม่มีข้อมูลในระบบ
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	ส่งงานที่ยังไม่มีข้อมูลในระบบ_Schema
Are updates allowed?	ALL_CHANGES
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	ส่งงานที่ยังไม่มีข้อมูลในระบบ
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Acknowledge_Logs

Table name	Acknowledge_Logs
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	Acknowledge_Logs_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "ADDS_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	Acknowledge_Logs
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Announcements

Table name	Announcements
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	Announcements_Schema
Are updates allowed?	ALL_CHANGES
Expression for update mode	=SWITCH(USERROLE(), "ADMIN", "ALL_CHANGES", "USER", "READ_ONLY", "READ_ONLY")
Source Path	เผ่าปัญญา ทรานสปอร์ต
Worksheet Name/Qualifier	Announcements
Data Source	google
Store for image and file capture	_Default

Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรี๊นโใบวางบิล Process Table

Table name	Process for ปรี๊นโใบวางบิล Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรี๊นโใบวางบิล Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/c5a2d425-481e-4763-a186-f2d7377b1ed4/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name ปรี๊นโใบวางบิล_step Output

Table name	ปรี๊นโใบวางบิล_step Output
Visible?	NEVER
Shared?	Yes
Schema	ปรี๊นโใบวางบิล_step Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/c5a2d425-481e-4763-a186-f2d7377b1ed4/StepOutput_ปรี๊นโใบวางบิล_step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Telegram_แจ้งปัญหา - 1 Process Table

Table name	Process for Telegram_แจ้งปัญหา - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Telegram_แจ้งปัญหา - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/f3cc0c71-b600-423b-9f19-50fb3840b812/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Telegram_แจ้งปัญหา2 Output

Table name	Telegram_แจ้งปัญหา2 Output
Visible?	NEVER
Shared?	Yes
Schema	Telegram_แจ้งปัญหา2 Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/f3cc0c71-b600-423b-9f19-50fb3840b812/StepOutput_Telegram_แจ้งปัญหา2
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for Bot_รับสินค้าคืน - 1 Process Table

Table name	Process for Bot_รับสินค้าคืน - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Bot_รับสินค้าคืน - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/4cc2cf19-b0ad-44d8-bf1e-c82109753063/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name เข้ารับสินค้าคืน Output

Table name	เข้ารับสินค้าคืน Output
Visible?	NEVER
Shared?	Yes
Schema	เข้ารับสินค้าคืน Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/4cc2cf19-b0ad-44d8-bf1e-c82109753063/StepOutput_เข้ารับสินค้าคืน
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for เพิ่มรูปรับคืน - 1 Process Table

Table name	Process for เพิ่มรูปรับคืน - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for เพิ่มรูปรับคืน - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/6a9a1d20-ee25-4d69-b293-8c9d135af46e/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New step Output

Table name	New step Output
Visible?	NEVER
Shared?	Yes
Schema	New step Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/6a9a1d20-ee25-4d69-b293-8c9d135af46e/StepOutput_New step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for ใบปะหน้า - 1 Process Table

Table name	Process for ใบปะหน้า - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ใบปะหน้า - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/49b0d141-06ad-4dee-8b98-28d36413634b/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรี้นใบวางบิลเอเทน - 1 Process Table

Table name	Process for ปรี้นใบวางบิลเอเทน - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรี้นใบวางบิลเอเทน - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/6866e662-915d-4279-b261-d5e514363689/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Clear Output

Table name	Clear Output
Visible?	NEVER
Shared?	Yes
Schema	Clear Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/6866e662-915d-4279-b261-d5e514363689/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for สรุปส่วนต่าง - 1 Process Table

Table name	Process for สรุปส่วนต่าง - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for สรุปส่วนต่าง - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/b35f630e-1153-4085-82e6-fa7a689eb8ad/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for สรุปจำนวนจุดที่ส่งงานSCGวังน้อย Process Table

Table name	Process for สรุปจำนวนจุดที่ส่งงานSCGวังน้อย Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for สรุปจำนวนจุดที่ส่งงานSCGวังน้อย Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5830b09e-3793-4f4d-b4d8-dd96a75c7e5c/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name เคลียสรุปจุดส่ง Output

Table name	เคลียสรุปจุดส่ง Output
Visible?	NEVER
Shared?	Yes
Schema	เคลียสรุปจุดส่ง Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5830b09e-3793-4f4d-b4d8-dd96a75c7e5c/StepOutput_เคลียสรุปจุดส่ง
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for ปรี๊นโใบวางบิลโอนคั้ง มโนยนต์ (นวนคร) Process Table

Table name	Process for ปรี๊นโใบวางบิลโอนคั้ง มโนยนต์ (นวนคร) Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรี๊นโใบวางบิลโอนคั้ง มโนยนต์ (นวนคร) Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/8074b4c7-793b-48ab-848a-b9068315c5af/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 2

Table name	Clear Output 2
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 2_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/8074b4c7-793b-48ab-848a-b9068315c5af/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรีณโฆวางบิล_โอนคล้ง กระสอบ2(บางบัวทอง) Process Table

Table name	Process for ปรีณโฆวางบิล_โอนคล้ง กระสอบ2(บางบัวทอง) Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรีณโฆวางบิล_โอนคล้ง กระสอบ2(บางบัวทอง) Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/76d28d70-9d66-4411-b1d4-dc20581a2b3c/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 3

Table name	Clear Output 3
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 3_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/76d28d70-9d66-4411-b1d4-dc20581a2b3c/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default

Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรี้นไม่วางบิล_ไอรอบท Process Table

Table name	Process for ปรี้นไม่วางบิล_ไอรอบท Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรี้นไม่วางบิล_ไอรอบท Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/df3f0d2d-9e21-4a4f-b657-2139591812b7/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 4

Table name	Clear Output 4
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 4_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/df3f0d2d-9e21-4a4f-b657-2139591812b7/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรีณโฆวางบิล_โอบนคัลล้ง เอเรณ Process Table

Table name	Process for ปรีณโฆวางบิล_โอบนคัลล้ง เอเรณ Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรีณโฆวางบิล_โอบนคัลล้ง เอเรณ Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5f13991e-fb5e-4517-92b4-948a76d311e2/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 5

Table name	Clear Output 5
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 5_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5f13991e-fb5e-4517-92b4-948a76d311e2/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for ปรีณโฆวางบิล_รับเอกสาร (งานพีเหนดง) สดืเบล Process Table

Table name	Process for ปรีณโฆวางบิล_รับเอกสาร (งานพีเหนดง) สดืเบล Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรีณโฆวางบิล_รับเอกสาร (งานพีเหนดง) สดืเบล Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/62783b7a-6627-4838-925d-b7cd65a288e3/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 6

Table name	Clear Output 6
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 6_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/62783b7a-6627-4838-925d-b7cd65a288e3/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรีณโฆวางบิล_รับเอกสาร (งานพีเณหง) Process Table

Table name	Process for ปรีณโฆวางบิล_รับเอกสาร (งานพีเณหง) Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรีณโฆวางบิล_รับเอกสาร (งานพีเณหง) Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/cb79cb9e-033a-4f3a-96b0-b3112f91512b/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 7

Table name	Clear Output 7
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 7_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/cb79cb9e-033a-4f3a-96b0-b3112f91512b/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Bot_4ตัว_จัดเรียงเส้นทาง Process Table

Table name	Process for Bot_4ตัว_จัดเรียงเส้นทาง Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Bot_4ตัว_จัดเรียงเส้นทาง Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/6d3fb634-3e62-4d2d-978d-63c94630067c/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name GoogleMapsRoutesAPI_Step Output

Table name	GoogleMapsRoutesAPI_Step Output
Visible?	NEVER
Shared?	Yes
Schema	GoogleMapsRoutesAPI_Step Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/6d3fb634-3e62-4d2d-978d-63c94630067c/StepOutput_GoogleMapsRoutesAPI_Step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for โอนคลัง (GQ) จีคิว Process Table

Table name	Process for โอนคลัง (GQ) จีคิว Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for โอนคลัง (GQ) จีคิว Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/28369d64-269f-496a-8fa1-bb0700a1e358/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 8

Table name	Clear Output 8
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 8_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/28369d64-269f-496a-8fa1-bb0700a1e358/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for MeSpace Process Table

Table name	Process for MeSpace Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for MeSpace Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/e8dd4cb2-0865-4a3e-8843-784baf6492ad/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 9

Table name	Clear Output 9
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 9_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/e8dd4cb2-0865-4a3e-8843-784baf6492ad/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for ปรี้นไบวางบิล_คลังSCGJWDวังน้อย Process Table

Table name	Process for ปรี้นไบวางบิล_คลังSCGJWDวังน้อย Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรี้นไบวางบิล_คลังSCGJWDวังน้อย Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5bdf4c69-a5e8-48a7-8b3d-1fb748871a03/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 10

Table name	Clear Output 10
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 10_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5bdf4c69-a5e8-48a7-8b3d-1fb748871a03/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for 'ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง Process Table

Table name	Process for 'ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for 'ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b- 417bc046f574/8229a662-0893-4a79-905c-d0ff590175cd/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for 'ทำเบิกค่ายกขึ้นชั้น Process Table

Table name	Process for 'ทำเบิกค่ายกขึ้นชั้น Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for 'ทำเบิกค่ายกขึ้นชั้น Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b- 417bc046f574/4a9715e2-a9bd-4142-afaa-d10bcd4db61f/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ได้เพิ่ม25%ของค่าเที่ยว Process Table

Table name	Process for ได้เพิ่ม25%ของค่าเที่ยว Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ได้เพิ่ม25%ของค่าเที่ยว Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/e0e7932c-b4a1-4dea-b427-2a36ece46773/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ทำเบิกส่วนต่างScgวังน้อย - 1 Process Table

Table name	Process for ทำเบิกส่วนต่างScgวังน้อย - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ทำเบิกส่วนต่างScgวังน้อย - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/66418a34-0d71-430a-a6ab-ad2d5ef4c385/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name ทำเบิกส่วนต่างScgวิ่งน้อยstep Output

Table name	ทำเบิกส่วนต่างScgวิ่งน้อยstep Output
Visible?	NEVER
Shared?	Yes
Schema	ทำเบิกส่วนต่างScgวิ่งน้อยstep Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/66418a34-0d71-430a-a6ab-ad2d5ef4c385/StepOutput_ทำเบิกส่วนต่างScgวิ่งน้อยstep
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New step2 Output

Table name	New step2 Output
Visible?	NEVER
Shared?	Yes
Schema	New step2 Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/66418a34-0d71-430a-a6ab-ad2d5ef4c385/StepOutput_New step2
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name ไม่ผ่านNew step Output

Table name	ไม่ผ่านNew step Output
Visible?	NEVER
Shared?	Yes
Schema	ไม่ผ่านNew step Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/66418a34-0d71-430a-a6ab-ad2d5ef4c385/StepOutput_ไม่ผ่านNew step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for AppSheet_KM - 1 Process Table

Table name	Process for AppSheet_KM - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for AppSheet_KM - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/261d0ba4-8cde-454c-bb42-cbd0b03b5c66/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name AppSheet___KM Output

Table name	AppSheet___KM Output
Visible?	NEVER
Shared?	Yes
Schema	AppSheet___KM Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/261d0ba4-8cde-454c-bb42-cbd0b03b5c66/StepOutput_AppSheet___KM
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New step Output 2

Table name	New step Output 2
Visible?	NEVER
Shared?	Yes
Schema	New step Output 2_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/261d0ba4-8cde-454c-bb42-cbd0b03b5c66/StepOutput_New step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for New bot - 1 Process Table

Table name	Process for New bot - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for New bot - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/175bb876-5ac2-498d-8587-13e27591d256/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New step Output 3

Table name	New step Output 3
Visible?	NEVER
Shared?	Yes
Schema	New step Output 3_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/175bb876-5ac2-498d-8587-13e27591d256/StepOutput_New step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Process for Update ScanStatus เมื่อสแกน Invoice - 1 Process Table

Table name	Process for Update ScanStatus เมื่อสแกน Invoice - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Update ScanStatus เมื่อสแกน Invoice - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/d77c3cd8-7325-4d1b-8dd0-0a391dcc374c/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Update Output

Table name	Update Output
Visible?	NEVER
Shared?	Yes
Schema	Update Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/d77c3cd8-7325-4d1b-8dd0-0a391dcc374c/StepOutput_Update
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรีณโฆวางบิล_เบทาโกร+เหมาตุ้ Process Table

Table name	Process for ปรีณโฆวางบิล_เบทาโกร+เหมาตุ้ Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรีณโฆวางบิล_เบทาโกร+เหมาตุ้ Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/3d9c2094-f58e-4641-92dc-8a2d9bab5de5/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 11

Table name	Clear Output 11
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 11_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/3d9c2094-f58e-4641-92dc-8a2d9bab5de5/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรีณโฆวางบิล_LINEMAN (6W) (SCG Express) Process Table

Table name	Process for ปรีณโฆวางบิล_LINEMAN (6W) (SCG Express) Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรีณโฆวางบิล_LINEMAN (6W) (SCG Express) Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/f998fc69-0898-4438-81f2-0ed6d3d78807/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 12

Table name	Clear Output 12
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 12_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/f998fc69-0898-4438-81f2-0ed6d3d78807/StepOutput_Clear
Data Source	native
Store for image and file capture	_Default

Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรี๊นโม่วางบิล_Thai paper (SCG Express) - 1 Process Table

Table name	Process for ปรี๊นโม่วางบิล_Thai paper (SCG Express) - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรี๊นโม่วางบิล_Thai paper (SCG Express) - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/e8a95b9a-c71f-4cff-8b97-74341b9496f5/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 13

Table name	Clear Output 13
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 13_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/e8a95b9a-c71f-4cff-8b97-74341b9496f5/StepOutput_Clear
Data Source	native

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for ปรีณโฆวางบิล_โอนคล้ง บญถาวร เกษตร_นวมินทร - 1 Process Table

Table name	Process for ปรีณโฆวางบิล_โอนคล้ง บญถาวร เกษตร_นวมินทร - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for ปรีณโฆวางบิล_โอนคล้ง บญถาวร เกษตร_นวมินทร - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/be09e929-190a-450d-a3d8-447faa2b7961/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Clear Output 14

Table name	Clear Output 14
Visible?	NEVER
Shared?	Yes
Schema	Clear Output 14_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/be09e929-190a-450d-a3d8-447faa2b7961/StepOutput_Clear

Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Bot_เบิกค่าขนส่งตามระยะทาง - 1 Process Table

Table name	Process for Bot_เบิกค่าขนส่งตามระยะทาง - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Bot_เบิกค่าขนส่งตามระยะทาง - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5465f1e5-0de2-4ca2-9fb5-0dbb5c7d0fa7/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name เบิกตามระยะทาง Output

Table name	เบิกตามระยะทาง Output
Visible?	NEVER
Shared?	Yes
Schema	เบิกตามระยะทาง Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5465f1e5-0de2-4ca2-9fb5-0dbb5c7d0fa7/StepOutput_เบิกตามระยะทาง

Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New step4 Output

Table name	New step4 Output
Visible?	NEVER
Shared?	Yes
Schema	New step4 Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5465f1e5-0de2-4ca2-9fb5-0dbb5c7d0fa7/StepOutput_New step4
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New step3 Output

Table name	New step3 Output
Visible?	NEVER
Shared?	Yes
Schema	New step3 Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/70999aca-5a1f-4dfc-907b-417bc046f574/5465f1e5-0de2-4ca2-9fb5-0dbb5c7d0fa7/StepOutput_New step3
Data Source	native

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH

Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Text", "Content": "\These options control the content and behavior of the app\\"", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
-------------	----------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Option 3

Column name	Option 3
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Option 4

Column name	Option 4
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No

Sensitive data No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	th-TH
Searchable	No
Scannable	No
Sensitive data	No

Schema Name SCGนครหลวงJWDภูมิภาค_Schema

Schema Name	SCGนครหลวงJWDภูมิภาค_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
-------------	------------

Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: head

Column name	head
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_SCGนครหลวงJWDภูมิภาค

Column name	ID_SCGนครหลวงJWDภูมิภาค
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data No

Column 4: วันที่ส่งสินค้า

Column name	วันที่ส่งสินค้า
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE()=\\ADMIN\\","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: เวลาที่ส่งสินค้า

Column name	เวลาที่ส่งสินค้า
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE()=\\ADMIN\\","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ชื่อ - นามสกุล]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ทะเบียนรถ]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Shipment No

Column name	Shipment No
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":"=SORT(\n UNIQUE(\n LIST([_THISROW].[Shipment No])\n + SM_Today_User[Shipment No]\n)\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":""}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	EnumList {"ItemSeparator":",","EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"Base eType":"Text","BaseTypeQualifier": {"\MaxLength\:null,\MinLength\:null,\LongTextFormatting\":" "Plain Text\","IsMulticolumnKey\:false,\Valid_If\:null,\Error_Messa ge_If_Invalid\:null,\Show_If\:null,\Required_If\:null,\Editable _If\:null,\Reset_If\:null,\Suggested_Values\:null},"EnumInpu tMode":"Dropdown","Valid_If":=IF(ISBLANK([Shipment No]),\n Type Qualifier LIST(),\n UNIQUE(\n IF(USERROLE() = \"ADMIN\",\n SELECT(ตารางงานประจำวัน[Invoice No], [Shipment No] = [_THISROW].[Shipment No]),\n SELECT(SM_Today_User[Invoice No],\n AND(\n [Shipment No] = [_THISROW].[Shipment No],\n \n NOT(IN([Invoice No], SCGนครหลวงJWDภูมิภาค[Invoice No]))\n)\n)\n) + [_THISROW].[Invoice No]\n) - LIST(\\"\\")\n)","Error_Message_If_Invalid":null,"Show_If":","Requir ed_If":null,"Editable_If":=OR(\n USERROLE() = \"ADMIN\",\n ISBLANK([_THISROW].[Invoice No]))\n)","Reset_If":null,"Suggested_Values":"} Read-Only No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: รูปถ่ายบิลส่งสินค้า

Column name	รูปถ่ายบิลส่งสินค้า
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 12: รหัสลูกค้า

Column name	รหัสลูกค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Invoice No])","Required_If":null,"Editable_If":"=USERROLE() = \"ADMIN\"","Reset_If":"=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]
Initial value	=[SM_Link_SCG].[รหัสลูกค้า]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ชื่อเจ้าของสินค้า

Column name	ชื่อเจ้าของสินค้า
Visible?	ALWAYS
Type	Text

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Invoice No])","Required_If":null,"Editable_If": "=USERROLE() = \\"ADMIN\\"","Reset_If": "=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]
Initial value	=[SM_Link_SCG].[ชื่อเจ้าของสินค้า]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: ชื่อปลายทาง

Column name	ชื่อปลายทาง
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Invoice No])","Required_If":null,"Editable_If": "=USERROLE() = \\"ADMIN\\"","Reset_If": "=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]
Initial value	=[SM_Link_SCG].[ชื่อปลายทาง]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE()=\"ADMIN\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 16: LAT

Column name	LAT
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":6,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LAT([จุดส่งสินค้าปลายทาง])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 17: LONG

Column name	LONG
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":6,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":n

	ull,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LONG([จุดส่งสินค้าปลายทาง])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 18: ID_Doc_Return

Column name	ID_Doc_Return
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Doc_Return","ReferencedRootTableName":"Doc_Return","ReferencedType":"Text","ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"Reference dKeyColumn":"ID_Doc_Return","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} "<> [_THISROW].[Invoice No]","Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]
Initial value	=LOOKUP([_THISROW].[รหัสลูกค้า], "Doc_Return", "รหัสลูกค้า", "ID_Doc_Return")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: คลังสินค้า เอสซีจี เจดับเบิลยูดี วังน้อย

Column name	คลังสินค้า เอสซีจี เจดับเบิลยูดี วังน้อย
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="14.165716365156051, 100.62529569032515"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: ที่อยู่ปลายทาง

Column name	ที่อยู่ปลายทาง
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Invoice No])","Required_If":null,"Editable_If": "=USERROLE() = \"ADMIN\\\"","Reset_If": "=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[Invoice No] <> [_THISROW].[Invoice No]
Initial value	=[SM_Link_SCG].[ที่อยู่ปลายทาง]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: รูปสินค้าตอนส่ง

Column name	รูปสินค้าตอนส่ง
-------------	-----------------

Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: รูปหน้าร้าน / บ้าน

Column name	รูปหน้าร้าน / บ้าน
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: หมายเหตุ

Column name	หมายเหตุ
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=AND(\n ISNOTBLANK([รูปถ่ายบิลส่งสินค้า]),\n ISNOTBLANK([รูปสินค้าตอนส่ง]),\n ISNOTBLANK([รูปหน้าร้าน / บ้าน])\n)", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: เดือน

Column name	เดือน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISBLANK([วันที่ส่งสินค้า]), "", CONCATENATE(YEAR([วันที่ส่งสินค้า]) - IF(YEAR([วันที่ส่งสินค้า]) > 2500, 543, 0), "-", TEXT([วันที่ส่งสินค้า], "MM")))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: ระยะทางจากคลัง_Km

Column name	ระยะทางจากคลัง_Km
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: ชื่อที่อยู่จาก_LatLong

Column name	ชื่อที่อยู่จาก_LatLong
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 27: SM_Link_SCG

Column name	SM_Link_SCG
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"ตารางงานประจำ วัน","ReferencedRootTableName":"ตารางงานประจำ วัน","ReferencedType":"Text","ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"Reference dKeyColumn":"ID_งานประจำ วัน","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto" ,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Req uired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=ANY(SELECT(ตารางงานประจำวัน[ID_งานประจำวัน], AND([Invoice No] = ANY([_THISROW].[Invoice No]), [_ROWNUMBER] = MIN(SELECT(ตารางงานประจำ วัน[_ROWNUMBER], [Invoice No] = ANY([_THISROW].[Invoice No]))))))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_พนักงาน

Column name	ID_พนักงาน
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"ข้อมูลพนักงาน","ReferencedRootTableName":"ข้อมูลพนักงาน","ReferencedType":"Text","ReferencedTypeQualifier":{"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":"PlainText\","IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},"ReferencedKeyColumn":"ID_พนักงาน","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=USERROLE()=\\"ADMIN\\"","Required_If":null,"Editable_If":"=USERROLE()=\\"ADMIN\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ID_พนักงาน")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 29: พิกัดต่อนกดับน้ำที่ทำงาน

Column name	พิกัดต่อนกดับน้ำที่ทำงาน
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=ISNOTBLANK([หมายเหตุ])","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=ISNOTBLANK([หมายเหตุ])
Initial value	=HERE()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: เวลาเริ่มกรอกงาน

Column name	เวลาเริ่มกรอกงาน
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TIMENOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: เวลาบันทึกงานสำเร็จ

Column name	เวลาบันทึกงานสำเร็จ
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=ISNOTBLANK([หมายเหตุ])","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=ISNOTBLANK([หมายเหตุ])
Initial value	=TIMENOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: ระยะขยับจากจุดเริ่มต้น_เมตร

Column name	ระยะขยับจากจุดเริ่มต้น_เมตร
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"","Suggested_Values":null}
App formula	=DISTANCE([จุดส่งสินค้าปลายทาง], [พิกัดตอนกวดบันทึกงาน]) * 1000
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 33: ระยะเวลาใช้งาน_นาที

Column name	ระยะเวลาใช้งาน_นาที
Visible?	ALWAYS
Type	Duration
Type Qualifier	{"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[เวลาบันทึกงานสำเร็จ] - [เวลาที่ส่งสินค้า]
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: ความเร็วการเคลื่อนที่_เมตร_นาที

Column name	ความเร็วการเคลื่อนที่_เมตร_นาที
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(TOTALMINUTES([ระยะเวลาใช้งาน_นาที]) > 0, [ระยะขยับจากจุดเริ่มต้น_เมตร] / TOTALMINUTES([ระยะเวลาใช้งาน_นาที]), 0)
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: ผลการตรวจสอบงานส่ง

Column name	ผลการตรวจสอบงานส่ง
Visible?	ALWAYS
Type	Enum {"EnumValues": ["PASS","WARNING","FAIL"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\MaxLength\:":null,"\MinLength\:":null,"\LongTextFormatting\:": "Plain
Type Qualifier	Text\","\IsMulticolumnKey\:":false,"\Valid_If\:":null,"\Error_Message_If_Invalid\:":null,"\Show_If\:":null,"\Required_If\:":null,"\Editable_If\:":null,"\Reset_If\:":null,"\Suggested_Values\:":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS(AND([ระยะขยับจากจุดเริ่มต้น_เมตร] <= 40, TOTALMINUTES([ระยะเวลาใช้งาน_นาที]) <= 10), "PASS", AND([ระยะขยับจากจุดเริ่มต้น_เมตร] <= 60, TOTALMINUTES([ระยะเวลาใช้งาน_นาที]) <= 15), "WARNING", OR([ระยะขยับจากจุดเริ่มต้น_เมตร] > 100, [ความเร็วการเคลื่อนที่_เมตร_นาที]> 60), "FAIL", TRUE, "WARNING")
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: เหตุผิดปกติที่ตรวจพบ

Column name	เหตุผิดปกติที่ตรวจพบ
Visible?	ALWAYS
Type	EnumList {"ItemSeparator":",","EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\MaxLength\:":null,"\MinLength\:":null,"\LongTextFormatting\:": "Plain
Type Qualifier	Text\","\IsMulticolumnKey\:":false,"\Valid_If\:":null,"\Error_Message_If_Invalid\:":null,"\Show_If\:":null,"\Required_If\:":null,"\Editable_If\:":null,"\Reset_If\:":null,"\Suggested_Values\:":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=UNIQUE(LIST(IF([ระยะขยับจากจุดเริ่มต้น_เมตร] > 60, "มีการเคลื่อนที่จากจุดเริ่มต้น", ""), IF(TOTALMINUTES([ระยะเวลาใช้งาน_นาทิจ]) > 15, "ใช้เวลานานกว่าปกติ", ""), IF([ความเร็วการเคลื่อนที่_เมตร_นาทิจ] > 60, "ความเร็วผิดปกติ", ""))) - LIST("")
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: เวลาถ่ายรูปหน้าร้าน_หน้าบ้าน

Column name	เวลาถ่ายรูปหน้าร้าน_หน้าบ้าน
Visible?	ALWAYS
Type	Time
Type Qualifier	{"MinValue":null,"MaxValue":null,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	Yes
Initial value	=IF(ISNOTBLANK([รูปหน้าร้าน / บ้าน]), TIMENOW(), [_THIS])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data No

Column 38: SYNC_STATUS

Column name	SYNC_STATUS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 39: MD_LINK

Column name	MD_LINK
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 40: MATCH_KEY

Column name	MATCH_KEY
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	No
Scannable	No
Sensitive data	No

Column 41: POINTS_AT_TIME

Column name	POINTS_AT_TIME
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 42: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 43: เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No

Column name	เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(IF(ISNOTBLANK([ชื่อเจ้าของสินค้า]), CONCATENATE("ต้นทาง ", [ชื่อเจ้าของสินค้า], " "), ""), IF(ISNOTBLANK([ชื่อปลายทาง]), CONCATENATE("ปลายทาง ", [ชื่อปลายทาง], " "), ""), IF(ISNOTBLANK([จุดส่งสินค้าปลายทาง]), CONCATENATE("Lat/Lng ", TEXT([จุดส่งสินค้าปลายทาง]), " "), ""), IF(ISNOTBLANK([Invoice No]), CONCATENATE("INV. ", INDEX([Invoice No], 1)), "")))
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: Document_Return

Column name	Document_Return
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_Doc_Return].[ข้อความอธิบาย_Document_Return]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 45: Image_Document_Return

Column name	Image_Document_Return
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"Image_Doc_Return\", \"ReferencedRootTableName\": \"Image_Doc_Return\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }, \"ReferencedKeyColumn\": \"ID_Image_Doc_Return\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } \", \"ItemSeparator\": \" \", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }</pre>
App formula	=[ID_Doc_Return].[Related Image_Doc_Returns]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 46: ที่อยู่ปลายทาง_LatLong_Api

Column name	ที่อยู่ปลายทาง_LatLong_Api
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[ชื่อปลายทาง],"ตารางงานประจำวัน","ชื่อปลายทาง","ที่อยู่ปลายทาง_LatLong")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 47: Related สรุปเบิกส่วนต่างร

Column name	Related สรุปเบิกส่วนต่างร
Visible?	ALWAYS
Description	สรุปเบิกส่วนต่าง entries that reference this entry in the _ComputedKey_ID_SCGนครหลวงJWDภูมิภาค column
Type	List

Type Qualifier	<pre> {"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName\":"สรุปเบิกส่วน ต่าง\","ReferencedRootTableName\":"สรุปเบิกส่วน ต่าง\","ReferencedType\":"Text\","ReferencedTypeQualifier\":" " {\\\\"MaxLength\\\\"":null,\\\\"MinLength\\\\"":null,\\\\"LongTextFor matting\\\\"":\\\\"Plain Text\\\\"","\\\\"IsMulticolumnKey\\\\"":false,\\\\"Valid_If\\\\"":null,\\\\"Er ror_Message_If_Invalid\\\\"":null,\\\\"Show_If\\\\"":null,\\\\"Required _If\\\\"":null,\\\\"Editable_If\\\\"":null,\\\\"Reset_If\\\\"":null,\\\\"Sugges ted_Values\\\\"":null}\\","ReferencedKeyColumn\":"ID_สรุปเบิก ส่วน ต่าง\","IsAPartOf":false,"RelationshipName":null,"InputMode \":"Auto\","Valid_If":null,"Error_Message_If_Invalid":null,"Sh ow_If":null,"Required_If":null,"Editable_If":null,"Reset_If":nu ll,"Suggested_Values":null},"ItemSeparator":", ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Req uired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": null} </pre>
App formula	REF_ROWS("สรุปเบิกส่วนต่าง", "_ComputedKey_ID_SCGนครหลวงJWDภูมิภาค")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 48: Related ทำเบิกส่วนต่างScgวังน้อยร

Column name	Related ทำเบิกส่วนต่างScgวังน้อยร
Visible?	ALWAYS
Description	ทำเบิกส่วนต่างScgวังน้อย entries that reference this entry in the _ComputedKey_ID_SCGนครหลวงJWDภูมิภาค column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"\ทำเบิกส่วน ต่างScgวังน้อย\","ReferencedRootTableName":"\ทำเบิกส่วน ต่างScgวังน้อย\","ReferencedType":"Text\","ReferencedTypeQ ualifier":" {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFor matting\\":\\"Plain Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Er ror_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required _If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Sugges ted_Values\\":null}\",\"ReferencedKeyColumn\":\"ID_ทำเบิกส่วน ต่างScgวังน้อย\","IsAPartOf":false,\"RelationshipName\":null,\"I nputMode\":\"Auto\","Valid_If":null,\"Error_Message_If_Invalid\ ":null,\"Show_If":null,\"Required_If":null,\"Editable_If":null,\"Re set_If":null,\"Suggested_Values\":null},"ItemSeparator":", ","Valid_If":null,\"Error_Message_If_Invalid":null,\"Show_If":null,\"Req uired_If":null,\"Editable_If":null,\"Reset_If":null,\"Suggested_Values": null}
App formula	REF_ROWS("ทำเบิกส่วนต่างScgวังน้อย", "ID_SCGนครหลวงJWDภูมิภาค")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes

Scannable	No
NFC Scannable	No
Sensitive data	No

Column 49: พิกัดต่อนกฉบับที่ก_เปลี่ยนแล้ว

Column name	พิกัดต่อนกฉบับที่ก_เปลี่ยนแล้ว
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=AND(ISNOTBLANK([พิกัดต่อนกฉบับที่กงาน]), [พิกัดต่อนกฉบับที่กงาน] <> [_THISROW_BEFORE].[พิกัดต่อนกฉบับที่กงาน])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ข้อมูลการเข้าบำรุงรักษา_Schema

Schema Name	ข้อมูลการเข้าบำรุงรักษา_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_การเข้าบำรุงรักษา

Column name	ID_การเข้าบำรุงรักษา
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes

Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: วันที่เข้าบำรุงรักษา

Column name	วันที่เข้าบำรุงรักษา
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE() = \"ADMIN\\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ชื่อ - นามสกุล]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ทะเบียนรถ]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: รูปถ่ายเลขไมล์รถยนต์ก่อนเข้าบำรุงรักษา

Column name	รูปถ่ายเลขไมล์รถยนต์ก่อนเข้าบำรุงรักษา
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: OCR_เลขไมล์รถยนต์ก่อนเข้าบำรุงรักษา

Column name	OCR_เลขไมล์รถยนต์ก่อนเข้าบำรุงรักษา
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 8: รูปถ่ายบิลหรือใบเสร็จ รายการเข้าบำรุงรักษา

Column name	รูปถ่ายบิลหรือใบเสร็จ รายการเข้าบำรุงรักษา
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: OCR_รายการเข้าบำรุงรักษา

Column name	OCR_รายการเข้าบำรุงรักษา
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: ราคา

Column name	ราคา
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: กรุณากรอกเลขไมล์รถยนต์ รอบบำรุงรักษาครั้งถัดไป

Column name	กรุณากรอกเลขไมล์รถยนต์ รอบบำรุงรักษาครั้งถัดไป
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE() = \\"ADMIN\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: เดือน

Column name	เดือน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISBLANK([วันที่เข้าบำรุงรักษา]), "", CONCATENATE(YEAR([วันที่เข้าบำรุงรักษา]) - IF(YEAR([วันที่เข้าบำรุงรักษา]) > 2500, 543, 0), "-", TEXT([วันที่เข้าบำรุงรักษา], "MM")))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: ID_พนักงาน

Column name	ID_พนักงาน
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "ข้อมูลพนักงาน", "ReferencedRootTableName": "ข้อมูลพนักงาน", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "ID_พนักงาน", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=USERROLE() = \ADMIN\\"", "Required_If": null, "Editable_If": "=USERROLE() = \ADMIN\\"", "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ID_พนักงาน")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name ข้อมูลการวางบิล_Schema

Schema Name	ข้อมูลการวางบิล_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data No

Column 2: ID_พนักงาน

Column name	ID_พนักงาน
Visible?	ALWAYS
Type	Ref { "ReferencedTableName": "ข้อมูลพนักงาน", "ReferencedRootTableName": "ข้อมูลพนักงาน", "ReferencedType": "Text", "ReferencedTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "ReferencedKeyColumn": "ID_พนักงาน", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=USERROLE()=\\\"ADMIN\\\""; "Required_If": null, "Editable_If": "=USERROLE()=\\\"ADMIN\\\""; "Reset_If": null, "Suggested_Values": null }
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ID_พนักงาน")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_วางบิล

Column name	ID_วางบิล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ชื่องาน

Column name	ชื่องาน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n ข้อมูลชื่อ งานต้นทางปลายทาง[ชื่องาน],\n AND\n (TRUE,NOT(IN([ชื่องาน], {\nเมทาโกร\","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=OR(\nUSERROLE() = \"ADMIN\" ,[สถานะ การอนุมัติ]<>\nอนุมัติ\","Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: วันที่

Column name	วันที่
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE()= \"ADMIN\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ชื่อ - นามสกุล]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ทะเบียนรถ]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: สถานที่รับงาน (ต้นทาง)

Column name	สถานที่รับงาน (ต้นทาง)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]","Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]

Initial value	=LOOKUP([_THISROW].[ชื่องาน],"ข้อมูลชื่องานต้นทางปลายทาง","ชื่องาน","สถานที่รับสินค้า (ต้นทาง)")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: สถานที่ส่งงาน (ปลายทาง)

Column name	สถานที่ส่งงาน (ปลายทาง)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":="[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]","Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]
Initial value	=LOOKUP([_THISROW].[ชื่องาน],"ข้อมูลชื่องานต้นทางปลายทาง","ชื่องาน","สถานที่ส่งสินค้า (ปลายทาง)")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE() = \\"ADMIN\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: พิมพ์อธิบายทุกอย่างที่สำคัญ

Column name	พิมพ์อธิบายทุกอย่างที่สำคัญ
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If": "=OR(\n USERROLE() = \"ADMIN\" ,[สถานะการอนุมัติ]<>\"อนุมัติ\")\" ,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Shipment No

Column name	Shipment No
Visible?	ALWAYS
Type	Number
Type Qualifier	{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\" :null,\"ShowThousandsSeparator\":false,\"NumberDisplayMode\":\"A uto\",\"Valid_If\":\"=AND(\n [_THIS] >= 100000000,\n [_THIS] <= 999999999,\n ISBLANK(\n ANY(SELECT(ข้อมูลการวาง บิล[Shipment No], [Shipment No] = [_THIS]))\n)\n)\" ,\"Error_Message_If_Invalid\":null,\"Show_If\":\"=IN([ชื่องาน], LIST(\"ภูมิภาค\", \"นครหลวง\", \"04JB_นครหลวง_ภูมิภาค\", \"สถิติเบ ลทรอน เอเชีย จำกัด\", \"Idem_04ID\", \"ไอนคล้ง บุญถาวร รังสิต\", \"ไอนคล้ง บุญถาวร เกษตร_นวมินทร์\", \"ไอนคล้ง ยนตรกิจ (ร่มเกล้า) YONTRAKIT\", \"ไอนคล้ง (GQ) จีคิว\", \"ไอนคล้ง พิโอเอส ดิสเพลย์\", \"ไอนคล้ง CPF FOOD\", \"ไอนคล้ง Mizuno\", \"ไอนคล้ง ที จีโฟน\", \"ไอนคล้ง TRW\", \"ไอนคล้ง BYD\", \"ไอนคล้ง ซอยฮะ (โก เรีย)\", \"ไอนคล้ง โลจิสท์พลัส\", \"ไอนคล้ง SIS\", \"ไอนคล้ง พว.\", \"คล้งSCGJWDวังน้อย\", \"Lyreco (Thailand)\", \"น้ำมะปี้ด(ป้ มบางจาก)FarmZaa\"))\" ,\"Required_If\":\"=IN([ชื่องาน],

	LIST("\ภูมิภาค\","\นครหลวง\","\04JB_นครหลวง_ภูมิภาค\","\Idem_04ID\"))","Editable_If":=OR(\nUSERROLE() = \\"ADMIN\\",[สถานะการอนุมัติ]<>\\"อนุมัติ\\"),"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ระยะทางที่วิ่ง (KM)

Column name	ระยะทางที่วิ่ง (KM)
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":=IN([ชื่องาน], LIST("\เมทาโกร+เหมาตุ\","\ออเรนจ์โคร\","\ไอโรบอท\","\อิริคสัน\","\เอเท่น\","\MeSpace\","\ฟ้าใส (SCG Express)\","\รูทริงสิต (SCG Express)\","\Thai paper (SCG Express)\","\โอนคลั่ง ไอโรบอท\","\นิคมหนองแค ส่งเอกสาร บีเจซี มูฟ\","\โอนคลั่ง (TVS) ชาญไพบุลย์\","\โอนคลั่ง ทีจีโฟน\","\โอนคลั่ง เอเรน\","\โอนคลั่ง พว.\","\โอนคลั่ง ซอยฮะ (โกเรีย)\","\โอนคลั่ง นำวิวัฒน์\","\โอนคลั่ง กระสอบ2(บางบัวทอง)\","\โอนคลั่ง โลจิสท์พลัส\","\โอนคลั่ง SIS\"))","Required_If":null,"Editable_If":=OR(\nUSERROLE() = \\"ADMIN\\",[สถานะการอนุมัติ]<>\\"อนุมัติ\\"),"Reset_If":=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]","Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]
Initial value	=LOOKUP([_THISROW].[ชื่องาน], "ข้อมูลชื่องานต้นทางปลายทาง", "ชื่องาน", "ระยะทางคงที่")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: จำนวนจุดรับ / จุดส่ง

Column name	จำนวนจุดรับ / จุดส่ง
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=IN([ชื่องาน], LIST(\\"เขตปกครอง+เขตตำบล\","ออเรนจ์โคร","ไอโรบอท\"))","Required_If":null,"Editable_If": "=OR(\nUSERROLE() = \\"ADMIN\\" ,[สถานะการอนุมัติ]<>\\"อนุมัติ\"])","Reset_If": "=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: จำนวนร้านที่ยกขึ้นชั้น

Column name	จำนวนร้านที่ยกขึ้นชั้น
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=IN([ชื่องาน], LIST(\ "เอเทน\","ออเรนจ์โคร\"))","Required_If":null,"Editable_If":"=OR(\nUSERROLE() = \ "ADMIN\","[สถานะการอนุมัติ]<>\ "อนุมัติ\ ")","Reset_If":"=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data No

Column 16: ราคา

Column name	ราคา
Visible?	ALWAYS
Type	Price
Type Qualifier	<pre>{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR(\nUSERROLE() = \n\"ADMIN\" ,[สถานะการอนุมัติ]<>\nอนุมัติ\n)","Required_If":null,"Editable_If":"=USERROLE()= \n\"ADMIN\"","Reset_If":"=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]","Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	<pre>=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน] =IFS(ISBLANK([ชื่องาน]), 0, ISNOTBLANK(LOOKUP([_THISROW].[ชื่องาน], "ข้อมูลชื่องาน ต้นทางปลายทาง", "ชื่องาน", "ราคาคงที่")), LOOKUP([_THISROW]. [ชื่องาน], "ข้อมูลชื่องานต้นทางปลายทาง", "ชื่องาน", "ราคาคงที่") + [ราคาจุดเพิ่ม], ISNOTBLANK(LOOKUP([_THISROW].[Shipment No], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "ราคา")), LOOKUP([_THISROW].[Shipment No], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "ราคา"), TRUE, [ราคาตามระยะทาง] + [ราคาจุดเพิ่ม] + [ราคาเพิ่ม])</pre>
Initial value	
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data No

Column 17: Email ผู้อนุมัติ

Column name	Email ผู้อนุมัติ
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([สถานะการอนุมัติ]="อนุมัติ", USEREMAIL(), [Email ผู้อนุมัติ])
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: สถานะการอนุมัติ

Column name	สถานะการอนุมัติ
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["อนุมัติ","รอการอนุมัติ"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Messa

	ge_If_Invalid\":"null,\"Show_If\":"null,\"Required_If\":"null,\"Editable_If\":"null,\"Reset_If\":"null,\"Suggested_Values\":"null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE()=\"ADMIN\\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	"=รอการอนมัติ"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: ราคาในระบบหลังส่งสินค้า

Column name	ราคาในระบบหลังส่งสินค้า
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	Yes
Sensitive data	No

Column 20: รูปถ่ายหลังรถตอนขึ้นสินค้าเสร็จ

Column name	รูปถ่ายหลังรถตอนขึ้นสินค้าเสร็จ
Visible?	ALWAYS
Display name	=IF(IN([ชื่องาน], LIST("เบทาโกร","หม่าตุ","เอเท่น")), "รูปแคปหน้าจอ GPS", "รูปถ่ายหลังรถตอนขึ้นสินค้าเสร็จ")
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: รูปถ่ายบิลงาน

Column name	รูปถ่ายบิลงาน
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":"=Camera","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: รูปถ่ายบิลงานเพิ่ม1

Column name	รูปถ่ายบิลงานเพิ่ม1
Visible?	ALWAYS
Display name	=IF(IN([ชื่องาน], LIST("เบทาโกร","เหมาตุ")), "รูปแคปหน้าจอ GPS เพิ่ม1", "รูปถ่ายบิลงานเพิ่ม1")
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: รูปถ่ายบิลงานเพิ่ม2

Column name	รูปถ่ายบิลงานเพิ่ม2
Visible?	ALWAYS
Display name	=IF(IN([ชื่องาน], LIST("เบทาโกร","เหมาตุ")), "รูปแคปหน้าจอ GPS เพิ่ม2", "รูปถ่ายบิลงานเพิ่ม2")
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 24: เลือกเพิ่มเติม

Column name	เลือกเพิ่มเติม
Visible?	ALWAYS
Type	Enum {"EnumValues":["งานMeSpace+แพ็คสินค้า","จองรถ ก่อน14.00+แรงงาน1คน","เพิ่ม แรงงาน1คน"],"AllowOtherValues":false,"AutoCompleteOtherValu es":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":\
Type Qualifier	"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":="[ชื่องาน] =\"MeSpace\"","Required_If":null,"Editable_If":="OR(\nUSERROLE () = \"ADMIN\" ,[สถานะการอนุมัติ]<>\"อนุมัติ\")","Reset_If":=" [_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่อ งาน]","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=[_THISROW_BEFORE].[ชื่องาน] <> [_THISROW].[ชื่องาน]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: ยืนยันการกรอกข้อมูล

Column name	ยืนยันการกรอกข้อมูล
Visible?	ALWAYS
Description	=IF([ยืนยันการกรอกข้อมูล] = "ตรวจสอบข้อมูลเรียบร้อยแล้ว","จะไม่สามารถแก้ไขอะไรได้อีกหลังจากกด Save","")
Type	Enum {"EnumValues":["ไม่ได้ตรวจสอบ","ตรวจสอบข้อมูลเรียบร้อยแล้ว"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":=IF([ยืนยันการกรอกข้อมูล] = "ตรวจสอบข้อมูลเรียบร้อยแล้ว" , TRUE , FALSE),"Error_Message_If_Invalid":="กรุณาตรวจสอบข้อมูลที่กรอกเข้ามาอีกรอบ","Show_If":=ISNOTBLANK([รูปถ่าย бил งาน])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	= "ไม่ได้ตรวจสอบ"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: เดือน

Column name	เดือน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISBLANK([วันที่]), "", (YEAR([วันที่]) - IF(YEAR([วันที่]) > 2500, 543, 0)) & "-" & TEXT([วันที่], "MM"))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ระบุการเติมน้ำมัน

Column name	ระบุการเติมน้ำมัน
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"=มีการเติมน้ำมัน","NoLabel":"=ไม่มีการเติมน้ำมัน","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR(\n USERROLE() = \"ADMIN\", \n IN(\n USEREMAIL(), \n LIST(\n \"punpama1981@gmail.com\", \n \"thawatchai81335@gmail.com\", \n \"pramothyreiynphis@gmail.com\", \n

```

\pok556987@gmail.com\"," \kittipangladda@gmail.com\"," \n
\rupkaew2535@gmail.com\"," \n
\kamonwantanakun@gmail.com\"," \n
\phongsathorn979695@gmail.com\"," \n
\lovepaeza12@gmail.com\"," \n
\samroeng1216@gmail.com\"," \n \aofjena18@gmail.com\"," \n
\pakkelovemo@gmail.com\"," \n
\cgskkraphat290163@gmail.com\"," \n
\nont5641@gmail.com\"," \n )\n
)\n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested
_Values":null}

```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ราคาที่เต็ม

Column name	ราคาที่เต็ม
Visible?	ALWAYS
Type	Decimal
Type Qualifier	<pre> {"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits": 2,"NumericDigits":null,"ShowThousandsSeparator":true,"Number DisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":nu ll,"Show_If":="[ระบุการเติมน้ำมัน] = TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggest ed_Values":null} </pre>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: รูปถ่ายใบเสร็จน้ำมัน_ใบเล็ก

Column name	รูปถ่ายใบเสร็จน้ำมัน_ใบเล็ก
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[ระบุการเติมน้ำมัน] = TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: ระบุทางด่วนM-Flow

Column name	ระบุทางด่วนM-Flow
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{ "YesLabel": "ใช้ทางด่วน_M_Flow", "NoLabel": "ไม่ใช่ทางด่วน", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=AND(\n OR(\n USERROLE() = \"ADMIN\", \n IN(\n USEREMAIL(), \n LIST(\n \"punpama1981@gmail.com\", \n \"thawatchai81335@gmail.com\", \n \"pramothyreiynphis@gmail.com\", \n \"pok556987@gmail.com\", \n \"kittipangladda@gmail.com\", \n \"rupkaew2535@gmail.com\", \n \"kamonwantanakun@gmail.com\", \n \"phongsathorn979695@gmail.com\", \n \"lovepaeza12@gmail.com\", \n \"samroeng1216@gmail.com\", \n \"aofjena18@gmail.com\", \n \"pakkelovemo@gmail.com\", \n \"cgskkraphat290163@gmail.com\", \n \"nont5641@gmail.com\" \n) \n) \n), \n ISNOTBLANK([ระบุการเติมน้ำมัน]) \n)", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: จำนวนด้าน

Column name	จำนวนด้าน
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[ระบบทางด่วนM-Flow] = TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: รูปสลิปการโอน

Column name	รูปสลิปการโอน
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[ระบุทางด่วนM-Flow] = TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 33: ระบุการซ่อมบำรุง

Column name	ระบุการซ่อมบำรุง
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel": "มีการเข้าซ่อม", "NoLabel": "ไม่มีการเข้าซ่อม", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "AND(\n OR(\n USERROLE() = \"ADMIN\", \n IN(\n USEREMAIL(), \n LIST(\n \"punpama1981@gmail.com\", \n \"thawatchai81335@gmail.com\", \n \"pramothyreiynphis@gmail.com\", \n \"pok556987@gmail.com\", \n \"kittipangladda@gmail.com\", \n \"rupkaew2535@gmail.com\", \n \"kamonwantanakun@gmail.com\", \n \"phongsathorn979695@gmail.com\", \n \"lovepaeza12@gmail.com\", \n \"samroeng1216@gmail.com\", \n \"aofjena18@gmail.com\", \n \"pakkelovemo@gmail.com\", \n \"cgskkraphat290163@gmail.com\", \n

	\"nont5641@gmail.com\"\\n)\\n)\\n),\\n ISNOTBLANK([ระบบทางด่วนM-Flow])\\n)\";\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: ราคาตามบิล

Column name	ราคาตามบิล
Visible?	ALWAYS
Type	Number
Type Qualifier	{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":\"=[ระบบการซ่อมบำรุง] = TRUE\",\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: รูปถ่ายบิลซ่อมบำรุง

Column name	รูปถ่ายบิลซ่อมบำรุง
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[ระบุการซ่อมบำรุง] = TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: ราคาจุดเพิ่ม

Column name	ราคาจุดเพิ่ม
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=OR(USERROLE() = \"Admin\", [สถานะการอนุมัติ] = \"อนุมัติ\")", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=IFS(AND([ชื่องาน] = "เบทาโกร+เหมาตุ้ม", [จำนวนจุดรับ / จุดส่ง] >= 11), ([จำนวนจุดรับ / จุดส่ง] - 11) * 50, AND([ชื่องาน] = "ไอโรบอท", [จำนวนจุดรับ / จุดส่ง] >= 1), ([จำนวนจุดรับ / จุดส่ง] - 1) * 100, [ชื่องาน] = "ออเรนจ์โคโร", (([จำนวนจุดรับ / จุดส่ง] - 1) * 100) + ([จำนวนร้านที่ยกขึ้นชั้น] * 300), [ชื่องาน] = "เอเท่น", [จำนวนร้านที่ยกขึ้นชั้น] * 250, TRUE, 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 37: ราคาตามระยะทาง

Column name	ราคาตามระยะทาง
Visible?	ALWAYS
Type	Price

Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=OR(USERROLE() = \"Admin\", [สถานะการอนุมัติ] = \"อนุมัติ\")", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=ANY(SELECT(Price_Table[Price], AND(IN([_THISROW].[ชื่อ งาน], SPLIT([ชื่อ งาน], ",")), [เรทน้ำมัน_Minimum] <= [_THISROW].[เรทดีเซล], [เรทน้ำมัน_Maximum] >= [_THISROW].[เรทดีเซล], [ระยะทาง_Minimum] <= [_THISROW].[ระยะทางที่วิ่ง (KM)], [ระยะทาง_Maximum] >= [_THISROW].[ระยะทางที่วิ่ง (KM)])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: เรทดีเซล

Column name	เรทดีเซล
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

App formula

Hidden	No
--------	----

Formula version 0

System Defined? No

Part of Key?	No
--------------	----

Editable Initial

Virtual? Yes

Searchable	No
------------	----

Sensitive data	No
----------------	----

Column name ราคาเพิ่ม

Visible?	ALWAYS
----------	--------

Type	Price
------	-------

Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "[ชื่องาน] =\ \"MeSpace\ \"", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=IF([เลือกเพิ่มเติม] = "เพิ่มแรงงาน1คน", 500, IF([เลือกเพิ่มเติม] = "จองรถก่อน14.00+แรงงาน1คน", 1200, IF([เลือกเพิ่มเติม] = "งานMeSpace+แพ็คเกจสินค้า", 2400, 0)))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 40: ข้อความแจ้งเตือน

Column name	ข้อความแจ้งเตือน
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=TRUE", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=IF([ยืนยันการกรอกข้อมูล] = "ตรวจสอบข้อมูลเรียบร้อยแล้ว",  ยืนยันสำเร็จ กลับไปบันทึกข้อมูลได้, "")
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: ราคาหลังส่งสินค้า

Column name	ราคาหลังส่งสินค้า
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "ErrorMessage_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=LOOKUP([_THISROW].[Shipment No], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "ราคาหลังส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 42: ราคาก่อนส่งสินค้า

Column name	ราคาก่อนส่งสินค้า
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "ErrorMessage_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=LOOKUP([_THISROW].[Shipment No], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "ราคา")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 43: ราคาที่อนุมัติแล้ว

Column name	ราคาที่อนุมัติแล้ว
-------------	--------------------

Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=OR(USERROLE() = \"Admin\", [สถานะการอนุมัติ] = \"อนุมัติ\")", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=IF([สถานะการอนุมัติ] = "อนุมัติ", [ราคา], 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 44: SM

Column name	SM
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": false, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=LEFT([พินอริบายทุกอย่างที่สำคัญ], FIND("//", [พินอริบายทุกอย่างที่สำคัญ]) - 1)

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 45: ราคาหลังส่งเอเรน

Column name	ราคาหลังส่งเอเรน
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=IF([ชื่องาน] = "เอเรน", LOOKUP([SM], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "ราคาหลังส่งสินค้า"), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ตารางงานประจำวัน_Schema

Schema Name	ตารางงานประจำวัน_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_งานประจำวัน

Column name	ID_งานประจำวัน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Plan Delivery

Column name	Plan Delivery
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset

	_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Shipment No

Column name	Shipment No
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: รหัสผู้รับเหมา

Column name	รหัสผู้รับเหมา
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ชื่อผู้รับเหมา

Column name	ชื่อผู้รับเหมา
-------------	----------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: รหัสลูกค้า

Column name	รหัสลูกค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: ชื่อเจ้าของสินค้า

Column name	ชื่อเจ้าของสินค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: ชื่อปลายทาง

Column name	ชื่อปลายทาง
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ที่อยู่ปลายทาง

Column name	ที่อยู่ปลายทาง
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: ที่อยู่ปลายทาง_LatLong

Column name	ที่อยู่ปลายทาง_LatLong
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ชื่อวัสดุ

Column name	ชื่อวัสดุ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: จำนวนสินค้า

Column name	จำนวนสินค้า
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: หน่วย

Column name	หน่วย
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: ItemWeight

Column name	ItemWeight
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 19: DeliveryNo

Column name	DeliveryNo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: จำนวนปลายทาง_System

Column name	จำนวนปลายทาง_System
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: รายชื่อปลายทาง_System

Column name	รายชื่อปลายทาง_System
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: ScanStatus

Column name	ScanStatus
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["รอสแกน","คลังตัดสินค้า","สแกนรับแล้ว"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":null}

	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: DeliveryStatus

Column name	DeliveryStatus
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: จำนวนสินค้ารวมของร้านนี้

Column name	จำนวนสินค้ารวมของร้านนี้
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: น้ำหนักสินค้ารวมของร้านนี้

Column name	น้ำหนักสินค้ารวมของร้านนี้
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: จำนวน_Invoice_ที่ต้องสแกน

Column name	จำนวน_Invoice_ที่ต้องสแกน
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 28: LatLong_Actual

Column name	LatLong_Actual
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 29: ชื่อเจ้าของสินค้า_Invoice_ที่ต้องสแกน

Column name	ชื่อเจ้าของสินค้า_Invoice_ที่ต้องสแกน
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: ShopKey

Column name	ShopKey
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: MATCH_KEY

Column name	MATCH_KEY
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: MD_ID

Column name	MD_ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 33: LatLong_Actual_Status

Column name	LatLong_Actual_Status
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 34: จำนวนปลายทาง

Column name	จำนวนปลายทาง
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(ตารางงานประจำวัน[ชื่อปลายทาง], [Shipment No] = [_THISROW].[Shipment No])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 35: ลำดับแรก

Column name	ลำดับแรก
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[_ROWNUMBER] = MIN(SELECT(ตารางงานประจำ วัน[_ROWNUMBER], [Shipment No] = [_THISROW].[Shipment No],))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 36: จำนวนจุดที่ส่งจริง

Column name	จำนวนจุดที่ส่งจริง
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(SCGนครหลวงJWDภูมิภาค[Shipment No], [Shipment No] = [_THISROW].[Shipment No]))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 37: เดือน

Column name	เดือน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISBLANK([Plan Delivery]), "", CONCATENATE(YEAR([Plan Delivery]) - IF(YEAR([Plan Delivery]) > 2500, 543, 0), "-", TEXT([Plan Delivery], "MM")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Related SCGนครหลวงJWDภูมิภาค

Column name	Related SCGนครหลวงJWDภูมิภาค
Visible?	ALWAYS
Description	SCGนครหลวงJWDภูมิภาค entries that reference this entry in the SM_Link_SCG column
Type	List {"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"SCGนครหลวงJWDภูมิภาค","ReferencedRootTableName":"SCGนครหลวงJWDภูมิภาค","ReferencedType":"Text","ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"ID_SCGนครหลวงJWDภูมิภาค","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ItemSeparator":",","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
App formula	=REF_ROWS("SCGนครหลวงJWDภูมิภาค", "SM_Link_SCG")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 39: Related แจ้งปัญหาระหว่างวัน

Column name	Related แจ้งปัญหาระหว่างวัน
Visible?	ALWAYS
Description	แจ้งปัญหาระหว่างวัน entries that reference this entry in the SM_Link column
Type	List
Type Qualifier	<pre> {"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"\แจ้งปัญหาระหว่าง วัน\","ReferencedRootTableName":"\แจ้งปัญหาระหว่าง วัน\","ReferencedType":"Text\","ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFor matting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_ Message_If_Invalid":null,"Show_If":null,"Required_ If":null,"Editable_If":null,"Reset_If":null,"Sugges ted_Values":null},"ReferencedKeyColumn":"ID_แจ้งปัญหา ระหว่าง วัน","IsAPartOf":false,"RelationshipName":null,"InputMode\ ":"Auto\","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null ,"Suggested_Values":null},"ItemSeparator":", ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Req uired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": null} </pre>
App formula	REF_ROWS("แจ้งปัญหาระหว่างวัน", "SM_Link")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 40: Related ScanDocs

Column name	Related ScanDocs
Visible?	ALWAYS
Description	ScanDocs entries that reference this entry in the Invoice_No column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "\", "ReferencedTableName": "\"ScanDocs\"", "ReferencedRootTableName": "\"ScanDocs\"", "ReferencedType": "\"Text\"", "ReferencedTypeQualifier": "\", \"\"MaxLength\"\": null, \"\"MinLength\"\": null, \"\"LongTextFormatting\"\": \"\"PlainText\"\", \"\"IsMulticolumnKey\"\": false, \"\"Valid_If\"\": null, \"\"Error_Message_If_Invalid\"\": null, \"\"Show_If\"\": null, \"\"Required_If\"\": null, \"\"Editable_If\"\": null, \"\"Reset_If\"\": null, \"\"Suggested_Values\"\": null } \", "ReferencedKeyColumn": "ID_ScanDocs", "IsAPartOf": false, "RelationshipName": null, "InputMode": "\"Auto\"", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("ScanDocs", "Invoice_No")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name ราคาน้ำมันดีเซล_Schema

Schema Name	ราคาน้ำมันดีเซล_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_น้ำมันดีเซล

Column name	ID_น้ำมันดีเซล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 3: วันที่

Column name	วันที่
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ราคา/หน่วย

Column name	ราคา/หน่วย
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ราคาในระบบก่อนส่งสินค้า_Schema

Schema Name	ราคาในระบบก่อนส่งสินค้า_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_ราคา

Column name	ID_ราคา
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[1]<>"", "ในระบบ-" & ROW(), "")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No

Scannable	No
Sensitive data	No

Column 3: Shipment No

Column name	Shipment No
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: วันที่ส่งสินค้า

Column name	วันที่ส่งสินค้า
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ชื่อต้นทาง

Column name	ชื่อต้นทาง
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ชื่อปลายทาง

Column name	ชื่อปลายทาง
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Truck Type

Column name	Truck Type
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Weight (t)

Column name	Weight (t)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 11: น้ำหนัก

Column name	น้ำหนัก
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: ระยะทาง (km)

Column name	ระยะทาง (km)
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ราคา

Column name	ราคา
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 14: ราคาหลังส่งสินค้า

Column name	ราคาหลังส่งสินค้า
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	No
Label	No
Spreadsheet formula	=ArrayFormula(XLOOKUP(RC[-11],'ราคาในระบบหลังส่งสินค้า!C[-12]:C[-12],ราคาในระบบหลังส่งสินค้า!C[-9]:C[-9]))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: เดือน

Column name	เดือน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISBLANK([วันที่ส่งสินค้า]), "", CONCATENATE(YEAR([วันที่ส่งสินค้า]) - IF(YEAR([วันที่ส่งสินค้า]) > 2500, 543, 0), "-", TEXT([วันที่ส่งสินค้า], "MM")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name หน้าหลัก_Schema

Schema Name	หน้าหลัก_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ชื่อรายการ

Column name	ชื่อรายการ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ไอคอน

Column name	ไอคอน
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	e_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Link

Column name	Link
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ปรีนใบวางบิล_Schema

Schema Name	ปรีนใบวางบิล_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data No

Column 2: ID_ปริญโใบวางบิล

Column name	ID_ปริญโใบวางบิล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ชื่องาน

Column name	ชื่องาน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=ข้อมูลชื่องานต้นทางปลายทาง[ชื่อ งาน]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: StartDate

Column name	StartDate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: EndDate

Column name	EndDate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ราคารวม

Column name	ราคารวม
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_

	Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(ข้อมูลการวางบิล[ราคา], AND([ชื่องาน]=[_THISROW].[ชื่องาน],[วันที่] >= [_THISROW].[Startdate], [วันที่] <= [_THISROW].[Enddate])))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Export to xlsx

Column name	Export to xlsx
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Export to xlsx To Athens

Column name	Export to xlsx To Athens
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ปรี้นใบวางบิลแยกตามชื่องาน

Column name	ปรี้นใบวางบิลแยกตามชื่องาน
Visible?	ALWAYS

Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: วันที่ออกเอกสาร

Column name	วันที่ออกเอกสาร
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: ผลลัพธ์

Column name	ผลลัพธ์
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": " {\\"ReferencedTableName\\": \\"ข้อมูลการวาง บิล\\", \\"ReferencedRootTableName\\": \\"ข้อมูลการวาง บิล\\", \\"ReferencedType\\": \\"Text\\", \\"ReferencedTypeQualifier\\": \" {\\"\\\"MaxLength\\\"\\\": null, \\"\\\"MinLength\\\"\\\": null, \\"\\\"LongTextFor matting\\\"\\\": \\"\\\"Plain Text\\\"\\\", \\"\\\"IsMulticolumnKey\\\"\\\": false, \\"\\\"Valid_If\\\"\\\": null, \\"\\\"Er ror_Message_If_Invalid\\\"\\\": null, \\"\\\"Show_If\\\"\\\": null, \\"\\\"Required _If\\\"\\\": null, \\"\\\"Editable_If\\\"\\\": null, \\"\\\"Reset_If\\\"\\\": null, \\"\\\"Sugges ted_Values\\\"\\\": null}\\", \\"ReferencedKeyColumn\\": \\"ID_วาง บิล\\", \\"IsAPartOf\\": false, \\"RelationshipName\\": null, \\"InputMode \\": \\"Auto\\", \\"Valid_If\\": null, \\"Error_Message_If_Invalid\\": null, \\"Sh ow_If\\": null, \\"Required_If\\": null, \\"Editable_If\\": null, \\"Reset_If\\": nu ll, \\"Suggested_Values\\": null}\\", \\"ItemSeparator\\": \" \", \\"Valid_If\\": null, \\"Error_Message_If_Invalid\\": null, \\"Show_If\\": null, \\"Req uired_If\\": null, \\"Editable_If\\": null, \\"Reset_If\\": null, \\"Suggested_Values\\": null} =FILTER(\"ข้อมูลการวางบิล\", (AND([ชื่องาน]=[THISROW].[ชื่องาน], [วันที่]>=[THISROW].[StartDate], [วันที่]<=[THISROW]. [EndDate])))</pre>
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name PDFพนักงาน_Schema

Schema Name	PDFพนักงาน_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_XLSXพนักงาน

Column name	ID_XLSXพนักงาน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
-------------	----------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=ข้อมูลพนักงาน[ชื่อ - นามสกุล]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: StartDate

Column name	StartDate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: EndDate

Column name	EndDate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ราคารวม

Column name	ราคารวม
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=SUM(SELECT(ข้อมูลการวางบิล[ราคา], AND([ชื่อ - นามสกุล]=[_THISROW].[ชื่อ - นามสกุล],[วันที่] >= [_THISROW].[Startdate], [วันที่] <= [_THISROW].[Enddate])))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Export to XLSX

Column name	Export to XLSX
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{ "YesLabel": "", "NoLabel": "", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ชื่อไฟล์

Column name	ชื่อไฟล์
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: ผลลัพธ์.

Column name	ผลลัพธ์.
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "\\", "ReferencedTableName": "\\", "ReferencedRootTableName": "\\", "ReferencedType": "\\", "ReferencedTypeQualifier": "\\", "MaxLength": null, "MinLength": null, "LongTextFormatting": "\\", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "ID_วาง", "IsAPartOf": false, "RelationshipName": null, "InputMode": "\\", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": " , ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	<pre>=FILTER("ข้อมูลการวางบิล", (AND([ชื่อ - นามสกุล]=[THISROW].[ชื่อ - นามสกุล], [วันที่]>=[THISROW].[StartDate], [วันที่]<=[THISROW].[EndDate]))))</pre>
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: debugstartdate

Column name	debugstartdate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[StartDate]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: debugenddate

Column name	debugenddate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset

	_If":null,"Suggested_Values":null}
App formula	=[EndDate]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name แจ้งปัญหาระหว่างวัน_Schema

Schema Name	แจ้งปัญหาระหว่างวัน_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_แจ้งปัญหาระหว่างวัน

Column name	ID_แจ้งปัญหาระหว่างวัน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: กดปุ่มนี้เพื่อส่งข้อมูลแจ้งปัญหา

Column name	กดปุ่มนี้เพื่อส่งข้อมูลแจ้งปัญหา
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{ "YesLabel": "", "NoLabel": "", "Valid_If": "=OR(\n ISBLANK([กดปุ่มนี้เพื่อส่งข้อมูลแจ้งปัญหา]),\n NOT([กดปุ่มนี้เพื่อส่งข้อมูลแจ้งปัญหา])\n)", "Error_Message_If_Invalid": null, "Show_If": "=AND(\n ISNOTBLANK([รูป1]),\n ISNOTBLANK([รูป2]),\n ISNOTBLANK([รูป3]),\n NOT([กดปุ่มนี้เพื่อส่งข้อมูลแจ้งปัญหา])\n)", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=false
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ข้อมูลการแจ้งปัญหา

Column name	ข้อมูลการแจ้งปัญหา
Visible?	ALWAYS

Type	Enum
Type Qualifier	{ "EnumValues": ["สินค้าชำรุด ตอนขึ้นงาน แจ้งคลังตรวจสอบแล้ว ทางคลังไม่เซ็นรับทราบให้ แจ้งเพื่อทราบครับ", "ถังน้ำมัน 200 ลิตร สินค้ามีน้ำหนักเกินก๊วจะเสียหายตอนจัดส่ง สอบถามลูกค้าแล้วไม่มี รถตักสินค้าให้ครับ ", "ลูกค้าไม่รับสาย ติดต่อ 3 ครั้งแล้ว", "ร้าน ปิด", "เบอร์โทรผิด ขอเบอร์ติดต่อลูกค้าใหม่ครับ", "ติดต่อกลูกค้าไม่ได้ เข้าหาพนักงานไม่ถูก ขอโลเคชั่น และ เบอร์โทรติดต่อใหม่ครับ", "ที่อยู่ หน้าเอกสารกับที่อยู่หน้ากล่องไม่ตรงกัน ให้จัดส่งที่ไหนครับ", "ที่อยู่ผิด ", "สินค้าเสียหาย / ชำรุด", "ลูกค้าไม่สะดวกรับสินค้า", "จัดส่งสินค้า ไม่ทัน", "ไม่มีในจุดส่งงานวันนี้ ไม่สามารถเข้ารับงานคืนให้ได้", "ปัญหา อื่นๆ *ใส่ปัญหาใน หมายเหตุ*", "AllowOtherValues": false, "AutoCompleteOtherValues ": false, "BaseType": "Text", "BaseTypeQualifier": " { "MaxLength": null, "MinLength": null, "LongTextFormatting": "\ Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Messa ge_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable _If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInpu tMode": "Dropdown", "Valid_If": "", "Error_Message_If_Invalid": null, "S how_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Su ggested_Values": "" }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: รูป1

Column name	ຮູບ1
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ຮູບ2

Column name	ຮູບ2
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: รูป3

Column name	รูป3
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: หมายเลข

Column name	หมายเหตุ
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: วันที่+เวลา

Column name	วันที่+เวลา
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE() = \"ADMIN\\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ชื่อ - นามสกุล]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data No

Column 11: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ทะเบียนรถ]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: รหัสผู้รับเหมา

Column name	รหัสผู้รับเหมา
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Invoice No])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[SM_Link].[รหัสผู้รับเหมา]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ชื่อผู้รับเหมา

Column name	ชื่อผู้รับเหมา
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Invoice No])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[SM_Link].[ชื่อผู้รับเหมา]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Shipment No

Column name	Shipment No
Visible?	ALWAYS
Type	Number
Type Qualifier	<pre>{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto", "Valid_If":"=IF(USERROLE() = \"ADMIN\",\\n (SM_Today_User[Shipment No] + \\n SELECT(ข้อมูลงานRT[Shipment (รับคืน)], [วันที่เข้ารับ] = TODAY()))\\n IF([ข้อมูลการแจ้งปัญหา] = \"ไม่มีในจุดส่งงานวันนี้ ไม่สามารถเข้ารับงานคืนให้ได้\",\\n SELECT(ข้อมูลงานRT[Shipment (รับคืน)], \\n AND([Emailพนักงาน] = USEREMAIL(), [วันที่เข้ารับ] = TODAY())\\n),\\n SM_Today_User[Shipment No]\\n)\\n)","Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data

No

Column 15: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	EnumList
Type Qualifier	<pre>{ "ItemSeparator": ",", "EnumValues": [{ "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Dropdown", "Valid_If": "=UNIQUE(\n IF(USERROLE() = \"ADMIN\",\n SELECT(ตารางงานประจำวัน[Invoice No], [Shipment No] = [_THISROW].[Shipment No]) +\n SELECT(ข้อมูลงานRT[เลขที่เอกสารรับคืน], [Shipment (รับคืน)] = [_THISROW].[Shipment No]),\n IF([ข้อมูลการแจ้งปัญหา] = \"ไม่มีในจุดส่งงานวันนี้ ไม่สามารถเข้ารับงานคืนให้ได้\", \n SELECT(ข้อมูลงานRT[เลขที่เอกสารรับคืน],\n AND(\n [Shipment (รับคืน)] = [_THISROW].[Shipment No],\n [Email พนักงาน] = USEREMAIL(),\n [วันที่เข้ารับ] = TODAY()\n)\n),\n SELECT(SM_Today_User[Invoice No], \n AND(\n [Shipment No] = [_THISROW].[Shipment No],\n [DeliveryStatus] <> \"จัดส่งเรียบร้อยแล้ว\", \n NOT(IN([Invoice No], SELECT(แจ้งปัญหาระหว่างวัน[Invoice No], [Shipment No] = [_THISROW].[Shipment No])))\n)\n)\n)\n)\n + [_THISROW].[Invoice No]\n) - LIST(\"\"),\n \"Error_Message_If_Invalid\": null,\n \"Show_If\": null,\n \"Required_If\": null,\n \"Editable_If\": null,\n \"Reset_If\": null,\n \"Suggested_Values\": \"\" }] }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: รหัสลูกค้า

Column name	รหัสลูกค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Invoice No])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISNOTBLANK([SM_Link]), [SM_Link].[รหัสลูกค้า], IF(ISNOTBLANK([RT_Link]), [RT_Link].[รหัสลูกค้า], "ไม่พบข้อมูล"))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ชื่อปลายทาง

Column name	ชื่อปลายทาง
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Invoice No])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISNOTBLANK([SM_Link]), [SM_Link].[ชื่อปลายทาง], IF(ISNOTBLANK([RT_Link]), [RT_Link].[ชื่อลูกค้าที่เข้ารับ], "ไม่พบข้อมูล"))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: ใส่ข้อมูลการแจ้งปัญหา เพื่อนับจุดส่งงาน

Column name	ใส่ข้อมูลการแจ้งปัญหา เพื่อนับจุดส่งงาน
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([เพิ่มรูปแคปหน้าจอ นากลับคืน

	คลัง]);","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: เพิ่มรูปแคปหน้าจอ นำกลับคืนคลัง

Column name	เพิ่มรูปแคปหน้าจอ นำกลับคืนคลัง
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: อัปเดตข้อมูลการแจ้งปัญหา ไป ตารางส่งงานSCG

Column name	อัปเดตข้อมูลการแจ้งปัญหา ไป ตารางส่งงานSCG
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":"=OR(\n ISBLANK([อัปเดตข้อมูลการแจ้งปัญหา ไป ตารางส่งงานSCG]),\n NOT([อัปเดตข้อมูลการแจ้งปัญหา ไป ตารางส่งงานSCG])\n)","Error_Message_If_Invalid":"","Show_If":"=AND(\n ISNOTBLANK([ใส่ข้อมูลการแจ้งปัญหา เพื่อบันทึกส่งงาน]),\n ISNOTBLANK([เพิ่มรูปแคปหน้าจอ นำกลับคืนคลัง]),\n NOT([อัปเดตข้อมูลการแจ้งปัญหา ไป ตารางส่งงานSCG])\n)","Required_If":null,"Editable_If":"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=false
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: Lat/Long

Column name	Lat/Long
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=HERE()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 22: LatLong_ตรวจสอบ

Column name	LatLong_ตรวจสอบ
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":"","Error_Message_If_Invalid":"","Show_If":"","Required_If":null,"Editable_If":null,"Reset_If":"=ISNOTBLANK([เพิ่มรูปแคปหน้าจอ นำกลับคืนคลัง])","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	=ISNOTBLANK([เพิ่มรูปแคปหน้าจอ นำกลับคืนคลัง])
Initial value	=HERE()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "=USERROLE() = \"ADMIN\\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 24: เดือน

Column name	เดือน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISBLANK([วันที่+เวลา]), "", (YEAR(DATE([วันที่+เวลา])) - IF(YEAR(DATE([วันที่+เวลา])) > 2500, 543, 0)) & "-" & TEXT(DATE([วันที่+เวลา]), "MM")))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: SM_Link

Column name	SM_Link
Visible?	ALWAYS
Type	Ref

Type Qualifier	{ "ReferencedTableName":"ตารางงานประจำวัน", "ReferencedRootTableName":"ตารางงานประจำวัน", "ReferencedType":"Text", "ReferencedTypeQualifier":{ "MaxLength":null, "MinLength":null, "LongTextFormatting":\ "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null}, "ReferenceKeyColumn":"ID_งานประจำวัน", "IsAPartOf":false, "RelationshipName":null, "InputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=ANY(SELECT(ตารางงานประจำวัน[ID_งานประจำวัน], AND([Invoice No] = ANY([_THISROW].[Invoice No]), [_ROWNUMBER] = MIN(SELECT(ตารางงานประจำวัน[_ROWNUMBER], [Invoice No] = ANY([_THISROW].[Invoice No]))))))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: RT_Link

Column name	RT_Link
Visible?	ALWAYS
Type	Ref

Type Qualifier	{ "ReferencedTableName": "ข้อมูล งานRT", "ReferencedRootTableName": "ข้อมูล งานRT", "ReferencedType": "Text", "ReferencedTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \" Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Messa ge_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable _If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "Reference dKeyColumn": "ID_RT", "IsAPartOf": false, "RelationshipName": null, " InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, " Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"S uggested_Values\": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=ANY(SELECT(ข้อมูลงานRT[ID_RT], [เลขที่เอกสารรับคืน] = ANY([_THISROW].[Invoice No])))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: SCGนครหลวงJWDภูมิภาค_ID

Column name	SCGนครหลวงJWDภูมิภาค_ID
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: ID_พนักงาน

Column name	ID_พนักงาน
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre> {"ReferencedTableName":"ข้อมูลพนักงาน","ReferencedRootTableName":"ข้อมูลพนักงาน","ReferencedType":"Text","ReferencedTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"ID_พนักงาน","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=USERROLE()=\\"ADMIN\\"","Required_If":null,"Editable_If":"=USERROLE()=\\"ADMIN\\"","Reset_If":null,"Suggested_Values":null} </pre>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ID_พนักงาน")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: LINK_Image_แจ้งปัญหา

Column name	LINK_Image_แจ้งปัญหา
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=TEXT(LIST(IF(ISNOTBLANK([รูป1]), CONCATENATE("https://www.appsheet.com/template/gettablefileurl?", "appName=", ENCODEURL("เผ่าปัญญาทธานสปอร์ต-915154893"), "&appId=", ENCODEURL("70999aca-5a1f-4dfc-907b-417bc046f574"), "&tableName=", ENCODEURL("แจ้งปัญหาระหว่างวัน"), "&fileName=", ENCODEURL([รูป1])), ""), IF(ISNOTBLANK([รูป2]), CONCATENATE("https://www.appsheet.com/template/gettablefileurl?", "appName=", ENCODEURL("เผ่าปัญญาทธานสปอร์ต-915154893"), "&appId=", ENCODEURL("70999aca-5a1f-4dfc-907b-417bc046f574"), "&tableName=", ENCODEURL("แจ้งปัญหาระหว่างวัน"), "&fileName=", ENCODEURL([รูป2])), ""),

```
IF(ISNOTBLANK([รูป3]), CONCATENATE(
"https://www.appsheets.com/template/gettablefileurl?",
"appName=", ENCODEURL("เผ่าปัญญาทธานสปอร์ต-915154893"),
"&appId=", ENCODEURL("70999aca-5a1f-4dfc-907b-
417bc046f574"), "&tableName=", ENCODEURL("แจ้งปัญหา
ระหว่างวัน"), "&fileName=", ENCODEURL([รูป3]) ), "" ) )
```

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name รับงานคืนได้เงิน200_Schema

Schema Name	รับงานคืนได้เงิน200_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"R

	required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_รับงานคืนได้เงิน200

Column name	ID_รับงานคืนได้เงิน200
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: สถานะการเข้ารับสินค้า

Column name	สถานะการเข้ารับสินค้า
Visible?	ALWAYS
Display name	=IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้", "ตรวจสอบก่อนกดบันทึก", IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม50%) ของค่าเที่ยว", "สอบถามแอดมินก่อนกด", IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด", "ตรวจสอบก่อนกดบันทึก", IF([สถานะการเข้ารับสินค้า] = "ทำเบิกค่ายกขึ้นชั้น", "สอบถามแอดมินก่อนกด", "สถานะการเข้ารับสินค้า")))
Type	Enum {"EnumValues":["(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้","(ไม่ได้เพิ่ม) มีในจุดที่ ส่งงานวันนี้","(ได้เพิ่ม50%) ของค่าเที่ยว","(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด","ทำเบิกค่ายกขึ้นชั้น","เบิกค่าขนส่งตามระยะทาง"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{"MaxLength":null,"MinLength":null,"LongTextFormatting":\PlainText\,"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: วันที่เข้ารับ

Column name	วันที่เข้ารับ
Visible?	ALWAYS
Display name	=IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้", "ถ้าตรวจสอบเจอว่าทุจริต ปรับ 10 เท่า", IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม50%) ของค่าเที่ยว", "แอดมินจะต้องอนุมัติแล้วเท่านั้น", IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม200) ไม่มีสินค้าคืนหรือ ร้านปิด", "ถ้าตรวจสอบเจอว่าทุจริต ปรับ 10 เท่า", IF([สถานะการเข้ารับสินค้า] = "ทำเบิกค่ายกขึ้นชั้น", "แอดมินจะต้องอนุมัติแล้วเท่านั้น", ""))))
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "=USERROLE() = \"ADMIN\\\"", "Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 5: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ชื่อ - นามสกุล]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ทะเบียนรถ]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Shipment (หลัก)

Column name	Shipment (หลัก)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":"=IF(\n\nUSERROLE()= \"ADMIN\", \n SELECT(\n ข้อมูลงานRT[Shipment (หลัก)], \n TRUE \n), \n SELECT(\n ข้อมูลงานRT[Shipment (หลัก)], \n AND(\n [ชื่อ - นามสกุล] =[_THISROW].[ID_พนักงาน].[ชื่อ - นามสกุล], \n [วันที่เข้ารับ] = TODAY() \n) \n) \n)","Error_Message_If_Invalid":null,"Show_If":"=IN([สถานะการเข้ารับสินค้า],{\n(\"ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้\", \n(\"ไม่ได้เพิ่ม) มีในจุดที่ ส่งงานวันนี้\", \n(\"ได้เพิ่ม50%) ของค่าเที่ยว\", \n(\"ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด\"])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Shipment (รับคืน)

Column name	Shipment (รับคืน)
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":"","Error_Message_If_Invalid":null,"Show_If":"=IN([สถานะการเข้ารับสินค้า],{\\"(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้\\",\\"(ไม่ได้เพิ่ม) มีในจุดที่ ส่งงานวันนี้\\",\\"(ได้เพิ่ม50%) ของค่าเที่ยว\\",\\"(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด\\"})","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Shipment (หลัก)],"ข้อมูลงานRT","Shipment (หลัก)","Shipment (รับคืน)")
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: เลขที่เอกสารรับคืน

Column name	เลขที่เอกสารรับคืน
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=IF(\nUSERROLE() = \ADMIN\,\n SELECT(\n ข้อมูลงานRT[เลขที่เอกสารรับคืน],\n IN([Shipment (รับคืน)], LIST([_THISROW].[Shipment (รับคืน)])) \n),\n\n SELECT(\n ข้อมูลงานRT[เลขที่เอกสารรับคืน],\n AND(\n IN([Shipment (รับคืน)], LIST([_THISROW].[Shipment (รับคืน)])),\n [ชื่อ - นามสกุล] = [_THISROW].[ID_พนักงาน].[ชื่อ - นามสกุล],\n [วันที่ เข้ารับ] = TODAY(),\n NOT(IN([เลขที่เอกสารรับคืน], SELECT(รับงาน คืนได้เงิน200[เลขที่เอกสารรับคืน], TRUE)))\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":"=IN([สถานะการ เข้ารับสินค้า],{\n(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้\","(ไม่ได้เพิ่ม มีในจุดที่ ส่งงานวันนี้\","(ได้เพิ่ม50%) ของค่าเที่ยว\","(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้าน ปิด\})","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggest ed_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: จำนวนสินค้า

Column name	จำนวนสินค้า
Visible?	ALWAYS
Type	Number
Type Qualifier	<pre>{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=IN([สถานะการเข้ารับสินค้า],{"(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้","(ไม่ได้เพิ่ม) มีในจุดที่ ส่งงานวันนี้","(ได้เพิ่ม50%) ของค่า เทียบ","เบิกค่าขนส่งตามระยะทาง","ทำเบิกค่ายกขึ้นชั้น"})","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Shipment No

Column name	Shipment No
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":"=SM_Today_User 2[Shipment No]","Error_Message_If_Invalid":null,"Show_If":"=IN([สถานะการเข้ารับสินค้า],{"\เบิกค่าขนส่งตามระยะทาง","\ทำเบิกค่ายกขึ้นชั้น\})", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	EnumList
Type Qualifier	{"ItemSeparator":",","EnumValues":["AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"Plain

	Text\","IsMulticolumnKey":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":"=IF(\n ISBLANK([Shipment No]),\n LIST(),\n UNIQUE(\n SELECT(\n SM_Today_User 2[Invoice No],\n AND(\n [Shipment No] = [_THISROW].[Shipment No],\n NOT(\n IN(\n [Invoice No],\n รับงานคืนได้ เงิน200[Invoice No]\n)\n)\n)\n)\n + [_THISROW].[Invoice No]\n)\n)\n - LIST(\"\\")\n)","Error_Message_If_Invalid":null,"Show_If":"=IN([สถานะการเข้ารับสินค้า],{\n เบิกค่าขนส่งตามระยะทาง\","\\ทำเบิกค่ายกขึ้น\nขึ้น\\")},"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ชื่อเจ้าของสินค้า

Column name	ชื่อเจ้าของสินค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF(IN([สถานะการเข้ารับสินค้า],{"เบิกค่าขนส่งตามระยะทาง","ทำเบิกค่ายกขึ้นชั้น"}), LOOKUP(ANY([_THISROW].[Invoice No]), "ตารางงานประจำวัน", "Invoice No", "ชื่อเจ้าของสินค้า"), LOOKUP([_THISROW].[รหัสลูกค้า],"DOC_RETURN","รหัสลูกค้า","ชื่อเจ้าของสินค้า"))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: รหัสลูกค้า

Column name	รหัสลูกค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(IN([สถานะการเข้ารับสินค้า],{"เบิกค่าขนส่งตามระยะทาง","ทำเบิกค่ายกขึ้นชั้น"}), LOOKUP(ANY([_THISROW].[Invoice No]), "ตารางงานประจำวัน", "Invoice No", "รหัสลูกค้า"), LOOKUP([_THISROW].[เลขที่เอกสารรับคืน], "ข้อมูลงานRT", "เลขที่เอกสารรับคืน", "รหัสลูกค้า"))
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ชื่อลูกค้าที่เข้ารับ

Column name	ชื่อลูกค้าที่เข้ารับ
Visible?	ALWAYS
Display name	=IF([สถานะการเข้ารับสินค้า] = "ทำเบิกค่ายกขึ้นชั้น", "ชื่อปลายทาง", "")
Type	Text
Type Qualifier	{ "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": "", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=IF(IN([สถานะการเข้ารับสินค้า], {"เบิกค่าขนส่งตามระยะทาง", "ทำเบิกค่ายกขึ้นชั้น"}), LOOKUP(ANY([THISROW].[Invoice No]), "ตารางงานประจำวัน", "Invoice No", "ชื่อปลายทาง"), LOOKUP([THISROW].[เลขที่เอกสารรับคืน], "ข้อมูลงานRT", "เลขที่เอกสารรับคืน", "ชื่อลูกค้าที่เข้ารับ"))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: รูปสินค้า

Column name	รูปสินค้า
Visible?	ALWAYS
Display name	=IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด", "รูปหน้าร้าน ให้เห็นชื่อร้านด้วย", "")
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: รูปบิลรับคืน

Column name	รูปบิลรับคืน
Visible?	ALWAYS
Display name	=IF([สถานะการเข้ารับสินค้า] = "ทำเบิกค่ายกขึ้นชั้น", "รูปบิลส่งสินค้า", IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด", "รูปบิลให้ลูกค้าเขียนกำกับด้วยว่า ไม่มีสินค้าส่งคืน และให้ลูกค้าเซ็นต์ชื่อด้วย", ""))
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: หมายเหตุ

Column name	หมายเหตุ
Visible?	ALWAYS
Type	LongText

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=IN([สถานะการเข้ารับสินค้า],{\\"ทำเบิกค่ายกขึ้นชั้น\\",\\"เบิกค่าขนส่งตามระยะทาง\\",\\"(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด\\"})","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: รูปจุดที่ส่งงาน

Column name	รูปจุดที่ส่งงาน
Visible?	ALWAYS
Display name	=IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้", "จะต้องขอรูปจากแอดมินก่อนเท่านั้น", IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม50%) ของค่าเที่ยว", "จะต้องขอรูปจากแอดมินก่อนเท่านั้น", IF([สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด", "จะต้องขอรูปจากแอดมินก่อนเท่านั้น", IF([สถานะการเข้ารับสินค้า] = "ทำเบิกค่ายกขึ้นชั้น", "จะต้องขอรูป CS แจ้งราคา จากแอดมิน", "รูปจุดที่ส่งงาน"))))
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=IN([สถานะการเข้ารับสินค้า], {\\"(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด\\",\\"(ได้เพิ่ม50%) ของค่าเที่ยว\\",\\"(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้\\",\\"เบิกค่าขนส่งตามระยะทาง\\",\\"(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด\\"})","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

ระยะทาง\","ทำเปิดค่ายกชั้น
ชั้น\}")","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggest
ed_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Lat / Long

Column name	Lat / Long
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=HERE()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=USERROLE() = \\"ADMIN\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: ราคา

Column name	ราคา
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=IN([สถานะการเข้ารับสินค้า] , {\"(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด\\\", \"(ได้เพิ่ม50%) ของค่าเที่ยว\\\", \"(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้\\\", \"เบิกค่าขนส่งตามระยะทาง\\\", \"ทำเบิกค่ายกขึ้นชั้น\\\"})\" , \"Required_If\": null, \"Editable_If\": \"=USERROLE() = \\\"ADMIN\\\"\" , \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IFS(OR([สถานะการเข้ารับสินค้า] = \"(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้\", [สถานะการเข้ารับสินค้า] = \"(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด\"), 200, [สถานะการเข้ารับสินค้า] = \"(ไม่ได้เพิ่ม) มีในจุดที่ ส่งงานวันนี้\", 0, [สถานะการเข้ารับสินค้า] = \"(ได้เพิ่ม50%) ของค่าเที่ยว\", LOOKUP([Shipment (หลัก)], \"ราคาในระบบก่อนส่งสินค้า\", \"Shipment No\", \"ราคา\") * 0.50, [สถานะการเข้ารับสินค้า] = \"(ทำเบิกค่ายกขึ้นชั้น)\", \"\")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: สร้างPDFรับคืน

Column name	สร้างPDFรับคืน
Visible?	ALWAYS
Type	Yes/No

Type Qualifier	{ "YesLabel": "", "NoLabel": "", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=USERROLE() = \\\\"ADMIN\\\\" ", "Required_If": null, "Editable_If": "=USERROLE() = \\\\"ADMIN\\\\" ", "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: TimeChange

Column name	TimeChange
Visible?	ALWAYS
Type	ChangeCounter
Type Qualifier	{ "UpdateMode": "Accumulate", "ChangeColumns": [], "ChangeValues": [], "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 25: ตรวจสอบก่อนบันทึกข้อมูล

Column name	ตรวจสอบก่อนบันทึกข้อมูล
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[ตรวจสอบก่อนบันทึกข้อมูล]>0", "Error_Message_If_Invalid": "บันทึกข้อมูลไม่สำเร็จ กรุณาติดต่อแอดมินเพื่อตรวจสอบ", "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=IF(IN([สถานะการเข้ารับสินค้า],{"เบิกค่าขนส่งตามระยะทาง","ทำเบิกค่ายกขึ้นชั้น"}), 1, IF(COUNT(SELECT(ข้อมูลงานRT[เลขที่เอกสารรับคืน], AND([วันที่เข้ารับ] = [_THISROW].[วันที่เข้ารับ], [ชื่อ - นามสกุล] = [_THISROW].[ชื่อ - นามสกุล], [Shipment (หลัก)] = [_THISROW].[Shipment (หลัก)], [Shipment (รับคืน)] = [_THISROW].[Shipment (รับคืน)], [เลขที่เอกสารรับคืน] = [_THISROW].[เลขที่เอกสารรับคืน]))) > 0, 1, 0))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: เดือน

Column name	เดือน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISBLANK([วันที่เข้ารับ]), "", CONCATENATE(YEAR([วันที่เข้ารับ]) - IF(YEAR([วันที่เข้ารับ]) > 2500, 543, 0), "-", TEXT([วันที่เข้ารับ], "MM")))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ID_พนักงาน

Column name	ID_พนักงาน
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"ข้อมูลพนักงาน","ReferencedRootTableName":"ข้อมูลพนักงาน","ReferencedType":"Text","ReferencedTypeQualifier":{"MaxLength\:null,\"MinLength\:null,\"LongTextFormatting\":"PlainText\", \"IsMulticolumnKey\:false,\"Valid_If\:null,\"Error_Message_If_Invalid\:null,\"Show_If\:null,\"Required_If\:null,\"Editable_If\:null,\"Reset_If\:null,\"Suggested_Values\:null\"},\"ReferencedKeyColumn\":\"ID_พนักงาน\",\"IsAPartOf\:false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\:null,\"Error_Message_If_Invalid\":null,\"Show_If\": \"=USERROLE()=\\\"ADMIN\\\"\",\"Required_If\:null,\"Editable_If\": \"=USERROLE()=\\\"ADMIN\\\"\",\"Reset_If\:null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ID_พนักงาน")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: LINK_IMAGE

Column name	LINK_IMAGE
Visible?	ALWAYS

Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
App formula	<pre>=TEXT(LIST(IF(ISNOTBLANK([รูปสินค้า]), CONCATENATE("https://www.appsheet.com/template/gettablefileurl?", "appName=", ENCODEURL("เผ่าปัญญาทธานสปอร์ต-915154893"), "&appId=", ENCODEURL("70999aca-5a1f-4dfc-907b-417bc046f574"), "&tableName=", ENCODEURL("รับงานคืนได้เงิน200"), "&fileName=", ENCODEURL([รูปสินค้า])), ""), IF(ISNOTBLANK([รูปบิลรับคืน]), CONCATENATE("https://www.appsheet.com/template/gettablefileurl?", "appName=", ENCODEURL("เผ่าปัญญาทธานสปอร์ต-915154893"), "&appId=", ENCODEURL("70999aca-5a1f-4dfc-907b-417bc046f574"), "&tableName=", ENCODEURL("รับงานคืนได้เงิน200"), "&fileName=", ENCODEURL([รูปบิลรับคืน])), ""), IF(ISNOTBLANK([รูปจุดที่ส่งงาน]), CONCATENATE("https://www.appsheet.com/template/gettablefileurl?", "appName=", ENCODEURL("เผ่าปัญญาทธานสปอร์ต-915154893"), "&appId=", ENCODEURL("70999aca-5a1f-4dfc-907b-417bc046f574"), "&tableName=", ENCODEURL("รับงานคืนได้เงิน200"), "&fileName=", ENCODEURL([รูปจุดที่ส่งงาน])), ""))))</pre>
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 29: รายชื่อจุดส่งในตารางงานประจำวัน

Column name	รายชื่อจุดส่งในตารางงานประจำวัน
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUBSTITUTE(ANY(SELECT(ตารางงานประจำวัน[รายชื่อปลายทาง_System], [Shipment No] = IF(ISNOTBLANK([_THISROW].[Shipment (หลัก)]), [_THISROW].[Shipment (หลัก)], [_THISROW].[Shipment No]))), " , " , " ")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name ข้อมูลงานRT_Schema

Schema Name	ข้อมูลงานRT_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_RT

Column name	ID_RT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes

Formula version	1
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Shipment (หลัก)

Column name	Shipment (หลัก)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Shipment (รับคืน)

Column name	Shipment (รับคืน)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: วันที่เข้ารับ

Column name	วันที่เข้ารับ
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset

	_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: เลขที่เอกสารรับคืน

Column name	เลขที่เอกสารรับคืน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ชื่อลูกค้าที่เข้ารับ

Column name	ชื่อลูกค้าที่เข้ารับ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: รหัสลูกค้า

Column name	รหัสลูกค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: เดือน

Column name	เดือน
-------------	-------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISBLANK([วันที่เข้ารับ]), "", CONCATENATE(YEAR([วันที่เข้ารับ]) - IF(YEAR([วันที่เข้ารับ]) > 2500, 543, 0), "-", TEXT([วันที่เข้ารับ], "MM")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Related แจ้งปัญหาระหว่างวัน

Column name	Related แจ้งปัญหาระหว่างวัน
Visible?	ALWAYS
Description	แจ้งปัญหาระหว่างวัน entries that reference this entry in the RT_Link column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"\ReferencedTableName\":"แจ้งปัญหาระหว่างวัน\","ReferencedRootTableName\":"แจ้งปัญหาระหว่างวัน\","ReferencedType\":"Text\","ReferencedTypeQualifier\":"\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain

```
"\n","IsAPartOf\:false","\RelationshipName\:null","\InputMode\":" +
"\Auto","\Valid_If\:null","\Error_Message_If_Invalid\:null","\Sho" +
"w_If\:null","\Required_If\:null","\Editable_If\:null","\Reset_If\:null" +
","\Suggested_Values\:null}","\ItemSeparator": " , " +
","\Valid_If\:null","\Error_Message_If_Invalid\:null","\Show_If\:null","\Req" +
"uired_If\:null","\Editable_If\:null","\Reset_If\:null","\Suggested_Values": " +
>null}
```

Sensitive data	No
----------------	----

Column 1: RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_เบิกค่าเข้ารับสินค้าคืนคลัง

Column name	ID_เบิกค่าเข้ารับสินค้าคืนคลัง
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes

Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STARTDATE

Column name	STARTDATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 4: ENDDATE

Column name	ENDDATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: วันที่ออกเอกสาร

Column name	วันที่ออกเอกสาร
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: EXPORT TO PDF

Column name	EXPORT TO PDF
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data

No

Column 7: EXPORT TO Excel(สรุปจำนวนจุดส่งงาน)

Column name	EXPORT TO Excel(สรุปจำนวนจุดส่งงาน)
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ราคา_ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง

Column name	ราคา_ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=SUM(SELECT(รับประทานอาหารได้เงิน200[ราคา], AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[STARTDATE], [วันที่เข้ารับ] <= [_THISROW].[ENDDATE], IN([สถานะการเข้ารับสินค้า], LIST("(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด", "(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้")))))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 9: ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง

Column name	ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"\รับประทานอาหารได้ เงิน200\","ReferencedRootTableName":"\รับประทานอาหารได้ เงิน200\","ReferencedType":"Text\","ReferencedTypeQualifier ":" {"\\\"MaxLength\\\"":null,\\\"MinLength\\\"":null,\\\"LongTextFor matting\\\"":\\\"Plain Text\\\"",\\\"IsMulticolumnKey\\\"":false,\\\"Valid_If\\\"":null,\\\"Er ror_Message_If_Invalid\\\"":null,\\\"Show_If\\\"":null,\\\"Required _If\\\"":null,\\\"Editable_If\\\"":null,\\\"Reset_If\\\"":null,\\\"Sugges ted_Values\\\"":null}\",\"ReferencedKeyColumn\":\"ID_รับประทานอาหาร

	ได้
	เงิน200\","IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":"\Auto\","Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":",",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
App formula	=FILTER(รับประทานอาหารได้เงิน200, AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[STARTDATE], [วันที่เข้ารับ] <= [_THISROW].[ENDDATE], IN([สถานะการเข้ารับสินค้า], LIST("(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด", "(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: สรุปจำนวนจุดส่งงาน

Column name	สรุปจำนวนจุดส่งงาน
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Number","ElementTypeQualifier":{"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":"\Auto\","Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Res

	et_If":null,\"Suggested_Values\":null}","ItemSeparator":", ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} =SELECT(ตารางงานประจำวัน[ID_งานประจำวัน], AND([ลำดับแรก] = TRUE, ISNOTBLANK([Plan Delivery]), [Plan Delivery] >= [_THISROW].[STARTDATE], [Plan Delivery] <= [_THISROW].[ENDDATE]))
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: ทำเบิกค่ายกขึ้นชั้น

Column name	ทำเบิกค่ายกขึ้นชั้น
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"\รับงานคืนได้ เงิน200\","ReferencedRootTableName":"\รับงานคืนได้ เงิน200\","ReferencedType":"Text\","ReferencedTypeQualifier": " {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"Plain Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Sugges

	ted_Values\\":null}\\",\"ReferencedKeyColumn\\":\"ID_รับงานคืนได้ เงิน200\\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputM ode\\":\"Auto\\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\" Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\ \":null,\"Suggested_Values\":null}\" , \", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Req uired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\": null} =FILTER(รับงานคืนได้เงิน200, AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[STARTDATE], [วันที่เข้ารับ] <= [_THISROW].[ENDDATE], [สถานะการเข้ารับสินค้า]="ทำเบิกค่ายก ขึ้นชั้น"))
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: ราคา_ทำเบิกค่ายกขึ้นชั้น

Column name	ราคา_ทำเบิกค่ายกขึ้นชั้น
Visible?	ALWAYS
Type	Price
Type Qualifier	{\"CurrencySymbol\":\"฿\", \"MaxValue\":null, \"MinValue\":null, \"StepValu e\":null, \"DecimalDigits\":2, \"NumericDigits\":null, \"ShowThousandsS eparator\":true, \"NumberDisplayMode\":\"Auto\", \"Valid_If\":null, \"Error_ Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editabl e_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}

App formula	=SUM(SELECT(ใช้งานคืนได้เงิน200[ราคา], AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[STARTDATE], [วันที่เข้ารับ] <= [_THISROW].[ENDDATE], [สถานะการเข้ารับสินค้า] = "ทำเบิกค่ายกขึ้นชั้น"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 13: ได้เพิ่ม50%ของค่าเที่ยว

Column name	ได้เพิ่ม50%ของค่าเที่ยว
Visible?	ALWAYS
Type	List
Type Qualifier	{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"ใช้งานคืนได้เงิน200\", \"ReferencedRootTableName\": \"ใช้งานคืนได้เงิน200\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \\\"MaxLength\\\": null, \\\"MinLength\\\": null, \\\"LongTextFormatting\\\": \"Plain Text\\\", \\\"IsMulticolumnKey\\\": false, \\\"Valid_If\\\": null, \\\"Error_Message_If_Invalid\\\": null, \\\"Show_If\\\": null, \\\"Required_If\\\": null, \\\"Editable_If\\\": null, \\\"Reset_If\\\": null, \\\"Suggested_Values\\\": null } \", \"ReferencedKeyColumn\": \"ID_ใช้งานคืนได้เงิน200\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null,

	"Show_If":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null,\"ItemSeparator\":\" , \", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null} =FILTER(ใช้งานคืนได้เงิน200, AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[STARTDATE], [วันที่เข้ารับ] <= [_THISROW].[ENDDATE], [สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม50% ของค่าเที่ยว"))
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: ราคา_ได้เพิ่ม50%ของค่าเที่ยว

Column name	ราคา_ได้เพิ่ม50%ของค่าเที่ยว
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(ใช้งานคืนได้เงิน200[ราคา], AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].

	[STARTDATE], [วันที่เข้ารับ] <= [_THISROW].[ENDDATE], [สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม50%) ของค่าเที่ยว"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ข้อมูลพนักงาน_Schema

Schema Name	ข้อมูลพนักงาน_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No

LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_พนักงาน

Column name	ID_พนักงาน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 5: เบอร์โทรศัพท์

Column name	เบอร์โทรศัพท์
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: เลขที่บัตรประชาชน

Column name	เลขที่บัตรประชาชน
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 8: เลือกประเภทรถยนต์

Column name	เลือกประเภทรถยนต์
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["4 ล้อ","6 ล้อ","10 - 12 ล้อ","18 - 22 ล้อ/รถกึ่งพวง","รถพวง"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: ROLE

Column name	ROLE
Visible?	ALWAYS
Type	Enum {"EnumValues": ["ADMIN","USER"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 11: Related SCGนครหลวงJWDภูมิภาค

Column name	Related SCGนครหลวงJWDภูมิภาค
Visible?	ALWAYS
Description	SCGนครหลวงJWDภูมิภาค entries that reference this entry in the ID_พนักงาน column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "", "ReferencedTableName": "SCGนครหลวงJWDภูมิภาค", "ReferencedRootTableName": "SCGนครหลวงJWDภูมิภาค", "ReferencedType": "Text", "ReferencedTypeQualifier": "", "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "ID_SCGนครหลวงJWDภูมิภาค", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": ", ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("SCGนครหลวงJWDภูมิภาค", "ID_พนักงาน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 12: Related แจ้งปัญหาระหว่างวัน

Column name	Related แจ้งปัญหาระหว่างวัน
Visible?	ALWAYS
Description	แจ้งปัญหาระหว่างวัน entries that reference this entry in the ID_พนักงาน column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName\":"แจ้งปัญหาระหว่างวัน", "ReferencedRootTableName\":"แจ้งปัญหาระหว่างวัน", "ReferencedType\":"Text", "ReferencedTypeQualifier\":"{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"PlainText\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ReferencedKeyColumn\":"ID_แจ้งปัญหาระหว่างวัน\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ItemSeparator\": \"\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
App formula	REF_ROWS("แจ้งปัญหาระหว่างวัน", "ID_พนักงาน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 13: Related รับงานคืนได้เงิน200s

Column name	Related รับงานคืนได้เงิน200s
Visible?	ALWAYS
Description	รับงานคืนได้เงิน200 entries that reference this entry in the ID_พนักงาน column
Type	List
Type Qualifier	<pre> {"ElementType":"Ref","ElementTypeQualifier":" {"ReferencedTableName\":\"รับงานคืนได้ เงิน200\",\"ReferencedRootTableName\":\"รับงานคืนได้ เงิน200\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier \":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFor matting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Er ror_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required _If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Sugges ted_Values\\\":null}\\\", \"ReferencedKeyColumn\":\"ID_รับงานคืน ได้ เงิน200\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputM ode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\" Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\ \":null,\"Suggested_Values\":null},\"ItemSeparator\":\" , \",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Req uired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\": null} </pre>
App formula	REF_ROWS("รับงานคืนได้เงิน200", "ID_พนักงาน")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 14: Related ข้อมูลการเข้าบำรุงรักษา

Column name	Related ข้อมูลการเข้าบำรุงรักษา
Visible?	ALWAYS
Description	ข้อมูลการเข้าบำรุงรักษา entries that reference this entry in the ID_พนักงาน column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementQualifier": {"ReferencedTableName":"\ข้อมูลการเข้าบำรุง รักษา","\ReferencedRootTableName":"\ข้อมูลการเข้าบำรุง รักษา","\ReferencedType":"Text","\ReferencedTypeQualifier": ":" {"\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFor matting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Er ror_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required _If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Sugges ted_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_การเข้า บำรุง รักษา\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMo de\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\" Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\"

	:null,\"Suggested_Values\":null,\"ItemSeparator\":", \", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
App formula	REF_ROWS("ข้อมูลการเข้าบำรุงรักษา", "ID_พนักงาน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 15: Related ข้อมูลการวางบิล

Column name	Related ข้อมูลการวางบิล
Visible?	ALWAYS
Description	ข้อมูลการวางบิล entries that reference this entry in the ID_พนักงาน column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"ข้อมูลการวาง บิล","ReferencedRootTableName":"ข้อมูลการวาง บิล","ReferencedType":"Text","ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFor matting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Er ror_Message_If_Invalid":null,"Show_If":null,"Required _If":null,"Editable_If":null,"Reset_If":null,"Sugges

	ted_Values\\":null}\\",\"ReferencedKeyColumn\\":\"ID_วาง บิล\\",\"IsAPartOf\\":false,\"RelationshipName\\":null,\"InputMode \\":\"Auto\\",\"Valid_If\\":null,\"Error_Message_If_Invalid\\":null,\"Sh ow_If\\":null,\"Required_If\\":null,\"Editable_If\\":null,\"Reset_If\\":nu ll,\"Suggested_Values\\":null},\"ItemSeparator\":\" , \", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Req uired_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\": null}
App formula	REF_ROWS("ข้อมูลการวางบิล", "ID_พนักงาน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 16: Related ทำเบิกส่วนต่างScgวังน้อยร

Column name	Related ทำเบิกส่วนต่างScgวังน้อยร
Visible?	ALWAYS
Description	ทำเบิกส่วนต่างScgวังน้อย entries that reference this entry in the ID_พนักงาน column
Type	List
Type Qualifier	{\"ElementType\":\"Ref\",\"ElementTypeQualifier\":\" {\"ReferencedTableName\\":\"ทำเบิกส่วน ต่างScgวังน้อย\\",\"ReferencedRootTableName\\":\"ทำเบิกส่วน ต่างScgวังน้อย\\",\"ReferencedType\\":\"Text\\",\"ReferencedTypeQ ualifier\\":\"

	{\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"PlainText\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ReferencedKeyColumn\\":\\"ID_ทำเบิกส่วนต่างScgวิ่งน้อย\\",\\"IsAPartOf\\":false,\\"RelationshipName\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ItemSeparator\\":",",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}
App formula	REF_ROWS("ทำเบิกส่วนต่างScgวิ่งน้อย", "ID_พนักงาน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 17: Related สงงานที่ยังไม่มีข้อมูลในระบบ

Column name	Related สงงานที่ยังไม่มีข้อมูลในระบบ
Visible?	ALWAYS
Description	สงงานที่ยังไม่มีข้อมูลในระบบ entries that reference this entry in the ID_พนักงาน column
Type	List

Type Qualifier	<pre> {"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"\ส่งงานที่ยังไม่มีข้อมูลใน ระบบ","\ReferencedRootTableName":"\ส่งงานที่ยังไม่มีข้อมูลใน ระบบ","\ReferencedType":"Text","\ReferencedTypeQualifier": "\ {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFor matting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Er ror_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required _If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Sugges ted_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_ส่งงานที่ยัง ไม่มีข้อมูลใน ระบบ\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMo de\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\" Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\" :null,\"Suggested_Values\":null}","ItemSeparator":", ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Req uired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": null} </pre>
App formula	REF_ROWS("ส่งงานที่ยังไม่มีข้อมูลในระบบ", "ID_พนักงาน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name	ข้อมูลชิ้นงานต้นทางปลายทาง_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_ชื่องาน

Column name	ID_ชื่องาน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No

Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: ชื่องาน

Column name	ชื่องาน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 5: สถานที่รับสินค้า (ต้นทาง)

Column name	สถานที่รับสินค้า (ต้นทาง)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: สถานที่ส่งสินค้า (ปลายทาง)

Column name	สถานที่ส่งสินค้า (ปลายทาง)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: ประเภทการคำนวณ

Column name	ประเภทการคำนวณ
Visible?	ALWAYS
Type	Enum {"EnumValues":["กรอกเอง","ราคาคงที่","ระยะทางคงที่","จากShipment"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ระยะเวลาคงที่

Column name	ระยะเวลาคงที่
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ราคาคงที่

Column name	ราคาคงที่
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name สรุปเบิกส่วนต่าง_Schema

Schema Name	สรุปเบิกส่วนต่าง_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_สรุปเบิกส่วนต่าง

Column name	ID_สรุปเบิกส่วนต่าง
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No

Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Optimization

Column name	ID_Optimization
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ID_เบิกส่วนต่างSCGวงน้อย

Column name	ID_เบิกส่วนต่างSCGวังน้อย
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: _ComputedKey_ID_SCGนครหลวงJWDภูมิภาค

Column name	_ComputedKey_ID_SCGนครหลวงJWDภูมิภาค
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"SCGนครหลวงJWDภูมิภาค","Reference dRootTableName":"SCGนครหลวงJWDภูมิภาค","ReferencedType": "Text","ReferencedTypeQualifier": " {"MaxLength":null,"MinLength":null,"LongTextFormatting": " Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"Reference

	dKeyColumn": "ID_SCGนครหลวงJWDภูมิภาค", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: วันที่เริ่มต้น

Column name	วันที่เริ่มต้น
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: วันที่สิ้นสุด

Column name	วันที่สิ้นสุด
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: รวมค่าขนส่งส่วนเพิ่ม

Column name	รวมค่าขนส่งส่วนเพิ่ม
Visible?	ALWAYS
Type	Decimal

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 9: วันที่ออกเอกสาร

Column name	วันที่ออกเอกสาร
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Export to Excel

Column name	Export to Excel
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: สรุปร_ทำเบิกส่วนต่างScgวังน้อย

Column name	สรุปร_ทำเบิกส่วนต่างScgวังน้อย
Visible?	ALWAYS

Type	List
Type Qualifier	<pre> {"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"","ทำเบิกส่วน ต่างScgวังน้อย","ReferencedRootTableName":"","ทำเบิกส่วน ต่างScgวังน้อย","ReferencedType":"","Text","ReferencedTypeQ ualifier":"" {"\\\\"MaxLength\\\\"":null,\\\\"MinLength\\\\"":null,\\\\"LongTextFor matting\\\\"":\\\\"Plain Text\\\\"},\\\\"IsMulticolumnKey\\\\"":false,\\\\"Valid_If\\\\"":null,\\\\"Er ror_Message_If_Invalid\\\\"":null,\\\\"Show_If\\\\"":null,\\\\"Required _If\\\\"":null,\\\\"Editable_If\\\\"":null,\\\\"Reset_If\\\\"":null,\\\\"Sugges ted_Values\\\\"":null},"ReferencedKeyColumn":"","ID_ทำเบิกส่วน ต่างScgวังน้อย","IsAPartOf":false,"RelationshipName":null,"I nputMode":"","Auto","Valid_If":null,"Error_Message_If_Invalid\ ":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Re set_If":null,"Suggested_Values":null},"ItemSeparator":", ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Req uired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": null} =FILTER(ทำเบิกส่วนต่างSCGวังน้อย, AND(ISNOTBLANK([วันที่ส่ง สินค้า]), [วันที่ส่งสินค้า] >= [_THISROW].[วันที่เริ่มต้น], [วันที่ส่งสินค้า] <= [_THISROW].[วันที่สิ้นสุด], [สถานะ] = "ผ่านการตรวจสอบ")) </pre>
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: ราคารวม_ทำเบิกส่วนต่างScgวังน้อย

Column name	ราคารวม_ทำเบิกส่วนต่างScgวังน้อย
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "ErrorMessage_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=SUM(SELECT(ทำเบิกส่วนต่างScgวังน้อย[ขออนุมัติเบิกค่าขนส่งส่วนเพิ่ม], AND(ISNOTBLANK([วันที่ส่งสินค้า]), [วันที่ส่งสินค้า] >= [_THISROW].[วันที่เริ่มต้น], [วันที่ส่งสินค้า] <= [_THISROW].[วันที่สิ้นสุด], [สถานะ] = "ผ่านการตรวจสอบ")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Doc_Return_Schema

Schema Name	Doc_Return_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
-------------	------------

Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Doc_Return

Column name	ID_Doc_Return
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: รหัสลูกค้า

Column name	รหัสลูกค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data No

Column 4: ชื่อเจ้าของสินค้า

Column name	ชื่อเจ้าของสินค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ข้อความอธิบาย_Document_Return

Column name	ข้อความอธิบาย_Document_Return
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Related Image_Doc_Returns

Column name	Related Image_Doc_Returns
Visible?	ALWAYS
Description	Image_Doc_Return entries that reference this entry in the ID_Doc_Return column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "\\", "ReferencedTableName": "Image_Doc_Return", "ReferencedRootTableName": "Image_Doc_Return", "ReferencedType": "Text", "ReferencedTypeQualifier": "\\", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "ID_Image_Doc_Return", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": ", ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>

App formula	REF_ROWS("Image_Doc_Return", "ID_Doc_Return")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: Related SCGนครหลวงJWDภูมิภาค

Column name	Related SCGนครหลวงJWDภูมิภาค
Visible?	ALWAYS
Description	SCGนครหลวงJWDภูมิภาค entries that reference this entry in the ID_เอกสารนำกลับคืนคลัง column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName\\":"SCGนครหลวงJWDภูมิภาค\\","ReferencedRootTableName\\":"SCGนครหลวงJWDภูมิภาค\\","ReferencedType\\":"Text\\","ReferencedTypeQualifier\\": {\\\\"MaxLength\\\\"":null,\\\\"MinLength\\\\"":null,\\\\"LongTextFormatting\\\\"":\\\\"Plain Text\\\\"",\\\\"IsMulticolumnKey\\\\"":false,\\\\"Valid_If\\\\"":null,\\\\"Error_Message_If_Invalid\\\\"":null,\\\\"Show_If\\\\"":null,\\\\"Required_If\\\\"":null,\\\\"Editable_If\\\\"":null,\\\\"Reset_If\\\\"":null,\\\\"Suggested_Values\\\\"":null}\\","ReferencedKeyColumn\\":"ID_SCGนครหลวงJWDภูมิภาค\\","IsAPartOf\\":false,\\\\"RelationshipName\\":null,\\\\"InputMode\\":"Auto\\","Valid_If\\":null,\\\\"Error_Message_If_Invalid\\":null,\\\\"Show_If\\":null,\\\\"Required_If\\":null,\\\\"Editable_If\\":null,\\

	Reset_If\":null,\"Suggested_Values\":null}\" , \", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
App formula	REF_ROWS(\"SCGนครหลวงJWDภูมิภาค\", \"ID_Doc_Return\")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Image_Doc_Return_Schema

Schema Name	Image_Doc_Return_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"R

	required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Image_Doc_Return

Column name	ID_Image_Doc_Return
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_Doc_Return

Column name	ID_Doc_Return
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Doc_Return", "ReferencedRootTableName": "Doc_Return", "ReferencedType": "Text", "ReferencedTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "ReferenceKeyColumn": "ID_Doc_Return", "IsAPartOf": true, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 4: Image_Document_Return

Column name	Image_Document_Return
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ทำเบิกส่วนต่างScgวังน้อย_Schema

Schema Name	ทำเบิกส่วนต่างScgวังน้อย_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS

Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_ทำเบิกส่วนต่างScgวังน้อย

Column name	ID_ทำเบิกส่วนต่างScgวังน้อย
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No

Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_SCGนครหลวงJWDภูมิภาค

Column name	ID_SCGนครหลวงJWDภูมิภาค
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"SCGนครหลวงJWDภูมิภาค","Reference dRootTableName":"SCGนครหลวงJWDภูมิภาค","ReferencedType": "Text","ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"Reference dKeyColumn":"ID_SCGนครหลวงJWDภูมิภาค","IsAPartOf":false,"R elationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_M essage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_ If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(NUMBER([_THISROW].[Shipment No]), "SCGนครหลวงJWDภูมิภาค", "Shipment No", "ID_SCGนครหลวงJWDภูมิภาค")
System Defined?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: วันที่ส่งสินค้า

Column name	วันที่ส่งสินค้า
Visible?	ALWAYS
Type	Date
Type Qualifier	{ "UseLongDateFormat": false, "Valid_If": "[ตรวจสอบข้อมูล]=1", "Error_Message_If_Invalid": "\"Shipment นี้มีจุดส่งที่ไม่ผ่าน การตรวจสอบ กรุณาติดต่อผู้ดูแลระบบ\"", "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_SCGนครหลวงJWDภูมิภาค].[วันที่ส่งสินค้า]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":="[ตรวจสอบข้อมูล]=1","Error_Message_If_Invalid":="\Shipment นี้มีจุดส่งที่ไม่ผ่าน การตรวจสอบ กรุณาติดต่อผู้ดูแลระบบ\","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_SCGนครหลวงJWDภูมิภาค].[ชื่อ - นามสกุล]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ต้นทาง

Column name	ต้นทาง
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
Initial value	= "14.164671, 100.625358"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: GoogleMapsRoutesAPI

Column name	GoogleMapsRoutesAPI
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: แสดงแผนที่_GoogleMapsRoutesAPI

Column name	แสดงแผนที่_GoogleMapsRoutesAPI
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: ระยะทาง_GoogleMapAPI_Km

Column name	ระยะทาง_GoogleMapAPI_Km
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{ "Valid_If": "=IF(\n\n USERROLE() = \"ADMIN\", \n\n ข้อมูลพนักงาน[Email พนักงาน], \n\n LIST(USEREMAIL())\n\n)", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": "=USERROLE() = \"ADMIN\""; "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Lat/Long_ปลายทาง_01

Column name	Lat/Long_ปลายทาง_01
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n [Shipment No] = [_THISROW].[Shipment No]\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Lat/Long_ปลายทาง_02

Column name	Lat/Long_ปลายทาง_02
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่ง สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01]\n), \" , \"))\n)\n))","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_01])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Lat/Long_ปลายทาง_03

Column name	Lat/Long_ปลายทาง_03
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่ง

	สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] \n), \" , \"))\n)\n))","Error_Message_If_Invalid":null,"Show_If":=ISNOTBLANK([Lat/Long_ปลายทาง_02]))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Lat/Long_ปลายทาง_04

Column name	Lat/Long_ปลายทาง_04
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":=SELECT(\n SCGนครหลวงJWDภูมิภาค[จัดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จัดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03]\n), \" , \"))\n)\n))","Error_Message_If_Invalid":null,"Show_If":=ISNOTBLANK([Lat/Long_ปลายทาง_03]))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Lat/Long_ปลายทาง_05

Column name	Lat/Long_ปลายทาง_05
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04]\n), \" , \"))\n)\n))", "Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_04])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Lat/Long_ปลายทาง_06

Column name	Lat/Long_ปลายทาง_06
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่ง สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลาย ทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_05]\n), \" , \"))\n)\n))","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Lat/Long_ปลาย ทาง_05])","Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null} </pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Lat/Long_ปลายทาง_07

Column name	Lat/Long_ปลายทาง_07
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จัดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จัดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] \n), \" , \"))\n)\n))","Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_06])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Lat/Long_ปลายทาง_08

Column name	Lat/Long_ปลายทาง_08
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07]\n), \" , \"))\n)\n))","Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_07])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No

Scannable	No
Sensitive data	No

Column 20: Lat/Long_ปลายทาง_09

Column name	Lat/Long_ปลายทาง_09
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08]\n), \" , \n)))\n)\n))","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_08])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data No

Column 21: Lat/Long_ปลายทาง_10

Column name	Lat/Long_ปลายทาง_10
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จัดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จัดส่ง สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_09] \n), \" , \"))\n)\n))","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_09])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data

No

Column 22: Lat/Long_ปลายทาง_11

Column name	Lat/Long_ปลายทาง_11
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If": "SELECT(\n SCGนครหลวงJWDภูมิภาค[จัดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จัดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_10]\n), \" , \"))\n)\n))","Error_Message_If_Invalid":null,"Show_If": "ISNOTBLANK([Lat/Long_ปลายทาง_10])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data

No

Column 23: Lat/Long_ปลายทาง_12

Column name	Lat/Long_ปลายทาง_12
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_10] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_11]\n), \" , \"))\n)\n))", "Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_11])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No

Scannable	No
Sensitive data	No

Column 24: Lat/Long_ปลายทาง_13

Column name	Lat/Long_ปลายทาง_13
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_10] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_11] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_12] \n), \" , \"))\n)\n))", "Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_12])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Lat/Long_ปลายทาง_14

Column name	Lat/Long_ปลายทาง_14
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่ง สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลาย ทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_10] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_11] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_12] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_13] \n), \" , \"))\n)\n))", "Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลาย ทาง_13])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Lat/Long_ปลายทาง_15

Column name	Lat/Long_ปลายทาง_15
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_10] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_11] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_12] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_13] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_14] \n), \" , \n)))\n)\n))", "Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_14])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Lat/Long_ปลายทาง_16

Column name	Lat/Long_ปลายทาง_16
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่ง สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลาย ทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_10] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_11] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_12] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_13] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_14] & \" , \" & \n [_THISROW]. [Lat/Long_ปลายทาง_15]\n) , \" , \"))\n)\n))", "Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลาย ทาง_15])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Lat/Long_ปลายทาง_17

Column name	Lat/Long_ปลายทาง_17
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จัดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จัดส่งสินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_10] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_11] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_12] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_13] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_14] & \" , \" & \n [_THISROW].

	[Lat/Long_ปลายทาง_15] & \", \" & \n [_THISROW]. [Lat/Long_ปลายทาง_16] \n), \", \"))\n)\n))","Error_Message_If_Invalid":null,"Show_If":=ISNOTBLANK([Lat/Long_ปลาย ทาง_16])","Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Lat/Long_ปลายทาง_18

Column name	Lat/Long_ปลายทาง_18
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":=SELECT(\n SCGนครหลวงJWDภูมิภาค[จัดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จัดส่ง สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลาย ทาง_01] & \", \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \", \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \", \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \", \" & \n [_THISROW]. [Lat/Long_ปลายทาง_05] & \", \" & \n [_THISROW]. [Lat/Long_ปลายทาง_06] & \", \" & \n [_THISROW]. [Lat/Long_ปลายทาง_07] & \", \" & \n [_THISROW]. [Lat/Long_ปลายทาง_08] & \", \" & \n [_THISROW].

```
[Lat/Long_ปลายทาง_09] & "\",\" & \n [_THISROW].
[Lat/Long_ปลายทาง_10] & "\",\" & \n [_THISROW].
[Lat/Long_ปลายทาง_11] & "\",\" & \n [_THISROW].
[Lat/Long_ปลายทาง_12] & "\",\" & \n [_THISROW].
[Lat/Long_ปลายทาง_13] & "\",\" & \n [_THISROW].
[Lat/Long_ปลายทาง_14] & "\",\" & \n [_THISROW].
[Lat/Long_ปลายทาง_15] & "\",\" & \n [_THISROW].
[Lat/Long_ปลายทาง_16] & "\",\" & \n [_THISROW].
[Lat/Long_ปลายทาง_17] \n ),\", \"))\n
)\n))","Error_Message_If_Invalid":null,"Show_If":=ISNOTBLANK([
Lat/Long_ปลาย
ทาง_17])","Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg
ested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Lat/Long_ปลายทาง_19

Column name	Lat/Long_ปลายทาง_19
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่ง สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลาย

ทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" ,
 \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n
 [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_10] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_11] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_12] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_13] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_14] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_15] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_16] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_17] & \" , \" & \n [_THISROW].
 [Lat/Long_ปลายทาง_18]\n) , \" , \")\n
)\n)\" , \"Error_Message_If_Invalid\":null,\"Show_If\":\"=ISNOTBLANK([
 Lat/Long_ปลาย
 ทาง_18])\" , \"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Sugg
 ested_Values\":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Lat/Long_ปลายทาง_20

Column name	Lat/Long_ปลายทาง_20
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":"=SELECT(\n SCGนครหลวงJWDภูมิภาค[จุดส่งสินค้าปลายทาง], \n AND(\n [Shipment No] = [_THISROW].[Shipment No], \n NOT(IN([จุดส่ง สินค้าปลายทาง], SPLIT(TEXT(\n [_THISROW].[Lat/Long_ปลายทาง_01] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_02] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_03] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_04] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_05] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_06] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_07] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_08] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_09] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_10] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_11] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_12] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_13] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_14] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_15] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_16] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_17] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_18] & \" , \" & \n [_THISROW].[Lat/Long_ปลายทาง_19]\n), \" , \"))\n)\n))", "Error_Message_If_Invalid":null, "Show_If":"=ISNOTBLANK([Lat/Long_ปลายทาง_19])", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 32: ชื่องาน

Column name	ชื่องาน
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=[ตรวจสอบข้อมูล] = 1","Error_Message_If_Invalid":"=\Shipment นี้มีจุดส่งที่ไม่ผ่านการตรวจสอบ กรุณาติดต่อผู้ดูแลระบบ\","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(IN(LOOKUP([THISROW].[Shipment No], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "Truck Type"), {"นครหลวง", "ภูมิภาค", "04JB_นครหลวง_ภูมิภาค", "Idem_04ID","น้ำมันปิด(ปั๊มบางจาก)FarmZaa"}), LOOKUP([THISROW].[Shipment No], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "Truck Type"), "")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data No

Column 33: จำนวนจุดส่งก่อนเริ่มงาน

Column name	จำนวนจุดส่งก่อนเริ่มงาน
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=COUNT(UNIQUE(SELECT(ตารางงานประจำวัน[ชื่อปลายทาง], [Shipment No] = [_THISROW].[Shipment No])))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 34: จำนวนจุดส่งงานจริง

Column name	จำนวนจุดส่งงานจริง
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"

	Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=COUNT(SELECT(SCGนครหลวงJWDภูมิภาค[Shipment No], [Shipment No] = [_THISROW].[Shipment No]))
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 35: ตรวจสอบข้อมูล

Column name	ตรวจสอบข้อมูล
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":"","Error_Message_If_Invalid":"","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(AND(ISNOTBLANK([ชื่องาน]), COUNT(SELECT(SCGนครหลวงJWDภูมิภาค[Shipment No], [Shipment No] = [_THISROW].[Shipment No])) > 0, COUNT(SELECT(SCGนครหลวงJWDภูมิภาค[Shipment No], [Shipment No] = [_THISROW].[Shipment No])) = COUNT(SELECT(SCGนครหลวงJWDภูมิภาค[Shipment No], AND([Shipment No] = [_THISROW].[Shipment No], ISNOTBLANK([ชื่องาน]), [LAT] <> "0.000000", [LONG] <> "0.000000", ISNOTBLANK([จุดส่งสินค้า

ปลายทาง]), [ระยะทางจากคลัง_Km] > 0))), COUNT(SELECT(SCGนครหลวงJWDภูมิภาค[Shipment No], AND([Shipment No] = [_THISROW].[Shipment No], [ผลการตรวจสอบงานส่ง] = "FAIL"))) = 0), 1, 0)

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 36: ราคาในระบบก่อนส่งสินค้า

Column name	ราคาในระบบก่อนส่งสินค้า
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP([_THISROW].[Shipment No],"ราคาในระบบก่อนส่งสินค้า","Shipment No","ราคา")
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 37: ระยะทางในระบบก่อนส่งสินค้า

Column name	ระยะทางในระบบก่อนส่งสินค้า
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP([_THISROW].[Shipment No],"ราคาในระบบก่อนส่งสินค้า","Shipment No","ระยะทาง (km)")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data No

Column 38: สร้างPDFเบิกส่วนต่าง

Column name	สร้างPDFเบิกส่วนต่าง
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "=USERROLE()=\\"ADMIN\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: สถานะ

Column name	สถานะ
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["รอตรวจสอบ","ผ่านการตรวจสอบ","ไม่ผ่านการตรวจสอบ"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting": "\PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable

	<code>_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "=USERROLE()=\\"ADMIN\\"","Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	= "รถตรวจสอบ"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: เดือน

Column name	เดือน
Visible?	ALWAYS
Type	Text
Type Qualifier	<code>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=IF(ISBLANK([วันที่ส่งสินค้า]), "", CONCATENATE(YEAR([วันที่ส่งสินค้า]) - IF(YEAR([วันที่ส่งสินค้า]) > 2500, 543, 0), "-", TEXT([วันที่ส่งสินค้า], "MM")))

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: ID_พนักงาน

Column name	ID_พนักงาน
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"ข้อมูลพนักงาน","ReferencedRootTableName":"ข้อมูลพนักงาน","ReferencedType":"Text","ReferencedTypeQualifier":{"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":"PlainText\"\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},"ReferencedKeyColumn":"ID_พนักงาน","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=USERROLE() = \\\\"ADMIN\\\\"","Required_If":null,"Editable_If":"=USERROLE() = \\\\"ADMIN\\\\"","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ID_พนักงาน")
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: สร้างPDFเบิกตามระยะทาง

Column name	สร้างPDFเบิกตามระยะทาง
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: Candidate_2_ระยะทาง_Km

Column name	Candidate_2_ระยะทาง_Km
-------------	------------------------

Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: Candidate_2_แสดงแผนที่

Column name	Candidate_2_แสดงแผนที่
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 45: Candidate_3_ระยะทาง_Km

Column name	Candidate_3_ระยะทาง_Km
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: Candidate_3_แสดงแผนที่

Column name	Candidate_3_แสดงแผนที่
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: เรท น้ำมันดีเซล

Column name	เรท น้ำมันดีเซล
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISBLANK([_THISROW].[วันที่ส่งสินค้า]), "", IF(ISNOTBLANK(ANY(SELECT(PriceOverride[UsePriceDate], AND([StartDate] <= [_THISROW].[วันที่ส่งสินค้า], [EndDate] >= [_THISROW].[วันที่ส่งสินค้า], [JobName] = [_THISROW].[ชื่องาน]))), ANY(SELECT(

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-C
Searchable	No
Scannable	No
Sensitive data	No

Column name	ราคาตามระยะทาง
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":nu

	If,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} =IF(ISNOTBLANK(ANY(SELECT(Price_Table[Price], AND(IN([_THISROW].[ชื่องาน], SPLIT([ชื่องาน], ",")), [เรทน้ำมัน_Minimum] <= [_THISROW].[เรท น้ำมันดีเซล], [เรทน้ำมัน_Maximum] >= [_THISROW].[เรท น้ำมันดีเซล], [ระยะทาง_Minimum] <= NUMBER([_THISROW].[ระยะทาง_GoogleMapAPI_Km]), [ระยะทาง_Maximum] >= NUMBER([_THISROW].[ระยะทาง_GoogleMapAPI_Km])))) , ANY(SELECT(Price_Table[Price], AND(IN([_THISROW].[ชื่องาน], SPLIT([ชื่องาน], ",")), [เรทน้ำมัน_Minimum] <= [_THISROW].[เรทน้ำมันดีเซล], [เรทน้ำมัน_Maximum] >= [_THISROW].[เรท น้ำมันดีเซล], [ระยะทาง_Minimum] <= NUMBER([_THISROW].[ระยะทาง_GoogleMapAPI_Km]), [ระยะทาง_Maximum] >= NUMBER([_THISROW].[ระยะทาง_GoogleMapAPI_Km])))) , 0)
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: ราคาจุดเพิ่ม

Column name	ราคาจุดเพิ่ม
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":nu

	II,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(AND([ชื่องาน] = "Idem_04ID", ISNOTBLANK([จำนวนจุดส่งงานจริง]), [จำนวนจุดส่งงานจริง] > 11), ([จำนวนจุดส่งงานจริง] - 11) * 50, IF(AND(IN([ชื่องาน], {"นครหลวง", "ภูมิภาค", "04JB_นครหลวง_ภูมิภาค"}), ISNOTBLANK([จำนวนจุดส่งงานจริง]), [จำนวนจุดส่งงานจริง] > 10), ([จำนวนจุดส่งงานจริง] - 10) * 50, 0))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 50: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_SCGนครหลวงJWDภูมิภาค].[ทะเบียนรถ]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: 01เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	01เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_01],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: รูปบิลส่งสินค้า_01

Column name	รูปบิลส่งสินค้า_01
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_01],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 53: รูปหน้าร้าน_บ้าน01

Column name	รูปหน้าร้าน_บ้าน01
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_01],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 54: รูปส่งสินค้า01

Column name	รูปส่งสินค้า01
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_01],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 55: 02เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	02เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_02],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 56: รูปบิลส่งสินค้า_02

Column name	รูปบิลส่งสินค้า_02
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_02],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 57: รูปหน้าร้าน_บ้าน02

Column name	รูปหน้าร้าน_บ้าน02
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_02],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 58: รูปส่งสินค้า02

Column name	รูปส่งสินค้า02
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_02],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 59: 03เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	03เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_03],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 60: รูปบิลส่งสินค้า_03

Column name	รูปบิลส่งสินค้า_03
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_03],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 61: รูปหน้าร้าน_บ้าน03

Column name	รูปหน้าร้าน_บ้าน03
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_03],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 62: รูปส่งสินค้า03

Column name	รูปส่งสินค้า03
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_03],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 63: 04เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	04เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_04],"SCGนครหลวงJWDภูมิภาค","จัดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: รูปบิลส่งสินค้า_04

Column name	รูปบิลส่งสินค้า_04
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_04],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 65: รูปหน้าร้าน_บ้าน04

Column name	รูปหน้าร้าน_บ้าน04
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_04],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 66: รูปส่งสินค้า04

Column name	รูปส่งสินค้า04
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_04],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 67: 05เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	05เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_05],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: รูปบิลส่งสินค้า_05

Column name	รูปบิลส่งสินค้า_05
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_05],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 69: รูปหน้าร้าน_บ้าน05

Column name	รูปหน้าร้าน_บ้าน05
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_05],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 70: รูปส่งสินค้า05

Column name	รูปส่งสินค้า05
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_05],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 71: 06เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	06เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_06],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: รูปบิลส่งสินค้า_06

Column name	รูปบิลส่งสินค้า_06
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_06],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 73: รูปหน้าร้าน_บ้าน06

Column name	รูปหน้าร้าน_บ้าน06
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_06],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 74: รูปส่งสินค้า06

Column name	รูปส่งสินค้า06
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_06],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 75: 07เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	07เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_07],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 76: รูปบิลส่งสินค้า_07

Column name	รูปบิลส่งสินค้า_07
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_07],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 77: รูปหน้าร้าน_บ้าน07

Column name	รูปหน้าร้าน_บ้าน07
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_07],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 78: รูปส่งสินค้า07

Column name	รูปส่งสินค้า07
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_07],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 79: 08เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	08เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_08],"SCGนครหลวงJWDภูมิภาค","จัดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 80: รูปบิลส่งสินค้า_08

Column name	รูปบิลส่งสินค้า_08
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_08],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 81: รูปหน้าร้าน_บ้าน08

Column name	รูปหน้าร้าน_บ้าน08
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_08],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 82: รูปส่งสินค้า08

Column name	รูปส่งสินค้า08
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_08],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 83: 09เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	09เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_09],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 84: รูปบิลส่งสินค้า_09

Column name	รูปบิลส่งสินค้า_09
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_09],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 85: รูปหน้าร้าน_บ้าน09

Column name	รูปหน้าร้าน_บ้าน09
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_09],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 86: รูปส่งสินค้า09

Column name	รูปส่งสินค้า09
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_09],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 87: 10เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	10เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_10],"SCGนครหลวงJWDภูมิภาค","จัดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 88: รูปบิลส่งสินค้า_10

Column name	รูปบิลส่งสินค้า_10
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_10],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 89: รูปหน้าร้าน_บ้าน10

Column name	รูปหน้าร้าน_บ้าน10
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_10],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 90: รูปส่งสินค้า10

Column name	รูปส่งสินค้า10
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_10],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 91: 11เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	11เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_11],"SCGนครหลวงJWDภูมิภาค","จัดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 92: รูปบิลส่งสินค้า_11

Column name	รูปบิลส่งสินค้า_11
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_11],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 93: รูปหน้าร้าน_บ้าน11

Column name	รูปหน้าร้าน_บ้าน11
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_11],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 94: รูปส่งสินค้า11

Column name	รูปส่งสินค้า11
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_11],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 95: 12เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	12เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_12],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 96: รูปบิลส่งสินค้า_12

Column name	รูปบิลส่งสินค้า_12
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_12],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 97: รูปหน้าร้าน_บ้าน12

Column name	รูปหน้าร้าน_บ้าน12
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_12],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 98: รูปส่งสินค้า12

Column name	รูปส่งสินค้า12
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_12],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 99: 13เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	13เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_13],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 100: รูปบิลส่งสินค้า_13

Column name	รูปบิลส่งสินค้า_13
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_13],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 101: รูปหน้าร้าน_บ้าน13

Column name	รูปหน้าร้าน_บ้าน13
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_13],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 102: รูปส่งสินค้า13

Column name	รูปส่งสินค้า13
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_13],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 103: 14เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	14เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_14],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 104: รูปบิลส่งสินค้า_14

Column name	รูปบิลส่งสินค้า_14
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_14],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 105: รูปหน้าร้าน_บ้าน14

Column name	รูปหน้าร้าน_บ้าน14
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_14],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 106: รูปส่งสินค้า14

Column name	รูปส่งสินค้า14
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_14],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 107: 15เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	15เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_15],"SCGนครหลวงJWDภูมิภาค","จัดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 108: รูปบิลส่งสินค้า_15

Column name	รูปบิลส่งสินค้า_15
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_15],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 109: รูปหน้าร้าน_บ้าน15

Column name	รูปหน้าร้าน_บ้าน15
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_15],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 110: รูปส่งสินค้า15

Column name	รูปส่งสินค้า15
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_15],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 111: 16เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	16เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_16],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 112: รูปบิลส่งสินค้า_16

Column name	รูปบิลส่งสินค้า_16
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_16],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 113: รูปหน้าร้าน_บ้าน16

Column name	รูปหน้าร้าน_บ้าน16
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_16],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 114: รูปส่งสินค้า16

Column name	รูปส่งสินค้า16
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_16],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 115: 17เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	17เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_17],"SCGนครหลวงJWDภูมิภาค","จัดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 116: รูปบิลส่งสินค้า_17

Column name	รูปบิลส่งสินค้า_17
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_17],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 117: รูปหน้าร้าน_บ้าน17

Column name	รูปหน้าร้าน_บ้าน17
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_17],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 118: รูปส่งสินค้า17

Column name	รูปส่งสินค้า17
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_17],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 119: 18เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	18เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_18],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 120: รูปบิลส่งสินค้า_18

Column name	รูปบิลส่งสินค้า_18
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_18],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 121: รูปหน้าร้าน_บ้าน18

Column name	รูปหน้าร้าน_บ้าน18
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_18],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 122: รูปส่งสินค้า18

Column name	รูปส่งสินค้า18
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_18],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 123: 19เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	19เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_19],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 124: รูปบิลส่งสินค้า_19

Column name	รูปบิลส่งสินค้า_19
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_19],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 125: รูปหน้าร้าน_บ้าน19

Column name	รูปหน้าร้าน_บ้าน19
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_19],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 126: รูปส่งสินค้า19

Column name	รูปส่งสินค้า19
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_19],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 127: 20เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No

Column name	20เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_20],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","เจ้าของสินค้า//ชื่อปลายทาง//Lat_Long//Inv No")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 128: รูปบิลส่งสินค้า_20

Column name	รูปบิลส่งสินค้า_20
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_20],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปถ่ายบิลส่งสินค้า")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 129: รูปหน้าร้าน_บ้าน20

Column name	รูปหน้าร้าน_บ้าน20
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_20],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปหน้าร้าน / บ้าน")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 130: รูปส่งสินค้า20

Column name	รูปส่งสินค้า20
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP([_THISROW].[Lat/Long_ปลายทาง_20],"SCGนครหลวงJWDภูมิภาค","จุดส่งสินค้าปลายทาง","รูปสินค้าตอนส่ง")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 131: ราคาที่สมควรได้

Column name	ราคาที่สมควรได้
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=[ราคาตามระยะทาง]+[ราคาจุดเพิ่ม]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No

Scannable	No
Sensitive data	No

Column 132: ราคาหลังส่งสินค้า

Column name	ราคาหลังส่งสินค้า
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=IF(ISNOTBLANK(LOOKUP([THISROW].[Shipment No], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "ราคาหลังส่งสินค้า")), LOOKUP([THISROW].[Shipment No], "ราคาในระบบก่อนส่งสินค้า", "Shipment No", "ราคาหลังส่งสินค้า"), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 133: ขออนุมัติเบิกค่าขนส่งส่วนเพิ่ม

Column name	ขออนุมัติเบิกค่าขนส่งส่วนเพิ่ม
Visible?	ALWAYS
Type	Decimal

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(AND(ISNOTBLANK([ราคาที่สมควรได้]), ISNOTBLANK([ราคาหลังส่งสินค้า])), [ราคาที่สมควรได้] - [ราคาหลังส่งสินค้า], 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 134: QR code เส้นทางรวม

Column name	QR code เส้นทางรวม
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("https://api.qrserver.com/v1/create-qr-code/?size=150x150&data=",ENCODEURL(CONCATENATE([แสดงแผนที่_GoogleMapsRoutesAPI])))
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 135: จุดส่งงานลำดับสุดท้าย

Column name	จุดส่งงานลำดับสุดท้าย
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([20เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No]), [20เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No], IF(ISNOTBLANK([19เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No]), [19เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No], IF(ISNOTBLANK([18เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No]), [18เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No], IF(ISNOTBLANK([17เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No]), [17เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No], IF(ISNOTBLANK([16เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No]), [16เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No], IF(ISNOTBLANK([15เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No]), [15เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No], IF(ISNOTBLANK([14เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No]), [14เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No], IF(ISNOTBLANK([13เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No]), [13เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long // Inv No], IF(ISNOTBLANK([12เจ้าของสินค้า // ชื่อปลายทาง // Lat_Long //

Column 136: ชื่อปลายทาง_INV_จุดสุดท้าย

Column name	ชื่อปลายทาง_INV_จุดสุดท้าย
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(ปลายทาง , MID([จุดส่งงานลำดับสุดท้าย], FIND("ปลายทาง ", [จุดส่งงานลำดับสุดท้าย]) + LEN("ปลายทาง "), FIND("Lat/Lng", [จุดส่งงานลำดับสุดท้าย]) - FIND("ปลายทาง ", [จุดส่งงานลำดับสุดท้าย]) - LEN("ปลายทาง ")), INV: , TRIM(MID([จุดส่งงานลำดับสุดท้าย], FIND("INV.", [จุดส่งงานลำดับสุดท้าย]) + 5, LEN([จุดส่งงานลำดับสุดท้าย]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name ข้อมูลงานRW_Schema

Schema Name	ข้อมูลงานRW_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_ข้อมูลงานRW

Column name	ID_ข้อมูลงานRW
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: วันที่จัดงาน

Column name	วันที่จัดงาน
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Due Date

Column name	Due Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ឈ្មោះ

Column name	ឈ្មោះ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: พชร.

Column name	พชร.
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ทะเบียน

Column name	ทะเบียน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Shipment

Column name	Shipment
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto"}

	to","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: สินค้า

Column name	สินค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Model สินค้า

Column name	Model สินค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: เลขที่เอกสาร

Column name	เลขที่เอกสาร
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: ชื่อร้าน

Column name	ชื่อร้าน
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: จังหวัด

Column name	จังหวัด
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: ภาค

Column name	ภาค
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ปัญหา

Column name	ปัญหา
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name สร้างเอกสาร_Schema

Schema Name	สร้างเอกสาร_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_สร้างเอกสาร

Column name	ID_สร้างเอกสาร
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ชื่องาน

Column name	ชื่องาน
-------------	---------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=ข้อมูลชื่องานต้นทาง ปลายทาง[ชื่อ งาน]","Error_Message_If_Invalid":null,"Show_If":null,"Required_If": null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=ข้อมูลพนักงาน[ชื่อ - นามสกุล]","Error_Message_If_Invalid":null,"Show_If":null,"Require d_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: StartDate

Column name	StartDate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: EndDate

Column name	EndDate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ราคารวม

Column name	ราคารวม
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(ข้อมูลการวางบิล[ราคา], AND([ชื่องาน]=[_THISROW].[ชื่องาน],[วันที่] >= [_THISROW].[Startdate], [วันที่] <= [_THISROW].[Enddate])))

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Export to xlsx

Column name	Export to xlsx
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Export to xlsx To Athens

Column name	Export to xlsx To Athens
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: ปรี้นใบวางบิลแยกตามชื่องาน

Column name	ปรี้นใบวางบิลแยกตามชื่องาน
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: วันที่ออกเอกสาร

Column name	วันที่ออกเอกสาร
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: ราคารวมคนขับ

Column name	ราคารวมคนขับ
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "\$", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "ErrorMessage_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=SUM(SELECT(ข้อมูลการวางบิล[ราคา], AND([ชื่อ - นามสกุล]=[_THISROW].[ชื่อ - นามสกุล],[วันที่] >= [_THISROW].[Startdate], [วันที่] <= [_THISROW].[Enddate])))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Export to XLSX_12

Column name	Export to XLSX_12
Visible?	ALWAYS

Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: EXPORT TO PDFรับคืน

Column name	EXPORT TO PDFรับคืน
Visible?	ALWAYS
Type	Yes/No
Type Qualifier	{"YesLabel":"","NoLabel":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ปรีนใบวางบิล

Column name	ปรีนใบวางบิล
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName\":"ข้อมูลการวางบิล\","ReferencedRootTableName\":"ข้อมูลการวางบิล\","ReferencedType\":"Text\","ReferencedTypeQualifier\":"\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"PlainText\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\", \"ReferencedKeyColumn\":"ID_วางบิล\", \"IsAPartOf\":false, \"RelationshipName\":null, \"InputMode\":"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null, \"ItemSeparator\": \"\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null }</pre>
App formula	<pre>=FILTER("ข้อมูลการวางบิล", (AND([ชื่องาน]=[THISROW].[ชื่องาน], [วันที่]>=[THISROW].[StartDate], [วันที่]<=[THISROW].[EndDate]))))</pre>
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: ปรีนใบปะหน้า

Column name	ปรีนใบปะหน้า
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "\ReferencedTableName\":"ข้อมูลการวาง บิล\","ReferencedRootTableName\":"ข้อมูลการวาง บิล\","ReferencedType\":"Text\","ReferencedTypeQualifier\":" {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFor matting\\":\\"Plain Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Er ror_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required _If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Sugges ted_Values\\":null}\","ReferencedKeyColumn\":"ID_วาง บิล\","IsAPartOf":false,\\"RelationshipName\":"null,\\"InputMode \":"Auto\","Valid_If":null,\\"Error_Message_If_Invalid\":"null,\\"Sh ow_If\":"null,\\"Required_If\":"null,\\"Editable_If\":"null,\\"Reset_If\":"nu ll,\\"Suggested_Values\":"null"},"ItemSeparator":",", "\Valid_If":null,\\"Error_Message_If_Invalid\":"null,\\"Show_If\":"null,\\"Req uired_If\":"null,\\"Editable_If\":"null,\\"Reset_If\":"null,\\"Suggested_Values\":" null} =FILTER("ข้อมูลการวางบิล",(AND([ชื่อ - นามสกุล]=[_THISROW].[ชื่อ - นามสกุล],[วันที่]>=[_THISROW].[StartDate],[วันที่]<=[_THISROW]. [EndDate]))))</pre>
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ปรีนทำเบิกส่วนต่างScgวังน้อย

Column name	ปรีนทำเบิกส่วนต่างScgวังน้อย
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"","ทำเบิกส่วน ต่างScgวังน้อย","ReferencedRootTableName":"","ทำเบิกส่วน ต่างScgวังน้อย","ReferencedType":"","Text","ReferencedTypeQ ualifier":""," {"\\\\"MaxLength\\\\"":null,\\\\"MinLength\\\\"":null,\\\\"LongTextFor matting\\\\"":\\\\"Plain Text\\\\"","\\\\"IsMulticolumnKey\\\\"":false,\\\\"Valid_If\\\\"":null,\\\\"Er ror_Message_If_Invalid\\\\"":null,\\\\"Show_If\\\\"":null,\\\\"Required _If\\\\"":null,\\\\"Editable_If\\\\"":null,\\\\"Reset_If\\\\"":null,\\\\"Sugges ted_Values\\\\"":null}\\","ReferencedKeyColumn":"","ID_ทำเบิกส่วน ต่างScgวังน้อย","IsAPartOf":false,"RelationshipName":"","I nputMode":"","Auto","Valid_If":null,"Error_Message_If_Invalid\ ":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Re set_If":null,"Suggested_Values":null},"ItemSeparator":", ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Req uired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": null} =FILTER(ทำเบิกส่วนต่างSCGวังน้อย, AND(ISNOTBLANK([วันที่ส่ง สินค้า]), [วันที่ส่งสินค้า] >= [_THISROW].[StartDate], [วันที่ส่งสินค้า] <= [_THISROW].[EndDate], [สถานะ] = "ผ่านการตรวจสอบ"))
App formula	
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: ราคารวม_ทำเบิกส่วนต่างScgวังน้อย

Column name	ราคารวม_ทำเบิกส่วนต่างScgวังน้อย
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=SUM(SELECT(ทำเบิกส่วนต่างScgวังน้อย[ขออนุมัติเบิกค่าขนส่งส่วนเพิ่ม], AND(ISNOTBLANK([วันที่ส่งสินค้า]), [วันที่ส่งสินค้า] >= [_THISROW].[StartDate], [วันที่ส่งสินค้า] <= [_THISROW].[EndDate], [สถานะ] = "ผ่านการตรวจสอบ")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 19: สรุปจำนวนจุดส่งงาน

Column name	สรุปจำนวนจุดส่งงาน
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "\ตารางงานประจำวัน", "ReferencedRootTableName": "\ตารางงานประจำวัน", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "ID_งานประจำวัน", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": ", ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	<pre>=SELECT(ตารางงานประจำวัน[ID_งานประจำวัน], AND([ลำดับแรก] = TRUE, ISNOTBLANK([Plan Delivery]), [Plan Delivery] >= [_THISROW].[StartDate], [Plan Delivery] <= [_THISROW].[EndDate]))</pre>
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

เพิ่ม200) ไม่มีสินค้านี้ หรือ ร้านปิด", "(ได้เพิ่ม200) ไม่มีในจุด ที่ส่ง
งานวันนี้"))))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ทำเบิกค่ายกขึ้นชั้น

Column name	ทำเบิกค่ายกขึ้นชั้น
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"\rรับงานคืนได้ เงิน200\","\ReferencedRootTableName":"\rรับงานคืนได้ เงิน200\","\ReferencedType":"Text\","\ReferencedTypeQualifier ":"\" {"MaxLength\\":null,"MinLength\\":null,"LongTextFor matting\\":\\"Plain Text\\",\\"IsMulticolumnKey\\":false,"Valid_If\\":null,"Er ror_Message_If_Invalid\\":null,"Show_If\\":null,"Required _If\\":null,"Editable_If\\":null,"Reset_If\\":null,"Sugges ted_Values\\":null},"ReferencedKeyColumn":"ID_รับงานคืน ได้ เงิน200\","\IsAPartOf":false,"RelationshipName":null,"InputM ode":"Auto\","\Valid_If":null,"Error_Message_If_Invalid":null,\ "Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If\ ":null,"Suggested_Values":null},"ItemSeparator":</pre>

	","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=FILTER(รับประทานอาหารได้เงิน200, AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[StartDate], [วันที่เข้ารับ] <= [_THISROW].[EndDate], [สถานะการเข้ารับสินค้า]="ทำเบิกค่ายกชั้นชั้น"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: ได้เพิ่ม50%ของค่าเที่ยว

Column name	ได้เพิ่ม50%ของค่าเที่ยว
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"","รับประทานอาหารได้ เงิน200","ReferencedRootTableName":"","รับประทานอาหารได้ เงิน200","ReferencedType":"","Text","ReferencedTypeQualifier": " {"\\\"MaxLength\\\"":null,\\\"MinLength\\\"":null,\\\"LongTextFor matting\\\"":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Er ror_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required _If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Sugges ted_Values\\\":null}\\\",\\\"ReferencedKeyColumn\\\":\\\"ID_รับประทานอาหาร

	ได้
	เงิน200\","IsAPartOf":false,"RelationshipName":null,"InputMode\":"Auto\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ItemSeparator":",","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=FILTER(รับงานคืนได้เงิน200, AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[StartDate], [วันที่เข้ารับ] <= [_THISROW].[EndDate], [สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม50% ของค่าเที่ยว)"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: ราคา_ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง

Column name	ราคา_ได้เพิ่ม200_ไม่มีสินค้าคืน_ร้านปิด_ไม่มีในจุดส่ง
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_

	Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(ใช้งานคืนได้เงิน200[ราคา], AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[StartDate], [วันที่เข้ารับ] <= [_THISROW].[EndDate], IN([สถานะการเข้ารับสินค้า], LIST("(ได้เพิ่ม200) ไม่มีสินค้าคืน หรือ ร้านปิด", "(ได้เพิ่ม200) ไม่มีในจุด ที่ส่งงานวันนี้"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 24: ราคา_ทำเบิกค่ายกขึ้นชั้น

Column name	ราคา_ทำเบิกค่ายกขึ้นชั้น
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"฿","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(ใช้งานคืนได้เงิน200[ราคา], AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[StartDate], [วันที่เข้ารับ] <= [_THISROW].[EndDate], [สถานะการเข้ารับสินค้า] = "ทำเบิกค่ายกขึ้นชั้น"))
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 25: ราคา_ได้เพิ่ม50%ของค่าเที่ยว

Column name	ราคา_ได้เพิ่ม50%ของค่าเที่ยว
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "฿", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=SUM(SELECT(รับประทานอาหารได้เงิน200[ราคา], AND(ISNOTBLANK([วันที่เข้ารับ]), [วันที่เข้ารับ] >= [_THISROW].[StartDate], [วันที่เข้ารับ] <= [_THISROW].[EndDate], [สถานะการเข้ารับสินค้า] = "(ได้เพิ่ม50%) ของค่าเที่ยว")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ScanDocs_Schema

Schema Name	ScanDocs_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_ScanDocs

Column name	ID_ScanDocs
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Scan_Invoice

Column name	Scan_Invoice
Visible?	ALWAYS
Type	Text

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If": "=AND(\n IN([_THIS], ตารางงานประจำวัน[Invoice No]),\n LOOKUP([_THIS], \"ตารางงานประจำวัน\", \"Invoice No\", \"Plan Delivery\") = [_THISROW].[เลือกวันที่],\n LOOKUP([_THIS], \"ตารางงานประจำวัน\", \"Invoice No\", \"จำนวน_Invoice_ที่ต้องสแกน\") > 0,\n ISBLANK(\n SELECT(ScanDocs[ID_ScanDocs], \n OR([Scan_Invoice] = [_THIS], [Select_Invoice] = [_THIS])\n)\n)\n)","Error_Message_If_Invalid": "\"Invoice นี้ไม่ถูกต้อง, ไม่ใช่งานวันที่เลือก หรือสแกนรับไปแล้ว\"", "Show_If": "ISBLANK([Select_Invoice])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	Yes
Sensitive data	No

Column 4: Select_Invoice

Column name	Select_Invoice
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": [], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Messa


```
ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":=SELECT(\n ตารางงานประจำวัน[Invoice No],\n AND(\n [Plan Delivery] = [_THISROW].[เลือกวันที่],\n OR(ISBLANK([ScanStatus]), [ScanStatus] <> \"สแกนรับแล้ว\"),\n [จำนวน_Invoice_ที่ต้องสแกน] > 0 \n )\n )\n-ScanDocs[Scan_Invoice]\n-ScanDocs[Select_Invoice]","Error_Message_If_Invalid":=\"เลข Invoice ไม่ถูกต้อง, ไม่ใช้งานของวันนี้/เมื่อวาน หรือถูกสแกนรับไปแล้ว\"","Show_If":=ISBLANK([Scan_Invoice]),"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Scan_DateTime

Column name	Scan_DateTime
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Scan_By

Column name	Scan_By
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 7: Scan_Method

Column name	Scan_Method
Visible?	ALWAYS
Type	Enum {"EnumValues": ["Barcode","Manual"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=ISBLANK([_THIS])","Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=ISBLANK([_THIS])
Initial value	=IF(ISNOTBLANK([Select_Invoice]), "Manual", "Barcode")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Invoice_No

Column name	Invoice_No
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"ตารางงานประจำ วัน","ReferencedRootTableName":"ตารางงานประจำ วัน","ReferencedType":"Text","ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"Reference dKeyColumn":"ID_งานประจำ วัน","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto" ,"Valid_If": "=AND(\n ISNOTBLANK([_THIS]),\n IN(\n LOOKUP([_THIS], \"ตารางงานประจำวัน\", \"ID_งานประจำวัน\", \"Plan Delivery\"),\n LIST(TODAY(), TODAY() - 1)\n),\n ISBLANK(\n SELECT(ScanDocs[ID_ScanDocs], \n AND(\n [Invoice_No] = [_THIS], \n [ID_ScanDocs] <> [_THISROW]. [ID_ScanDocs]\n)\n)\n)\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If": null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} =ANY(SELECT(ตารางงานประจำวัน[ID_งานประจำวัน], [Invoice No] = IF(ISNOTBLANK([Scan_Invoice]), [Scan_Invoice], [Select_Invoice])))
App formula	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data No

Column 9: ชื่อเจ้าของสินค้า

Column name	ชื่อเจ้าของสินค้า
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[Invoice_No].[ชื่อเจ้าของสินค้า]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[Invoice_No].[ทะเบียนรถ]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Shipment No

Column name	Shipment No
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[Invoice_No].[Shipment No]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: วันที่ส่งสินค้า

Column name	วันที่ส่งสินค้า
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[Invoice_No].[Plan Delivery]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: เหตุการณ์การรับเอกสาร

Column name	เหตุการณ์การรับเอกสาร
Visible?	ALWAYS

Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Invoice_No])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: จำนวน_ทั้งหมด

Column name	จำนวน_ทั้งหมด
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(ตารางงานประจำวัน[Invoice No], [Plan Delivery] = [_THISROW].[เลือกวันที่])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 15: จำนวน_สแกนแล้ว

Column name	จำนวน_สแกนแล้ว
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=COUNT(UNIQUE(SELECT(ตารางงานประจำวัน[Invoice No], AND([Plan Delivery] = [_THISROW].[เลือกวันที่], [ScanStatus] = "สแกนรับแล้ว"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 16: จำนวน_รอสแกน

Column name	จำนวน_รอสแกน
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[จำนวน_ทั้งหมด] - [จำนวน_สแกนแล้ว]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 17: สรุปยอด

Column name	สรุปยอด
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= "  " & [จำนวน_ทั้งหมด] & "  " & [จำนวน_สแกนแล้ว] & "  " & [จำนวน_รอสแกน]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: เลือกวันที่

Column name	เลือกวันที่
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(TOTALHOURS(NOW() - TODAY()) >= 16, TODAY(), TODAY() - 1)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name สรุป_เจ้าของสินค้า_Schema

Schema Name	สรุป_เจ้าของสินค้า_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: SummaryKey

Column name	SummaryKey
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":"=UNIQUEID()","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	1
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: SoldToName

Column name	SoldToName
-------------	------------

Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: PlanDelivery

Column name	PlanDelivery
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: จำนวน_ทั้งหมด

Column name	จำนวน_ทั้งหมด
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: จำนวน_E-POD_ทั้งหมด

Column name	จำนวน_E-POD_ทั้งหมด
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: LastUpdated

Column name	LastUpdated
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: รายการ_ทั้งหมด

Column name	รายการ_ทั้งหมด
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "\ReferencedTableName\":"ตารางงานประจำวัน", "ReferencedRootTableName\":"ตารางงานประจำวัน", "ReferencedType\":"Text", "ReferencedTypeQualifier\":"\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"PlainText\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\", \"ReferencedKeyColumn\":"ID_งานประจำวัน", \"IsAPartOf\":false, \"RelationshipName\":null, \"InputMode\":"Auto", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null, \"ItemSeparator\":",", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null }</pre>
App formula	=FILTER("ตารางงานประจำวัน", AND([ชื่อเจ้าของสินค้า] = [_THISROW].[SoldToName], [Plan Delivery] = [_THISROW].[PlanDelivery]))
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: รายการ_สแกนแล้ว

Column name	รายการ_สแกนแล้ว
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName", "ReferencedTableName": "\ตารางงานประจำวัน", "ReferencedRootTableName": "\ตารางงานประจำวัน", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "ID_งานประจำวัน", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": " , ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	=FILTER("ตารางงานประจำวัน", AND([ชื่อเจ้าของสินค้า] = [_THISROW].[SoldToName], [Plan Delivery] = [_THISROW].

	[PlanDelivery], [ScanStatus] = "สแกนรับแล้ว"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: รายการ_รอสแกน

Column name	รายการ_รอสแกน
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": { "ReferencedTableName": "\ตารางงานประจำวัน", "ReferencedRootTableName": "\ตารางงานประจำวัน", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } }, "ReferencedKeyColumn": "ID_งานประจำวัน", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": ", ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>

App formula	=FILTER("ตารางงานประจำวัน", AND([ชื่อเจ้าของสินค้า] = [_THISROW].[SoldToName], [Plan Delivery] = [_THISROW].[PlanDelivery], OR(ISBLANK([ScanStatus]), [ScanStatus] <> "สแกนรับแล้ว")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: จำนวน_สแกนแล้ว

Column name	จำนวน_สแกนแล้ว
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(ตารางงานประจำวัน[Invoice No], AND([ชื่อเจ้าของสินค้า] = [_THISROW].[SoldToName], [Plan Delivery] = [_THISROW].[PlanDelivery], [ScanStatus] = "สแกนรับแล้ว"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 12: จำนวน_รอสแกน

Column name	จำนวน_รอสแกน
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[จำนวน_ทั้งหมด]-[จำนวน_สแกนแล้ว]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No

Scannable	No
Sensitive data	No

Column 13: สรุปยอด

Column name	สรุปยอด
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([จำนวน_E-POD_ทั้งหมด] > 0, " E – POD = " & [จำนวน_E-POD_ทั้งหมด], "  = " & [จำนวน_ทั้งหมด] & "  = " & [จำนวน_สแกนแล้ว] & "  = " & [จำนวน_รอสแกน])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name สรุป_Shipment_Schema

Schema Name	สรุป_Shipment_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ShipmentKey

Column name	ShipmentKey
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ShipmentNo

Column name	ShipmentNo
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: TruckLicense

Column name	TruckLicense
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: PlanDelivery

Column name	PlanDelivery
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset

	_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: จำนวน_ทั้งหมด

Column name	จำนวน_ทั้งหมด
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: จำนวน_E-POD_ทั้งหมด

Column name	จำนวน_E-POD_ทั้งหมด
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: LastUpdated

Column name	LastUpdated
-------------	-------------

Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: รายการ_ทั้งหมด

Column name	รายการ_ทั้งหมด
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":{"ReferencedTableName":"","ตารางงานประจำวัน","ReferencedRootTableName":"","ตารางงานประจำวัน","ReferencedType":"","Text","ReferencedTypeQualifier":"","MaxLength":"","MinLength":"","LongTextFormatting":"","PlainText","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":"","Show_If":"","Required_If":"","Editable_If":"","Reset_If":"","Suggested_Values":"","ReferencedKeyColumn":"","ID_งานประจำวัน","IsAPartOf":false,"RelationshipName":"","InputMode\

	":\Auto\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ItemSeparator":",","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=FILTER("ตารางงานประจำวัน", [Shipment No] = [_THISROW].[ShipmentNo])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: รายการ_สแกนแล้ว

Column name	รายการ_สแกนแล้ว
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":{"ReferencedTableName":"ตารางงานประจำวัน","ReferencedRootTableName":"ตารางงานประจำวัน","ReferencedType":"Text","ReferencedTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"ID_งานประจำ

	วัน\","IsAPartOf":false,"RelationshipName":null,"InputMode\":"Auto\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ItemSeparator":",","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=FILTER("ตารางงานประจำวัน", AND([Shipment No] = [_THISROW].[ShipmentNo], [ScanStatus] = "สแกนรับแล้ว"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: รายการ_รอสแกน

Column name	รายการ_รอสแกน
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":{"ReferencedTableName":"","ReferencedRootTableName":"","ReferencedType":"","ReferencedTypeQualifier":"","MaxLength":"","MinLength":"","LongTextFormatting":"","IsMulticolumnKey":false,"Valid_If":"","Error_Message_If_Invalid":"","Show_If":"","Required_If":"","Editable_If":"","Reset_If":"","Sugges

	ted_Values\\":null}\\",\"ReferencedKeyColumn\\":\"ID_งานประจำวัน\", \"IsAPartOf\\":false, \"RelationshipName\\":null, \"InputMode\\":\"Auto\", \"Valid_If\\":null, \"Error_Message_If_Invalid\\":null, \"Show_If\\":null, \"Required_If\\":null, \"Editable_If\\":null, \"Reset_If\\":null, \"Suggested_Values\\":null}, \"ItemSeparator\": \"\", \"Valid_If\\":null, \"Error_Message_If_Invalid\\":null, \"Show_If\\":null, \"Required_If\\":null, \"Editable_If\\":null, \"Reset_If\\":null, \"Suggested_Values\\":null}
App formula	=FILTER("ตารางงานประจำวัน", AND([Shipment No] = [_THISROW].[ShipmentNo], OR(ISBLANK([ScanStatus]), [ScanStatus] <> "สแกนรับแล้ว")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: จำนวน_สแกนแล้ว

Column name	จำนวน_สแกนแล้ว
Visible?	ALWAYS
Type	Number
Type Qualifier	{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\":\"Auto\", \"Valid_If\\":null, \"Error_Message_If_Invalid\\":null, \"Show_If\\":null, \"Required_If\\":null, \"Editable_If\\":null, \"Reset_If\\":null, \"Suggested_Values\\":null}

App formula	=COUNT(UNIQUE(SELECT(ตารางงานประจำวัน[Invoice No], AND([Shipment No] = [_THISROW].[ShipmentNo], [ScanStatus] = "สแกนรับแล้ว"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 13: จำนวน_รอสแกน

Column name	จำนวน_รอสแกน
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[จำนวน_ทั้งหมด] - [จำนวน_สแกนแล้ว]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 14: สรุปยอด

Column name	สรุปยอด
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=  "&[จำนวน_ทั้งหมด] &"  "&[จำนวน_สแกนแล้ว] &"  "&[จำนวน_รอสแกน] &IF([จำนวน_E-POD_ทั้งหมด]>0,"  "&[จำนวน_E-POD_ทั้งหมด],")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name PriceOverride_Schema

Schema Name	PriceOverride_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_PriceOverride

Column name	ID_PriceOverride
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: StartDate

Column name	StartDate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: EndDate

Column name	EndDate
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: UsePriceDate

Column name	UsePriceDate
-------------	--------------

Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: JobName

Column name	JobName
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(\n ข้อมูลชื่อ งานต้นทางปลายทาง[ชื่องาน],\n TRUE\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Note

Column name	Note
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Price_Table_Schema

Schema Name	Price_Table_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ชื่องาน

Column name	ชื่องาน
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_Price Table

Column name	ID_Price Table
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: เรทน้ำมัน_Minimum

Column name	เรทน้ำมัน_Minimum
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 5: เรทน้ำมัน_Maximum

Column name	เรทน้ำมัน_Maximum
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 6: ระยะเวลา_Minimum

Column name	ระยะเวลา_Minimum
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 7: ระยะเวลา_Maximum

Column name	ระยะเวลา_Maximum
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No

Scannable	No
Sensitive data	No

Column 8: Price

Column name	Price
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name ส่งงานที่ยังไม่มีข้อมูลในระบบ_Schema

Schema Name	ส่งงานที่ยังไม่มีข้อมูลในระบบ_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_ส่งงานที่ยังไม่มีข้อมูลในระบบ

Column name	ID_ส่งงานที่ยังไม่มีข้อมูลในระบบ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes

Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: วันที่ส่งสินค้า

Column name	วันที่ส่งสินค้า
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes

Scannable	No
Sensitive data	No

Column 4: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ชื่อ - นามสกุล]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[ID_พนักงาน].[ทะเบียนรถ]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Shipment No

Column name	Shipment No
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Invoice No

Column name	Invoice No
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: ชื่อปลายทาง

Column name	ชื่อปลายทาง
-------------	-------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ที่อยู่ปลายทาง

Column name	ที่อยู่ปลายทาง
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: รูปถ่ายบิลส่งสินค้า

Column name	รูปถ่ายบิลส่งสินค้า
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: รูปสินค้าตอนส่ง

Column name	รูปสินค้าตอนส่ง
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: รูปหน้าร้าน / บ้าน

Column name	รูปหน้าร้าน / บ้าน
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: จุดส่งสินค้าปลายทาง

Column name	จุดส่งสินค้าปลายทาง
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=HERE()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: ID_พนักงาน

Column name	ID_พนักงาน
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"ข้อมูลพนักงาน","ReferencedRootTableName":"ข้อมูลพนักงาน","ReferencedType":"Text","ReferencedTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferenceKeyColumn":"ID_พนักงาน","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null}

	null,"Show_If": "=USERROLE()=\n\"ADMIN\\", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ID_พนักงาน")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Acknowledge_Logs_Schema

Schema Name	Acknowledge_Logs_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "R

	required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_รับทราบ

Column name	ID_รับทราบ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID_ประกาศ

Column name	ID_ประกาศ
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Announcements", "ReferencedRootTableName": "Announcements", "ReferencedType": "Text", "ReferencedTypeQualifier": "", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	<pre>=MAXROW("Announcements", "วันที่ประกาศ", NOT(IN([ID_ประกาศ], SELECT(Acknowledge_Logs[ID_ประกาศ], [Email พนักงาน] = USEREMAIL())))))</pre>
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: วันที่และเวลารับทราบ

Column name	วันที่และเวลารับทราบ
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Email พนักงาน

Column name	Email พนักงาน
Visible?	ALWAYS
Type	Email

Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ชื่อ - นามสกุล

Column name	ชื่อ - นามสกุล
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ชื่อ - นามสกุล")
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: ทะเบียนรถ

Column name	ทะเบียนรถ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(), "ข้อมูลพนักงาน", "Email พนักงาน", "ทะเบียนรถ")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: เลือกเพื่อยืนยัน

Column name	เลือกเพื่อยืนยัน
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{"EnumValues":["ข้าพเจ้าได้อ่านและเข้าใจประกาศนี้แล้ว","ติดขัดปัญหา ไม่สามารถปฏิบัติตามได้"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","\MaxLength":null,"\MinLength":null,"\LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"\Valid_If":null,"\Error_Message_If_Invalid":null,"\Show_If":null,"\Required_If":null,"\Editable_If":null,"\Reset_If":null,"\Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: หมายเหตุ

Column name	หมายเหตุ
Visible?	ALWAYS

Display name	=IFS([ID_ประกาศ].[หัวข้อประกาศ] = "สอบถามและรับฟังความคิดเห็น", "ตอบคำถาม / แสดงความคิดเห็น", [เลือกเพื่อยืนยัน] = "ติดขัดปัญหา ไม่สามารถปฏิบัติตามได้", "อธิบายเหตุผลที่ ไม่สามารถปฏิบัติตามได้", TRUE, "หมายเหตุ")
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=OR(\n\n [เลือกเพื่อยืนยัน] = \"ติดขัดปัญหา ไม่สามารถปฏิบัติตามได้\", \n\n [ID_ประกาศ].[หัวข้อประกาศ] = \"สอบถามและรับฟังความคิดเห็น\" \n\n)", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: ลงชื่อพนักงาน

Column name	ลงชื่อพนักงาน
Visible?	ALWAYS
Type	Signature
Type Qualifier	{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: ข้อความประกาศ

Column name	ข้อความประกาศ
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "[ข้อความประกาศ]", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "[ข้อความประกาศ]", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=CONCATENATE("📢 ประกาศ/แจ้งเตือน" "เรื่อง: ", [ID_ประกาศ]. [หัวข้อประกาศ], " ----- ", [ID_ประกาศ]. [เนื้อหาประกาศ], " ----- ", [ID_ประกาศ]. [Note],)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Announcements_Schema

Schema Name	Announcements_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_ประกาศ

Column name	ID_ประกาศ
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: วันที่ประกาศ

Column name	วันที่ประกาศ
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset

	_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: หัวข้อประกาศ

Column name	หัวข้อประกาศ
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["กฎระเบียบและข้อบังคับ","แจ้งข้อมูลข่าวสาร","ความปลอดภัยและอุบัติเหตุ","สอบถามและรับฟังความคิดเห็น"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"\MaxLength\":null,"\MinLength\":null,"\LongTextFormatting\":"PlainText\","\IsMulticolumnKey\":false,"\Valid_If\":null,"\Error_Message_If_Invalid\":null,"\Show_If\":null,"\Required_If\":null,"\Editable_If\":null,"\Reset_If\":null,"\Suggested_Values\":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: เนื้อหาประกาศ

Column name	เนื้อหาประกาศ
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No

Sensitive data No

Column 6: Note

Column name	Note
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Related Acknowledge_Logs

Column name	Related Acknowledge_Logs
Visible?	ALWAYS
Description	Acknowledge_Logs entries that reference this entry in the ID_ประกาศ column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"","ReferencedTableName":"","ReferencedRootTableName":"","ReferencedTypeQualifier":"","ReferencedTypeQualifier":""}

	{\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextFormatting\\":\\"PlainText\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ReferencedKeyColumn\\":\\"ID_รับทราบ\\",\\"IsAPartOf\\":false,\\"RelationshipName\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ItemSeparator\\":",",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}
App formula	REF_ROWS("Acknowledge_Logs", "ID_ประกาศ")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Process for ปริญโฆวางบิล Process Table_Schema

Schema Name	Process for ปริญโฆวางบิล Process Table_Schema
Visible?	NEVER

Column 1: Instance Id