

C6H4415 / 6H-PGL 4-41 CL

Specifications and rack part list

Batteries	0 units; model not specified
Length	4200.00 mm
Width	960.00 mm
Height	1958.00 mm
Height above battery (catalogue)	1958.00 mm
Width B	890.00 mm
Battery weight	0.00 kg
Rack weight	603.30 kg
Total weight	603.30 kg
Projected surface load	149.63 kg/m ²
Load per isolator	75.41 kg
Clearance WR	-1.00 mm
Center of gravity: x	480.00 mm
Center of gravity: y	2100.00 mm
Center of gravity: z	979.00 mm

Rack part list (manufacturer data)

Packages	Article	Length, mm	Width, mm	Height, mm	Weight, kg
5.0	C6HPGL4	1970.00	920.00	50.00	21.50
1.0	606	625.00	160.00	90.00	11.30
3.0	1206	1225.00	160.00	90.00	21.00
3.0	606C	625.00	160.00	90.00	10.50
9.0	1206C	1225.00	160.00	90.00	21.00
2.0	CFP5E09	1860.00	810.00	15.00	25.00
2.0	CFP5E12	1860.00	1125.00	15.00	35.00
1.0	CSP5EPGL4	1860.00	970.00	90.00	40.00
2.0	CTPPGL409	900.00	990.00	15.00	7.00
2.0	CTPPGL412	1200.00	990.00	15.00	9.00
3.0	CEK5E	1860.00	135.00	15.00	3.00

Source state: empty rack. These are not permissible load ratings.


Row dimensions and weights are copied from the manufacturer catalogue; fasteners are not listed.

Manufacturer images may be shared by several rack lengths.

C6H4415 / 6H-PGL 4-41 CL

Dimension drawing and footprint

Dimension drawing



Footprint

Source image is unavailable in the manufacturer catalogue (HTTP 404).

L = length; B = width between supports; H = height. Dimensions in mm.

C6H4415 / 6H-PGL 4-41 CL

Visualization and clearance

Manufacturer photo / visualization



Clearance: generic explanatory illustration



The generic illustration does not show your battery arrangement.

C6H4415 / 6H-PGL 4-41 CL

Center of gravity and sources

Center of gravity: generic illustration



Card information

Article: C6H4415

Manufacturer catalogue data.

Images are embedded for offline printing.