



Laboratorio Químico "EL CASTILLO"



Certificado de Analisis

Folio: **SA000060**

fecha final: 13/01/2023

Unidad: San Agustin

Fecha inicial: 17/01/2023

Etapas: 12

Certificado por:

Lilia Rivera

lilia.rivera@argonautgold.com

Resultados			
ELEMENTO	Au	Ag	Cu
METODO	EFAA30	VHAAAg	VHAACu
LIM. DET.	0.0200	0.5000	0.0200
UNIDAD	PPM	PPM	PPM
91908186027	0.335	4.802	
91908186026	0.331	4.126	
91908186025	0.302	7.778	
91908186024	0.134	5.391	
91908186023	0.108	7.070	
91908186022	0.108	10.109	
91908186021	0.090	2.198	
91908186020	0.070	1.883	
91908186019	0.109	1.600	
91908186018	0.250	3.036	
91908186017	0.132	2.027	
91908186016	0.114	3.830	
91908186015	0.096	1.859	
91908186014	0.097	1.604	
91908186013	0.125	5.634	
91908186012	0.094	2.784	
91908186011	0.130	3.756	
91908186010	0.166	1.067	
91908186009	0.070	3.339	
91908186008	0.183	15.864	
91908186007	0.133	2.781	
91908186006	0.188	1.485	
91908186005	0.221	4.029	
91908186004	0.239	10.630	
91908186003	0.137	1.500	
91908186002	0.118	2.126	
91908186001	0.184	1.742	