
	Laboratorio Químico "EL CASTILLO"	
--	-----------------------------------	--

## Certificado de Analisis

Folio: **SA000062**

fecha final: 13/01/2023

Unidad: San Agustin

Fecha inicial: 17/01/2023

Etapas: 12

Certificado por:

Lilia Rivera

[lilia.rivera@argonautgold.com](mailto:lilia.rivera@argonautgold.com)

Resultados			
ELEMENTO	Au	Ag	Cu
METODO	EFAA30	VHAAAg	VHAACu
LIM. DET.	0.0200	0.5000	0.0200
UNIDAD	PPM	PPM	PPM
91908186081	0.261	5.654	
91908186080	0.197	26.753	
91908186079	0.091	2.663	
91908186078	0.237	9.088	
91908186077	0.108	3.800	
91908186076	0.138	10.085	
91908186075	0.048	2.113	
91908186074	0.101	4.620	
91908186073	0.140	6.246	
91908186072	0.115	4.836	
91908186071	0.057	1.544	
91908186070	0.146	2.658	
91908186069	0.056	2.457	
91908186068	0.141	14.449	
91908186067	0.118	7.917	
91908186066	0.121	8.521	
91908186065	0.131	7.882	
91908186064	0.117	1.353	
91908186063	0.163	7.750	
91908186062	0.277	6.329	
91908186061	0.337	14.678	
91908186060	0.327	18.005	
91908186059	0.332	6.333	
91908186058	0.020	1.382	
91908186057	0.172	2.789	
91908186056	0.231	3.366	
91908186055	0.211	8.508	