

## Data and infrastructure

### Contribution 1

#### GLS panel data

Linked respondent-wave records

#### Climate-growth and left-right

Grouped and original response scales

#### Evaluation design

4 tasks and 4 prompt conditions

1

#### Raw GLEs files

Selected waves  
and variables

2

#### Harmonized records

Respondent IDs  
and profiles

3

#### Condition-specific prompts

Profile and question  
Prompt information

4

#### External generation

LLaMA-Factory  
By configuration

5

#### Linked evaluation records

Predictions + answers  
Parsing and retention

Respondent and wave links connect prompts, outputs, observed answers, and parser outcomes.

Mistral-7B • Qwen2.5-7B (4-bit) • Qwen2.5-32B • Qwen2.5-72B • Llama-3.3-70B

## Evaluation of current states and observed transitions

### Contribution 2

#### RQ1 Current-state accuracy

##### Comparison

No-time LLM vs.  
covariates-only ordinal probit

##### Main metric

Exact-match accuracy

##### Supplementary comparisons

Other non-trajectory prompts  
original-scale distance metrics

#### RQ2 Prior-state information

##### Prompt comparison

Trajectory vs. non-trajectory  
prompts on common records

##### Baseline comparison

Modal rule, carry-forward, and  
lag-and-covariates ordinal probit

##### Metrics

Exact-match accuracy and gaps  
prior-state agreement

#### RQ3 Observed transitions

##### Transition decomposition

Stable and changing accuracy  
contributions to pooled accuracy

##### Change recovery

Departure → correct direction  
→ exact current response

##### Diagnostics

False persistence  
anchored-change heatmaps

## Supporting diagnostics

#### Distributional fidelity

Total variation distance

#### Representational fidelity

Intersectional subgroup  
accuracy

#### Structural fidelity

Coefficient alignment

#### Self-trajectory change

Changes in successive  
predictions