MAPÚA MALAYAN DIGITAL COLLEGE

A college under Mapúa Malayan Colleges Laguna

Database Design for the MotorPH Payroll System

Prepared and Presented by:

Torres, Jether Daniel A.
Bachelor of Science in information Technology
2nd Term - A.Y. 2024 - 2025

TABLE OF CONTENTS

Section

1 **Database Overview**

2 **Tables**

- Employee
- Address
- Department
- Position
- Supervisor
- Schedule
- Rest Day
- Leave Balance
- Changelog
- Attendance
- Leave
- Leave Accrual History
- Government
- Government Deductibles
- Contributions
- Payroll
- Payslip
- Leave Monetisation
- Earnings
- Deductibles
- Other Transactions
- Government Tally
- Summary
- Regions
- Cities
- Holiday
- Months
- Rates
- Tax Table
- Leave Type

3 **Relationships**

4 **References**


1. Database Overview

The MotorPH Payroll System database is built in a way to allow users to automate, organise, and streamline MotorPH payroll processes systematically to provide the prerogative of having minimal struggle in handling the payroll operations so that users may allocate efforts unto more substantially demanding tasks. Through the centralisation of most payroll-related data into a singular, secure, and scalable repository, the system facilitates rapid data retrieval and processing, which becomes indispensable for timely salary computations, tax management, and adherence to legal contributions and compliance. Thus, for this instance, we deliver an expectation that this database will not just bring about changes in improvement with data derivation and the alleviation of unnecessary exertion but also an effective means through which future growth of the organisation may be facilitated at incorporation through adaptive mechanisms for data expansion.

1. **Employee Management** – Captures, updates, and maintains employee records, including employment status, department affiliation, salary structure, and personal information; this module serves as the primary reference for all modules, with nearly every module being eventually tied back to this module's unique identifier.
2. **Payroll Processing** – Automates payroll computation, taking into account attendance records, salary adjustments, overtime hours, tax deductions, and government-mandated contributions (SSS, PhilHealth, Pag-IBIG, Withholding Tax). The system ensures accuracy in salary computation as it does so simultaneously with the updating data, and furthermore, provides a semi-monthly payslip for each employee and a monthly summary for each payroll processing cycle.
3. **Attendance and Leave Tracking –** Integrates with an employee attendance logging system to automatically fetch clock-in and clock-out data, whilst recording and cataloguing leave applications, ensuring that payroll calculations incorporate approved absences, accounts for your active work presence during holidays and rest days, and determine applicable leave benefits.
4. **Government Contributions and Compliance** – Calculates and maintains records of statutory government-related organisational contributions, including employer-employee deductions for government agencies, as mentioned prior. The system automatically generates tax reports and government contribution summaries to assist in compliance with regulatory bodies.
5. **Security and Access Control** - Among the features are that the system ensures role-based access control (RBAC) for different user levels, restricting

modifications to authorised personnel only, with System administrators, HR personnel, payroll staff, and employees having hierarchical/tiered access to sensitive information, reducing the risk of unauthorised modifications, and should such modifications exist, the medium account responsible for this act is easily traceable through audit logs. Furthermore, access to an employee's personally identifiable information is barred, needing the approval of two authorised personnel, and only their corresponding contribution values are normally visible and accessible.

2. Schema Diagram



3. Tables

3.1. Employee

3.1.1. Columns

Column Name	Data Type	Description
employeeID	SmallInt	Unique employee identifier
addressID	SmallInt	Linked address identifier
positionID	TinyInt	Identifier for the position
supervisorID	SmallInt	Employee's immediate supervisor identifier
firstName	Varchar(255)	Employee's given name
lastName	Varchar(255)	Employee's surname
contactNumber	Varchar(15)	Employee's phone number
birthdate	Date	Employee's date of birth
employmentStatus	Enum	Current employment status

3.1.2. Constraints

Primary Key	*employeeID*
Foreign Key	*addressID, positionID, supervisorID*
Unique Constraint	*employeeID* uniquely identifies each employee
Check Constraint	birthdate must not be NULL and must be less than the current date

3.2. Address

3.2.1. Columns

Column Name	Data Type	Description
addressID	SmallInt	Unique address record identifier
cityID	SmallInt	Linked city identifier
building	Varchar(100)	Building name or number
street	Varchar(150)	Street name
postalCode	Varchar(5)	Postal or zip code

3.2.2. Constraints

Primary Key	*addressID*
Foreign Key	*cityID*
Unique Constraint	*addressID* uniquely identifies each address record
Check Constraint	*None*

3.3. Department

3.3.1. Columns

Column Name	Data Type	Description
departmentID	TinyInt	Unique department identifier
departmentName	Varchar(100)	Name of the department

3.3.2. Constraints

Primary Key	*departmentID*
Foreign Key	*None*
Unique Constraint	*departmentID* uniquely identifies each department
Check Constraint	*None*

3.4. Position

3.4.1. Columns

Column Name	Data Type	Description
positionID	TinyInt	Unique position identifier
departmentID	TinyInt	Linked department identifier
positionName	Varchar(100)	Name of the position

3.4.2. Constraints

Primary Key	*positionID*
Foreign Key	*departmentID*
Unique Constraint	*positionID* uniquely identifies each position

Check Constraint	*None*

3.5. Supervisor

3.5.1. Columns

Column Name	Data Type	Description
supervisorID	SmallInt	Unique supervisor record identifier
employeeID	SmallInt	Linked employee identifier

3.5.2. Constraints

Primary Key	*supervisorID*
Foreign Key	*employeeID*
Unique Constraint	*supervisorID* uniquely identifies each supervisor record
Check Constraint	*None*

3.6. Schedule

3.6.1. Columns

Column Name	Data Type	Description
scheduleID	SmallInt	Unique schedule identifier
employeeID	SmallInt	Linked employee identifier
startTime	Time	Scheduled work start time
requiredDailyHours	TinyInt	Number of work hours required per day
restDay	SET	Assigned weekly rest day

3.6.2. Constraints

Primary Key	*scheduleID*
Foreign Key	*employeeID*
Unique Constraint	*scheduleID* uniquely represents each unique *employeeID* record
Check Constraint	startTime and restDay must be provided (NOT

	NULL) requiredDailyHours must be between 1 and 24

3.7. Rest Day

3.7.1. Columns

Column Name	Data Type	Description
restDayID	SmallInt(5)	Unique identifier for the rest day record
sunday	Boolean	Indicates whether Sunday is designated as a rest day
monday	Boolean	Indicates whether Monday is designated as a rest day
tuesday	Boolean	Indicates whether Tuesday is designated as a rest day
wednesday	Boolean	Indicates whether Wednesday is designated as a rest day
thursday	Boolean	Indicates whether Thursday is designated as a rest day
friday	Boolean	Indicates whether Friday is designated as a rest day
saturday	Boolean	Indicates whether Saturday is designated as a rest day

3.7.2. Constraints

Primary Key	*restDayID*
Foreign Key	*None*
Unique Constraint	*restDayID* uniquely identifies each record in the RestDay table.
Check Constraint	*None*

3.8. Leave Balance

3.8.1. Columns

Column Name	Data Type	Description
balanceID	Integer	Unique leave balance identifier
leaveType	Enum	Linked leave type identifier
scheduleID	SmallInt	Linked schedule identifier for the employee
currentBalance	Decimal(4,2)	Balance of leave type available for the employee
lastUpdated	DateTime	Update timestamp of the leave balance record

3.8.2. Constraints

Primary Key	*balanceID*
Foreign Key	*leaveType*, *scheduleID*
Unique Constraint	*balanceID* uniquely identifies each *leaveType* with balance for each *scheduleID* Combination of *(leaveType, scheduleID)* must be unique
Check Constraint	*currentBalance must be greater than or equal to 0*

3.9. Changelog

3.9.1. Columns

Column Name	Data Type	Description
changelogNo	Integer	Unique changelog entry identifier
employeeID	SmallInt	Linked employee identifier
createdAt	DateTime	Record creation timestamp
appenderID	SmallInt	Identifier for the entry creator
updatedAt	DateTime	Timestamp of the last update
editorID	SmallInt	Identifier for the entry editor
fieldCode	Varchar(10)	Shortened identifier for Table & Column
dataType	Enum	Defines the type of old and new values
oldValue	Varchar(255)	Previous value before the change
newValue	Varchar(255)	Updated value after the change

3.9.2. Constraints

Primary Key	*changelogNo*
Foreign Key	*employeeID*
Unique Constraint	*changelogNo* uniquely identifies each logged changes to employee-tied info
Check Constraint	*createdAt* and *updatedAt* must be NOT NULL and have have the CURRENT_TIMESTAMP assigned if empty

3.10. Attendance

3.10.1. Columns

Column Name	Data Type	Description
attendanceID	Integer	Unique attendance record identifier
scheduleID	SmallInt	Linked schedule identifier
date	Date	Attendance date
timeIn	Time	Time when the employee clocked in
timeOut	Time	Time when the employee clocked out
dayType	Enum	Type of day

3.10.2. Constraints

Primary Key	*attendanceID*
Foreign Key	*scheduleID*
Unique Constraint	*Combination of (scheduleID, date) must be unique*
Check Constraint	*timeIn* must be less than or equal to *timeOut*

3.11. Leave

3.11.1. Columns

Column Name	Data Type	Description
leaveID	Integer	Unique leave record identifier
balanceID	Integer	Linked leave balance record identifier
leaveType	Enum	Category of leave
dateStart	Date	Leave start date
hourDuration	SmallInt	Duration of leave in hours
leaveReason	Varchar(150)	Justification for the leave request
leaveStatus	Enum	Approval status
requestLeaveCredit	Decimal(4,2)	Credits that will be consumed
remainingLeaveCredit	Decimal(4,2)	Credits remaining after usage
dateRequested	DateTime	Timestamp when the leave request was submitted

dateApproved	DateTime	Date when the request was approved (NULL allowed until approved)
approverID	SmallInt	Identifier for the supervisor who approved the leave

3.11.2. Constraints

Primary Key	*leaveID*
Foreign Key	*balanceID*, *leaveType*
Unique Constraint	*leaveID* uniquely identifies each leave request
Check Constraint	*dateStart* must be provided (NOT NULL) and must be on or after the current date

3.12. Leave Accrual History

3.12.1. Columns

Column Name	Data Type	Description
accrualID	Integer	Unique leave accrual record identifier
balanceID	Integer	Linked leave balance record identifier
leaveType	Enum	Category of leave for accrual purposes
accrualDate	Date	Date when the leave accrual is recorded and applied
creditAccrued	Decimal(4,2)	Number of leave credits accrued until accrual date
oldBalance	Decimal(4,2)	Leave balance prior to the accrual
newBalance	Decimal(4,2)	Leave balance after the accrual

3.12.2. Constraints

Primary Key	*accrualID*
Foreign Key	*balanceID*
Unique Constraint	*accrualID* uniquely identifies each leave accrual instance
Check Constraint	*accrualDate* must be provided (NOT NULL) and be on or before the current date

	creditAccrued, oldBalance, and newBalance must be greater than or equal to 0

3.13. Government

3.13.1. Columns

Column Name	Data Type	Description
governmentID	SmallInt	Unique government record identifier
employeeID	SmallInt	Linked employee identifier
TIN	Varchar(15)	Taxpayer Identification Number
sssNo	Varchar(12)	Social Security System number
philHealthNo	Varchar(12)	PhilHealth identifier
pagIbigNo	Varchar(12)	Pag-ibig fund identifier
encryptedRef	Varbinary(Max)	Encrypted reference data

3.13.2. Constraints

Primary Key	*governmentID*
Foreign Key	*employeeID*
Unique Constraint	*governmentID* uniquely identifies each government record
Check Constraint	*None*

3.14. Government Deductibles

3.14.1. Columns

Column Name	Data Type	Description
governmentID	SmallInt	Linked government record identifier
monthID	Enum	Linked month identifier
employerContribution	Decimal(19,4)	Employer contribution amount
employeeContribution	Decimal(19,4)	Employee contribution amount
withholdingTax	Decimal(19,4)	Amount of tax withheld

3.14.2. Constraints

Primary Key	*(governmentID, monthID)*
Foreign Key	*governmentID, monthID*
Unique Constraint	*(governmentID, monthID)* uniquely identifies each deductibles under each government record
Check Constraint	Contribution amounts must be greater than or equal to 0

3.15. Contributions

3.15.1. Columns

Column Name	Data Type	Description
governmentID	SmallInt	Linked government record identifier
contributor	Enum	Identifier for the contributor
philHealthContribution	Decimal(19,4)	PhilHealth contribution amount
pagIbigContribution	Decimal(19,4)	Pag-ibig contribution amount
sssContribution	Decimal(19,4)	SSS contribution amount

3.15.2. Constraints

Primary Key	*(governmentID, contributor)*
Foreign Key	*governmentID*
Unique Constraint	*(governmentID, contributor)* uniquely identifies each government contribution per employee and employer
Check Constraint	*All contribution amounts must be ≥ 0*

3.16. Payroll

3.16.1. Columns

Column Name	Data Type	Description
payrollID	Integer	Unique payroll record identifier
employeeID	SmallInt	Linked employee identifier

rebateID	Integer	Linked rebate record identifier
wageID	Integer	Linked wage record identifier
summaryID	Integer	Linked summary record identifier
monthID	Enum	Identifier for the payroll month
ptoMax	Integer	Maximum allowed paid time off (PTO)
hourlyRate	Decimal(19,4)	Pay rate per hour
dailyRate	Decimal(19,4)	Fixed daily pay rate
monthlyRate	Decimal(19,4)	Monthly salary rate
netPay	Decimal(19,4)	Final pay after deductions

3.16.2. Constraints

Primary Key	*payrollID*
Foreign Key	*employeeID*, *rebateID*, *wageID*, *summaryID*
Unique Constraint	*payrollID* uniquely identifies each payroll per employee per period
Check Constraint	*hourlyRate*, *dailyRate*, *netPay* must be provided (NOT NULL) *ptoMax* must be greater than or equal to 0

3.17. Payslip

3.17.1. Columns

Column Name	Data Type	Description
payslipID	Integer	Unique payslip identifier
payrollID	Integer	Linked payroll record identifier
periodStartDate	Date	Start date of the pay period
periodEndDate	Date	End date of the pay period
regularHours	SmallInt	Standard work hours
overtimeHours	SmallInt	Overtime hours worked
holidayOvertimeHours	SmallInt	Overtime during holidays
ptoHours	SmallInt	Total paid time off hours taken

undertimeHours	SmallInt	Hours below expected work time
daysWorked	TinyInt	Total days worked
holidaysWorked	TinyInt	Number of holidays worked
restDaysWorked	TinyInt	Number of rest days worked
grossIncome	Decimal(19,4)	Total earnings before deductions

3.17.2. Constraints

Primary Key	*payslipID*
Foreign Key	*payrollID*
Unique Constraint	*payslipID* uniquely identifies each payslip given to employee per payroll *(payrollID, periodEndDate) combination must be unique*
Check Constraint	Hours and days worked must be greater than or equal to 0

3.18. Leave Monetisation

3.18.1. Columns

Column Name	Data Type	Description
monetisationID	Integer	Unique leave monetisation record identifier
leaveType	Enum	Type of leave being monetised
balanceID	Integer	Linked leave balance record identifier for monetisation
creditsMonetised	Decimal(4,2)	Number of leave credits converted to monetary value
monetaryValuePer	Decimal(19,4)	Monetary value assigned per leave credit
totalConverted	Decimal(19,4)	Aggregate monetary value from conversion
dateMonetised	Date	Date when leave monetisation was effected
approverID	SmallInt	Identifier for the approver validating the monetisation

3.18.2. Constraints

Primary Key	*monetisationID*
Foreign Key	*balanceID*
Unique Constraint	*monetisationID* uniquely identifies each instance of a leave request monetisation
Check Constraint	*leaveType* must be provided (NOT NULL) *creditsMonetised*, *monetaryValuePer*, *and totalConverted* must be ≥ 0

3.19. Earnings

3.19.1. Columns

Column Name	Data Type	Description
wageID	Integer	Unique wage record identifier
overtimePay	Decimal(19,4)	Payment for overtime hours
ptoPay	Decimal(19,4)	Paid time off compensation
holidayPay	Decimal(19,4)	Payment for holiday work
restDayPay	Decimal(19,4)	Payment for work on rest days
riceSubsidy	Decimal(19,4)	Subsidy provided for rice
phoneStipend	Decimal(19,4)	Stipend for phone expenses
clothesStipend	Decimal(19,4)	Stipend for clothing expenses
otherIncentTotal	Decimal(19,4)	Sum of other incentives
totalBenefits	Decimal(19,4)	Total benefit amount

3.19.2. Constraints

Primary Key	*wageID*
Foreign Key	*None*
Unique Constraint	*wageID* uniquely identifies benefit calculations per payroll
Check Constraint	All monetary amounts must be ≥ 0

3.20. Deductibles

3.20.1. Columns

Column Name	Data Type	Description
rebateID	Integer	Unique rebate record identifier
governmentID	SmallInt	Linked government record identifier
otherDeductTotal	Decimal(19,4)	Sum of other deductions
totalDeductibles	Decimal(19,4)	Overall deductions sum

3.20.2. Constraints

Primary Key	*rebateID*
Foreign Key	*governmentID*
Unique Constraint	*rebateID* uniquely identifies deductible calculations per payroll (including government deductibles)
Check Constraint	Deduction amounts must be ≥ 0

3.21. Other Transactions

3.21.1. Columns

Column Name	Data Type	Description
transactionID	Integer	Unique transaction record identifier
payrollID	Integer	Payroll identifier for the transaction
transactionType	Enum	Type of transaction
transactionAmount	Decimal(19,4)	Amount of the transaction
description	Varchar(150)	Description of the transaction

3.21.2. Constraints

Primary Key	*transactionID*
Foreign Key	*payrollID*
Unique Constraint	*transactionID* uniquely identifies misc calculations per payroll
Check Constraint	*transactionAmount* must be ≥ 0

3.22. Government Tally

3.22.1. Columns

Column Name	Data Type	Description
summaryID	Integer	Linked summary record identifier
contributor	Enum	Identifier for the contributor
overallPagIbig	Decimal(19,4)	Overall Pag-ibig contribution
overallPhilHealth	Decimal(19,4)	Overall PhilHealth contribution
overallSSS	Decimal(19,4)	Overall SSS contribution

3.22.2. Constraints

Primary Key	*(summaryID, contributor)*
Foreign Key	*summaryID*
Unique Constraint	*(summaryID, contributor)* uniquely identifies overall totals of each government contribution per employee and employer
Check Constraint	All overall contribution amounts must be ≥ 0

3.23. Summary

3.23.1. Columns

Column Name	Data Type	Description
summaryID	Integer	Unique summary record identifier
monthID	Enum	Linked month identifier
overallGrossIncome	Decimal(19,4)	Total gross income summed
overallBenefits	Decimal(19,4)	Total benefits summed
employeeDisbursementTotal	Decimal(19,4)	Total disbursements to employees
employerDisbursementTotal	Decimal(19,4)	Total amount disbursed by the employer
overallPITotal	Decimal(19,4)	Combined Pag-ibig total
overallPHTotal	Decimal(19,4)	Combined PhilHealth total
overallSSSTotal	Decimal(19,4)	Combined SSS total
overallTaxTotal	Decimal(19,4)	Total tax withheld summed

governmentDisbursementTotal	Decimal(19,4)	Total government disbursement summed

3.23.2. Constraints

Primary Key	*summaryID*
Foreign Key	*monthID*
Unique Constraint	*summaryID* uniquely identifies monthly enumerative reports
Check Constraint	All monetary totals must be ≥ 0

3.24. Regions

3.24.1. Columns

Column Name	Data Type	Description
regionID	TinyInt	Unique region identifier
regionName	Varchar(100)	Name of the region

3.24.2. Constraints

Primary Key	*regionID*
Foreign Key	*None*
Unique Constraint	*regionID* uniquely identifies each region
Check Constraint	*None*

3.25. Cities

3.25.1. Columns

Column Name	Data Type	Description
cityID	SmallInt	Unique city identifier
regionID	TinyInt	Linked region identifier
cityName	Varchar(100)	Name of the city

3.25.2. Constraints

Primary Key	*cityID*
Foreign Key	*regionID*
Unique Constraint	*cityName* must have only one instance between records
Check Constraint	*None*

3.26. Holiday

3.26.1. Columns

Column Name	Data Type	Description
holidayID	TinyInt	Unique holiday record identifier
holidayName	Varchar(255)	Name of the holiday
holidayDate	Date	Date of the holiday

3.26.2. Constraints

Primary Key	*holidayID*
Foreign Key	*None*
Unique Constraint	*holidayID* uniquely identifies each listed holiday *(holidayName, holidayDate)* combination must have only one instance between records
Check Constraint	*None*

3.27. Months

3.27.1. Columns

Column Name	Data Type	Description
monthID	Enum	Unique month identifier
monthlyWorkdays	Integer	Number of workdays in the month

3.27.2. Constraints

Primary Key	*monthID*
Foreign Key	*None*

Unique Constraint	*None* (month ID is already Enum)
Check Constraint	*monthlyWorkdays* must be between 1 and 31

3.28. Rates

3.28.1. Columns

Column Name	Data Type	Description
implementationYear	SmallInt	Year the rates were implemented
piEmployerRate	Decimal(5,3)	Global employer Pag-ibig rate
piEmployeeRate	Decimal(5,3)	Global employee Pag-ibig rate
piMaxContribution	Decimal(5,3)	Maximum Pag-ibig contribution
phRate	Decimal(5,3)	Global PhilHealth rate
sssRate	Decimal(5,3)	Global SSS rate

3.28.2. Constraints

Primary Key	*None*
Foreign Key	*None*
Unique Constraint	*None*
Check Constraint	All fields must be provided (NOT NULL) Rates must be greater than or equal to 0

3.29. Tax Table

3.29.1. Columns

Column Name	Data Type	Description
taxBracket	Integer	Identifier for the tax bracket
minCompensation	Decimal(19,4)	Minimum income for the bracket
maxCompensation	Decimal(19,4)	Maximum income for the bracket
bracketWidth	Decimal(19,4)	Income range width for the bracket
taxRate	Decimal(19,4)	Tax rate for the bracket

3.29.2. Constraints

Primary Key	*taxBracket*
Foreign Key	*None*
Unique Constraint	*taxBracket* uniquely identifies criteria and consequent requirement for withholding tax
Check Constraint	*minCompensation, maxCompensation, and taxRate* must be provided (NOT NULL) *taxBracket* must be at least have and be greater than 1 monetary values must be ≥ 0

3.30. Leave Type

3.30.1. Columns

Column Name	Data Type	Description
leaveType	Enum	Classification of leave
mandatory	Boolean	Indicates whether the leave type is mandatory
defaultAccrualRate	Decimal(4,2)	Standard rate at which leave accrues
accrualFrequency	Enum	Frequency of leave accrual
maxAccrual	Decimal(4,2)	Maximum allowable accrual for the leave type

3.30.2. Constraints

Primary Key	*leaveType*
Foreign Key	*None*
Unique Constraint	*None* (Leave Type is already Enum)
Check Constraint	*defaultAccrualRate and maxAccrual* must be greater than or equal to 0

4. Relationships

Relationship	Cardinality	Foreign Keys	Purpose
Employee -> Address	1:1	(Employee - addressID)	Each employee is assigned an address.
Employee -> Position	N:1	(Employee - positionID)	Every employee holds a specific position.
Employee -> Supervisor	N:1	(Employee - supervisorID)	References the supervisor of the employee.
Address -> Cities	N:1	(Address - cityID)	Each address entry is located within a specific city.
Position -> Department	N:1	(Position - departmentID)	Positions are assigned within departments.
Supervisor -> Employee	1:1	(Supervisor - employeeID)	Supervisors are employees themselves, connecting both tables directly.
Schedule -> Employee	1:1	(Schedule - employeeID)	Each employee is assigned a schedule.
Changelog -> Employee	N:1	(Changelog - employeeID)	Tracks changes made by the employee.
LeaveBalance -> Leave Type	N:1	(LeaveBalance - leaveType)	Indicates the leave type applicable for employee leave balance.
LeaveBalance -> Schedule	N:1	(LeaveBalance - scheduleID)	Leave balances are determined based on an employee's schedule.
Attendance -> Schedule	N:1	(Attendance - scheduleID)	Attendance records are linked to the schedule.
Leave -> Leave Type	N:1	(Leave - leaveType)	Indicates the leave type used for request.
Leave -> Leave Balance	N:1	(Leave - balanceID)	Leave requests are validated against available leave balances.
Leave Accrual History -> Leave Balance	N:1	(Leave Accrual History - balanceID)	Accrual records adjust the leave balance over time.
Leave Accrual History -> Leave Type	N:1	(Leave Accrual History - leaveType)	Indicates the leave type has been accrued.
Leave Monetisation -> Leave Type	N:1	(Leave Monetisation - leaveType)	Indicates the leave type is requested for conversion.
Leave Monetisation -> Leave Balance	N:1	(Leave Monetisation - balanceID)	Converts leave credits into monetary value based on the leave balance.
Government -> Employee	1:1	(Government - employeeID)	Links each government record with an employee.

Relationship	Cardinality	Foreign Keys	Purpose
Payroll -> Employee	N:1	(Payroll - employeeID)	Links payroll records to employees.
Payroll -> Deductibles	1:1	(Payroll - rebateID)	Deduction computations of payroll.
Payroll -> Earnings	1:1	(Payroll - wageID)	Benefit computations of payroll.
Payroll -> Summary	N:1	(Payroll - summaryID)	Collates payroll data into a monthly summary record.
Payroll -> Months	N:1	(Payroll - monthID)	References payroll month and its corresponding working days.
Government Deductibles -> Months	N:1	(Government Deductibles - monthID)	Reference the month these deductibles are for.
Government Deductibles -> Government	1:1	(Government Deductibles - governmentID)	Associates deductibles with a government record.
Contributions -> Government Deductibles	N:1	(Contributions - governmentID)	Reference location where computed contribution will be collated.
Deductibles -> Government Deductibles	1:1	(Deductibles - governmentID)	Needs government deductibles to compute total deductibles.
Payslip -> Payroll	1:1	(Payslip - payrollID)	Each payslip is uniquely tied to a payroll record.
Other Transactions -> Payroll	N:1	(Other Transactions - payrollID)	Connects misc transactions to payroll records.
Government Tally -> Summary	N:1	(Government Tally - summaryID)	Sums government-related disbursements within a summary.

5. References

Reference No.	Reference Document
1	Entity-Relationship Diagram
2	Data Dictionary
3	Schema Diagram