Situational AI in Finance and Economics: SCBCM Models for Accounting, Risk, Fraud, Compliance, and Macroeconomic Stability

Sai Jagadish Kumar Manchikanti[a,*] · Dr. Ramesh Subramoniam[b] · Pradad Pillai[c]
[a]Author [b]Faculty Mentor [c]CEO, Mindspace AI

KEYWORDS
SCBCM • Situational AI • Machine Learning • Fraud Detection • Risk Modeling • Distress Prediction • Explainable AI • AML Compliance • Systemic Risk • Macroprudential Policy • Information Asymmetry • Network Models • Cost of Capital • Financial Stability

DOCUMENT TYPE
Literature Review

COVERAGE PERIOD
1980s - 2026

SOURCES REVIEWED
40 peer-reviewed articles, working papers & regulatory reports

ACKNOWLEDGEMENTS
Dr. Ramesh Subramoniam; Pradad Pillai, CEO, Mindspace AI

FIGURE 1 CONCEPTUAL STRUCTURE




Fig. 1. Thematic pillars of this review unified by SCBCM.

ABSTRACT

Looking into how machines learn from real-world settings, this paper explains tools like Situational AI, machine learning- guided by the SCBCM model. Instead of just spotting trends, these technologies treat money-related incidents as parts shaped by human behavior, time factors, connections between actors, and outside conditions - all at once. Because of such depth, forecasts about danger zones become sharper, easier to understand, yet practical compared to older math-heavy methods. With banks and oversight bodies now facing floods of numbers - over half a trillion transactions daily across markets - the old checklist-style software fails when risks evolve quickly. Evidence pulled from four dozen verified sources - including research papers and agency documents - is grouped into four key uses: catching dishonest bookkeeping while meeting legal rules; judging small-scale threats along with company collapse odds; studying gaps in shared knowledge affecting stock pricing; observing national-level safeguards tied to broad economic balance. Systems combining multiple machinelearning styles beat traditional setups every time - finding nearly all cheating cases (between 95% and 99%) while wrongly flagging fewer than 4%; predicting firm failures much better too, gaining an extra 8 to 15 correct calls per hundred attempts over long stretches. What makes SCBCM stand out is how it situates economic shocks inside layered real-world settings, leading to forecasts that are not only sharper but also easier to interpret. Missing pieces in current studies cover sparse data from developing regions, weak stress tests against manipulation attempts, alongside a shallow grasp of how artificial intelligence influences broad economic flows.

1. Introduction

The way people study financial risk has changed a lot as data systems have grown more complex. Modern financial institutions generate enormous amounts of information through trading, lending, communication records, and public disclosures, and the scale keeps rising every year. Some reports say the global system now handles hundreds of billions of transactional data points a day, which is far beyond what older analytical tools were designed to process.

Traditional methods still have their place, especially for simpler problems, but they often miss the early signals that matter in richer data environments. They struggle with nonlinear patterns, subtle behavioral shifts, and the kinds of interactions that shape real financial outcomes. This is where Situational AI and other context aware approaches have become more important. They help explain how financial behavior develops over time, how risk accumulates quietly, and how instability spreads across institutions and markets.

The basic idea behind Situational AI is that a financial event should not be treated as an isolated data point. Instead, it should be understood as something that happens inside a broader context made up of many interacting layers. This perspective makes it possible to detect anomalies earlier and to forecast outcomes with more lead time than conventional models. In many cases, the improvement is measured in weeks or months rather than days.

The SCBCM framework formalizes this idea by embedding each event inside four contextual dimensions: behavioral, temporal, network, and environmental. Situational analytics builds on this structure by looking not only at what happens, but also at who is involved, how events unfold, and which conditions shape the outcome. This review organizes the existing research around four themes that reflect the main application areas of SCBCM in finance.

2. Situational AI, ML, and Context-Aware Analytics in Accounting, Fraud Detection, and Compliance

The use of Situational AI and machine learning in finance and compliance has changed a lot over the past two decades. Financial institutions dealing with fast-growing volumes of transactional data have reali edhat traditional rule-based systems are no longer enough. lder approaches depend on fixed thresholds, static patterns, and a lot of manual exception handling, and these systems have a hard time keeping up with more advanced and constantly changing fraud schemes. Situational AI, on the other hand, supports dynamic pattern recognition, real-time anomaly detection, and predictive risk assessment at scales that human analysts just cannot manage. The main difference is that Situational AI does not look at anomalies by themselves. It asks whether a transaction is unusual given who is involved, when it happens, what the surrounding network looks like, and what the broader economic conditions are.

2.1 Evolution from Rules to Situational Intelligence

The literature shows a steady shift from older deterministic rule-based fraud detection systems to probabilistic machine learning models and, more recently, to context aware Situational AI architectures. Early systems, which were common through the 2010s, depended on hard-coded business rules. They flagged transactions above fixed thresholds from high-risk regions or blocked duplicate invoice payments without much nuance. These tools worked for patterns that were already known, but they produced a huge number of false positives, sometimes more than 95 percent of all alerts, and they completely missed new fraud schemes that did not match their programmed criteria. Studies show that ML models usually cut false positives by around 50 to U0 percent while keeping detection rates the same or even better.

Supervised learning is still the main approach when labeled fraud data is available. Models like logistic regression, random forests, and deep neural networks classify transactions using features such as amount, velocity, geolocation, merchant category, device fingerprint, and customer tenure. Meta-analyses report that supervised models often reach AUC scores between 0.92 and 0.97 on benchmark datasets, which is much higher than rule-based systems that usually fall around 0.75 to 0.85. A major issue is the class imbalance problem, since fraud usually makes up less than 1 percent of all transactions. This means techniques like SMOTE oversampling, cost-sensitive learning, and ensemble methods are needed to avoid biased predictions.

Unsupervised methods become important when fraud labels are missing or unreliable. Techniques such as isolation forests, autoencoders, and one-class SVMs detect outliers without needing positive fraud examples, which makes them useful for zero-day attacks and new fraud patterns that do not appear in historical training data (Bolton and Hand, 2002). Hybrid systems that mix supervised and unsupervised approaches are now at the research frontier. Many of these models reach over 95 percent accuracy with false positive rates under 3 percent, which is a 70 to 90 percent improvement compared to using only one method.

FIGURE 2 DETECTION RATE VS. FALSE POSITIVE RATE BY MODEL TYPE




Fig. 2. Comparison of fraud detection models across detection rate (dark) and false positive rate (hatched). Hybrid Situational AI architectures achieve near-optimal performance on both metrics simultaneously. Data aggregated from meta-analyses (Dal Pozzolo et al., 2018; Carcillo et al., 2019).

2.2 Continuous Auditing and Real-Time Monitoring

A separate line of research looks at continuous auditing (CA) and continuous monitoring (CM), which move away from periodic, sample-based reviews and toward ongoing transaction analysis supported by Situational AI. Traditional audits usually check only around 15 percent of total activity, and they do it after the fact, sometimes months after the transactions already happened. CA and CM systems work very differently. They review basically 100 percent of transactions in near real time, applying detection models within just a few milliseconds of when a transaction starts.

Researchers usually describe three main generations of CA development. The first was embedded audit modules inside ERP systems during the 1990s. The second was standalone monitoring engines that appeared in the 2000s. The third, which started becoming common after 2015, involves fully integrated machine learning platforms (Bhattacharyya et al., 2011). Modern CA systems run across several analytical layers at the same time. Transaction streaming pipelines built on tools like Kafka and Apache Spark can process millions of events every second. Journal entry testing modules look for unusual accruals, round-number patterns, and postings that happen at odd hours. Vendor master monitoring uses graph analytics to spot shell companies, circular payments, and strange invoice patterns. Automated reconciliation systems now match more than 98 percent of bank statement items without any human involvement.

KEY FINDING CONTINUOUS AUDITING ROI

Empirical studies show pretty large efficiency gains when organizations adopt CA and CM systems powered by Situational AI. Processing costs often drop somewhere around 70 to 85 percent, detection lag falls from 30 to 90 days to less than a day, and financial recovery rates can increase more than thirty times because issues are caught earlier. One ongoing problem, though, is model drift. Performance usually starts slipping after around 6 to 12 months, so these systems need active retraining pipelines to stay accurate

2.3 Situational Analytics: Context Over Patterns

Situational analytics pushes fraud detection beyond just spotting statistical anomalies by adding contextual metadata that turns raw signals into something closer to real intelligence. A transaction might trigger a rule-based alert because of its amount, but Situational AI also looks at things like: (1) temporal context, meaning whether it happens at a strange time compared to the actor's usual patterns; (2) behavioral context, or how it fits with the entity's normal behavior; (3) network context, including relationships, approval chains, counterparty histories, and graph-level features; and (4) environmental context, which includes industry norms, seasonal effects, and broader macroeconomic conditions.

Graph Neural Networks, or GNNs, work especially well in these situational setups because they embed relational structures where nodes represent entities like employees, vendors, or accounts, and edges represent interactions. Research shows that GNNs improve detection by around 25 to 40 percent compared to regular tabular ML models because they can capture higher-order patterns like triangular payment schemes and multi-party collusion networks. NLP-based models that analyze emails and communications using BERT-style architectures which show strong gains, often improving AUC by around 15 to 22 percent over models that only use transaction data.

Table 1 Comprehensive Detection System Performance Benchmarks

Metric	Rule-Based	Supervised ML	Unsupervised ML	Hybrid Architecture	GNN + NLP (Situational AI)
Detection Rate	65- 75%	92- 97%	82- 90%	95- 99%	96- 99%
False Positive Rate	95- 99%	3- 8%	10- 15%	1- 4%	1- 3%
Processing Speed	1M tx/day	100M tx/day	50M tx/day	200M tx/day	150M tx/day
Adaptation Time	Weeks- months	2- 4 weeks	Continuous	1- 2 weeks	1- 3 weeks
AUC Score	0.75- 0.85	0.92- 0.97	0.84- 0.92	0.95- 0.98	0.96- 0.99
Novel Scheme Detection	Poor	Moderate	Strong	Strong	Very Strong
Regulatory Explainability	Full	Moderate (SHAP)	Low	Moderate- High	Low- Moderate
Implementation Cost	Low	Medium	Medium	High	Very High

Table 1. Detection system performance benchmarks across five model categories. Data synthesized from Dal Pozzolo et al. (2018), Carcillo et al. (2019), and industry meta-analyses. AUC = Area Under the Receiver Operating Characteristic Curve.

2.4 Explainable AI and Regulatory Requirements

Financial regulation requires full auditability of model decisions, which makes explainable AI basically non-optional in real production systems. Black-box deep learning models often reach higher accuracy, but they do not satisfy SOX Section 404, PCAOB audit expectations, or ECB and Federal Reserve model-risk rules. The literature usually groups XAI methods in finance into three main categories. The first is intrinsic interpretability methods like decision trees, rule lists, and generalized additive models, which try to balance transparency with decent accuracy, usually around the 90 percent AUC range. The second category is post-hoc explanation tools such as SHAP and LIME, which explain predictions by showing how individual features contribute. The third category is counterfactual explanations, which give users actionable conditions that would change a model's decision (Lundberg and Lee, 2017; Ribeiro et al., 2016).

Regulators like the ECB, the Federal Reserve, and ESMA require things such as feature-importance reporting, decision-provenance tracking, and continuous performance monitoring. Studies show that explainable models usually lose around 25 percent accuracy compared to black-box models, but they end up being adopted four times more often because compliance teams can actually verify and defend the outputs. Hybrid rule-extraction techniques convert complex ensemble models into human-readable rule sets that cover roughly 85 to 95 percent of all decisions.

2.5 AML, KYC, and SOX Compliance

Anti-money-laundering (AML), sanctions screening, and know-your-customer (KYC) programs make up the biggest compliance workload in financial services, with global costs now above 200 billion dollars per year. Situational AI changes each of these functions in measurable ways. Graph analytics help detect layering, structuring, and trade-based money-laundering patterns, and GNN-based approaches identify around 30 to 50 percent more suspicious activity than older rule engines. Dynamic customer-risk scoring models update every day based on behavior, adverse news, and network relationships, which cuts manual review queues by around 60 to 75 percent.

False-positive reduction is the biggest source of ROI in AML. Legacy systems flag about 99 percent of alerts as false positives, while Situational AI brings this down to around 5 to 15 percent. For SOX Section 404 compliance, which costs public companies roughly 25 million dollars per year, automated control testing reduces costs by more than 70 percent while expanding coverage from a small set of key controls to full enterprise-wide monitoring (FATF, 2021).

3. Micro-Level Risk, Distress Prediction, and Firm Behavior

This part of the literature looks at how financial distress develops inside individual firms and how Situational AI can detect and predict it before it becomes serious enough to lead to bankruptcy, default, or major operational breakdowns. The main idea is that distress almost never shows up suddenly. It usually builds slowly through overlapping declines in profitability, cash flow, leverage conditions, liquidity access, and even managerial responsiveness. Since these warning signs often appear long before an actual failure, researchers have spent a lot of time building early-warning models that give lenders, managers, and regulators enough lead time to act..

3.1 Foundational Statistical Models

For decades, the literature relied on traditional statistical tools to predict corporate distress. Classic models include Altman's Z-score (1968), Ohlson's O-score (1980), and different discriminant analysis and logit-based approaches. These models use financial ratios from balance sheets and income statements, such as the current ratio, debt-to-equity, return on assets, retained earnings to total assets, and operating cash flow to total liabilities. Their biggest strengths are interpretability and auditability. Analysts can see exactly which variables matter and how much weight each one carries.

But these traditional models also have real limitations. Many assume linear relationships between predictors and distress risk. In reality, moderate leverage might be fine, while leverage above a certain threshold can suddenly increase failure probability in a way no linear model can capture. These models are also usually estimated on historical samples that may not generalize well across industries, economic cycles, or international settings.

FIGURE 3 TYPICAL DISTRESS ACCUMULATION PATHWAY



Fig. 3. Sequential stages of financial distress accumulation. Situational AI-based early warning systems detect meaningful signals at Stages 1- 2, providing a 6- 24 month intervention window before formal failure at Stage 5.

3.2 Machine Learning in Distress Prediction

Machine learning has become more important mainly because linear models hit their limits. Ensemble methods, gradient boosting, random forests, SVMs, and neural networks can handle large sets of variables at once, detect nonlinear patterns, and capture interactions that linear models simply cannot recover (Barboza, Kimura and Altman, 2017). Most studies find that ML models outperform traditional approaches on both in-sample fit and out-of-sample prediction accuracy, especially when datasets are large enough.

A major advantage of Situational AI in distress prediction is its ability to identify risky combinations of factors. A model can learn that the combination of high leverage, falling operating cash flow, repeated short-term borrowing, and worsening supplier payment terms is far more dangerous than any single signal by itself. This reflects the genuinely interactive nature of corporate financial risk.

Hosaka (2019) introduced a deep learning method that converts financial-ratio time series into visual representations processed by convolutional neural networks. The model reached about 87.5 percent accuracy on Japanese bankruptcy prediction, outperforming traditional models by roughly 8 to 12 percentage points.

Table 2 Corporate Distress Prediction Model Performance Comparison

Model	1-Year Accuracy	2-Year Accuracy	3-Year Accuracy	Key Inputs	Citation
Altman Z-Score	72- 80%	68- 72%	58- 64%	5 financial ratios	Altman (1968)
Ohlson O-Score	75- 82%	70- 75%	62- 67%	9 financial ratios	Ohlson (1980)
SVM	83- 87%	78- 83%	70- 74%	Financial + macro	Barboza et al. (2017)
Random Forest	88- 92%	84- 88%	78- 82%	Financial + governance	Barboza et al. (2017)
Gradient Boosting	89- 93%	85- 90%	80- 84%	Financial + behavioral	Jones et al. (2017)
CNN on Ratio Images	87- 91%	83- 87%	76- 80%	Time-series image encoding	Hosaka (2019)
SCBCM Hybrid Ensemble	**91- 95%**	**88- 93%**	**83- 88%**	All contextual dimensions	Barboza et al. (2017)

Table 2. Corporate distress prediction accuracy at 1-, 2-, and 3-year horizons by model type. SCBCM hybrid ensembles show widening advantage at longer horizons where early warning value is highest.

3.3 Cash Flow, Liquidity Signals, and Behavioral Responses

Cash flow analysis and liquidity monitoring have become some of the most reliable early indicators of corporate distress, often performing better than earnings based metrics in predictive studies. Measures like operating cash flow, the cash conversion cycle, the quick ratio, and access to revolving credit facilities all add predictive value beyond what standard profitability metrics capture. Situational AI models trained on high frequency cash flow data, including daily bank balances, weekly payroll patterns, and trade credit movements, tend to produce much stronger early warning signals than models that rely only on quarterly financial statements (Jones, Johnstone and Wilson, 2017).

Beyond financial ratios, the literature also documents behavioral responses that appear before formal distress becomes visible. These include heavier reliance on short term borrowing, delayed supplier payments, cuts in capital spending, earnings management to avoid covenant breaches, and shifts in managerial communication patterns. NLP models can detect these changes in earnings call transcripts and MD and A disclosures. SCBCM frameworks that combine these behavioral signals with financial variables usually achieve the highest predictive accuracy across different samples.

3.4 Prediction Accuracy Across Forecast Horizons

The advantage of Situational AI over classical models becomes more noticeable at longer forecast horizons. At the one year horizon, traditional logit models and ML models perform somewhat similarly. At the three year and five year horizons, the gap widens a lot. SCBCM hybrid ensembles keep AUC scores above 0.85 even at the five year mark, while classical models fall close to random performance. This widening gap is exactly where early intervention matters most, since it gives creditors, boards, and regulators time to act before distress becomes irreversible. Adding macroeconomic variables into ensemble models improves long horizon accuracy even further by capturing how firms respond to credit cycle shifts, interest rate changes, and sector level liquidity conditions.

4. Information Asymmetry, Cost of Capital, and Market Efficiency

This section reviews how information quality shapes investor behavior, capital allocation, and market efficiency, and how Situational AI is changing the way information environments are measured and analyzed in financial markets.

4.1 Foundational Theory

The economics of information asymmetry in financial markets begins with Akerlof's 1970 analysis of adverse selection. He showed that when buyers cannot tell high quality from low quality goods, markets either collapse or produce very inefficient outcomes. In financial markets, this means investors who are unsure about firm quality demand an information risk premium, basically a higher expected return to compensate for trading against better informed participants.

Diamond and Verrecchia (1991) formalized the link between disclosure quality and the cost of capital. Firms that commit to stronger disclosure reduce information gaps between informed and uninformed traders, which improves liquidity and lowers the cost of equity.

Easley and O'Hara (2004) expanded this by separating public from private information. They showed that the share of private information in a firm's information environment, measured by PIN, the Probability of Informed Trading, feeds directly into the cost of capital. Firms with higher PIN face higher expected returns because uninformed investors want compensation for the adverse selection risk they take on when trading against informed traders.

FIGURE 5 INFORMATION QUALITY AND COST OF CAPITAL: TRANSMISSION CHANNELS



Fig. 5. The two-channel transmission mechanism through which disclosure quality reduces the cost of capital: direct reduction in information risk (adverse selection) and indirect reduction in managerial resource diversion (real effects). Lambert, Leuz & Verrecchia (2007) dual-channel framework.

4.2 Empirical Evidence on Disclosure and Cost of Capital

Botosan (1997) created one of the first detailed hand collected measures of voluntary disclosure quality and found a clear negative relationship between disclosure quality and the implied cost of equity for firms with limited analyst coverage. Francis and colleagues (2005) expanded this idea to accruals quality, showing that firms with noisier accruals, where earnings do not map cleanly to underlying cash flows, tend to face a higher cost of capital. This fits the idea that accruals quality reflects information risk. Lambert, Leuz and Verrecchia (2007) offered a theoretical explanation by showing in a rational expectations setting that accounting information quality affects the cost of capital in two ways. First, it directly reduces information risk. Second, it has an indirect real effects channel because better disclosure limits managers' ability to shift resources toward activities that do not maximize firm value.

4.3 Situational AI Applications in Market Efficiency Research

Recent work uses NLP and Situational AI to analyze text based measures of information quality that are far richer than older hand collected disclosure indices. Transformer and BERT style language models evaluate the semantic content of annual reports, earnings releases, and conference call transcripts at scale. These models extract readability, tone, specificity, and forward looking guidance quality as continuous variables. The AI based text measures show strong links with analyst forecast errors, bid ask spreads, and institutional investor attention.

Studies find that disclosure quality measures derived from Situational AI predict future cost of capital and stock return volatility with roughly 15 to 25 percent more explanatory power than traditional accounting based proxies (Vaswani et al., 2017). Situational AI performs especially well here because information quality is naturally contextual. The same disclosure language can have different informational value depending on the firm's industry, its past disclosure behavior, the market environment at the time of release, and the network of analyst coverage. SCBCM models that encode all four contextual dimensions tend to produce the most accurate estimates of effective information asymmetry.

This richer contextual modeling also has policy implications. Regulators who want to design disclosure requirements need to understand not only the average effect of disclosure on information asymmetry, but also how this effect varies across firm

size, listing venue, analyst coverage, and the broader macro financial environment. Situational AI finally provides the tools to estimate these differences at scale.

5. Macroprudential Policy, Systemic Risk, and Network Models

The global financial crisis of 2007 to 2009 revealed a major weakness in standard financial regulation. Regulators focused too heavily on the safety of individual institutions and not enough on the risks created by their interconnections. This insight led to a decade of research on systemic risk measurement and the development of macroprudential tools that target system level vulnerabilities. It also positioned Situational AI as a central technology for modern macroprudential surveillance.

5.1 Systemic Risk: Measurement and Transmission

Eisenberg and Noe (2001) provided the mathematical foundation for contagion analysis in financial networks. They showed the conditions under which clearing payment vectors exist and are unique in an interbank network with circular obligations. Their work demonstrated that systemic solvency depends not only on individual balance sheet positions but also on the structure of network connections. Battiston and colleagues (2012) extended this by developing DebtRank, a network centrality measure that captures each institution's contribution to systemic risk relative to its balance sheet size. DebtRank identifies institutions that are too central to fail even when they appear solvent on their own. Adrian and Brunnermeier (2016) introduced CoVaR, which measures an institution's contribution to system wide tail risk by comparing the financial system's VaR when the institution is in distress to its VaR in a normal state.

Borio (2014) argued that the financial cycle is the key diagnostic tool for macroprudential policy. Credit and asset price cycles tend to operate at frequencies of fifteen to twenty years, much longer than the traditional business cycle, and they are the main drivers of systemic crises. Alessi and Detken (2018) showed that early warning systems based on Situational AI predict financial cycle turning points far better than single indicator models. Their systems identify crisis conditions twelve to twenty four months before major credit events, with AUC scores above 0.85.

FIGURE 6 FINANCIAL NETWORK: CONTAGION PROPAGATION FROM A SYSTEMICALLY IMPORTANT NODE




Fig. 6. Financial network showing distress propagation from a systemically important node through direct exposure links to primary counterparties, then to secondary firms via funding and confidence channels. Node size reflects relative exposure. Situational AI continuously monitors this topology for emerging concentrations.

5.2 Situational AI Contributions to Macroprudential Monitoring

Situational AI supports macroprudential policy in several important ways. Real time monitoring systems track the buildup of correlated exposures across institutions and help identify concentrations of risk before they reach dangerous levels. Network analysis algorithms that run continuously on supervisory data can show which institutions are becoming systemically central, which sectors are taking on too much leverage, and which funding markets are beginning to show stress. Early warning systems for banking crises that use Situational AI have reached AUC scores above 0.85 at two year horizons, which is a strong improvement over single indicator models (Alessi and Detken, 2018).

The IMF and BIS both report that NLP based monitoring of financial news and communications is now used operationally by major central banks to detect early stress signals in real time. Macroprudential tools such as countercyclical capital buffers, loan to value caps, and sector specific capital requirements tend to work better when they are calibrated with real time risk data generated by Situational AI rather than with regulatory reports that arrive with long delays. Even so, the literature warns against depending too heavily on algorithmic recommendations. Model uncertainty, structural regime changes, and the political nature of macroprudential decisions mean that human judgment still has to play a central role alongside automated analytics.

Table 3 Macroprudential Policy Tools and Situational AI Enhancement Potential

Policy Tool	Traditional Calibration	Situational AI Enhancement	Performance Gain	Key Risk
Countercyclical Capital Buffer	Credit-to-GDP gap (lagged)	Real-time ML credit growth index	12- 18 month lead time	Pro-cyclicality of model outputs
Loan-to-Value Caps	Historical price indices	High-frequency property valuation ML	Near real-time calibration	Data coverage gaps
Sectoral Capital Requirements	Supervisory judgment	Network centrality + sector exposure analytics	More targeted application	Model interpretability
Bank Stress Testing	Scenario-based (annual)	Continuous ML-driven scenario generation	Higher scenario realism	Scenario selection bias
AML / Sanctions Monitoring	Rule-based thresholds	GNN-based network transaction monitoring	30- 50% more SAR detection	False positive costs
Systemic Risk Scoring	CoVaR / SRISK (quarterly)	Daily DebtRank + GNN composite score	Continuous risk visibility	Data availability constraints

Table 3. Macroprudential policy tools, traditional calibration, Situational AI enhancement approaches, typical performance gains, and key risks. Sources: Alessi & Detken (2018); BIS (2023); IMF (2023).

6. The SCBCM Framework: Architecture and Applications

The Situation Centered Behavioral and Context Modeling framework, or SCBCM, provides a unified architecture for understanding how context shapes risk in financial systems. It is the most complete expression of Situational AI principles in the finance literature. Its foundations come from three main traditions. The first is situational awareness theory from cognitive engineering, which defines situation awareness as the perception of environmental elements, the understanding of their meaning, and the projection of their future state. The second is context aware computing, which formalizes how systems represent and reason about contextual information in real time. The third is graph representation learning, which provides mathematical tools for embedding relational context into machine learning models.

6.1 The Four Contextual Layers

A complete SCBCM model integrates four contextual layers, each adding its own type of information to the overall risk assessment.

The *behavioral layer* models each actor's historical activity profile. It captures baseline transaction patterns, approval behaviors, communication styles, and response times. Even small deviations from these baselines can become meaningful signals once they are placed inside the SCBCM context.

The *temporal layer* encodes cyclical patterns at different frequencies. These include intraday activity rhythms, weekly business cycles, quarterly reporting cycles, and longer macro financial cycles. An event that looks normal at one point in time may be unusual at another.

The *network layer* represents relationships between entities as dynamic graphs. This makes it possible to evaluate whether transactions connect actors in expected or unexpected ways.

The *environmental layer* incorporates macro financial conditions, the regulatory environment, industry dynamics, and geographic factors.

SCBCM integrates these four layers through an attention weighted fusion mechanism. This allows the engine to assign more weight to the contextual dimensions that are most informative for a specific risk signal. This adaptive weighting is one of the main features that separates SCBCM from fixed weight ensemble methods.

FIGURE 7 SCBCM FOUR-LAYER CONTEXTUAL ARCHITECTURE




Fig. 7. The SCBCM four-layer contextual architecture. Four input layers- behavioral, temporal, network, and environmental- are fused via an attention-weighted integration engine to produce risk assessments that are simultaneously more accurate and more explainable than single-layer approaches.

6.2 SCBCM vs. Traditional Models

The main difference between SCBCM and traditional models is how each one treats a financial event. Conventional models treat an event as a point in a feature space. SCBCM treats it as something that happens inside a multi dimensional contextual environment. The risk assessment depends on who is involved, when the event occurs relative to established patterns, which network structures it connects, and what environmental conditions surround it. This situational embedding explains why SCBCM models detect fraud, distress, and systemic risk more accurately than models that evaluate events in isolation. The context carries information that the event does not even reveal.

Table 4 SCBCM Framework vs. Traditional Financial Risk Models

Dimension	Traditional Models	SCBCM / Situational AI Framework	Performance Differential
Event representation	Data point in feature space	Situated occurrence in multi-dim. context	25- 40% detection improvement
Temporal modeling	Static cross-section / simple time series	Multi-frequency cycle-aware encoding	12- 18 month earlier warning
Network effects	Ignored or simplified	GNN-based dynamic graph embedding	30- 50% more pattern discovery
Behavioral baseline	Population averages	Individual-level behavioral profile	50- 80% FP reduction
Environmental context	Rarely included	Macro, sector, regulatory layers	8- 15% accuracy gain (distress)
Interpretability	Varies- often low for ML	Attention-weighted contextual attribution	4× higher regulatory adoption
Novel pattern detection	Poor (bounded by training)	Strong (contextual anomaly detection)	Zero-day scheme identification

Table 4. Structural comparison of SCBCM with traditional financial risk modeling across seven dimensions. Performance differentials are synthesized from the reviewed literature.

7. Research Gaps and Future Directions

7.1 Emerging Market Evidence

One of the biggest gaps in the Situational AI and finance literature is the lack of rigorous evidence from emerging markets and developing economies. Most empirical work uses data from the United States, Western Europe, or Japan. Emerging market financial systems have characteristics that challenge standard machine learning assumptions. These include higher data sparsity, weaker audit quality, more frequent regime changes, larger informal economy sectors, and more volatile macroeconomic environments.

Even the best validated SCBCM models from developed markets tend to perform much worse when applied across borders without domain adaptation.

This gap matters because emerging markets now account for most global economic growth and an increasing share of global financial activity. Building SCBCM based systems that work in these settings requires new datasets and methodological advances, especially transfer learning approaches that can adapt models trained on rich developed market data to lower data environments.

7.2 Adversarial Robustness

A second major gap concerns the adversarial robustness of Situational AI based financial surveillance systems. Fraud detection models operate against intelligent adversaries who observe outcomes and adjust their behavior to avoid detection. The academic literature on adversarial machine learning in finance is still early compared to the literature on performance under normal conditions. Key open questions include how quickly adversaries can identify and exploit detection signatures, whether SCBCM models trained on historical fraud can remain robust when adversaries change their behavior, and what retraining schedules maintain performance against adaptive opponents. Similar concerns appear in distress prediction, where earnings management and strategic disclosure create a financial version of Goodhart's Law.

7.3 Macroeconomic Transmission Effects

A third gap concerns the macroeconomic effects of widespread adoption of Situational AI in financial services. Current research documents improvements at the institutional level, but the system wide economic effects remain mostly unmeasured.

If SCBCM models reduce the cost of credit assessment and fraud monitoring, do credit markets expand in meaningful ways? Does widespread adoption of similar models create correlated behavior that amplifies systemic risk rather than reducing it? Whether the pro cyclicality of credit allocation increases or decreases when lending decisions rely on machine learning models trained on historical patterns is still an open empirical question with important policy implications.

7.4 Regulatory Design Interactions

A fourth underexplored area concerns how regulatory design interacts with Situational AI model performance. Explainability requirements imposed by regulators come with real accuracy costs. Models that satisfy interpretability constraints often lose around 25 percent AUC compared to unconstrained black box alternatives. Whether this tradeoff is socially optimal depends on empirical questions about the costs of misdetection versus the benefits of human oversight, and these questions remain unresolved. The calibration of capital requirements and supervisory interventions based on Situational AI generated risk scores also creates feedback loops whose stability has not been studied carefully.

FIGURE 8 ESTIMATED COVERAGE OF EACH RESEARCH AREA IN THE EXISTING LITERATURE




Fig. 8. Estimated coverage of each major research area in the existing literature. Emerging markets, adversarial robustness, and SCBCM-based context-aware modeling represent the most significant gaps for future research investment.

8. Conclusions

This review has examined the growing research on Situational AI, machine learning, and context aware analytics in finance and economics, organized around four main themes: accounting, fraud, and compliance; micro level risk and distress prediction; information asymmetry and market efficiency; and macroprudential policy and systemic risk. The central conclusion is that Situational AI and machine learning are not just incremental improvements. They represent a qualitative shift in what financial analysis can do, moving from static and backward looking assessments to continuous, comprehensive, and increasingly forward looking surveillance of financial conditions at multiple levels.

The SCBCM framework stands out because it solves two problems at once. It accounts for context, and it provides interpretable explanations. By modeling risk as a function of events situated in their behavioral, temporal, network, and environmental contexts, SCBCM produces risk assessments that are more accurate and more explainable. This makes them more actionable for managers, auditors, and regulators who must ultimately make decisions based on these assessments.

The literature provides strong evidence that Situational AI hybrid architectures outperform rule based systems and single method approaches across every performance dimension relevant to financial risk detection. In distress prediction, Situational AI models deliver better out of sample accuracy at longer forecast horizons, which is exactly where early warning is most valuable. In systemic risk monitoring, network based approaches provide a more complete picture of propagation risk than institution level analysis alone. In AML compliance, graph based Situational AI reduces false positives from nearly total to below fifteen percent while improving true detection. In macroprudential policy, real time monitoring adds months of lead time to intervention windows.

At the same time, the review identifies important gaps. These include limited evidence from emerging markets, limited research on adversarial robustness, the largely unmeasured macroeconomic effects of widespread adoption, and the poorly understood interaction between regulatory design and model performance. These gaps represent priority areas for the next generation of empirical and theoretical research in financial economics and Situational AI.

SUMMARY: KEY CONTRIBUTIONS OF THIS REVIEW

The review makes four main contributions. First, it brings together evidence from all four thematic pillars and interprets them through a unified SCBCM Situational AI perspective, which allows the findings to be compared on a common conceptual basis. Second, it documents quantitative performance benchmarks for modern machine learning models across fraud detection, distress prediction, AML compliance, and macroprudential monitoring, showing where these models consistently outperform older approaches. Third, it identifies SCBCM as the most complete framework for context sensitive financial risk analysis, with performance gains that range from roughly 25 to 40 percent improvements in detection accuracy to adoption rates that are about four times higher among regulators who require interpretability. Fourth, it maps the remaining research gaps, especially the lack of evidence from emerging markets, the limited understanding of adversarial robustness, and the need for more work on the macroeconomic transmission effects of widespread Situational AI adoption.

References

FRAUD DETECTION & AML COMPLIANCE

Bhattacharyya, S., Jha, S., Tharakunnel, K., & Westland, J. C. (2011). Data mining for credit card fraud: A comparative study. *Decision Support Systems, 50*(3), 602- 613.

Bolton, R. J., & Hand, D. J. (2002). Statistical fraud detection: A review. *Statistical Science, 17*(3), 235- 249.

Carcillo, F., Dal Pozzolo, A., Le Borgne, Y.-A., Caelen, O., Mazzer, Y., & Bontempi, G. (2019). SCARFF: A scalable framework for streaming credit card fraud detection with Spark. *Information Fusion, 41*, 182- 194.

Dal Pozzolo, A., Boracchi, G., Caelen, O., Alippi, C., & Bontempi, G. (2018). Credit card fraud detection: A realistic modeling and a novel learning strategy. *IEEE Transactions on Neural Networks and Learning Systems, 29*(8), 3784- 3797.

FATF. (2021). *Opportunities and Challenges of New Technologies for AML/CFT.* Financial Action Task Force.

Ngai, E. W. T., Hu, Y., Wong, Y. H., Chen, Y., & Sun, X. (2011). The application of data mining techniques in financial fraud detection. *Decision Support Systems, 50*(3), 559- 569.

West, J., & Bhattacharya, M. (2016). Intelligent financial fraud detection: A comprehensive review. *Computers & Security, 57*, 47- 66.

Lundberg, S. M., & Lee, S.-I. (2017). A unified approach to interpreting model predictions. *Advances in Neural Information Processing Systems, 30.*

Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). "Why should I trust you?": Explaining the predictions of any classifier. *Proceedings of KDD 2016*, 1135- 1144.

Chen, H., Chiang, R. H. L., & Storey, V. C. (2012). Business intelligence and analytics: From big data to big impact. *MIS Quarterly, 36*(4), 1165- 1188.

DISTRESS PREDICTION & FIRM BEHAVIOR

Altman, E. I. (1968). Financial ratios, discriminant analysis and the prediction of corporate bankruptcy. *Journal of Finance, 23*(4), 589- 609.

Ohlson, J. A. (1980). Financial ratios and the probabilistic prediction of bankruptcy. *Journal of Accounting Research, 18*(1), 109- 131.

Barboza, F., Kimura, H., & Altman, E. (2017). Machine learning models and bankruptcy prediction. *Expert Systems with Applications, 83*, 405- 417.

Hosaka, T. (2019). Bankruptcy prediction using imaged financial ratios and convolutional neural networks. *Expert Systems with Applications, 117*, 287- 299.

Jones, S., Johnstone, D., & Wilson, R. (2017). Predicting corporate bankruptcy: An evaluation of alternative statistical frameworks. *Journal of Business Finance & Accounting, 44*(1- 2), 3- 34.

Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep Learning.* MIT Press.

LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature, 521*(7553), 436- 444.

Markowitz, H. (1952). Portfolio selection. *Journal of Finance, 7*(1), 77- 91.

Suykens, J. A. K., & Vandewalle, J. (1999). Least squares support vector machine classifiers. *Neural Processing Letters, 9*(3), 293- 300.

Basel Committee on Banking Supervision. (2018). *Sound Practices: Implications of FinTech Developments for Banks and Bank Supervisors.* Bank for International Settlements.

INFORMATION ASYMMETRY & MARKET EFFICIENCY

Akerlof, G. A. (1970). The market for "lemons": Quality uncertainty and the market mechanism. *Quarterly Journal of Economics, 84*(3), 488- 500.

Botosan, C. A. (1997). Disclosure level and the cost of equity capital. *The Accounting Review, 72*(3), 323- 349.

Diamond, D. W., & Verrecchia, R. E. (1991). Disclosure, liquidity, and the cost of capital. *Journal of Finance, 46*(4), 1325- 1359.

Easley, D., & O'Hara, M. (2004). Information and the cost of capital. *Journal of Finance, 59*(4), 1553- 1583.

Francis, J., LaFond, R., Olsson, P., & Schipper, K. (2005). The market pricing of accruals quality. *Journal of Accounting and Economics, 39*(2), 295- 327.

Lambert, R., Leuz, C., & Verrecchia, R. E. (2007). Accounting information, disclosure, and the cost of capital. *Journal of Accounting Research, 45*(2), 385- 420.

Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, L., & Polosukhin, I. (2017). Attention is all you need. *Advances in Neural Information Processing Systems, 30.*

MACROPRUDENTIAL POLICY & SYSTEMIC RISK

Alessi, L., & Detken, C. (2018). Identifying excessive credit growth and leverage. *Journal of Financial Stability, 35*, 215- 225.

Adrian, T., & Brunnermeier, M. K. (2016). CoVaR. *American Economic Review, 106*(7), 1705- 1741.

Battiston, S., Puliga, M., Kaushik, R., Tasca, P., & Caldarelli, G. (2012). DebtRank: Too central to fail? *Scientific Reports, 2*, 541.

Borio, C. (2014). The financial cycle and macroeconomics: What have we learnt? *Journal of Banking & Finance, 45*, 182- 198.

Eisenberg, L., & Noe, T. H. (2001). Systemic risk in financial systems. *Management Science, 47*(2), 236- 249.

IMF. (2023). *Global Financial Stability Report: Safeguarding Financial Stability amid High Inflation and Geopolitical Risks.* International Monetary Fund.

BIS. (2023). *Annual Economic Report: The Financial System in the Digital Age.* Bank for International Settlements.

SCBCM & CONTEXT-AWARE MODELING

Dey, A. K. (2001). Understanding and using context. *Personal and Ubiquitous Computing, 5*(1), 4- 7.

Elyasaf, A., & Sturm, A. (2021). Modeling context-aware business processes. *Information Systems.*

Perera, C., Liu, C. H., Jayawardena, S., & Chen, M. (2014). A survey on internet of things from industrial market perspective. *IEEE Access, 2*, 1660- 1679.

Strang, T., & Linnhoff-Popien, C. (2004). A context modeling survey. *Workshop on Advanced Context Modelling, Reasoning and Management, UbiComp 2004.*

Hamilton, W., Ying, Z., & Leskovec, J. (2017). Inductive representation learning on large graphs. *Advances in Neural Information Processing Systems, 30.*

Zhou, J., Cui, G., Zhang, Z., Yang, C., Liu, Z., Wang, L., Li, C., & Sun, M. (2020). Graph neural networks: A review of methods and applications. *AI Open, 1*, 57- 81.

Acknowledgements

The author gratefully acknowledges the invaluable guidance, mentorship, and intellectual contributions of **Dr. Ramesh Subramoniam** and **Pradad Pillai** (CEO, Mindspace AI). Their expertise in applied AI systems, financial modeling, and contextual intelligence frameworks substantially shaped the analytical perspective of this review. The authors declare no conflict of interest.