Status	Finished
Started	Wednesday, 7 October 2026, 10:41 PM
Completed	Wednesday, 7 October 2026, 10:49 PM
Duration	8 mins 39 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which module is to be imported for using randint function?

- a. random ✓
- b. randrange
- c. rand
- d. randomrange

Question **2**

Correct

Mark 1.00 out of 1.00

The _____ statement returns the values from the function to the calling function.

- a. take
- b. return ✓
- c. send
- d. give

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

- a. def div(p1=4, p2, p3): ✓
- b. def scan(p1, p2 = 4, p3 = 5):
- c. def mul(p1, n1, m1):
- d. def sum(n1, n2, n = 3):

Question **4**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

a. Programming
b. Modular Programming ✓
c. More Programming
d. Step Programming

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following number can never be generated by the following code: random.randrange(0, 100)

a. 100 ✓
b. 0
c. 1
d. 99

Question **6**

Incorrect

Mark 0.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

a. [4, 5, 6]
b. 7
c. [1, 2, 3, 4] ✗
d. [7]

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def sayHello():
    print('Hello World!')
sayHello()
sayHello()
```

a. Hello
Hello

b. Hello World! ✓
Hello World!

c. 'Hello World!'
'Hello World!'

d. None of the mentioned

Question **8**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using _____.

a. List
b. String
c. Tuple ✓
d. Dictionary

Question **9**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a _____.

a. built in functions
b. user defined function ✓
c. All of the mentioned
d. library function

Question **10**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

a. print( )

b. dictionary( ) ✓

c. input( )

d. tuple( )

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def test(i,j):
  if(i==0):
    return j
  else:
    return test(i-1,i+j)
print(test(4,7))
```

a. 13

b. 17 ✓

c. 7

d. Infinite loop

Question **12**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a ____.

a. Function Variable

b. inside variable

c. Local variable ✓

d. Global variable

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(name, age=20):
    print(name, age)
fun1('Emma', 25)
```

- a. Emma 25 ✓
- b. age
- c. Emma 20
- d. name

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following display() function call?

```
def display(**kwargs):
    for i in kwargs:
        print(i)
display(emp="Kelly", salary=9000)
```

- a. emp ✓
  salary
- b. Kelly
  9000
- c. ('emp', 'Kelly')
  ('salary', 9000)
- d. TypeError

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following are advantages of using function in program?

- a. It increases reusability.
- b. It makes debugging easier.
- c. All of the mentioned ✓
- d. It increases readability of program.