

Amazon MemoryDB for Redis

Table of Contents


Amazon MemoryDB for Redis

1. What is MemoryDB for Redis?
2. Features of MemoryDB
3. Core Components
4. MemoryDB for Redis vs ElastiCache for Redis
5. Understanding MemoryDB replication
6. Replication in a cluster



What is MemoryDB for Redis?

MemoryDB for Redis




1. Durable, in-memory database service
 - Database service
 - Provides durability
 - Stores data in memory
 - Fast access

2. Ultra-fast performance
 - In-memory data storage
 - µs read, ms write latency
 - High throughput





3. microservices architectures
 - Purpose-built for
 - Designed for modern apps
 - Caters to microservices needs

4. Redis-compatible
 - Compatible with Redis
 - Familiar data structures, APIs, commands



What is MemoryDB for Redis?

MemoryDB for Redis




Features of MemoryDB

1. **Strong consistency:** Primary nodes, Eventual consistency for replicas
2. **High performance:** µs read, ms write latencies, Up to 160M TPS per cluster
3. **Redis compatibility:** Flexible data structures, APIs, Easy migration
4. **Data durability:** Multi-AZ transactional log, Fast recovery, restart
5. **Multi-AZ availability:** Automatic failover, Node failure detection, recovery
6. **Scalability:** Horizontal scaling with nodes, Vertical scaling with node types, Scale write throughput with shards, Scale read throughput with replicas
7. **Read-after-write consistency:** Primary nodes, Eventual consistency for replicas
8. **Security:** Encryption in transit (TLS), Encryption at rest (AWS KMS), User authentication, authorization (Redis ACLs), IAM integration, tag-based access control
9. **Automatic snapshots:** Stored in Amazon S3, Up to 35 days retention
10. **Cluster capacity:** Up to 500 nodes, Over 100 TB storage per cluster, 1 replica per shard
11. **AWS Graviton2 support**
12. **AWS integration:** CloudWatch monitoring, Amazon VPC networking, CloudTrail logging, Amazon SNS notifications
13. **Fully managed:** Automated patching, upgrades

Core Components

MemoryDB Components




1. Clusters
Collection of nodes
Serves a single dataset
Partitioned into shards
Specify Redis version

2. Nodes
Smallest building block
Runs on EC2 instance
Runs chosen Redis version
Belongs to a shard, cluster
Scalable to different types
Multiple types, varying memory

3. Shards
Grouping of 1-6 nodes
1 primary write node
Up to 5 read replicas
Cluster has at least 1 shard
Up to 500 shards per cluster
Data partitioned across shards

Core Components

MemoryDB Components



4. 🔍 Parameter groups

Manage runtime settings

Control memory usage, item sizes

Named collection of parameters

Applied to a cluster

Nodes configured identically

5. 🌐 Subnet Groups

Collection of subnets

Typically private

For clusters in Amazon VPC

Specify or use default

Associates IPs with nodes

6. 🔒 Access Control Lists

Collection of users

Follows Redis ACL rules

Authorizes user access

7. 🚶 Users


Username and password

Accesses data, issues commands


Member of an ACL

ACL determines permissions

vs MemoryDB for Redis vs ElastiCache for Redis



Understanding MemoryDB replication



1. 🍰 Data partitioning

Across up to 500 shards

2. 💾 Shard configuration

Single read/write primary node

Up to 5 read-only replicas

3. 🚦 Primary node performance

Sustains up to 100 MB/s

4. 🖥️ Cluster configuration

Up to 500 nodes per cluster

Higher shards, lower replicas

5. 🔧 Configuration range

500 shards, 0 replicas

100 shards, 4 replicas (max)

Replication in a cluster

1. 📖 Read replicas

─ Maintains data copy from primary

2. ⚡ Asynchronous replication

─ Uses transaction logs

─ Keeps replicas synchronized with primary

5. 📈 Read scalability

─ Enhanced by read replicas

7. 🎉 Data partitioning

─ Across shards in cluster

3. 📖 Application read access

─ Read from any node in cluster

6. 💾 Data durability

─ Stored in durable transaction logs

─ No risk of data loss

8. 🌎 Regional deployment

─ Clusters contain nodes from one region

4. 🤝 Application write access

─ Write only to primary nodes

9. 🛡️ Fault tolerance

─ Provision primaries, replicas across AZs

─ Within the same region

Contains nodes from


Regional Deployment

Contains nodes from

Provisioned in

Availability Zone 2

Provisioned in





**Thanks
for
Watching**