

# Code Review Report

Language: python | Review mode: hybrid | Model: llama-3.3-70b-versatile | Generated: 2026-08-13 18:52 UTC

## Overall Assessment

PR summary generation was skipped because Groq rate limited the request.

Merge readiness: unknown

Code health: 0/100

## Findings Summary

Total findings: 12

Risk score: 45

Severity breakdown: Low 0, Medium 0, High 3, Critical 9

| Type                        | Severity | Line | Message                                                 | Recommendation                                                                                                                                       |
|-----------------------------|----------|------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hardcoded Password          | High     | 1    | password = "admin123"                                   | Store passwords in environment variables.                                                                                                            |
| Hardcoded API Key           | High     | 3    | api_key = "123456789"                                   | Store secrets securely.                                                                                                                              |
| SQL Injection               | Critical | 7    | query = "SELECT * FROM users WHERE name='" + name + "'" | Use parameterized queries.                                                                                                                           |
| Dangerous Dynamic Execution | Critical | 9    | eval(input())                                           | Avoid dynamic code execution.                                                                                                                        |
| Dangerous Dynamic Execution | Critical | 11   | exec("print('Hello')")                                  | Avoid dynamic code execution.                                                                                                                        |
| Command Injection           | Critical | 15   | subprocess.run("dir", shell=True)                       | Do not use shell=True with user input.                                                                                                               |
| Security                    | Critical | 1    | Hardcoded password                                      | Use environment variables or a secure secrets management system to store sensitive data                                                              |
| Security                    | Critical | 2    | Hardcoded API key                                       | Use environment variables or a secure secrets management system to store sensitive data                                                              |
| Security                    | Critical | 5    | SQL injection vulnerability                             | Use parameterized queries or prepared statements to prevent SQL injection attacks                                                                    |
| Security                    | Critical | 6    | Use of eval function with user input                    | Avoid using eval function with user input, as it can lead to code injection attacks. Use a safer alternative, such as ast.literal_eval, if necessary |

| Type     | Severity | Line | Message                           | Recommendation                                                                                                                                        |
|----------|----------|------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Security | Critical | 7    | Use of exec function              | Avoid using exec function, as it can lead to code injection attacks. Use a safer alternative, such as a templating engine, if necessary               |
| Security | High     | 10   | Use of subprocess with shell=True | Avoid using shell=True, as it can lead to shell injection attacks. Use the subprocess.run function with the capture_output and text arguments instead |

## Remediation Roadmap

| Finding | Severity | Impact | Suggested Action |
|---------|----------|--------|------------------|
|---------|----------|--------|------------------|

## Source Code Snapshot

```
password = "admin123"

api_key = "123456789"

name = input()

query = "SELECT * FROM users WHERE name='" + name + "'"

eval(input())

exec("print('Hello')")

import subprocess

subprocess.run("dir", shell=True)
```