

RestoPrint — Simple Restaurant Printing Setup Guide

What You Need

- 1 Windows PC (POS PC)
- Thermal Printer
- Internet
- Hosted web app
- Printer IP address

Step 1 — Connect Printer

- Connect the thermal printer to the same Wi-Fi/LAN as the Windows PC.
- Print the printer network page.
- Printer IP: 192.168.1.50
- Port: 9100

Step 2 — Install Node.js

- Install Node.js on the Windows POS PC.
- Website: <https://nodejs.org>

Step 3 — Open Project Folder

- Open PowerShell.
- Run: `cd print-bridge`

Step 4 — Install Packages

- Run: `npm install`

Step 5 — Start Print Connector

- Run: `npm run print-bridge`

- Success message: Print Connector online
- Keep this PowerShell window open.

Step 6 — Open Web App

- Open your hosted web app in browser.
- Example: <https://yourapp.netlify.app>

Step 7 — Add Printer IP

- Go to Admin → Printer Settings
- Enter Invoice Printer IP and Port 9100
- Save settings.

Step 8 — Test Print

- Click Test Print.
- Printer should print successfully.

Step 9 — Mobile Printing

- Waiter opens mobile app.
- Creates order and clicks Place Order.
- Flow: Mobile → Backend → Windows POS PC → Printer

Important

- The Windows POS PC must always stay ON.
- Internet must be connected.
- Print Connector must be running.

Auto Start (Optional)

- Press Win + R

- Type: shell:startup
- Create StartPrintBridge.bat
- Add these lines:
- cd C:\print-bridge
- npm run print-bridge
- Put shortcut into Startup folder.