EXP. 10: INSTALL HADOOP 2.X AND CONFIGURE THE NAME NODE AND DATA NODE.

AIM:

PROCEDURE:

Step 7 - Modify Hadoop config files
//Hadoop Environmental variable setting – The following files will be modified

1. ~/.bashrc
2. /usr/local/hadoop/hadoop-2.7.2/etc/hadoop/hadoop-env.sh
3. /usr/local/hadoop/hadoop-2.7.2/etc/hadoop/core-site.xml
4. /usr/local/hadoop/hadoop-2.7.2/etc/hadoop/hdfs-site.xml
5. /usr/local/hadoop/hadoop-2.7.2/etc/hadoop/yarn-site.xml
6. /usr/local/hadoop/hadoop-2.7.2/etc/hadoop/mapred-site.xml.template

$ sudo nano ~/.bashrc

// Add the following lines at the end of the file

```
export JAVA_HOME=/usr/lib/jvm/java-8-oracle
export HADOOP_HOME=/usr/local/hadoop/hadoop-2.7.2
export PATH=$PATH:$HADOOP_HOME/bin
export PATH=$PATH:$HADOOP_HOME/sbin
export HADOOP_MAPRED_HOME=$HADOOP_HOME
export HADOOP_COMMON_HOME=$HADOOP_HOME
export HADOOP_HDFS_HOME=$HADOOP_HOME
export YARN_HOME=$HADOOP_HOME
HADOOP_COMMON_LIB_NATIVE_DIR=$HADOOP_HOME/lib/native
export HADOOP_OPTS="-D.java.library.path=$HADOOP_HOME/lib"
export PATH=$PATH:/usr/local/hadoop/hadoop-2.7.2/bin
```

// Configure Hadoop Files

$ cd /usr/local/hadoop/hadoop-2.7.2/etc/hadoop/

$ sudo nano hadoop-env.sh

// Add following line in hadoop-env.sh – Set JAVA variable in Hadoop

```
# The java implementation to use.
export JAVA_HOME=/usr/lib/jvm/java-8-oracle
```

// Create datanode and namenode

$ sudo mkdir –p /usr/local/hadoop_tmp/hdfs/namenode

$ sudo mkdir –p /usr/local/hadoop_tmp/hdfs/datanode

// Changing ownership to hadoop_tmp

$ sudo chown –R hduser:hadoop /usr/local/hadoop_tmp

// Edit hdfs-site.xml

$ sudo nano hdfs-site.xml

// Add the following lines between <configuration> …… </configuration>

```
<configuration>
<property>
<name>dfs.replication</name>
<value>1</value>
</property>
<property>
<name>dfs.namenode.name.dir</name>
<value>file:/usr/local/hadoop_tmp/hdfs/namenode</value>
</property>
<property>
<name>dfs.datanode.data.dir</name>
<value>file:/usr/local/hadoop_tmp/hdfs/datanode</value>
</property>
</configuration>
```

// Edit core-site.xml

$ sudo nano core-site.xml

// Add the following lines between <configuration> …… </configuration>

```
<configuration>
<property>
<name>fs.default.name</name>
<value>hdfs://localhost:9000</value>
</property>
</configuration>
```

// Edit yarn-site.xml

$ sudo nano yarn-site.xml

// Add the following lines between <configuration> …… </configuration>

```
<configuration>
<property>
<name>yarn.nodemanager.aux-services</name>
<value>mapreduce_shuffle</value>
</property>
<property>
```

```
<name>yarn.nodemanager.aux-services.mapreduce.shuffle.class</name>
<value>org.apache.hadoop.mapred.Shuffle-Handler</value>
</property>
</configuration>
```

// Edit mapred-site.xmsudo

$ cp /usr/local/hadoop/hadoop-2.7.2/etc/hadoop/mapred-site.xml.template /usr/local/hadoop/hadoop-2.7.2/etc/hadoop/mapred-site.xml

$ sudo nano mapred-site.xml

// Add the following lines between <configuration> …… </configuration>

```
<configuration>
<property>
<name>mapreduce.framework.name</name>
<value>yarn</value>
</property>
</configuration>
```

Step-8 – Format Hadoop File System
$ cd /usr/local/hadoop/hadoop-2.7.2/bin
$ hadoop namenode -format

Step 9 - Start Hadoop
$ cd /usr/local/hadoop/hadoop-2.7.2/sbin

// Starting dfs services

$ start-dfs.sh

// Starting mapreduce services

$ start-yarn.sh

$ jps

Step 10 - Check Hadoop through web UI
Go to browser type http://localhost:8088 – All Applications Hadoop Cluster

Go to browser type http://localhost:50070 – Hadoop Namenode

Step 11 - Stop Hadoop

$ stop-dfs.sh

$ stop-yarn.sh

IMPLEMENTAION:






hduser@ubuntu: /usr/local/hadoop/etc/hadoop
GNU nano 2.2.6 File: hadoop-env.sh
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Set Hadoop-specific environment variables here.
The only required environment variable is JAVA_HOME. All others are
optional. When running a distributed configuration it is best to
set JAVA_HOME in this file, so that it is correctly defined on
remote nodes.
The java implementation to use.
export JAVA_HOME=/usr/lib/jvm/java-7-openjdk-amd64
export JAVA_HOME=${JAVA_HOME}
The jsvc implementation to use. Jsvc is required to run secure datanodes
that bind to privileged ports to provide authentication of data transfer
protocol. Jsvc is not required if SASL is configured for authentication of
data transfer protocol using non-privileged ports.


Clone of Ubuntu 64-bit
usr
local
hadoop_tmp
hdfs
Recent
Home
Desktop
Documents
Downloads
Music
Pictures
Videos
Trash
Floppy Disk
datanode
namenode
hduser@ubuntu: /usr/local/hadoop/etc/hadoop
hduser@ubuntu:/usr/local/hadoop/etc/hadoop$ sudo mkdir -p /usr/local/hadoop_tmp/hdfs/name
node
hduser@ubuntu:/usr/local/hadoop/etc/hadoop$ sudo mkdir -p /usr/local/hadoop_tmp/hdfs/data
node
hduser@ubuntu:/usr/local/hadoop/etc/hadoop$

RESULT: