Overview

| | Passed | Failed | Known | Undefined | Total | %Passed |
|-----------|--------|--------|-------|-----------|-------|---------|
| Features | 0 | 0 | 0 | 1 | 1 | 0% |
| Scenarios | 0 | 0 | 0 | 1 | 1 | 0% |
| Steps | 0 | 0 | 0 | 9 | 9 | 0% |

Overall Duration: 0h 01m 11s

Table of Contents

1. Credit Bonus Money

1.

Detailed Results Report

| at sun.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$new\$0 (JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh | | Failed: 0 | Undefined: 1 | Dur | |
|--|---|---|---|--|--|
| Passed: 0 Indefined: 9 Duration: 71 Before 71.78s org.openqa.selenium.WebDriverException: unknown error: unable to discover open pages (Driver info: chromedriver=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktr information) Command duration or timeout: 64.24 seconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.38.35', os.name: 'Windows 7', os.arch: 'x86', os. version: '6.1', java.version: '1.8.0_144' Driver info: driver.version: ChromeDriver at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.ja62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$petResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$createSession\$24(ProtocolHandsh java:359) at java.sutil.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline,java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators,java:958) | Scenario O | atline: | | | |
| Passed: 0 Indefined: 9 Duration: 71 Before 71.78s org.openqa.selenium.WebDriverException: unknown error: unable to discover open pages (Driver info: chromedriver=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktr information) Command duration or timeout: 64.24 seconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.38.35', os.name: 'Windows 7', os.arch: 'x86', os. version: '6.1', java.version: '1.8.0_144' Driver info: driver.version: ChromeDriver at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.ja62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$petResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$createSession\$24(ProtocolHandsh java:359) at java.sutil.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline,java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators,java:958) | | | | | |
| Passed: 0 Indefined: 9 Duration: 71 Before 71.78s org.openqa.selenium.WebDriverException: unknown error: unable to discover open pages (Driver info: chromedriver=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktr information) Command duration or timeout: 64.24 seconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.38.35', os.name: 'Windows 7', os.arch: 'x86', os. version: '6.1', java.version: '1.8.0_144' Driver info: driver.version: ChromeDriver at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.ja62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$petResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$createSession\$24(ProtocolHandsh java:359) at java.sutil.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline,java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators,java:958) | This test sco | | | | |
| org.openqa.selenium.WebDriverException: unknown error: unable to discover open pages (Driver info: chromedriver=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktr information) Command duration or timeout: 64.24 seconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.38.35', os.name: 'Windows 7', os.arch: 'x86', os. version: '6.1', java.version: '1.8.0_144' Driver info: driver.version: ChromeDriver at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$new\$0 (JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | | | | | |
| org.openqa.selenium.WebDriverException: unknown error: unable to discover open pages (Driver info: chromedriver=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktr information) Command duration or timeout: 64.24 seconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.38.35', os.name: 'Windows 7', os.arch: 'x86', os. version: '6.1', java.version: '1.8.0_144' Driver info: driver.version: ChromeDriver at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.ja 62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$petResponseFunction\$2 (JsonWireProtocolResponse,java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse,java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | | | | , | |
| (Driver info: chromedriver=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktr information) Command duration or timeout: 64.24 seconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.38.35', os.name: 'Windows 7', os.arch: 'x86', os. version: '6.1', java.version: '1.8.0_144' Driver info: driver.version: ChromeDriver at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.ja 62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$new\$0 (JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators,java:958) | Delore | | | | 71.705 |
| (DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$new\$0 (JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | System infoversion: '6.' Driver infovat sun.reflectat sun.reflectation | : host: 'LASST2409 l', java.version: '1.8 driver.version: Ch ct.NativeConstructo | 940', ip: '10.172.38.3 8.0_144' nromeDriver orAccessorImpl.new | 5', os.name: 'Win Instance0(Native | ndows 7', os.arch: 'x86', os. |
| at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$new\$0 (JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | at sun refle | rt.DelegatingConst | ructorAccessorImnl | .newInstance | onstructor Accessor impi.ja |
| at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$new\$0 (JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandshjava:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | | | _ | .newInstance | zonsti uctoi Accessoi impi.ja |
| at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$new\$0 (JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | (Delegating | ConstructorAccess | orImpl.java:45) | | |
| (JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | (Delegating at java.lang at org.open | ConstructorAccess reflect.Constructo qa.selenium.remote | orImpl.java:45) or.newInstance(Cons e.ErrorHandler.crea | tructor.java:423) teThrowable(Eri | orHandler.java:214) |
| at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2 (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | (Delegating at java.lang at org.open at org.open | ConstructorAccess reflect.Constructo qa.selenium.remote qa.selenium.remote | orImpl.java:45) or.newInstance(Cons e.ErrorHandler.crea e.ErrorHandler.thro | tructor.java:423) teThrowable(ErrowifResponseFail | orHandler.java:214) ed(ErrorHandler.java:166) |
| (JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | (Delegating at java.lang at org.open at org.open at org.open | ConstructorAccesses, reflect.Constructo qa.selenium.remote qa.selenium.remote qa.selenium.remote | orImpl.java:45) or.newInstance(Conse.ErrorHandler.creae.ErrorHandler.throe.JsonWireProtocolF | tructor.java:423) teThrowable(ErrowifResponseFail | orHandler.java:214) ed(ErrorHandler.java:166) |
| at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandsh java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | (Delegating at java.lang at org.open at org.open at org.open (JsonWireP | ConstructorAccess reflect.Constructo qa.selenium.remote qa.selenium.remote ProtocolResponse.ja | orImpl.java:45) or.newInstance(Conse.ErrorHandler.creae.ErrorHandler.throe.JsonWireProtocolFava:53) | tructor.java:423) teThrowable(ErrowIfResponseFail Response.lambda | orHandler.java:214) ed(ErrorHandler.java:166) \$new\$0 |
| java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | (Delegating at java.lang at org.open at org.open at org.open (JsonWireP at org.open | ConstructorAccesses, reflect.Constructo qa.selenium.remote qa.selenium.remote qa.selenium.remote qa.selenium.remote protocolResponse.ja qa.selenium.remote | orImpl.java:45) or.newInstance(Conse.ErrorHandler.crea e.ErrorHandler.thro e.JsonWireProtocolF ava:53) e.JsonWireProtocolF | tructor.java:423) teThrowable(ErrowIfResponseFail Response.lambda | orHandler.java:214) ed(ErrorHandler.java:166) \$new\$0 |
| at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | (Delegating at java.lang at org.open at org.open (JsonWireF at org.open (JsonWireF at org.open (JsonWireF | ConstructorAccesses, reflect.Constructo qa.selenium.remote qa.selenium.remote qa.selenium.remote rotocolResponse.ja qa.selenium.remote rotocolResponse.ja | orImpl.java:45) or.newInstance(Conse.ErrorHandler.creae.ErrorHandler.throe.JsonWireProtocolFava:53) e.JsonWireProtocolFava:91) | tructor.java:423) teThrowable(ErrowIfResponseFail Response.lambda Response.lambda | corHandler.java:214) ed(ErrorHandler.java:166) \$new\$0 \$getResponseFunction\$2 |
| at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) | (Delegating at java.lang at org.open at org.open (JsonWireF at org.open (JsonWireF at org.open at org.open (JsonWireF at org.open at org.open | ConstructorAccesses, reflect.Constructo qa.selenium.remote qa.selenium.remote qa.selenium.remote rotocolResponse.ja qa.selenium.remote rotocolResponse.ja | orImpl.java:45) or.newInstance(Conse.ErrorHandler.creae.ErrorHandler.throe.JsonWireProtocolFava:53) e.JsonWireProtocolFava:91) | tructor.java:423) teThrowable(ErrowIfResponseFail Response.lambda Response.lambda | corHandler.java:214) ed(ErrorHandler.java:166) \$new\$0 \$getResponseFunction\$2 |
| | (Delegating at java.lang at org.open at org.open (JsonWireP at org.open (JsonWireP at org.open java:359) | ConstructorAccesses, reflect.Constructor qa.selenium.remote | orImpl.java:45) or.newInstance(Conse.ErrorHandler.crea e.ErrorHandler.thro e.JsonWireProtocolF ava:53) e.JsonWireProtocolF ava:91) e.ProtocolHandshak | tructor.java:423) teThrowable(ErrowIfResponseFail Response.lambda Response.lambda | orHandler.java:214) ed(ErrorHandler.java:166) \$new\$0 \$getResponseFunction\$2 Session\$24(ProtocolHandsha |
| at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) | (Delegating at java.lang at org.open at org.open (JsonWireF at org.open (JsonWireF at org.open java:359) at java.util. | ConstructorAccessed, reflect.Constructor qa.selenium.remoted qa.selenium. | orImpl.java:45) or.newInstance(Conse.ErrorHandler.creae.ErrorHandler.throe.JsonWireProtocolFava:53) e.JsonWireProtocolFava:91) e.ProtocolHandshake | tructor.java:423) teThrowable(ErrowIfResponseFail Response.lambda Response.lambda e.lambda\$creates | corHandler.java:214) ed(ErrorHandler.java:166) \$new\$0 \$getResponseFunction\$2 Session\$24(ProtocolHandsha |
| at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:498) | (Delegating at java.lang at org.open at org.open (JsonWireF at org.open (JsonWireF at org.open java:359) at java.util. at java.util. | ConstructorAccesses, reflect.Constructor qa.selenium.remoter qa.selenium. | orImpl.java:45) or.newInstance(Conse.ErrorHandler.creae.ErrorHandler.throe.JsonWireProtocolFava:53) e.JsonWireProtocolFava:91) e.ProtocolHandshake ipeline\$3\$1.accept(Faspliterator.tryAdva | tructor.java:423) teThrowable(ErrowIfResponseFail Response.lambda Response.lambda e.lambda\$create\$ ReferencePipeline nce(Spliterators, | orHandler.java:214) ed(ErrorHandler.java:166) \$new\$0 \$getResponseFunction\$2 Session\$24(ProtocolHandsha |

```
at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:485)
at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:471)
at java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:152)
at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464)
at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:362)
at org.openga.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)
at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:217)
at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:140)
at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
at org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
at helpers.BrowserHelper.Invoke_browser(BrowserHelper.java:52)
at steps.Hooks.openBrowser(Hooks.java:66)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runBeforeHooks(Runtime.java:202)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:40)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at cucumber.api.testng.AbstractTestNGCucumberTests.feature(AbstractTestNGCucumberTests.
at com.github.mkolisnyk.cucumber.runner.ExtendedTestNGRunner.feature
(ExtendedTestNGRunner.java:69)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:104)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:645)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:851)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1177)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:756)
at org.testng.TestRunner.run(TestRunner.java:610)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:387)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:382)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
at org.testng.SuiteRunner.run(SuiteRunner.java:289)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
```

```
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1293) at org.testng.TestNG.runSuitesLocally(TestNG.java:1218) at org.testng.TestNG.runSuites(TestNG.java:1133) at org.testng.TestNG.run(TestNG.java:1104) at org.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:72) at org.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:123)
```

| After | 0.00s |
|--|-------|
| And check for the success message displayed | 0.00s |
| And Enter the 2 and select the options Internal Testing and click on Cr button | 0.00s |
| And Click on Bonus Money | 0.00s |
| And Click on Balance Tab | 0.00s |
| And Click Recharge Link under the Menu | 0.00s |
| And enter 07347161875 and click on Search | 0.00s |
| And click on Customer Service link | 0.00s |
| And Signin using Admin and SW50ZXJhY3Q= credentials | 0.00s |
| Given I am SMP user and I navigate to SMP http://sntb1-ppsmpw-11:8/smp_jsecure/jsp/login.jsp url | 0.00s |

```
java.lang.NullPointerException
at steps.Hooks.embedScreenshot(Hooks.java:99)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber,runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at cucumber.api.testng.AbstractTestNGCucumberTests.feature(AbstractTestNGCucumberTests.
java:21)
at com.github.mkolisnyk.cucumber.runner.ExtendedTestNGRunner.feature
(ExtendedTestNGRunner.java:69)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:104)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:645)
```

at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)

at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:851) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1177)

at org.testng.TestRunner.privateRun(TestRunner.java:756)

at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)

```
at org.testng.TestRunner.run(TestRunner.java:610)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:387)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:382)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
at org.testng.SuiteRunner.run(SuiteRunner.java:289)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1293)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1218)
at org.testng.TestNG.runSuites(TestNG.java:1133)
at org.testng.TestNG.run(TestNG.java:1104)
at org.testng.RemoteTestNG.run(IDEARemoteTestNG.java:72)
at org.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:123)

Back to Table of Contents
```