

Overview

| | Passed | Failed | Known | Undefined | Total | %Passed |
|-----------|--------|--------|-------|-----------|-------|---------|
| Features | 0 | 1 | 0 | 0 | 1 | 0% |
| Scenarios | 0 | 1 | 0 | 0 | 1 | 0% |
| Steps | 6 | 1 | 0 | 0 | 7 | 86% |

Overall Duration: 0h 03m 06s

Table of Contents

1. [Add new offer text](#)

1.

Detailed Results Report

| | | | |
|---|--|--------------|-------------------|
| Feature: Add new offer text | | | |
| Passed: 0 | Failed: 1 | Undefined: 0 | Duration: 186.24s |
| Scenario Outline: | | | |
| This scenario ensures that SMP user is able to add new offer text in console as part of PAYG H1 2018 | | | |
| Passed: 6 | Failed: 1 | Undefined: 0 | Duration: 186.24s |
| Before | | | 91.70s |
| | Given I am SMP user and I navigate to SMP http://sntb1-ppssmpw-13:8080/smp_jsecure/jsp/login.jsp url | | 26.40s |
| | And Signin using Admin and Interact credentials | | 11.86s |
| | And click on SMP Administration link | | 3.93s |
| | And click on Service Providers link and select SPID | | 5.24s |
| | And click on Notifications link | | 18.61s |
| | And click on Offers tab and Create new link | | 9.51s |
| | And fill in details BIGDATABUNDLE10v2 and Subscribe With Chg and click Add | | 10.87s |
| | java.lang.AssertionError: Failed to add new offer text at org.testng.Assert.fail(Assert.java:94) at steps.SMP_Scenarios.fill_in_details_and_click_add(SMP_Scenarios.java:401) at .And fill in details BIGDATABUNDLE10v2 and Subscribe With Chg and click Add (Features/Pay and Go SMP/Add new offer text.feature:12) | | |
| | After | | |
| org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=71.0.3578.98) (Driver info: chromedriver=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.43.229', os.name: 'Windows 7', os.arch: 'x86', os. | | | |

```

version: '6.1', java.version: '1.8.0_144'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities [{mobileEmulationEnabled=false, hasTouchScreen=false, platform=XP,
acceptSslCerts=false, acceptInsecureCerts=false, webStorageEnabled=true,
browserName=chrome, takesScreenshot=true, javascriptEnabled=true, platformName=XP,
setWindowRect=true, unexpectedAlertBehaviour=, applicationCacheEnabled=false,
rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=2.38.552522
(437e6fbbedfa8762dec75e2c5b3ddb86763dc9dcb), userDataDir=C:
\Users\ssankar4\AppData\Local\Temp\scoped_dir10884_21036}, takesHeapSnapshot=true,
pageLoadStrategy=normal, unhandledPromptBehavior=, databaseEnabled=false,
handlesAlerts=true, version=71.0.3578.98, browserConnectionEnabled=false, nativeEvents=true,
locationContextEnabled=true, cssSelectorsEnabled=true}]
Session ID: eca61266771754b090838b4df4ad5f0d
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:
62)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)
at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)
at org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue
(JsonHttpResponseCodec.java:40)
at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode
(AbstractHttpResponseCodec.java:82)
at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode
(AbstractHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
164)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:643)
at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:472)
at steps.Hooks.embedScreenshot(Hooks.java:116)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at cucumber.api.testng.AbstractTestNGCucumberTests.feature(AbstractTestNGCucumberTests.
java:21)
at com.github.mkolisnyk.cucumber.runner.ExtendedTestNGRunner.feature
(ExtendedTestNGRunner.java:69)

```

```
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:104)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:645)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:851)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1177)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:756)
at org.testng.TestRunner.run(TestRunner.java:610)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:387)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:382)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
at org.testng.SuiteRunner.run(SuiteRunner.java:289)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1293)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1218)
at org.testng.TestNG.runSuites(TestNG.java:1133)
at org.testng.TestNG.run(TestNG.java:1104)
at org.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:72)
at org.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:123)
```

[Back to Table of Contents](#)