Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	0	1	0	0	1	0%
Scenarios	0	1	0	0	1	0%
Steps	1	1	0	0	2	50%

Overall Duration: 0h 01m 54s

Table of Contents

1. Login to SMP as admin

1

Detailed Results Report

	MP as admin						
assed: 0	Failed: 1	Undefined: 0	Duration: 54.76s	Duration: 54.76s			
Scenario Outline	:						
This test scenario ensures that SMP user is able to login successfully							
Passed: 1	Failed:	1 Undefi	ined: 0	Duration: 54.77s			
Before				23.94s			
Given I am SI /smp_jsecure/	14.95s						
And Signin us	7.69s						
at .And Signir new service:10	using Admin	nin_using_credentials(SI and Interact credentials	s(Features/Pay and Go SM				
After				8.18s			
(Session info: chr (Driver info: chr platform=Windo information) Command durat Build info: versio System info: host version: '6.1', jay Driver info: org.	come=70.0.353 omedriver=2.3 ws NT 6.1.760 ion or timeout on: '3.6.0', reviet: 'LASST2409 va.version: '1.8 openqa.seleniu	88.552522 (437e6fbedfa8' 1 SP1 x86) (WARNING: : 0 milliseconds sion: '6fbf3ec767', time: 240', ip: '10.172.54.70', og 3.0_144' um.chrome.ChromeDrive	762dec75e2c5b3ddb867636 : The server did not provid '2017-09-27T15:28:36.4Z' s.name: 'Windows 7', os.ar er chScreen=false, platform=	le any stacktrace			

```
(437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), userDataDir=C:
\Users\ssankar4\AppData\Local\Temp\scoped_dir9032_13664\}, takesHeapSnapshot=true,
pageLoadStrategy=normal, unhandledPromptBehavior=, databaseEnabled=false,
handlesAlerts=true, version=70.0.3538.77, browserConnectionEnabled=false, nativeEvents=true,
locationContextEnabled=true, cssSelectorsEnabled=true}]
Session ID: e42f684be1e48c9ffc9cf6b7c31e186d
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at sun. reflect. Native Constructor Accessor Impl. new Instance (Native Constructor Accessor Impl. java: \\
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
at org.openga.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)
at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)
at org.openga.selenium.remote.http.JsonHttpResponseCodec.reconstructValue
(JsonHttpResponseCodec.java:40)
at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode
(AbstractHttpResponseCodec.java:82)
at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode
(AbstractHttpResponseCodec.java:45)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:
at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)
at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:643)
at org.openga.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:472)
at steps.Hooks.embedScreenshot(Hooks.java:116)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at cucumber.runtime.Utils$1.call(Utils.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utils.invoke(Utils.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber,runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at\ cucumber. api. testng. Abstract TestNGCucumber Tests. feature (Abstract TestNGCucumber Tests.
java:21)
at com.github.mkolisnyk.cucumber.runner.ExtendedTestNGRunner.feature
(ExtendedTestNGRunner.java:69)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:104)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:645)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:851)
```

```
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1177)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:756)
at org.testng.TestRunner.run(TestRunner.java:610)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:387)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:382)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
at org.testng.SuiteRunner.run(SuiteRunner.java:289)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1293)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1218)
at org.testng.TestNG.runSuites(TestNG.java:1133)
at org.testng.TestNG.run(TestNG.java:1104)
at org.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:72)
at org.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:123)
Back to Table of Contents
```