

# Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	0	0	0	1	1	0%
Scenarios	0	0	0	1	1	0%
Steps	0	0	0	8	8	0%

Overall Duration: 0h 02m 51s

## Table of Contents

### 1. [Add new offer text](#)

1.

## Detailed Results Report

Feature: Add new offer text			
Passed: 0	Failed: 0	Undefined: 1	Duration: 111.5s
Scenario Outline:			
This scenario ensures that SMP user is able to add new offer text in console as part of PAYG H1 2018			
Passed: 0	Failed: 0	Undefined: 8	Duration: 111.5s
Before			111.50s
<div>org.openqa.selenium.WebDriverException: chrome not reachable (Driver info: chromedriver=2.38.552522 (437e6fbbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 76.06 seconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.36.234', os.name: 'Windows 7', os.arch: 'x86', os.version: '6.1', java.version: '1.8.0_144' Driver info: driver.version: ChromeDriver at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$new\$0(JsonWireProtocolResponse.java:53) at org.openqa.selenium.remote.JsonWireProtocolResponse.lambda\$getResponseFunction\$2(JsonWireProtocolResponse.java:91) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$24(ProtocolHandshake.java:359) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126)</div>			

```

at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:498)
at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:485)
at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:471)
at java.util.stream.FindOps$FindOp.evaluateSequential(FindOps.java:152)
at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:464)
at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:362)
at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:142)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)
at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:217)
at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:140)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
at helpers.BrowserHelper.Invoke_browser(BrowserHelper.java:52)
at steps.Hooks.openBrowser(Hooks.java:66)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at cucumber.runtime.Utills$1.call(Utills.java:40)
at cucumber.runtime.Timeout.timeout(Timeout.java:16)
at cucumber.runtime.Utills.invoke(Utills.java:34)
at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60)
at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224)
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runBeforeHooks(Runtime.java:202)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:40)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63)
at cucumber.api.testng.AbstractTestNGCucumberTests.feature(AbstractTestNGCucumberTests.java:21)
at com.github.mkolisnyk.cucumber.runner.ExtendedTestNGRunner.feature(ExtendedTestNGRunner.java:69)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:104)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:645)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:851)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1177)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:756)
at org.testng.TestRunner.run(TestRunner.java:610)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:387)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:382)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
at org.testng.SuiteRunner.run(SuiteRunner.java:289)

```

```

at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1293)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1218)
at org.testng.TestNG.runSuites(TestNG.java:1133)
at org.testng.TestNG.run(TestNG.java:1104)
at org.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:72)
at org.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:123)

```

Given I am SMP user and I navigate to SMP http://sntb1-ppssmpw-13:8080/smp_jsecure/jsp/login.jsp url	0.00s
And Signin using Admin and SW50ZX.JhY3Q= credentials	0.00s
And click on SMP Administration link	0.00s
And click on Service Providers link and select 283	0.00s
And click on Notifications link	0.00s
And click on Offers tab and Create new link	0.00s
And fill BIGDATABUNDLE10v2 Subscribe With Chg For testing and click Add	0.00s
And check if BIGDATABUNDLE10v2 and Subscribe With Chg are added in the table	0.00s
After	0.00s
<pre> java.lang.NullPointerException at steps.Hooks.embedScreenshot(Hooks.java:99) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) at cucumber.runtime.Runtime.runHooks(Runtime.java:212) at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206) at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46) at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46) at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165) at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:63) at cucumber.api.testng.AbstractTestNGCucumberTests.feature(AbstractTestNGCucumberTests.java:21) at com.github.mkolisnyk.cucumber.runner.ExtendedTestNGRunner.feature(ExtendedTestNGRunner.java:69) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:104) at org.testng.internal.Invoker.invokeMethod(Invoker.java:645) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:851) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1177) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112) at org.testng.TestRunner.privateRun(TestRunner.java:756) </pre>	

```
at org.testng.TestRunner.run(TestRunner.java:610)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:387)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:382)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
at org.testng.SuiteRunner.run(SuiteRunner.java:289)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1293)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1218)
at org.testng.TestNG.runSuites(TestNG.java:1133)
at org.testng.TestNG.run(TestNG.java:1104)
at org.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:72)
at org.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:123)
```

[Back to Table of Contents](#)