

# Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	0	1	0	0	1	0%
Scenarios	0	3	0	0	3	0%
Steps	12	3	0	6	21	57%

Overall Duration: 0h 07m 00s

## Table of Contents

1. [Add new offer text](#)
- 2.

## Detailed Results Report

Feature: <a href="#">Add new offer text</a>			
Passed: 0	Failed: 3	Undefined: 0	Duration: 420.3s
Scenario Outline:			
<i>This scenario ensures that SMP user is able to add new offer text in console as part of PAYG H1 2018</i>			
Passed: 6	Failed: 1	Undefined: 0	Duration: 148.52s
Before			59.32s
	Given I am SMP user and I navigate to SMP http://sntb1-ppssmpw-13:8080/smp_jsecure/jsp/login.jsp url		14.23s
	And Signin using Admin and Interact credentials		9.45s
	And click on SMP Administration link		3.91s
	And click on Service Providers link and select SPID		4.44s
	And click on Notifications link		22.24s
	And click on Offers tab and Create new link		11.81s
	And fill in details BIGDATABUNDLE10v2 Subscribe With Chg and click Add		18.39s
	org.openqa.selenium.NoSuchElementException: Cannot locate element with text: BIGDATABUNDLE10v2 Subscribe With For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.43.229', os.name: 'Windows 7', os.arch: 'x86', os.version: '6.1', java.version: '1.8.0_144' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:151) at actionsPerformed.SMPOfferNotificationPageActions.Selectoffer (SMPOfferNotificationPageActions.java:32) at steps.SMP_Scenarios.fill_in_details_and_click_add(SMP_Scenarios.java:388) at .And fill in details BIGDATABUNDLE10v2 Subscribe With Chg and click Add(Features /Pay and Go SMP/Add new offer text.feature:12)		
	After		
<a href="#">Back to Table of Contents</a>			

## Scenario Outline:

*This scenario ensures that SMP user is able to add new offer text in console as part of PAYG H1 2018*

Passed: 6	Failed: 1	Undefined: 0	Duration: 131.28s
-----------	-----------	--------------	-------------------

Before	30.25s
--------	--------

Given I am SMP user and I navigate to SMP http://sntb1-ppssmpw-13:8080/smp_jsecure/jsp/login.jsp url	9.57s
And Signin using Admin and Interact credentials	6.34s
And click on SMP Administration link	4.14s
And click on Service Providers link and select SPID	4.49s
And click on Notifications link	29.08s
And click on Offers tab and Create new link	8.62s
And fill in details BIGDATABUNDLE10v2 Replen With Charge and click Add	17.96s

org.openqa.selenium.NoSuchElementException: Cannot locate element with text: BIGDATABUNDLE10v2 Replen With  
 For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html  
 Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z'  
 System info: host: 'LASST240940', ip: '10.172.43.229', os.name: 'Windows 7', os.arch: 'x86', os.version: '6.1', java.version: '1.8.0\_144'  
 Driver info: driver.version: unknown  
 at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:151)  
 at actionsPerformed.SMPOfferNotificationPageActions.Selectoffer (SMPOfferNotificationPageActions.java:32)  
 at steps.SMP\_Scenarios.fill\_in\_details\_and\_click\_add(SMP\_Scenarios.java:388)  
 at .And fill in details BIGDATABUNDLE10v2 Replen With Charge and click Add(Features/Pay and Go SMP/Add new offer text.feature:12)

After	20.84s
-------	--------

[Back to Table of Contents](#)

## Scenario Outline:

*This scenario ensures that SMP user is able to add new offer text in console as part of PAYG H1 2018*

Passed: 0	Failed: 1	Undefined: 6	Duration: 140.49s
-----------	-----------	--------------	-------------------

Before	113.30s
--------	---------

Given I am SMP user and I navigate to SMP http://sntb1-ppssmpw-13:8080/smp_jsecure/jsp/login.jsp url	19.07s
<p>java.lang.AssertionError: unable to get title            at org.testng.Assert.fail(Assert.java:94)            at steps.SMP_Scenarios.I_am_SMP_user_and_I_navigate_to_SMP_TB_url(SMP_Scenarios.java:64)            at .Given I am SMP user and I navigate to SMP http://sntb1-ppssmpw-13:8080/smp_jsecure/jsp/login.jsp url(Features/Pay and Go SMP/Add new offer text.feature:6)</p>	
And Signin using Admin and Interact credentials	0.00s
And click on SMP Administration link	0.00s
And click on Service Providers link and select SPID	0.00s
And click on Notifications link	0.00s
And click on Offers tab and Create new link	0.00s

And fill in details BIGDATABUNDLE15 Subscribe With Chg and click Add		0.00s
After		8.12s
<pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=71.0.3578.98) (Driver info: chromedriver=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), platform=Windows NT 6.1.7601 SP1 x86) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds Build info: version: '3.6.0', revision: '6fbf3ec767', time: '2017-09-27T15:28:36.4Z' System info: host: 'LASST240940', ip: '10.172.43.229', os.name: 'Windows 7', os.arch: 'x86', os. version: '6.1', java.version: '1.8.0_144' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, hasTouchScreen=false, platform=XP, acceptSslCerts=false, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, platformName=XP, setWindowRect=true, unexpectedAlertBehaviour=, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), userDataDir=C: \Users\ssankar4\AppData\Local\Temp\scoped_dir8372_13791}, takesHeapSnapshot=true, pageLoadStrategy=normal, unhandledPromptBehavior=, databaseEnabled=false, handlesAlerts=true, version=71.0.3578.98, browserConnectionEnabled=false, nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true}] Session ID: c95de760e2a81696edc09f351d99f7cc at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java: 62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166) at org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue (JsonHttpResponseCodec.java:40) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode (AbstractHttpResponseCodec.java:82) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode (AbstractHttpResponseCodec.java:45) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java: 164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:643) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:472) at steps.Hooks.embedScreenshot(Hooks.java:116) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at cucumber.runtime.Utills\$1.call(Utills.java:40) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utills.invoke(Utills.java:34) at cucumber.runtime.java.JavaHookDefinition.execute(JavaHookDefinition.java:60) at cucumber.runtime.Runtime.runHookIfTagsMatch(Runtime.java:224) </pre>		

```
at cucumber.runtime.Runtime.runHooks(Runtime.java:212)
at cucumber.runtime.Runtime.runAfterHooks(Runtime.java:206)
at cucumber.runtime.model.CucumberScenario.run(CucumberScenario.java:46)
at cucumber.runtime.model.CucumberScenarioOutline.run(CucumberScenarioOutline.java:46)
at cucumber.runtime.model.CucumberFeature.run(CucumberFeature.java:165)
at cucumber.api.testng.TestNGCucumberRunner.runCucumber(TestNGCucumberRunner.java:
63)
at cucumber.api.testng.AbstractTestNGCucumberTests.feature(AbstractTestNGCucumberTests.
java:21)
at com.github.mkolisnyk.cucumber.runner.ExtendedTestNGRunner.feature
(ExtendedTestNGRunner.java:69)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:104)
at org.testng.internal.Invoker.invokeMethod(Invoker.java:645)
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:851)
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1177)
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
at org.testng.TestRunner.privateRun(TestRunner.java:756)
at org.testng.TestRunner.run(TestRunner.java:610)
at org.testng.SuiteRunner.runTest(SuiteRunner.java:387)
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:382)
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:340)
at org.testng.SuiteRunner.run(SuiteRunner.java:289)
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1293)
at org.testng.TestNG.runSuitesLocally(TestNG.java:1218)
at org.testng.TestNG.runSuites(TestNG.java:1133)
at org.testng.TestNG.run(TestNG.java:1104)
at org.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:72)
at org.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:123)
```

[Back to Table of Contents](#)