AF3060 INVERTER DRIVES

CHARGE CONTROL - 347X417BAG01
AAG01
ABG01

OPERATION – TROUBLE SHOOTING – REPAIR


GEK-62506

ELEMENTARY DIAGRAM 36B595007BA (BAG01)
36B595007AA (AAG01)
36B595007AB (ABG01)


These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to the General Electric Company.

GENERAL ELECTRIC

Demark of the General Electric Co.



WIRE NO.	#14 BLACK
P1	TB(2), DRSA(1), R(1), LVR(3)
P2	F1 (1), LD(Y)
P3	DRSB(2), CCRS(2), LD(X), LVR(B)(2)
C1	TB(4)(6), LVR(4)
C2	TB(8), LVR(A)
C3	R1(2), LD(A)
C4	LD(B), LVR(1)
C5	DRSA(2), DRSB(1)
P2A	F1(2), CCRS(1)



REF PRE PUNCHED PANEL 9428207BE P1

FOLD

MADE BY [signature] AUG. 29, 1973
[signature] AUG. 30, 1973

APPROVALS RYS

SPEED VARIATOR
ERIE, PA.

36B595007BA

REVISIONS

			MODEL F1	5(S)
				TB(1)

PRINTS TO

GENERAL ELECTRIC

TITLE CONNECTION DIAGRAM (SUBASSEMBLY)

FIRST MADE FOR SP. VAR. REQ. 247-HG6-F30427

347X417BAG1

36B595007BA

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING — APPLIED PRACTICES

SURFACES √

TOLERANCES ON MACHINED DIMENSIONS: FRACTIONS ± , DECIMALS ± , ANGLES ±

REV NO 01

CONT ON SHEET

SH NO

DRAWING NO

CONT ON SHEET

SH NO

GENERAL ELECTRIC

36B595007AA

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING —


APPLIED PRACTICES	SURFACES	TOLERANCES ON MACHINED DIMENSIONS: FRACTIONS	DECIMALS	ANGLES
	✓	±	±	±

REV NO 0X234 CONT ON SHEET SH NO


TITLE CONNECTION DIAGRAM (SUB ASSEMBLY)

FIRST MADE FOR SP. VAR. REQ. 393-33862

347X417AAG1



WIRE NO.	#14 BLACK
P1	TB(9), LVR(3), R2(1)
P2	F1(1), LD(Y)
P3	LVR(B), R1(2), LD(X), LVR(2)
C1	TB(8)(1), LVR(4)
C2	TB(2), LVR(A)
C3	R2(2), LD(A)
C4	LD(B), LVR(1)
P2A	F1(2), R1(1)



REVISIONS

4	C.P.Niminski Aug 28, 1974	FOR RECORD	1	C.P.Niminski Sept 18, 1973	393-33[illegible]
REF. PANEL WAS GOBC151 P186 - WIEDEMANN WORK SH. WC-36B595007AA WIRE NO. P2A WAS F1(2) R1(2) TURNED RES. POINTS IN (180°)			ADDED WIRE TABLE & ELECTRICAL DIAGRAM.		
			2	[illegible] Sept 24	[illegible]
			CHG WIRE NO. P2 FROM R1(2, LD(A)		
			3	[illegible]	393-33[illegible]

MADE BY	APPROVALS		
C.P. Niminski June 28, 1973		SPEED VARIATOR ERIE, PA.	36B595007AA
ISSUED C.P. Niminski June 29, 1973			

REF. PREPUNCHED PANEL 942B207BAP1

FORM FE 1173
PRINTED IN U.S.A.

GENERAL ELECTRIC

36B595007AB

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING —


APPLIED PRACTICES	SURFACES	TOLERANCES ON MACHINED DIMENSIONS: FRACTIONS	DECIMALS	ANGLES
	✓	±	±	±

REV NO 5


TITLE CONNECTION DIAG. (SUBASSEMBLY)

FIRST MADE FOR SP. VAR. REQ. 393-33862

347X417ABG1



WIRE NO.	#14 BLACK
P1	TH(9), LVR(3), R2(1)
P2	F1(1), LD(Y)
P3	LVR(B), R1(2), LD(X), LVR(2)
C1	TH(8)(1), LVR(4)
C2	TH(2), LVR(A)
C3	R2(2), LD(A)
C4	LD(B), LVR(1)
P2A	F1(2), R1(1)



REVISIONS				PRINTS TO
5	[illegible]	[illegible]	REDRAWN NO ENG.	5(5)

REF PRE PUNCHED PNL 942B207BAP1

DRAWN BY C.P. NIEMINSKI JUNE 28, 1976

ISSUED [signature] [illegible] 1976

APPROVALS

SPEED VARIATOR

ERIE, PA.

36B595007AB

SC-10 761
PRINTED IN U.S.A.