INSTRUCTIONS

GEK-45120

SERVO
193X534AA GO1

ELEMENTARY DIAGRAM	36C764167AA SH. 1
CARD DIAGRAM	36C764167AA SH. 2

REFER TO THE DRIVE SYSTEM INSTRUCTIONS AND ELEMENTARY DIAGRAMS FOR DESCRIPTIONS, ADJUSTMENTS AND ON-CARD JUMPER CONNECTIONS.

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to General Electric Company.

GENERAL ELECTRIC

GENERAL ELECTRIC


36C764167AA
CONT ON SHEET 2 SH NO 1

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING —

APPLIED PRACTICES	SURFACES	TOLERANCES ON MACHINED DIMENSIONS FRACTIONS	DECIMALS	ANGLES
	✓	±	±	±

TITLE ELEMENTARY DIAGRAM
SERVO CARD

FIRST MADE FOR STANDARD LINE
193X534AAG01



REVISIONS

REV NO	DESCRIPTION	DATE	APPROVED
1	ADDED DL-I & VFB PER SV-870	JULY 15, 1976	R.A. Baker

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department

PRINTS TO

5B(2)22	5(S)
5QC(BK)5	5D(BK)
5(TS)50	5L(BW)5
AW(BW)	5AE(BW)
DS(REP)	5QC(B)

MADE BY M.D. Pagle MARCH 8,1976
ISSUED R. LaRose JUNE 8, 1976
APPROVAL CCR

SPEED VARIATOR
ERIE, PA
DIV OR DEPT
LOCATION

36C764167AA
CONT ON SHEET 2 SH NO 1

PROPRIETARY INFORMATION OF THE GENERAL ELECTRIC COMPANY

FF-009-F (11-72)
PRINTED IN U.S.A.

GENERAL ELECTRIC

36C764167AA
CONT ON SHEET FL SH NO 2

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING

APPLICABLE PRACTICES	SURFACES	TOLERANCES ON MACHINED DIMENSIONS: FRACTIONS	DECIMALS	SHEET METAL
... 710A515 ...	✓	±	± .xx	±


TITLE PRINTED CIRCUIT DIAGRAM
SERVO CARD

FIRST MADE FOR STANDARD LINE
193X534AAG01

HOLE TABULATION

ALL HOLES 040 DIA EXCEPT THE HOLES TABULATED BELOW

LOC.	DIA	QUAN
A	157	2
B	032	64



SEE NOTE 1&2

GROUP	KEY LOCATIONS		
G01	6-7	12-13	28-29


NOTES

1 INDICATED TAB NUMBERS CORRESPOND TO MATCHING RECEPTACLE NUMBERS


2 CROSS HATCHED TABS INDICATES TABS USED.

3 CARD SIZE, .5 $500^{+.000}_{-.015}$ X .5 $130^{+.002}_{-.008}$


TRANSISTOR LEAD SKETCHES




SKETCH FOR T7




SKETCH FOR T1, T2, T3, T5



SKETCH FOR T6




SKETCH FOR T4



SKETCH FOR OA1, OA2

COMPONENT HEIGHT SKETCH



2X	36A358024AA004		1	
SCALE	REAR ETCHED BOARD DWG.	FRONT ETCHED BOARD DWG.	FRONT SPACE UNIT REQUIREMENT	BACK

REVISIONS

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Varistor Department

PRINTS TO	
5B(2)22	5(S)
5Q(BK)5	5D(BK)
5(TS)50	5L(BW)5
AW(BW)	5AE(BW)
DS(REP)	5QC(B)

MADE BY Otto Ryan MARCH 9, 1976	APPROVALS	SPEED VARIATOR	DIV. OR MFG. LOCATION	36C764167AA
ISSUED R. LaRose JUNE 8, 1976		ERIE, PA		CONT ON SHEET FL SH NO 2

PROPRIETARY INFORMATION OF THE GENERAL ELECTRIC COMPANY

GENERAL ELECTRIC COMPANY
SPEED VARIATOR PRODUCTS OPERATION
ERIE, PENNSYLVANIA 16531

GENERAL ELECTRIC

GEK-45120 (1/84) 1M (P)