INSTRUCTIONS

MAIN CONTROL CARD

193X537ADG01

ELEMENTARY DIAGRAM	**36D868825AD**
CARD DIAGRAM	**36C764174AD**

REFER TO THE SYSTEM INSTRUCTIONS AND ELEMENTARY DIAGRAMS FOR DESCRIPTION, ADJUSTMENTS AND ON—CARD JUMPER CONNECTIONS.

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to General Electric Company.

GENERAL ELECTRIC

GENERAL ELECTRIC 36D868825AD
CONT ON SHEET 2 SH NO 1

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING:—

APPLIED PRACTICES.	SURFACES	TOLERANCES ON MACHINED DIMENSIONS FRACTIONS	DECIMALS	ANGLES
718A503 & 718A504	√	±	±	±

REV NO. Ø1
CONT ON SHEET SH NO.

TITLE ELEMENTARY DIAGRAM
DC3064R CONTROL CARD
FIRST MADE FOR STANDARD LINE
193X537ADG01



REVISIONS

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department.

PRINTS TO	
5B(8)M	5J(BW)
5R(2)BW	TS(5D)
5L(2)BW	
AW(BW)	
5D(CD)	
JA(CD)	

MADE BY M. Crotty MAY 12, 1978
ISSUED FEB. 20, 1979
APPROVALS
SPEED VARIATOR DIV OR DEPT
ERIE, PA. LOCATION
36D868825AD
CONT ON SHEET 2 SH NO 1

GENERAL ELECTRIC

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING:—					REV NO. 0
APPLIED PRACTICES:	SURFACES	TOLERANCES ON MACHINED DIMENSIONS FRACTIONS	DECIMALS	ANGLES	CONT ON SHEET / SH NO.
718A503 & 718A504	√	±	±	±	

TITLE ELEMENTARY DIAGRAM
DC3064R CONTROL CARD

FIRST MADE FOR STANDARD LINE

193X537ADG01

36D868825AD
CONT ON SHEET 3 SH NO. 2



REVISIONS	PRINTS TO	
No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department.	5B(6)M	5J(BW)
	5R(2)BW	T5(50)
	5L(2)BW	
	AW(BW)	
	5D(CD)	
	uA(CD)	

MADE BY M. Crotty MAY 12, 1978
ISSUED FEB. 20, 1979
APPROVALS

SPEED VARIATOR DIV OR DEPT
ERIE, PA. LOCATION

36D868825AD
CONT ON SHEET 3 SH NO. 2

FF-812-F (8-75)
PRINTED IN U.S.A.

GENERAL ELECTRIC

36D868825AD

CONT ON SHEET FL SH NO 3

REV NO. 0

CONT ON SHEET SH NO.

TITLE NOTES & SYMBOLS

3C3064R CONTROL CARD

FIRST MADE FOR STANDARD LINE 193X537ADG01

REVISIONS

JUMPER CONNECTIONS

THIS CARD IS WIRED AT ASSEMBLY WITH THE JUMPER CONNECTIONS SHOWN BELOW. THESE MAY BE RECONNECTED OR REMOVED AND OTHER JUMPERS ADDED. REFER TO SYSTEM ELEMENTARY FOR JUMPER LOCATIONS.

SRH — COM JH — COM (HIGH REFERENCE RANGE)

AT1 — AT2 (AC TACH)

SYMBOLS


TB FINGER


CONTACT PIN


CONTACT PINS USED AS INPUTS/OUTPUTS


COMPONENTS SHOWN DOTTED WILL BE FURNISHED ONLY WHEN REQUIRED.


C52 AND R257 WILL PROVIDE A TACHOMETER RATE NETWORK.

C70 AND R381 WILL CONTROL THE RATE OF RISE OR CURRENT.

R19, R24, AND R29 SELECTED IN CARD TEST.

THE NOMENCLATURE IS DEFINED IN THE ENGINEERING SPECIFICATION AND THE INSTRUCTION BOOK.

EXCEPT AS NOTED, ALL NPN TRANSISTORS ARE 2N4424 AND ALL PNP TRANSISTORS ARE 2N5366.

NOTE

1. 332Ω RESISTOR LTR FROM LT1 TO COM FOR 2-60 SEC. LINEAR TIMING RANGE.

TS(50)
5D(CD)
5B(8)M
5R(2)BW
5L(2)BW
5J(BW)
AW(BW)
JA(CD)
PRINTS TO

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department

MADE BY M. Crotty MAY 26, 1978

ISSUED FEB. 20, 1979

APPROVALS

speed variator DIV OR DEPT.

ERIE, PA., USA LOCATION

36D868825AD

CONT ON SHEET FL SH NO. 3

CODE IDENT NO.



TRANSISTOR LEAD SKETCHES



SKETCH FOR T101

SKETCH FOR T1, T2, T7, T8, T16, T105

SKETCH FOR T3, T10, T14, T49, T51, T97, T98

SKETCH FOR T4, T17, T21, T22, T99, T108

SKETCH FOR T13, T23, T75, T103

SKETCH FOR T19

SKETCH FOR T60, T77, T100,

SKETCH FOR OA1, OA4

SKETCH FOR IC1, IC2, IC3

SKETCH FOR IC7, IC8, IC9, IC10, IC11, IC12, IC13, IC14, IC15, IC16, IC17

SKETCH FOR SCR1

SKETCH FOR MOUNTING T15

SKETCH FOR T5, T6, T9, T58

SKETCH FOR T11, T80

SKETCH FOR T12, T18, T104, T107

SKETCH FOR T102

SKETCH FOR T69, T70, T71, T72, T73, T74, T78, T79, T81, T82, T83

SKETCH FOR T67, T76

SKETCH FOR OA2, OA3, OA5, OA6, OA7, OA8, OA9, OA10, OA11, OA12

SKETCH FOR T20

COMPONENT HEIGHT SKETCH



SKETCH "A"

HOLE TABULATION

ALL HOLES .032 DIA. EXCEPT
THE HOLES TABULATED BELOW

LOC.	DIA.	QUAN.
A	.157	3
B	.040	865
C	.062	14
D	.070	119
E	.126	42
F	.187	3

NOTE

CARD SIZE, $10.000^{+.000}_{-.015}$ X $17.000^{+.002}_{-.008}$

REVISIONS						
ZONE	LTR	REV	DESCRIPTION		DATE	APPROVED
		1	D. Lamiel	PER DCR-10534		

PRINTS TO	
5B(B)M	5J(BW)
5R(2)BW	TS(90)
5L(2)BW	
4W(BW)	
3G(CD)	
JA(CD)	

2X	36C774141AC005	36C774142AC005		
SCALE	REAR ETCHED BOARD DWG.	FRONT ETCHED BOARD DWG.	FRONT	BACK
			SPACE UNIT REQUIREMENT	

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES—
TOLERANCES ON:
2-PLACE DECIMALS ±
3-PLACE DECIMALS ±
ANGLES ±
FRACTIONS ±
ALL SURF. ✓
MATERIAL—

SIGNATURES	DAY	MO	YR
DRAWN G.R. Baker	30	6	78
CHECKED			
ISSUED	20	2	79
ENGRG.			
MFG.			
MATLS.			

GENERAL ELECTRIC
speed variator DEPT. LOC. ERIE, PA., U.S.A.

MAIN CONTROL CARD

COMPONENT DIAGRAM

SIZE E
CODE IDENT NO.
36C764174AD
SCALE
193X557AD G01
SHEET