INSTRUCTIONS

GEK-45124

AUXILIARY CONTROL CARD

193X538ABG01

ELEMENTARY DIAGRAM	**36D868826AB**
CARD DIAGRAM	**36C764175AB**

REFER TO THE DRIVE SYSTEM INSTRUCTIONS AND ELEMENTARY DIAGRAMS FOR DESCRIPTION AND ON-CARD JUMPER CONNECTIONS.

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to General Electric Company.

GENERAL ELECTRIC

GEK-45124 (9/85) 1M (P)



GENERAL ELECTRIC

36D868826AB

CONT ON SHEET 2 SH NO. 1

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING:—

APPLIED PRACTICES: T19A508 & 719A504

SURFACES ✓

REV NO. 0

TITLE ELEMENTARY DIAGRAM
DC3064R AUX. CONTROL CARD

FIRST MADE FOR STANDARD LINE
193X538AB801

JUMPER CONNECTIONS

JUMPERS MAY BE ADDED TO THIS CARD. REFER TO SYSTEM ELEMENTARY FOR JUMPER LOCATIONS.

SYMBOLS

☐—— TB FINGER

○—— CONTACT PIN

COMPONENT SHOWN DOTTED, R112, R113 ARE A FUNCTION OF DRIVE RATING AND PROPER VALUES MUST BE USED WHEN REPLACING THIS CARD. REFER TO SYSTEM ELEMENTARY.

THE NOMENCLATURE IS DEFINED IN THE ENGINEERING SPECIFICATION AND INSTRUCTION BOOK.

EXCEPT AS NOTED, ALL NPN TRANSISTORS ARE 2N4424 AND ALL PNP TRANSISTORS ARE 2N5366.

REVISIONS

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department.

PRINTS TO	
[illegible]	[illegible]
SR(2)(SW)	TS(SO)
SL(2)(SW)	
AW(SW)	
SD(CD)	
JA(CD)	

MAY 26, 1977

Feb. 24, 1977

SPEED VARIATOR

ERIE, PA.

36D868826AB

CONT ON SHEET 2 SH NO. 1

PROPRIETARY INFORMATION OF THE GENERAL ELECTRIC COMPANY

GENERAL ELECTRIC 36D868826AB
CONT ON SHEET FL SH NO. 2

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING:—				
APPLIED PRACTICES.	SURFACES			
718A503 & 718A504	✓	+ −	+ −	+ −

REV NO. 0

TITLE ELEMENTARY DIAGRAM
DC3084R AUX. CONTROL CARD

FIRST MADE FOR STANDARD LINE
193X838AB 801



REVISIONS

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department.

PRINTS TO	
SG(3)W	SJ(3)W
BR(2)SW	
BL(2)SW	
AM(2)W	
SG(CS)	
JA(CS)	

E. Donaldson OCT. 8, 1976
Paul Hayek Feb. 24, 1977

SPEED VARIATOR
ERIE, PA.

36D868826AB
CONT ON SHEET FL SH NO. 2

PROPRIETARY INFORMATION OF THE GENERAL ELECTRIC COMPANY



HOLE TABULATION

ALL HOLES .032 DIA EXCEPT
THE HOLES TABULATED BELOW

LOC.	DIA.	QUAN.
A	.157	14
B	.040	539
C	.052	50
D	.062	38
E	.070	62
F	.128	56



SKETCH FOR
T13



SKETCH FOR
T14



SKETCH FOR
IC1, IC2, IC3,
IC4, IC5, IC6,
IC7, IC8, IC9,
IC10, IC11



SKETCH FOR
SCR1



SKETCH FOR
OA1, OA2, OA3,
OA4, OA5

COMPONENT HEIGHT SKETCH





SKETCH FOR
T1, T2, T3, T4,
T5, T6, T7, T8,
T9, T10, T11, T12



SKETCH FOR
TX1, TX2, TX11,
TX12

PROPRIETARY INFORMATION OF THE GENERAL ELECTRIC COMPANY

X	36C774139AB005	36C774140AB005		
SCALE	REAR ETCHED BOARD DWG.	FRONT ETCHED BOARD DWG.	FRONT	BACK
			SPACE UNIT REQUIREMENT	

PRINTS TO	
SB(B)M	SJ(BW)
GR(2)BW	
AW(BW)	
JA(CD)	
BL(2)BW	
BD(CD)	

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES—
TOLERANCES ON:
2-PLACE DECIMALS ±
3-PLACE DECIMALS ±
ANGLES ±
FRACTIONS ±
ALL SURF. ✓
MATERIAL—

SIGNATURES			
[illegible]	25	5	77
[illegible]	2	-	78
[illegible]			

GENERAL ELECTRIC
SP VAR DEPT LOC. ERIE, PA

AUX CONTROL DC-3064R
PRINTED CIRCUIT COMPONENT DIAG

SIZE E
CODE IDENT NO.
36C764175AB

SCALE
193X538AB601
SHEET