INTERFACE CARD

193X528ADG02

ELEMENTARY DIAGRAM	36C764178AD
CARD DIAGRAM	36D868830AD

REFER TO THE DRIVE SYSTEM INSTRUCTIONS AND ELEMENTARY DIAGRAMS FOR DESCRIPTIONS, ADJUSTMENTS AND ON-CARD JUMPER CONNECTIONS.

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to General Electric Company.

GENERAL ELECTRIC

GEK-45126B (9/84) 1M (P)

GENERAL ELECTRIC

ELEMENTARY DIAGRAM
INTERFACE CARD (PARALLEL MODULES)

STANDARD LINE
193X528ADG02



NOTE 1

JUMPER CONN	MAX TACH VOLTAGE	
NT-NT1,PT-PT1	26-64 VDC	26-71 VAC
NT-NT2,PT-PT2	64-160VDC	64-177 VAC
NT-NT3,PT-PT3	119-300VDC	119-331 VAC
NT-CEMF,CC-COM	VOLTAGE (CEMF) REGULATOR	

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department.

5B(8)M	5J(BW
5R(2)BW	TS(...
5L(2)BW	5D(BK
AW'BW	5E(A
5S(CD)	
.A(CD)	

M. White AUG. 21, 1981
ISSUED APR 2, 1982

SPEED VARIATOR
ERIE, PA

36C764178AD
2

GENERAL ELECTRIC

36C764178AD FL 2

ELEMENTARY DIAGRAM
INTERFACE CARD (PARALLEL MODULES)

STANDARD LINE
193X528ADG02



NOTE 2

JUMPER CONN	IOC TRIP LEVEL
NONE	400% (STANDARD)
I-IHI	500%

SYMBOLS

☐ - TB FINGER

○ - CONTACT PIN

THE NOMENCLATURE IS DEFINED IN THE INSTRUCTION BOOK

NOTE 3

JUMPER ILO TO DM11 FOR FUSE LOSS TRIP

No revisions are to be made to this drawing without the specific approval of a Development Engineering Section of the Speed Variator Department

5B(81M	5C BW)
5R(2)BW	TS-30)
5J2)BW	5D(BK)
AA(BW)	5E(A&S)
5D CO)	
JA CO)	

M. White AUG 21, 1981

ISSUED APR 26, 1982

SPEED VARIATOR
ERIE, PA

36C764178AD
FL 2

FF-309 F (11-72)
PRINTED IN U.S.A.

GENERAL ELECTRIC 36D868830AD

TITLE PRINTED CIRCUIT DIAGRAM
INTERFACE CARD (PARALLEL MODULES)

FIRST MADE FOR STANDARD LINE
193X528AG02

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING

APPLY TO PRACTICES	SURFACES
718A505	✓

HOLE TABULATION

ALL HOLES .040 DIA. EXCEPT THE HOLES TABULATED BELOW

A —— .032 —— 118
B —— .052 —— 8
C —— .128 —— 32
D —— .151 —— 4
E —— .070 —— 32

NOTE

CARD SIZE $12.50^{+.000}_{-.015} \times 4.00^{+.002}_{-.008}$


SEE SK "A"
RT1 RT2 RT3 SA SB SC DCN DCP VFB SYS EST TKN TKP TFB SMAX 16 SMET RSET DM11 RTR PRE DM12 DM13 IPU MAC CEMF -20V OSC COM IMET +20V CFB
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32



SKETCH "A"

TRANSISTOR LEAD SKETCHES



SKETCH FOR T109 · SKETCH FOR T113 · SKETCH FOR T104, T112 · SKETCH FOR T107 · SKETCH FOR T106 · SKETCH FOR T110 · SKETCH FOR T111 · SKETCH FOR T108 · SKETCH FOR SCR101 · SKETCH FOR OA1, OA2, OA3

COMPONENT HEIGHT SKETCH





SKETCH FOR T105

2X	36B605136AD00	36B605137AD005
SCALE	REAR ETCHED BOARD DWG	FRONT ETCHED BOARD DWG

SPEED VARIATOR
ERIE PA U.S.A.

36D868830AD