MAIN CONTROL CARD


193X544AB G01

ELEMENTARY DIAGRAM	36D868833AB SHS 1, 2
NOTES & SYMBOLS	36D868833AB SH 3

REFER TO THE DRIVE SYSTEM INSTRUCTIONS AND ELEMENTARY DIAGRAMS FOR DESCRIPTIONS, ADJUSTMENTS AND ON—CARD JUMPER CONNECTIONS.

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to General Electric Company.

GENERAL ELECTRIC


GENERAL ELECTRIC
36D868833AB
TITLE ELEMENTARY DIAGRAM
MAIN CONTROL CARD
FIRST MADE FOR STD LINE
193X544AB001
REVISIONS
PRINTS TO
SPEED VARIATOR PROD
ERIE PA.
36D868833AB


GENERAL ELECTRIC 360B868833AB

TITLE ELEMENTARY DIAGRAM

MAIN CONTROL CARD

FIRST MADE FOR STD LINE

193X544AB001



REVISIONS

JUMPER CONNECTIONS

THIS CARD IS WIRED AT ASSEMBLY WITH THE JUMPER CONNECTIONS SHOWN BELOW. THESE MAY BE RECONNECTED OR REMOVED AND OTHER JUMPERS ADDED. REFER TO SYSTEM ELEMENTARY FOR JUMPER LOCATIONS.

SRH — COM DR — GFR

X — Y RA — RB , FA — FB

331Ω LTI — COM

SYMBOLS




TB FINGER



CONTACT PIN / TEST POST



COMPONENTS SHOWN DOTTED WILL BE FURNISHED ONLY WHEN REQUIRED.



C14 AND R71 WILL PROVIDE A TACHOMETER RATE NETWORK.

C48 AND R227 WILL CONTROL THE RATE OF RISE OF CURRENT.

C54 AND/OR R257 CONTROL THE FIELD CURRENT REGULATOR RESPONSE

EXCEPT AS NOTED, ALL NPN TRANSISTORS ARE 2N4424 AND ALL PNP TRANSISTORS ARE 2N5366.
EXCEPT AS NOTED, ALL FET TRANSISTORS ARE U1898E.

PRINTS TO
TS(50)
5D(CD)
5B(8)M
5R(2)BW
5L(2)BW
5J(BW)
AW(BW)
JA(CD)

5P(D)BW
5E(A & S)
5D(BK)

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department.