INSTRUCTIONS

LOWER CARD


193X548ABG01

ELEMENTARY DIAGRAM	36C764191AB SH 1
CARD DIAGRAM	36C764191AB SH 2

REFER TO THE DRIVE SYSTEM INSTRUCTIONS AND ELEMENTARY DIAGRAMS FOR DESCRIPTIONS AND ADJUSTMENTS.

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to General Electric Company.

GENERAL ELECTRIC


36C764191AB
CONT ON SH 2
SH NO 1
TITLE ELEMENTARY DIAGRAM
LOWER CARD
FIRST MADE FOR STD LINE
193X548ABG01
NOTES
1 ALL DIODES ARE IN4148.
2. ALL OP AMPS ARE 1558
FDR
VFB
LV
LI
LCP
2CFB (+)
KL
MFDR
LR
DMAC
+20V
-20V
COM
R11
R12
R13
R14
R15
R16
R17
R18
R19
R20
R21
R22
R23
R24
R25
R26
R27
R28
R29
R30
R31
R32
R33
R34
R35
R36
R37
R38
R39
R40
R41
R42
R43
R44
R45
R46
R47
R48
R49
R50
R51
R52
R53
R54
R55
R56
R57
R58
R59
C11
C12
C13
C14
C15
C16
C1
C2
D1
D2
D3
D4
D5
D6
D7
D8
D9
D10
D11
D12
D13
D14
OA1
OA2
OA3
OA4
P1 LB2
P2 LB3
P3 SL1
P4 SL2
P5 SL3
LB2
LB3
T1 2N4424
T2 U1898E
REVISIONS
PRINTS TO
NO REVISIONS ARE TO BE MADE TO THIS DRAWING WITHOUT THE SPECIFIC APPROVAL OF THE DEVELOPMENT ENGINEERING SUB-SECTION OF THE SPEED VARIATOR PRODUCTS OPERATION
MADE BY S J HOLSOPPLE FEB 8,1984
ISSUED MAY 8,19
APPROVALS
SPEED VARIATOR PROD DEV OP DEPT
ERIE, PA.
36C764191AB

GENERAL ELECTRIC

UNLESS OTHERWISE SPECIFIED USE THE FOLLOWING				
APPLIED PRACTICES	SURFACES	TOLERANCES ON MACHINED DIMENSIONS: FRACTIONS	DECIMALS	ANGLES
718A515	✓	±	±	±

TITLE PRINTED CIRCUIT DIAGRAM
LOWER CARD
FIRST MADE FOR STANDARD LINE
193X548AB G01


36C764191AB
SHT NO. 2 CONT ON SHEET FL

HOLE TABULATION

ALL HOLES .040 DIA. EXCEPT THE HOLES TABULATED BELOW

LOC.	DIA.	QUAN.
A	.157	2
B	.032	77
C	.081	3

FOR PROPER DRILLING INFORMATION SEE DRILL AND TRIM 36A398580AA.




GROUP	KEY LOCATIONS		
G01	4—5	12—13	24—25


NOTES

1. INDICATED TAB NUMBERS CORRESPOND TO MATCHING RECEPTACLE NUMBERS.
2. CROSS HATCHED TABS INDICATES TABS USED.
3. CARD SIZE, $5.500^{+.000}_{-.015}$ X $5.130^{+.002}_{-.008}$


TRANSISTOR LEAD SKETCHES



SKETCH FOR T1




SKETCH FOR T2



SKETCH FOR OA1, OA2, OA3, OA4

COMPONENT HEIGHT SKETCH



2X SCALE	36A358084AB005 REAR ETCHED BOARD DWG.	36A358085AB005 FRONT ETCHED BOARD DWG.	FRONT SPACE	BACK UNIT REQUIREMENT

REVISIONS

No revisions are to be made to this drawing without the specific approval of the Development Engineering Section of the Speed Variator Department

REV NO.
0

PRINTS TO

5B(6)M	5J(BW)
5R(2)BW	
5L(2)BW	5D(BK)
AW(BW)	
5D(CO)	
JA(CO)	

MADE BY	DATE	APPROVED		
D. Lanich	Dec. 8, 1964		SPEED VARIATOR	36C764191AB
ISS'D TO D. Lanich	MAY 8, 1984		ERIE	CONT ON SHEET FL SH NO 2