INSTRUCTIONS

GEK-45136A

POWER SUPPLY RECTIFIER CARD
193X271ABG01

ELEMENTARY DIAGRAM	36B590284AB
CARD DIAGRAM	36A362119AB

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be *met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the* matter *should be referred to General Electric Company.*

GENERAL ELECTRIC

GEK-45136A (9/85) 1M (P)

GENERAL ELECTRIC

36B590284AB

CONT ON SHEET | SH NO.

REV NO. 0


CONT ON SHEET | SH NO.

TITLE ELEMENTARY DIAGRAM

POWER SUPPLY CARD

FIRST MADE FOR SP VAR | FCF ON

193X271ABG01



NO REVISIONS ARE TO BE MADE TO THIS DRAWING WITHOUT THE SPECIFIC APPROVAL OF THE DEVELOPMENT ENGINEERING SUB-SECTION OF THE SPEED VARIATOR PRODUCTS OPERATION.

REVISIONS

PRINTS TO

5B(8)M	JA(CD)
5P(2)BW	5J(BW)
5L(2)BW	5TS(SO)
AW(BW)	5E(A&S)
5D(CD)	5P(1)BW
5C(BK)	C A D

MADE S.J. SOPPLE JUNE 17,1983

APPROVALS

ESK Aug 23,1982

SPEED VARIATOR-PROD DIV OR DEPT

ERIE PA. LOCATION

36B590284AB

CONT ON SHEET | SH NO

S.ELEC


806-F


GENERAL ELECTRIC 36A362119AB 1

TITLE
ASSEMBLY DIAGRAM
P/S RECTIFIER CARD
FIRST MADE FOR SALEM PAN/S22
193X271ABG01

NOTES

1. INDICATED TAB NUMBERS CORRESPOND TO MATCHING RECEPTACLE NUMBERS.
2. THIS CARD HAS GOLD PLATED TABS ON BOTH SIDES. TABS 1 THRU 32 ARE LOCATED ON THE SOLDER SIDE OF THE CARD. TABS IX THRU 32X ARE LOCATED ON THE COMPONENT SIDE OF THE CARD TAB IX IS OPPOSITE TAB 1 AND ETC. THE TAB NUMBERS SHOWN ARE THOSE USE FOR CIRCUITS ON THIS CARD





DRILL AND TRIM 36A398538AB		
SPACE UNIT REQUIREMENT		SCALE
COMPONENT SIDE	SOLDER SIDE	
2	----	IX

REVISIONS	PRINTS TO	
	5B1(8)M	5J(BW)
	5R(2)BW	5E(AB5)
	5L(2)BW	
	AW(BW)	
	5D(CD)	5TS(501)
	JA(CD)	

DRAWN BY PAUL NOYAK MAY 19,1983
APPROVED
SPEED VARIATOR PROD DIV OR DEPT ERIE, PA. LOCATION
36A362119AB CONT ON SH SH NO