

External Catalog Integration Guide

Integration Specification

Copyright

© Ericsson AB 2020, 2025. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

Disclaimer

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

Trademark List

Contents

1	Introduction to External Catalog Integration	1
1.1	Purpose and Scope	1
2	External Catalog Integration Description	2
3	External Catalog Integration Configuration	3
4	External Catalog System Usage	4
4.1	General	4
5	External Catalog Examples	18





1 Introduction to External Catalog Integration

External catalog integration provides possibility for an External Catalog to read and update product offerings.

1.1 Purpose and Scope

The purpose of this document is to present and describe the list of services and interfaces available for the integration with an external catalog.



2 External Catalog Integration Description

External catalog integration provides a REST interface, which provide the possibility for an external system to read, create using PO template and update product offerings.

The following figures shows the high-level architecture of external catalog integration.




Figure 1 External Catalog Integration Service



3 External Catalog Integration Configuration

The following configurations shows external catalog integration capability mapping to application interface exposed towards external systems.




Figure 2 External Product Catalog Integration Architecture



4 External Catalog System Usage

This section provides a brief overview of the services for external catalog integration and what interface document to use.

— BSSF Product Catalog Integration Service

4.1 General

4.1.1 BSSF Product Catalog Integration Service

The purpose of this service is to allow the creation of Product Offerings (PO) using a Product Offering Templates (POT) from an External Catalog Manager. It is possible to read the POs and POTs by its ID or External ID. Also, this service offers the possibility to update any specific PO details from its latest version by identifying it using either its ID or External ID.

Interface

BSSF Product Catalog Integration REST Interface

4.1.1.1 Action Attributes Used in External Catalog Integration

The following table lists the action attributes that are used by the external system when creating a Product Offering using the Product Offering Templates (POTs). For more information on POT, see [RMCA Product Offering Function Guide](#).

Table 1 Action Attributes

Actions	Type	Description
AbsoluteBasketDiscount	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
AbsoluteLinearDiscount	DiscountApplyLimit	DiscountApplyLimit is an integer with a range from 1 to 9223372036854775807. DiscountApplyLimit must also include unitOfMeasure.
	DiscountQualificationLimit	DiscountQualificationLimit is an integer with a range from 1 to 9223372036854775807.



Actions	Type	Description
		DiscountQualificationLimit must also include unitOfMeasure.
	ProductBucketCounterRef	ProductBucketCounterRef is a reference with target type: BucketSpecification.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
AccumulateEvents	BucketTagCounterRefAccumulate	BucketTagCounterRefAccumulate is a reference with target type: BucketTag.
	ProductBucketCounterRefAccumulate	ProductBucketCounterRefAccumulate is a reference with target type: BucketSpecification.
AccumulateValue	BucketTagCounterRefAccumulate	BucketTagCounterRefAccumulate is a reference with target type: BucketTag.
ActivateRewardProduct	ProductOfferingId	ProductOfferingId is a reference with target type: ProductOffering.
	ProductOfferingValidity	ProductOfferingValidity is an integer with a range from 1 to 9223372036854775807 seconds. ProductOfferingValidity must also include unitOfMeasure.
AddProductBucket	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	BucketValueValidity	BucketValueValidity is an integer with a range from 1 to 9223372036854775807. BucketValueValidity must also include unitOfMeasure.
	BucketValueValidityEnd	BucketValueValidityEnd is a date-time ranging from the beginning of time to end of time.
	BucketValueValidityStart	BucketValueValidityStart is a date-time ranging from the beginning of time to end of time.
	CarryOverProductBucketRef	CarryOverProductBucketRef is a reference with target type: BucketSpecification.



Actions	Type	Description
	CarryOverValue	CarryOverValue is a decimal with a range from 0 to 1.7976931348623157e308. CarryOverValue must also include unitOfMeasure.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ProductBucketRef	ProductBucketRef is a reference with target type: BucketSpecification.
	ValidityWithUoM	ValidityWithUoM is an integer with a range from 0 to 9223372036854775807 seconds. ValidityWithUoM must also include unitOfMeasure.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
AddToBillingAccountBucket	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.



Actions	Type	Description
ApplyAbsoluteSettlement	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
ApplyRevenueShare	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	Consumption	Consumption is an integer with a range from 1 to 9223372036854775807. Consumption must also include unitOfMeasure.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PriceWithUoM	PriceWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. PriceWithUoM must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
BucketSubtractModifier	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.



Actions	Type	Description
	ProductBucketRef	ProductBucketRef is a reference with target type: BucketSpecification.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
BucketValidityExtension	BucketValidityExtensionValue	BucketValidityExtensionValue is an integer with a range from 1 to 9223372036854775807 seconds. BucketValidityExtensionValue must also include unitOfMeasure.
	CommonBucketTagReferences	CommonBucketTagReferences is a reference with target type: BucketTag.
ConsumptionAccumulator	BucketTagCounterRefAccumulate	BucketTagCounterRefAccumulate is a reference with target type: BucketTag.
	ProductBucketCounterRefAccumulate	ProductBucketCounterRefAccumulate is a reference with target type: BucketSpecification.
DeductFromBillingAccountBucket	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	BillingAccountBucketFee	BillingAccountBucketFee is a decimal with a range from 0.0 to 1.7976931348623157e308. BillingAccountBucketFee must also include unitOfMeasure.
	BucketTagAccountRef	BucketTagAccountRef is a reference with target type: BucketTag.
	BucketTagCounterRefAccumulate	BucketTagCounterRefAccumulate is a reference with target type: BucketTag.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.



Actions	Type	Description
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ProductBucketAccountRef	ProductBucketAccountRef is a reference with target type: BucketSpecification.
	ProductBucketCounterRefAccumulate	ProductBucketCounterRefAccumulate is a reference with target type: BucketSpecification.
ExtendLifecycle	Days	Days is an integer with a range from 0 to 9223372036854775807 seconds. Days must also include unitOfMeasure.
FixedFee	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	FeeUnit	FeeUnit is a decimal with a range from 0.0 to 1.7976931348623157e308. FeeUnit must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
LinearRefillBillingAccountBucket	Consumption	Consumption is an integer with a range from 1 to 9223372036854775807. Consumption must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
LinearRefillToProductBucket	AmountType	AmountType is a string with a value from Global Data Item: AmountType.



Actions	Type	Description
	BucketValueValidity	BucketValueValidity is an integer with a range from 1 to 9223372036854775807. BucketValueValidity must also include unitOfMeasure.
	Consumption	Consumption is an integer with a range from 1 to 9223372036854775807. Consumption must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ProductBucketRef	ProductBucketRef is a reference with target type: BucketSpecification.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
MoveAccountUnits	SourceBucketTagAccountRef	SourceBucketTagAccountRef is a reference with target type: BucketTag.
	TargetBucketTagAccountRef	TargetBucketTagAccountRef is a reference with target type: BucketTag.
MoveRecurrenceWithAllowance	ProductOfferingPriceTagRef	ProductOfferingPriceTagRef is a reference with target type: ProductOfferingPriceTag.
ProductStatusChange	CharacteristicSpecRef	CharacteristicSpecRef is a reference with target type: CharacteristicSetSpecification.
	StateDuration	StateDuration is an integer with a range from 1 to 9223372036854775807. StateDuration must also include unitOfMeasure.
	StateValue	StateValue is a string with a length from 1 to 256 characters.



Actions	Type	Description
ReclaimAbsolute Settlement	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308.
RefillBABucket	ScaleFactor	ScaleFactor is a decimal with a range from 0.0 to 1.7976931348623157e308.
RefillBillingAccountBucket	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ScaleFactor	ScaleFactor is a decimal with a range from 0.0 to 1.7976931348623157e308.
RefillToProductBucket	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	BucketValueValidity	BucketValueValidity is an integer with a range from 1 to 9223372036854775807. BucketValueValidity must also include unitOfMeasure.
	BucketValueValidityEnd	BucketValueValidityEnd is a date-time ranging from the beginning of time to end of time.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.



Actions	Type	Description
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ProductBucketRef	ProductBucketRef is a reference with target type: BucketSpecification.
RefundToBucket	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
RelativeFee	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	FeeUnit	FeeUnit is a decimal with a range from 0.0 to 1.7976931348623157e308 percent. FeeUnit must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
RelativeLinearDiscount	DiscountApplyLimit	DiscountApplyLimit is an integer with a range from 1 to 9223372036854775807. DiscountApplyLimit must also include unitOfMeasure.
	DiscountQualificationLimit	DiscountQualificationLimit is an integer with a range from 1 to 9223372036854775807.



Actions	Type	Description
		DiscountQualificationLimit must also include unitOfMeasure.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 100.0 percent. ValueWithUoM must also include unitOfMeasure.
RemoveFromPB	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ProductBucketRef	ProductBucketRef is a reference with target type: BucketSpecification.
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
ResumeBucket	ProductBucketRef	ProductBucketRef is a reference with target type: BucketSpecification.
ResumeBucketAlignToRecurringPeriod	ProductBucketRef	ProductBucketRef is a reference with target type: BucketSpecification.
SendNotification	NotificationOffset	NotificationOffset is an integer with a range from -9223372036854775808 to 9223372036854775807 minutes. NotificationOffset must also include unitOfMeasure.
SessionSetupFee	PriceWithUoM	PriceWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. PriceWithUoM must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.



Actions	Type	Description
SetAbsoluteDiscount	AbsoluteDiscount	AbsoluteDiscount is a decimal with a range from 0.0 to 1.7976931348623157e308. AbsoluteDiscount must also include unitOfMeasure.
	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
SetCharacteristicValue	CharacteristicValue	-
SetChargingInterval	ChargingInterval	ChargingInterval is a decimal with a range from 0.0 to 1.7976931348623157e308 seconds. ChargingInterval must also include unitOfMeasure.
SetDiscountPrice	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	DiscountPrice	DiscountPrice is a decimal with a range from 0.0 to 1.7976931348623157e308.
SetFixedPrice	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	PriceWithUoM	PriceWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. PriceWithUoM must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ProductBucketAccountRef	ProductBucketAccountRef is a reference with target type: BucketSpecification.



Actions	Type	Description
	ProductBucketCounterRefAccumulate	ProductBucketCounterRefAccumulate is a reference with target type: BucketSpecification.
SetLinearPrice	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	BucketTagAccountRef	BucketTagAccountRef is a reference with target type: BucketTag.
	BucketTagCounterRefAccumulate	BucketTagCounterRefAccumulate is a reference with target type: BucketTag.
	Consumption	Consumption is an integer with a range from 1 to 9223372036854775807. Consumption must also include unitOfMeasure.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PriceWithUoM	PriceWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. PriceWithUoM must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ProductBucketAccountRef	ProductBucketAccountRef is a reference with target type: BucketSpecification.
	ProductBucketCounterRefAccumulate	ProductBucketCounterRefAccumulate is a reference with target type: BucketSpecification.
SetMinimumChargeableDuration	MinimumChargeableDuration	MinimumChargeableDuration is an integer with a range from 1 to 10 seconds.



Actions	Type	Description
		MinimumChargeableDuration must also include unitOfMeasure.
SetPrice	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PriceWithUoM	PriceWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. PriceWithUoM must also include unitOfMeasure.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
SetProductBucket	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	BucketValueValidity	BucketValueValidity is an integer with a range from 0 to 9223372036854775807. BucketValueValidity must also include unitOfMeasure.
	BucketValueValidityEnd	BucketValueValidityEnd is a date-time ranging from the beginning of time to end of time.
	BucketValueValidityStart	BucketValueValidityStart is a date-time ranging from the beginning of time to end of time.
	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	ProductBucketRef	ProductBucketRef is a reference with target type: BucketSpecification.



Actions	Type	Description
	ValueWithUoM	ValueWithUoM is a decimal with a range from 0.0 to 1.7976931348623157e308. ValueWithUoM must also include unitOfMeasure.
SetRelativeDiscount	AmountType	AmountType is a string with a value from Global Data Item: AmountType.
	PricingActionType	PricingActionType is a string with a value from Global Data Item: PricingActionType.
	RelativeDiscount	RelativeDiscount is a decimal with a range from 0.0 to 100.0 percent. RelativeDiscount must also include unitOfMeasure.
TagRefillValue	GLCode	GLCode is a string with a value from Global Data Item: GLCode.
	PriceTaxClass	PriceTaxClass is a string with a value from Global Data Item: PriceTaxClass.
TriggerPurchase	ActionType	ActionType is a string with a value from Global Data Item: ExternalNotificationActionType.
	NotificationOffset	NotificationOffset is an integer with a range from -9223372036854775808 to 9223372036854775807 minutes. NotificationOffset must also include unitOfMeasure.
	ProductOfferID	ProductOfferID is a reference with target type: ProductOffering.



5 External Catalog Examples

There are API examples provided as per service contracts to provide users with details about interface and schema realization. For more information, see [API Examples Guide](#).