



## React Front End App – Documentation

Git(code) pushed to → Github – once code pushed from git auto trigger starts and Jenkins job runs automatically → In Jenkins build steps – 1.Docker image build from Dockerfile, 2.If code pushed from dev branch docker image build and pushed to Dockerhub(dev-repo-react) repository, 3.If code pushed from master branch docker image build and pushed to Dockerhub(prod-repo-react) repository, 4.Docker container runs using docker-compose.yml, 5.Removed the builded images from local to free up the disk space → In Jenkins Post build action using ssh connection build docker image and run a container another EC2 instance server → Monitored the EC2 instance using cloudwatch and Prometheus and configured the email notification if system failure or CPU utilization.

Source Code cloned to Git →

```
$ git clone https://github.com/rvsp/reactjs-demo.git
$ git status
$ git add .
$ git commit -m "initial commit"
$ git remote add reactapp-gh-repo https://github.com/Sivaprakash-pk/React-
js_Project.git
$ git push -f reactapp-gh-repo master
```





```
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   .gitignore

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .dockerignore
        Dockerfile
        build.sh
        deploy.sh
        docker-compose.yml
        nginx.conf

no changes added to commit (use "git add" and/or "git commit -a")
```

```
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   .dockerignore
        modified:   .gitignore
        new file:   Dockerfile
        new file:   build.sh
        new file:   deploy.sh
        new file:   docker-compose.yml
        new file:   nginx.conf
```

```
$ git commit -m "initial commit"
[master 5e69a87] initial commit
7 files changed, 154 insertions(+), 1 deletion(-)
create mode 100644 .dockerignore
create mode 100644 Dockerfile
create mode 100644 build.sh
create mode 100644 deploy.sh
create mode 100644 docker-compose.yml
create mode 100644 nginx.conf
```

Setup Jenkins Server ➔

Jenkins IP – 52.201.223.242

Install JAVA ➔

```
$ sudo apt update
```

```
$ sudo apt install openjdk-11-jre -y
```

```
$ java -version
```

openjdk version "11.0.12" 2021-07-20

OpenJDK Runtime Environment (build 11.0.12+7-post-Debian-2)

OpenJDK 64-Bit Server VM (build 11.0.12+7-post-Debian-2, mixed mode, sharing)

```
root@ip-10-10-2-190:/home/ubuntu# java -version
openjdk version "11.0.18" 2023-01-17
OpenJDK Runtime Environment (build 11.0.18+10-post-Ubuntu-0ubuntu122.04)
OpenJDK 64-Bit Server VM (build 11.0.18+10-post-Ubuntu-0ubuntu122.04, mixed mode, sharing)
```

Install Jenkins ➔

```
$ curl -fsSL https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key | sudo tee \
```

```
/usr/share/keyrings/jenkins-keyring.asc > /dev/null
```

```
$ echo deb [signed-by=/usr/share/keyrings/jenkins-keyring.asc] \
```

```
https://pkg.jenkins.io/debian-stable binary/ | sudo tee \
```

```
/etc/apt/sources.list.d/jenkins.list > /dev/null
```

```
$ sudo apt-get update
```

```
$ sudo apt-get install jenkins -y
```

```
ubuntu@ip-10-10-2-190:~$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
ff8d0219829940eb9266ff67dd206455
```

## Getting Started

# Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

`/var/lib/jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password



Continue



# Customize Jenkins

Plugins extend Jenkins with additional features to support many different needs.

## Install suggested plugins

Install plugins the Jenkins community finds most useful.

## Select plugins to install

Select and install plugins most suitable for your needs.



# Create First Admin User

Username

siva

Password

.....

Confirm password

.....

Full name

Sivaprakash S

E-mail address

s.sivaprakashdgl@gmail.com

# Instance Configuration

Jenkins URL:

http://3.85.9.236:8080/

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the `BUILD_URL` environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

Install Needed plug-ins →

- Updates
- Available plugins
- Installed plugins
- Advanced settings
- Download progress

## Plugins

Search available plugins

Install	Name	Released
<input checked="" type="checkbox"/>	<div>Maven Integration 3.21</div> <div>Build Tools</div> <div>This plugin provides a deep integration between Jenkins and Maven. It adds support for automatic triggers between projects depending on SNAPSHOTS as well as the automated configuration of various Jenkins publishers such as Junit.</div>	1 mo 25 days ago
<input checked="" type="checkbox"/>	<div>Publish Over SSH 1.24</div> <div>Artifact Uploaders</div> <div>Build Tools</div> <div>Send build artifacts over SSH</div>	1 yr 2 mo ago
<input checked="" type="checkbox"/>	<div>NodeJS 1.6.0</div> <div>npm</div> <div>NodeJS Plugin executes NodeJS script as a build step.</div>	2 mo 21 days ago
<input checked="" type="checkbox"/>	<div>Build Pipeline 1.5.8</div> <div>User Interface</div> <div>Build Tools</div> <div>Other Post-Build Actions</div> <div>This plugin renders upstream and downstream connected jobs that typically form a build pipeline. In addition, it offers the ability to define manual triggers for jobs that require intervention prior to execution, e.g. an approval process outside of Jenkins.</div> <div>Warning: This plugin version may not be safe to use. Please review the following security notices:<ul style="list-style-type: none"><li>Stored XSS vulnerability</li></ul></div>	5 yr 4 mo ago

Install without restart

Download now and install after restart

Update information obtained: 4 hr 14 min ago

Check now

Search available plugins

<input checked="" type="checkbox"/>	<div>Delivery Pipeline 1.4.2</div> <div>User Interface</div> <div>This plugin visualize Delivery Pipelines (Jobs with upstream/downstream dependencies)</div>	3 yr 1 mo ago
<input checked="" type="checkbox"/>	<div>Dashboard for Blue Ocean 1.27.3</div> <div>External Site/Tool Integrations</div> <div>User Interface</div> <div>Blue Ocean Dashboard</div>	1 mo 9 days ago
<input checked="" type="checkbox"/>	<div>Dashboard View 2.472.v9f12a_e6a_c529</div> <div>User Interface</div> <div>Customizable dashboard that can present various views of job information.</div>	2 mo 26 days ago
<input type="checkbox"/>	<div>Oracle Java SE Development Kit Installer 66.vd8fa_64ee9fb_d</div> <div>Allows the Oracle Java SE Development Kit (JDK) to be installed via download from Oracle's website.</div>	5 days 17 hr ago
<input type="checkbox"/>	<div>Command Agent Launcher 90.v669d7ccb_7c31</div> <div>Agent Management</div> <div>Allows agents to be launched using a specified command.</div>	7 mo 10 days ago
<input type="checkbox"/>	<div>JSch dependency 0.1.55.61.va_e9ee26616e7</div> <div>Library plugins (for use by other plugins)</div> <div>Miscellaneous</div> <div>Jenkins plugin that brings the JSch library as a plugin dependency, and provides an SSHAuthenticatorFactory for using JSch with the ssh-credentials plugin.</div>	8 mo 25 days ago
<input type="checkbox"/>	<div>JavaScript GUI Lib: ACE Editor bundle 1.1</div> <div>JavaScript GUI Lib: ACE Editor bundle plugin.</div> <div>This plugin is deprecated. In general, this means that it is either obsolete, no longer being developed, or may no longer work. <a href="#">Learn more.</a></div>	7 yr 1 mo ago


Install without restart

Download now and install after restart




Update information obtained: 4 hr 14 min ago

Check now



**Jenkins**

Search (CTRL+K)

 Sivaprakash S  log out

Dashboard > Manage Jenkins > Plugin Manager

Updates

Available plugins

Installed plugins

Advanced settings

Download progress

### Download progress

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

Ionicons API	Success
Folders	Success
JavaBeans Activation Framework (JAF) API	Success
JavaMail API	Success
bouncycastle API	Success
Instance Identity	Success
Minia SSHD API : Common	Success
Minia SSHD API : Core	Success
SSH server	Success
OWASP Markup Formatter	Success
Struts	Success
Token Macro	Success
Build Timeout	Success
Pipeline: Step API	Success
Credentials	Success
Plain Credentials	Success
Trilead API	Success
SSH Credentials	Success
Credentials Binding	Success
SCM API	Success
Pipeline: API	Success
commons-lang3 v3.x Jenkins API	Success

Configure Global configuration tools for Git ➔

Dashboard > Manage Jenkins > Global Tool Configuration


### JDK

**JDK installations**

List of JDK installations on this system

[Add JDK](#)

### Git installations

 Git

Name

Git

Path to Git executable ?

/usr/bin/git

☐ Install automatically ?

[Add Git](#)

### Gradle

[Save](#) [Apply](#)

Create GitHub Token ➔

Settings / Developer settings

- GitHub Apps
- OAuth Apps
- Personal access tokens
  - Fine-grained tokens (Beta)
  - Tokens (classic)

## New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

### Note

Jenkins trigger build1

What's this token for?

### Expiration \*

30 days The token will expire on Thu, May 25 2023

### Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).

<input type="checkbox"/> repo	Full control of private repositories
<input type="checkbox"/> repostatus	Access commit status
<input type="checkbox"/> repo_deployment	Access deployment status
<input type="checkbox"/> public_repo	Access public repositories
<input type="checkbox"/> repo_invite	Access repository invitations
<input type="checkbox"/> security_events	Read and write security events
<input checked="" type="checkbox"/> workflow	Update GitHub Action workflows
<input checked="" type="checkbox"/> write_packages	Upload packages to GitHub Package Registry
<input type="checkbox"/> read_packages	Download packages from GitHub Package Registry
<input checked="" type="checkbox"/> delete_packages	Delete packages from GitHub Package Registry
<input checked="" type="checkbox"/> admin_org	Full control of orgs and teams, read and write org projects
<input type="checkbox"/> write_org	Read and write org and team membership, read and write org projects
<input type="checkbox"/> read_org	Read org and team membership, read org projects
<input type="checkbox"/> manage_runners	Manage run runners and runner groups

Some of the scopes you've selected are included in other scopes. Only the minimum set of necessary scopes has been saved.

Settings / Developer settings

- GitHub Apps
- OAuth Apps
- Personal access tokens
  - Fine-grained tokens (Beta)
  - Tokens (classic)

## Personal access tokens (classic)

Generate new token Revoke all

Tokens you have generated that can be used to access the [GitHub API](#).

Make sure to copy your personal access token now. You won't be able to see it again!

ghp\_vT0sQ5qfRf9mP1sNfRPFtna3EeDD63aB1Vur Delete

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Configure github server in congigure system(Jenkins) ➔

Dashboard > Manage Jenkins > Configure System

### GitHub

GitHub Servers ?

GitHub Server ?

Name ?  
Github

API URL ?  
https://api.github.com

Credentials ?  
Github token to connect my account  
Add +

Credentials verified for user Sivaprakash-pk, rate limit: 4999

Test connection

☐ Manage hooks

Advanced ▾

Add GitHub Server +

Save Apply

Add Github token and credentials →

Dashboard > Manage Jenkins > Credentials

### Credentials

T	P	Store	Domain	ID	Name
		System	(global)	Github_Token	Github token to connect my account
		System	(global)	Github_Cred	Sivaprakash-pk/***** (Github Cred)

### Stores scoped to Jenkins

P	Store	Domains
	System	(global)

Icons: S M L

Activate Windows  
Go to Settings to activate Windows.  
REST API Jenkins 2.387.2

Get Webhook URL from Jenkins and configure to Github repository →

<http://54.166.6.219:8080/github-webhook/>

### Add and configure ssh connection EC2 instance using Publish ssh plugin ➡

IP – 54.175.149.56

Dashboard > Manage Jenkins > Configure Global Security

### CSRF Protection

Crumb Issuer

Default Crumb Issuer

☒ Enable proxy compatibility ?

Dashboard > Manage Jenkins > Configure System >

### Publish over SSH

Jenkins SSH Key ?

Passphrase ?

Path to key ?

Key ?

JkYowlA2XvxbK1MfC36vmp45YXx+os/eFm6cWNbIpVYW56/JTOPjxAWWDNw  
q4VabiUCgY8xb8LOgk5j4CvQjpjAxnpkLT3P2Ndu8khUak4dlUNd963R/3gc  
mZRbzLw7z5lX7OOCb9Go29/Qv75jLLowUOhXH6+zfcEvMUAQAdiAK0Go0aEy  
/yodasSQIm25jf4ZPFbFyM3QMROckLyQA6Xu0OM9arVO8c8kmRzw==  
-----END RSA PRIVATE KEY-----

☐ Disable exec ?

Dashboard > Manage Jenkins > Configure System >

SSH Server

Name ?

React-app server(Docker)

Hostname ?

54.175.149.56

Username ?

ubuntu

Remote Directory ?

/home/ubuntu

Advanced

Success

Test Configuration

Add

Create Jenkins Job ➡





## Configure

- General
- Source Code Management
- Build Triggers
- Build Environment
- Build Steps

## General

Enabled 



### Description


Git(code) pushed to  Github - once code pushed from git auto trigger starts and Jenkins job runs automatically  In Jenkins build steps - 1.Docker image build from Dockerfile, 2.If code pushed from dev branch docker image build and pushed to Dockerhub(dev-repo-react) repository, 3.If code pushed from master branch docker image build and pushed to Dockerhub(prod-repo-react) repository, 4.Docker container runs using docker-compose.yml, 5.Removed the built images from local to free up the disk space  In Jenkins Post build action using ssh connection build docker image and run a container another EC2 instance server  Monitored the EC2 instance using cloudwatch and Prometheus and configured the email notification if system failure or CPU utilization


[Plain text] [Preview](#)


☐ Discard old builds 

☒ This project is parameterized 



 Multi-line String Parameter 


**Name** 


**Default Value** 


**Description** 

[Plain text] [Preview](#)

 Multi-line String Parameter 

**Name** 

**Default Value** 

**Description** 

build on local"/>

[Plain text] [Preview](#)

≡

Multi-line String Parameter

✕

Name

?

IMAGE\_VERSION

Default Value

?

v1

Description

?

Image version that [build](#) on local

[Plain text]

[Preview](#)

≡

Multi-line String Parameter

✕

Name

?

DOCKERHUB\_USERNAME

Default Value

?

sivaprakash1998

Description

?

Username to login [Dockerhub](#)

[Plain text]

[Preview](#)

≡

Password Parameter

?

✕

Name

?

DOCKERHUB\_PASSWORD

Default Value

?

\*\*\*\*\*

Description

?

Password to login [Dockerhub](#)

[Plain text]

[Preview](#)

≡

Multi-line String Parameter

✕

Name

?

DOCKER\_REPO

Default Value

?

sivaprakash1998/prod-repo-reactapp

Description

?

Docker hub Repository name to push the docker image

[Plain text]

Preview

≡

Multi-line String Parameter

✕

Name

?

DOCKER\_TAG

Default Value

?

latest-img

Description

?

Docker hub Repository tag to push the docker image

[Plain text]

Preview



Source Code Management

☐ None

☒ Git ?

Repositories ?

Repository URL ?

https://github.com/Sivaprakash-pk/React-js\_Project.git

Credentials ?

Sivaprakash-pk/\*\*\*\*\*\* (Github Credential)

Add ▾

Advanced ▾

Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

\*/\$GIT\_BRANCH

Add Branch

Repository browser ?

(Auto)

Additional Behaviours

Add ▾

### Build Triggers

- ☐ Trigger builds remotely (e.g., from scripts) ?
- ☐ Build after other projects are built ?
- ☐ Build periodically ?
- ☒ GitHub hook trigger for GITScm polling ?
- ☐ Poll SCM ?

### Build Environment

- ☒ Delete workspace before build starts

Advanced ▾

- ☐ Use secret text(s) or file(s) ?
- ☐ Provide Configuration files ?
- ☐ Send files or execute commands over SSH before the build starts ?
- ☐ Send files or execute commands over SSH after the build runs ?
- ☐ Add timestamps to the Console Output
- ☐ Create Delivery Pipeline version ?
- ☐ Inspect build log for published build scans
- ☐ Provide Node & npm bin/ folder to PATH
- ☐ Terminate a build if it's stuck
- ☐ With Ant ?

### Build Steps

≡ Execute shell ?

×

Command

See [the list of available environment variables](#)

```
docker rmi $(docker images -q)
chmod 777 build.sh
chmod 777 deploy.sh
bash build.sh $IMAGE_NAME $IMAGE_VERSION
bash deploy.sh $DOCKERHUB_USERNAME $DOCKERHUB_PASSWORD $IMAGE_NAME $GIT_BRANCH $DOCKER_REPO $DOCKER_TAG
docker images
docker-compose up -d
docker rmi -f $IMAGE_NAME:$IMAGE_VERSION
docker rmi -f $DOCKER_REPO:$DOCKER_TAG
docker images
```

Advanced ▾

Add build step ▾

### Post-build Actions

≡ Send build artifacts over SSH ?

×

SSH Publishers

SSH Server

Name ?

React-app server ▾

Advanced ▾

## Transfers

Transfer Set

Source files ?

Remove prefix ?

Remote directory ?

Exec command ?

```
docker rm -f reactwebapp
docker rmi -f reactapp:v1
git clone https://github.com/Sivaprakash-pk/React-js_Project.git
cd React-js_Project
docker build -t reactapp:v1.
docker run -dit --name reactwebapp -p 81:80 reactapp:v1
```

All of the transfer fields (except for Exec timeout) support substitution of [Jenkins environment variables](#)

Advanced ▾

Code pushed from git to github →

```
Siva@DESKTOP-QE0FD0T MINGW64 /c/Works/Capstone Project - React js/reactjs-demo (
master)
$ git push -f reactapp-gh-repo master
Enumerating objects: 49, done.
Counting objects: 100% (49/49), done.
Delta compression using up to 4 threads
Compressing objects: 100% (37/37), done.
Writing objects: 100% (49/49), 178.27 KiB | 44.57 MiB/s, done.
Total 49 (delta 13), reused 38 (delta 11), pack-reused 0
remote: Resolving deltas: 100% (13/13), done.
To https://github.com/Sivaprakash-pk/React-js_Project.git
* [new branch]      master -> master
```

Jenkins auto trigger run the job once git code pushed to github – Output →

Dashboard > React JS web-app project > #1 > Console Output

Status

Changes

Console Output

View as plain text

Edit Build Information

Delete build #1

Polling Log

Parameters

Git Build Data

## Console Output

```
Started by GitHub push by Sivaprakash-pk
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/React JS web-app project
[WS-CLEANUP] Deleting project workspace...
[WS-CLEANUP] Deferred wipeout is used...
The recommended git tool is: NONE
using credential Github_Credential
Cloning the remote Git repository
Cloning repository https://github.com/Sivaprakash-pk/React-js_Project.git
> /usr/bin/git init /var/lib/jenkins/workspace/React JS web-app project # timeout=10
Fetching upstream changes from https://github.com/Sivaprakash-pk/React-js_Project.git
> /usr/bin/git --version # timeout=10
> git --version # 'git version 2.34.1'
using GIT_ASKPASS to set credentials Github Credential
> /usr/bin/git fetch --tags --force --progress -- https://github.com/Sivaprakash-pk/React-js_Project.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> /usr/bin/git config remote.origin.url https://github.com/Sivaprakash-pk/React-js_Project.git # timeout=10
> /usr/bin/git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> /usr/bin/git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 50d730f9babfa8719512f8fe638e46520a6231a (refs/remotes/origin/master)
> /usr/bin/git config core.sparsecheckout # timeout=10
> /usr/bin/git checkout -f 50d730f9babfa8719512f8fe638e46520a6231a # timeout=10
Commit message: "1st commit"
First time build. Skipping changelog.
[React JS web-app project] $ /bin/sh -xe /tmp/jenkins1608667109891542447.sh
+ docker images -a
+ docker rmi 07f4e626c252
Untagged: node:latest
Untagged: node@sha256:242d81ed2a91353ec3a5ed3598582c2b4a9e7761b16c60524b949a1603707848
Deleted: sha256:07f4e626c252cc83c09c82225058cb4220581b77e44614d0f8585828c34f496
Deleted: sha256:6d7140527100b8a0b62be606f36279d068bcb6af52a415f02d8d8930e4e226
Deleted: sha256:4017cd6327da64d694e907823b2b27cf7073cad8454e88014989b41cdacba41
```

Dashboard > React JS web-app project > #1 > Console Output

```
> docker-compose --verbose -f docker-compose.yml up
cf00811d564e: Mounted from library/node
e29838afe536: Mounted from library/node
b86f260c173a: Mounted from library/node
6a1eb0980ddc: Mounted from library/node
ae56cb5405b: Mounted from library/node
24b483b7f467: Mounted from library/node
c3992d02ff0f: Pushed
ddd9ef4e5d00: Pushed
latest-img: digest: sha256:c39bc25973480a9060e9b6f37db7a8dd804bc9b1c5bbf6fdebc121330d8042ff size: 4099
Removing login credentials for https://index.docker.io/v1/
+ docker images
REPOSITORY          TAG             IMAGE ID        CREATED         SIZE
reactapp             v1              69f997d3ff5f   20 seconds ago  1.34GB
sivaprakash1998/prod-repo-reactapp latest-img      69f997d3ff5f   20 seconds ago  1.34GB
node                 latest          07f4e626c252   6 days ago     108
+ docker-compose up -d
Creating network "reactjsweb-appproject_default" with the default driver
Creating reactapp ...
Creating reactapp ... done
+ docker rmi -f reactapp:v1
Untagged: reactapp:v1
+ docker rmi -f sivaprakash1998/prod-repo-reactapp:latest-img
Untagged: sivaprakash1998/prod-repo-reactapp:latest-img
Untagged: sivaprakash1998/prod-repo-reactapp@sha256:c39bc25973480a9060e9b6f37db7a8dd804bc9b1c5bbf6fdebc121330d8042ff
+ docker images
REPOSITORY          TAG             IMAGE ID        CREATED         SIZE
<none>              <none>          69f997d3ff5f   21 seconds ago  1.34GB
node                 latest          07f4e626c252   6 days ago     108
SSH: Connecting from host [ip-10-10-2-197]
SSH: Connecting with configuration [React-app server] ...
SSH: EXEC: completed after 601 ms
SSH: Disconnecting configuration [React-app server] ...
SSH: Transferred 0 file(s)
Finished: SUCCESS
```

## Output →

Started by GitHub push by Sivaprakash-pk  
Running as SYSTEM  
Building in workspace /var/lib/jenkins/workspace/React JS web-app project  
[WS-CLEANUP] Deleting project workspace...  
[WS-CLEANUP] Deferred wipeout is used...  
The recommended git tool is: NONE  
using credential Github\_Credential  
Cloning the remote Git repository  
Cloning repository [https://github.com/Sivaprakash-pk/React-js\\_Project.git](https://github.com/Sivaprakash-pk/React-js_Project.git)  
> /usr/bin/git init /var/lib/jenkins/workspace/React JS web-app project # timeout=10  
Fetching upstream changes from [https://github.com/Sivaprakash-pk/React-js\\_Project.git](https://github.com/Sivaprakash-pk/React-js_Project.git)  
> /usr/bin/git --version # timeout=10  
> git --version # 'git version 2.34.1'  
using GIT\_ASKPASS to set credentials Github Credential  
> /usr/bin/git fetch --tags --force --progress -- [https://github.com/Sivaprakash-pk/React-js\\_Project.git](https://github.com/Sivaprakash-pk/React-js_Project.git) +refs/heads/\*:refs/remotes/origin/\* # timeout=10  
> /usr/bin/git config remote.origin.url [https://github.com/Sivaprakash-pk/React-js\\_Project.git](https://github.com/Sivaprakash-pk/React-js_Project.git) # timeout=10

```

> /usr/bin/git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> /usr/bin/git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 50d7330f9babfa8719512f8fe638e46520a6231a (refs/remotes/origin/master)
> /usr/bin/git config core.sparsecheckout # timeout=10
> /usr/bin/git checkout -f 50d7330f9babfa8719512f8fe638e46520a6231a # timeout=10
Commit message: "1st commit"
First time build. Skipping changelog.
[React JS web-app project] $ /bin/sh -xe /tmp/jenkins16608667109891542447.sh
+ docker images -q
+ docker rmi 07f4e626c252
Untagged: node:latest
Untagged: node@sha256:242d81ad2a91353ac3a5ed3598582acb4a9a7761b16c60524b949a1603707848
Deleted: sha256:07f4e626c252cc83cd9c8225058cb4226581b77e44d614d8f8585828c34f496
Deleted: sha256:6d7140527100b8a0b62be606f36279d068bc6a0fa52a415f02d8dd8930e4a226
Deleted: sha256:4017cd6327da64d694e907023bd3b27cf7073ced8456e88014989b41cdacba41
Deleted: sha256:37cd3570fe018fbedb5359582a8d749c9ba8a3806519649433cef62df9656b3a
Deleted: sha256:6c57c349090475e4c491e2c774e2cb25cd949db386d5bc0ac605908b65d10584
Deleted: sha256:230c3b2acf5c7ce5ccbc11c5292092a5af0ce5b1e366228eee031eb9c84ed0dc
Deleted: sha256:34349aaf2e7f75c266222ea09df6e2bef39fea73640d191dfc5d271d390103fc
Deleted: sha256:f51029f953be13d297d2bc2dd7c56c0a84c77cd7bd6672837a01c4571c7cf5fa
Deleted: sha256:2fab58d5cf486ed4ca265634fde3c8b4a046ade908d9b1d5405d8dfce6d12413
Deleted: sha256:ae56c0c5405b3d38a59b5ec5dfe5db36e8b6ff6ca8595851f903cde13e709282
+ chmod 777 build.sh
+ chmod 777 deploy.sh
+ bash build.sh reactapp v1
Get the Image name from Parameterized variable:
Get the Image version from Parameterized variable:
Sending build context to Docker daemon 1.342MB

```

```

Step 1/13 : FROM node:latest
latest: Pulling from library/node
b0248cf3e63c: Pulling fs layer
127e97b4daf7: Pulling fs layer
0336c50c9f69: Pulling fs layer
1b89f3c7f7da: Pulling fs layer
2d6277217976: Pulling fs layer
9b293df1e1ca: Pulling fs layer
8365abce50c7: Pulling fs layer
50dcc63adbff: Pulling fs layer
2f7b576afa06: Pulling fs layer
1b89f3c7f7da: Waiting
2d6277217976: Waiting
9b293df1e1ca: Waiting
8365abce50c7: Waiting
50dcc63adbff: Waiting
2f7b576afa06: Waiting
127e97b4daf7: Verifying Checksum
127e97b4daf7: Download complete
0336c50c9f69: Verifying Checksum
0336c50c9f69: Download complete
b0248cf3e63c: Verifying Checksum
b0248cf3e63c: Download complete
9b293df1e1ca: Verifying Checksum
9b293df1e1ca: Download complete
1b89f3c7f7da: Verifying Checksum
1b89f3c7f7da: Download complete
50dcc63adbff: Verifying Checksum
50dcc63adbff: Download complete
2f7b576afa06: Verifying Checksum
2f7b576afa06: Download complete
8365abce50c7: Verifying Checksum
8365abce50c7: Download complete
b0248cf3e63c: Pull complete
2d6277217976: Verifying Checksum
2d6277217976: Download complete
127e97b4daf7: Pull complete
0336c50c9f69: Pull complete
1b89f3c7f7da: Pull complete
2d6277217976: Pull complete
9b293df1e1ca: Pull complete

```

```

8365abce50c7: Pull complete
50dcc63adbff: Pull complete
2f7b576afa06: Pull complete
Digest: sha256:242d81ad2a91353ac3a5ed3598582acb4a9a7761b16c60524b949a1603707848
Status: Downloaded newer image for node:latest
---> 07f4e626c252
Step 2/13 : RUN apt-get update && apt-get install -y nginx
---> Running in 2f4c79e4d861
Get:1 http://deb.debian.org/debian bullseye InRelease [116 kB]
Get:2 http://deb.debian.org/debian-security bullseye-security InRelease [48.4 kB]
Get:3 http://deb.debian.org/debian bullseye-updates InRelease [44.1 kB]
Get:4 http://deb.debian.org/debian bullseye/main amd64 Packages [8183 kB]
Get:5 http://deb.debian.org/debian-security bullseye-security/main amd64 Packages [237 kB]
Get:6 http://deb.debian.org/debian bullseye-updates/main amd64 Packages [14.6 kB]
Fetched 8643 kB in 1s (6155 kB/s)
Reading package lists...
Reading package lists...
Building dependency tree...
Reading state information...
The following additional packages will be installed:
  geoip-database iproute2 libatml libbpf0 libcap2 libcap2-bin libgd3 libgeoip1
  libmnl0 libnginx-mod-http-geoip libnginx-mod-http-image-filter
  libnginx-mod-http-xslt-filter libnginx-mod-mail libnginx-mod-stream
  libnginx-mod-stream-geoip libpam-cap libxpm4 libxtables12 nginx-common
  nginx-core
Suggested packages:
  iproute2-doc libgd-tools geoip-bin fcgiwrap nginx-doc ssl-cert
The following NEW packages will be installed:
  geoip-database iproute2 libatml libbpf0 libcap2 libcap2-bin libgd3 libgeoip1
  libmnl0 libnginx-mod-http-geoip libnginx-mod-http-image-filter
  libnginx-mod-http-xslt-filter libnginx-mod-mail libnginx-mod-stream
  libnginx-mod-stream-geoip libpam-cap libxpm4 libxtables12 nginx nginx-common
  nginx-core
0 upgraded, 21 newly installed, 0 to remove and 2 not upgraded.
Need to get 5957 kB of archives.
After this operation, 17.7 MB of additional disk space will be used.
Get:1 http://deb.debian.org/debian bullseye/main amd64 libbpf0 amd64 1:0.3-2 [98.3 kB]
Get:2 http://deb.debian.org/debian bullseye/main amd64 libcap2 amd64 1:2.44-1 [23.6 kB]
Get:3 http://deb.debian.org/debian bullseye/main amd64 libmnl0 amd64 1.0.4-3 [12.5 kB]
Get:4 http://deb.debian.org/debian bullseye/main amd64 libxtables12 amd64 1.8.7-1 [45.1 kB]
Get:5 http://deb.debian.org/debian bullseye/main amd64 libcap2-bin amd64 1:2.44-1 [32.6 kB]
Get:6 http://deb.debian.org/debian bullseye/main amd64 iproute2 amd64 5.10.0-4 [930 kB]
Get:7 http://deb.debian.org/debian bullseye/main amd64 geoip-database all 20191224-3 [3032 kB]
Get:8 http://deb.debian.org/debian bullseye/main amd64 libatml amd64 1:2.5.1-4 [71.3 kB]
Get:9 http://deb.debian.org/debian bullseye/main amd64 libxpm4 amd64 1:3.5.12-1 [49.1 kB]
Get:10 http://deb.debian.org/debian bullseye/main amd64 libgd3 amd64 2.3.0-2 [137 kB]
Get:11 http://deb.debian.org/debian bullseye/main amd64 libgeoip1 amd64 1.6.12-7 [92.5 kB]
Get:12 http://deb.debian.org/debian bullseye/main amd64 nginx-common all 1.18.0-6.1+deb11u3 [126
kB]
Get:13 http://deb.debian.org/debian bullseye/main amd64 libnginx-mod-http-geoip amd64 1.18.0-
6.1+deb11u3 [98.4 kB]
Get:14 http://deb.debian.org/debian bullseye/main amd64 libnginx-mod-http-image-filter amd64
1.18.0-6.1+deb11u3 [102 kB]
Get:15 http://deb.debian.org/debian bullseye/main amd64 libnginx-mod-http-xslt-filter amd64
1.18.0-6.1+deb11u3 [100 kB]
Get:16 http://deb.debian.org/debian bullseye/main amd64 libnginx-mod-mail amd64 1.18.0-
6.1+deb11u3 [129 kB]
Get:17 http://deb.debian.org/debian bullseye/main amd64 libnginx-mod-stream amd64 1.18.0-
6.1+deb11u3 [154 kB]
Get:18 http://deb.debian.org/debian bullseye/main amd64 libnginx-mod-stream-geoip amd64 1.18.0-
6.1+deb11u3 [97.7 kB]
Get:19 http://deb.debian.org/debian bullseye/main amd64 libpam-cap amd64 1:2.44-1 [15.4 kB]
Get:20 http://deb.debian.org/debian bullseye/main amd64 nginx-core amd64 1.18.0-6.1+deb11u3 [515
kB]
Get:21 http://deb.debian.org/debian bullseye/main amd64 nginx all 1.18.0-6.1+deb11u3 [92.9 kB]
[91mdebconf: delaying package configuration, since apt-utils is not installed
[0mFetched 5957 kB in 0s (65.3 MB/s)
Selecting previously unselected package libbpf0:amd64.
(Reading database ...
(Reading database ... 5%
(Reading database ... 10%

```

(Reading database ... 15%  
(Reading database ... 20%  
(Reading database ... 25%  
(Reading database ... 30%  
(Reading database ... 35%  
(Reading database ... 40%  
(Reading database ... 45%  
(Reading database ... 50%  
(Reading database ... 55%  
(Reading database ... 60%  
(Reading database ... 65%  
(Reading database ... 70%  
(Reading database ... 75%  
(Reading database ... 80%  
(Reading database ... 85%  
(Reading database ... 90%  
(Reading database ... 95%  
(Reading database ... 100%  
(Reading database ... 22794 files and directories currently installed.)  
Preparing to unpack .../00-libbpf0\_1%3a0.3-2\_amd64.deb ...  
Unpacking libbpf0:amd64 (1:0.3-2) ...  
Selecting previously unselected package libcap2:amd64.  
Preparing to unpack .../01-libcap2\_1%3a2.44-1\_amd64.deb ...  
Unpacking libcap2:amd64 (1:2.44-1) ...  
Selecting previously unselected package libmn10:amd64.  
Preparing to unpack .../02-libmn10\_1.0.4-3\_amd64.deb ...  
Unpacking libmn10:amd64 (1.0.4-3) ...  
Selecting previously unselected package libxtables12:amd64.  
Preparing to unpack .../03-libxtables12\_1.8.7-1\_amd64.deb ...  
Unpacking libxtables12:amd64 (1.8.7-1) ...  
Selecting previously unselected package libcap2-bin.  
Preparing to unpack .../04-libcap2-bin\_1%3a2.44-1\_amd64.deb ...  
Unpacking libcap2-bin (1:2.44-1) ...  
Selecting previously unselected package iproute2.  
Preparing to unpack .../05-iproute2\_5.10.0-4\_amd64.deb ...  
Unpacking iproute2 (5.10.0-4) ...  
Selecting previously unselected package geoip-database.  
Preparing to unpack .../06-geoip-database\_20191224-3\_all.deb ...  
Unpacking geoip-database (20191224-3) ...  
Selecting previously unselected package libatml:amd64.  
Preparing to unpack .../07-libatml\_1%3a2.5.1-4\_amd64.deb ...  
Unpacking libatml:amd64 (1:2.5.1-4) ...  
Selecting previously unselected package libxpm4:amd64.  
Preparing to unpack .../08-libxpm4\_1%3a3.5.12-1\_amd64.deb ...  
Unpacking libxpm4:amd64 (1:3.5.12-1) ...  
Selecting previously unselected package libgd3:amd64.  
Preparing to unpack .../09-libgd3\_2.3.0-2\_amd64.deb ...  
Unpacking libgd3:amd64 (2.3.0-2) ...  
Selecting previously unselected package libgeoip1:amd64.  
Preparing to unpack .../10-libgeoip1\_1.6.12-7\_amd64.deb ...  
Unpacking libgeoip1:amd64 (1.6.12-7) ...  
Selecting previously unselected package nginx-common.  
Preparing to unpack .../11-nginx-common\_1.18.0-6.1+deb11u3\_all.deb ...  
Unpacking nginx-common (1.18.0-6.1+deb11u3) ...  
Selecting previously unselected package libnginx-mod-http-geoip.  
Preparing to unpack .../12-libnginx-mod-http-geoip\_1.18.0-6.1+deb11u3\_amd64.deb ...  
Unpacking libnginx-mod-http-geoip (1.18.0-6.1+deb11u3) ...  
Selecting previously unselected package libnginx-mod-http-image-filter.  
Preparing to unpack .../13-libnginx-mod-http-image-filter\_1.18.0-6.1+deb11u3\_amd64.deb ...  
Unpacking libnginx-mod-http-image-filter (1.18.0-6.1+deb11u3) ...  
Selecting previously unselected package libnginx-mod-http-xslt-filter.  
Preparing to unpack .../14-libnginx-mod-http-xslt-filter\_1.18.0-6.1+deb11u3\_amd64.deb ...  
Unpacking libnginx-mod-http-xslt-filter (1.18.0-6.1+deb11u3) ...  
Selecting previously unselected package libnginx-mod-mail.  
Preparing to unpack .../15-libnginx-mod-mail\_1.18.0-6.1+deb11u3\_amd64.deb ...  
Unpacking libnginx-mod-mail (1.18.0-6.1+deb11u3) ...  
Selecting previously unselected package libnginx-mod-stream.  
Preparing to unpack .../16-libnginx-mod-stream\_1.18.0-6.1+deb11u3\_amd64.deb ...  
Unpacking libnginx-mod-stream (1.18.0-6.1+deb11u3) ...  
Selecting previously unselected package libnginx-mod-stream-geoip.  
Preparing to unpack .../17-libnginx-mod-stream-geoip\_1.18.0-6.1+deb11u3\_amd64.deb ...

```

Unpacking libnginx-mod-stream-geoip (1.18.0-6.1+deb11u3) ...
Selecting previously unselected package libpam-cap:amd64.
Preparing to unpack .../18-libpam-cap_1%3a2.44-1_amd64.deb ...
Unpacking libpam-cap:amd64 (1:2.44-1) ...
Selecting previously unselected package nginx-core.
Preparing to unpack .../19-nginx-core_1.18.0-6.1+deb11u3_amd64.deb ...
Unpacking nginx-core (1.18.0-6.1+deb11u3) ...
Selecting previously unselected package nginx.
Preparing to unpack .../20-nginx_1.18.0-6.1+deb11u3_all.deb ...
Unpacking nginx (1.18.0-6.1+deb11u3) ...
Setting up libxpm4:amd64 (1:3.5.12-1) ...
Setting up nginx-common (1.18.0-6.1+deb11u3) ...
debconf: unable to initialize frontend: Dialog
debconf: (TERM is not set, so the dialog frontend is not usable.)
debconf: falling back to frontend: Readline
Setting up libatm1:amd64 (1:2.5.1-4) ...
Setting up libcap2:amd64 (1:2.44-1) ...
Setting up libcap2-bin (1:2.44-1) ...
Setting up libnginx-mod-http-xslt-filter (1.18.0-6.1+deb11u3) ...
Setting up libgd3:amd64 (2.3.0-2) ...
Setting up libmnl0:amd64 (1.0.4-3) ...
Setting up libxtables12:amd64 (1.8.7-1) ...
Setting up libgeoip1:amd64 (1.6.12-7) ...
Setting up geoip-database (20191224-3) ...
Setting up libbpf0:amd64 (1:0.3-2) ...
Setting up libpam-cap:amd64 (1:2.44-1) ...
debconf: unable to initialize frontend: Dialog
debconf: (TERM is not set, so the dialog frontend is not usable.)
debconf: falling back to frontend: Readline
Setting up libnginx-mod-mail (1.18.0-6.1+deb11u3) ...
Setting up iproute2 (5.10.0-4) ...
debconf: unable to initialize frontend: Dialog
debconf: (TERM is not set, so the dialog frontend is not usable.)
debconf: falling back to frontend: Readline
Setting up libnginx-mod-http-image-filter (1.18.0-6.1+deb11u3) ...
Setting up libnginx-mod-stream (1.18.0-6.1+deb11u3) ...
Setting up libnginx-mod-stream-geoip (1.18.0-6.1+deb11u3) ...
Setting up libnginx-mod-http-geoip (1.18.0-6.1+deb11u3) ...
Setting up nginx-core (1.18.0-6.1+deb11u3) ...
invoke-rc.d: could not determine current runlevel
invoke-rc.d: policy-rc.d denied execution of start.
Setting up nginx (1.18.0-6.1+deb11u3) ...
Processing triggers for libc-bin (2.31-13+deb11u5) ...
Removing intermediate container 2f4c79e4d861
----> 73e996e1d898
Step 3/13 : RUN rm /etc/nginx/sites-enabled/default
----> Running in c4ea75495165
Removing intermediate container c4ea75495165
----> f45b72d64b4e
Step 4/13 : COPY nginx.conf /etc/nginx/sites-enabled/
----> b22eb43f8485
Step 5/13 : WORKDIR /usr/src/app
----> Running in 40d79b702207
Removing intermediate container 40d79b702207
----> da69c81ca926
Step 6/13 : ENV NODE_OPTIONS="--openssl-legacy-provider"
----> Running in b5ad2db64ac5
Removing intermediate container b5ad2db64ac5
----> cc828eff0e74
Step 7/13 : COPY package*.json ./
----> 0a04940a3356
Step 8/13 : RUN npm install
----> Running in 5ae707c3634a
[91mnp[0m[91m WARN old lockfile
npm WARN[0m[91m old lockfile The package-lock.json file was created with an old version of npm,
npm WARN old lockfile so supplemental metadata must be fetched from the registry.
npm WARN old lockfile
npm WARN old lockfile This is a one-time fix-up, please be patient...
npm WARN old lockfile
[0m[91mnp[0m[91m [0m[91mWARN[0m[91m [0m[91mdeprecated[0m[91m w3c-hr-time@1.0.2: Use your
platform's native performance.now() and performance.timeOrigin.

```



[0m[91mnpn WARN[0m[91m deprecated urix@0.1.0: Please see <https://github.com/lydell/urix#deprecated>

[0m[91mnpn WARN deprecated uuid@3.4.0: Please upgrade to version 7 or higher. Older versions may use Math.random() in certain circumstances, which is known to be problematic. See <https://v8.dev/blog/math-random> for details.

[0m[91mnpn WARN deprecated stable@0.1.8: Modern JS already guarantees Array#sort() is a stable sort, so this library is deprecated. See the compatibility table on MDN: [https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global\\_Objects/Array/sort#browser\\_compatibility](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Array/sort#browser_compatibility)

[0m[91mnpn[0m[91m [0m[91mWARN[0m[91m [0m[91mdeprecated svgo@1.3.2: This SVGO version is no longer supported. Upgrade to v2.x.x.

[0m[91mnpn WARN deprecated source-map-url@0.4.0: See <https://github.com/lydell/source-map-url#deprecated>

[0m[91mnpn[0m[91m [0m[91mWARN[0m[91m [0m[91mdeprecated[0m[91m source-map-resolve@0.5.3: See <https://github.com/lydell/source-map-resolve#deprecated>

[0m[91mnpn[0m[91m [0m[91mWARN[0m[91m [0m[91mdeprecated[0m[91m sane@4.1.0: some dependency vulnerabilities fixed, support for node < 10 dropped, and newer ECMAScript syntax/features added

[0m[91mnpn WARN deprecated resolve-url@0.2.1: <https://github.com/lydell/resolve-url#deprecated>

[0m[91mnpn WARN deprecated request-promise-native@1.0.8: request-promise-native has been deprecated because it extends the now deprecated request package, see <https://github.com/request/request/issues/3142>

[0m[91mnpn WARN deprecated request@2.88.2: request has been deprecated, see <https://github.com/request/request/issues/3142>

[0m[91mnpn[0m[91m [0m[91mWARN[0m[91m [0m[91mdeprecated[0m[91m querystring@0.2.0: The querystring API is considered Legacy. new code should use the URLSearchParams API instead.

[0m[91mnpn WARN deprecated left-pad@1.3.0: use String.prototype.padStart()

[0m[91mnpn WARN [0m[91mdeprecated ini@1.3.5: Please update to ini >=1.3.6 to avoid a prototype pollution issue

[0m[91mnpn WARN deprecated html-webpack-plugin@4.0.0-beta.11: please switch to a stable version

[0m[91mnpn WARN deprecated har-validator@5.1.3: this library is no longer supported

[0m[91mnpn WARN deprecated flatten@1.0.3: flatten is deprecated in favor of utility frameworks such as lodash.

[0m[91mnpn WARN deprecated eslint-loader@3.0.3: This loader has been deprecated. Please use eslint-webpack-plugin

[0m[91mnpn WARN deprecated debug@4.1.1: Debug versions >=3.2.0 <3.2.7 || >=4 <4.3.1 have a low-severity ReDos regression when used in a Node.js environment. It is recommended you upgrade to 3.2.7 or 4.3.1. (<https://github.com/visionmedia/debug/issues/797>)

[0m[91mnpn WARN deprecated babel-eslint@10.1.0: babel-eslint is now @babel/eslint-parser. This package will no longer receive updates.

[0m[91mnpn WARN deprecated core-js-pure@3.6.5: core-js-pure@<3.23.3 is no longer maintained and not recommended for usage due to the number of issues. Because of the V8 engine whims, feature detection in old core-js versions could cause a slowdown up to 100x even if nothing is polyfilled. Some versions have web compatibility issues. Please, upgrade your dependencies to the actual version of core-js-pure.

[0m[91mnpn WARN deprecated core-js@3.6.5: core-js@<3.23.3 is no longer maintained and not recommended for usage due to the number of issues. Because of the V8 engine whims, feature detection in old core-js versions could cause a slowdown up to 100x even if nothing is polyfilled. Some versions have web compatibility issues. Please, upgrade your dependencies to the actual version of core-js.

[0m[91mnpn WARN deprecated @hapi/topo@3.1.6: This version has been deprecated and is no longer supported or maintained

[0m[91mnpn WARN deprecated @hapi/joi@15.1.1: Switch to 'npm install joi'

[0m[91mnpn WARN deprecated @hapi/hoek@8.5.1: This version has been deprecated and is no longer supported or maintained

[0m[91mnpn WARN deprecated @hapi/bourne@1.3.2: This version has been deprecated and is no longer supported or maintained

[0m[91mnpn WARN deprecated @hapi/address@2.1.4: Moved to 'npm install @sideway/address'

[0m[91mnpn WARN deprecated chokidar@2.1.8: Chokidar 2 does not receive security updates since 2019. Upgrade to chokidar 3 with 15x fewer dependencies

[0m[91mnpn WARN deprecated chokidar@2.1.8: Chokidar 2 does not receive security updates since 2019. Upgrade to chokidar 3 with 15x fewer dependencies

[0m[91mnpn[0m[91m [0m[91mWARN[0m[91m [0m[91mdeprecated[0m[91m debug@3.2.6: Debug versions >=3.2.0 <3.2.7 || >=4 <4.3.1 have a low-severity ReDos regression when used in a Node.js environment. It is recommended you upgrade to 3.2.7 or 4.3.1. (<https://github.com/visionmedia/debug/issues/797>)

[0m[91mnpn WARN deprecated debug@3.2.6: Debug versions >=3.2.0 <3.2.7 || >=4 <4.3.1 have a low-severity ReDos regression when used in a Node.js environment. It is recommended you upgrade to 3.2.7 or 4.3.1. (<https://github.com/visionmedia/debug/issues/797>)

[0m[91mnpn WARN deprecated core-js@2.6.11: core-js@<3.23.3 is no longer maintained and not recommended for usage due to the number of issues. Because of the V8 engine whims, feature detection in old core-js versions could cause a slowdown up to 100x even if nothing is

polyfilled. Some versions have web compatibility issues. Please, upgrade your dependencies to the actual version of core-js.

[0m  
added 1645 packages, and audited 1646 packages in 50s

64 packages are looking for funding  
run `npm fund` for details

78 vulnerabilities (1 low, 26 moderate, 38 high, 13 critical)

To address issues that do not require attention, run:  
npm audit fix

To address all issues (including breaking changes), run:  
npm audit fix --force

Run `npm audit` for details.

```
[91mnp[0m[91m [0m[91mnotice[0m[91m
[0m[91mnp[0m[91m notice New patch version of npm available! 9.6.4 -> 9.6.5
npm [0m[91mnotice Changelog: <https://github.com/npm/cli/releases/tag/v9.6.5>
npm notice Run `npm install -g npm@9.6.5` to update!
[0m[91mnp[0m notice
[0mRemoving intermediate container 5ae707c3634a
---> 4679e4192de6
Step 9/13 : COPY . .
---> d3dded32e1f0
Step 10/13 : RUN npm run build
---> Running in 48d8bfe08222
```

```
> react-front-end@0.1.0 build
> react-scripts build
```

Creating an optimized production build...  
[91mBrowserslist: caniuse-lite is outdated. Please run:  
npx browserslist@latest --update-db  
[0mCompiled successfully.

File sizes after gzip:

40.46 KB	build/static/js/2.c71cddb.chunk.js
22.47 KB	build/static/css/2.af3c1da9.chunk.css
793 B	build/static/js/main.079458d2.chunk.js
779 B	build/static/js/runtime-main.c2a4c5c8.js
547 B	build/static/css/main.5f361e03.chunk.css

The project was built assuming it is hosted at /.  
You can control this with the homepage field in your package.json.

The build folder is ready to be deployed.  
You may serve it with a static server:

```
npm install -g serve
serve -s build
```

Find out more about deployment here:

[bit.ly/CRA-deploy](https://bit.ly/CRA-deploy)

```
Removing intermediate container 48d8bfe08222
---> bd880e30399e
Step 11/13 : RUN echo "server {\n\tlisten 80;\n\troot /usr/src/app/build;\n\tindex
index.html;\n\tserver_name localhost;\n}" > /etc/nginx/sites-enabled/default
---> Running in 4aa39badc9b6
Removing intermediate container 4aa39badc9b6
---> 07738c149502
Step 12/13 : EXPOSE 80
---> Running in 2090846d438b
Removing intermediate container 2090846d438b
---> 10b1baa0c557
Step 13/13 : CMD ["nginx", "-g", "daemon off;"]
---> Running in f9e71cca6e83
```


```
Removing intermediate container f9e71cca6e83
---> 69f997d3ff5f
Successfully built 69f997d3ff5f
Successfully tagged reactapp:v1
Docker image build completed successfully.
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
reactapp      v1        69f997d3ff5f   Less than a second ago   1.34GB
node          latest    07f4e626c252   6 days ago     1GB
+ bash deploy.sh sivaprakash1998 Login$1998pk reactapp master sivaprakash1998/prod-repo-reactapp
latest-img
WARNING! Your password will be stored unencrypted in /var/lib/jenkins/.docker/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store
```

```
Login Succeeded
The push refers to repository [docker.io/sivaprakash1998/prod-repo-reactapp]
09aa4cea9b3e: Preparing
9f123f976e70: Preparing
44ce62198b08: Preparing
ddd9ef4e5d00: Preparing
57ebbf0d54f7: Preparing
56e40881e20c: Preparing
684b3747c1b8: Preparing
9b1b06e19bf1: Preparing
c3992d02ff0f: Preparing
52a74f30f3d6: Preparing
257a23ea050f: Preparing
59ce4b011e6f: Preparing
e29838afe536: Preparing
cfd0811d364e: Preparing
b86f260e173a: Preparing
6a1ebb98b0dc: Preparing
24b48387f467: Preparing
ae56c0c5405b: Preparing
257a23ea050f: Waiting
59ce4b011e6f: Waiting
e29838afe536: Waiting
cfd0811d364e: Waiting
b86f260e173a: Waiting
6a1ebb98b0dc: Waiting
24b48387f467: Waiting
ae56c0c5405b: Waiting
56e40881e20c: Waiting
684b3747c1b8: Waiting
9b1b06e19bf1: Waiting
c3992d02ff0f: Waiting
52a74f30f3d6: Waiting
09aa4cea9b3e: Pushed
44ce62198b08: Pushed
57ebbf0d54f7: Pushed
9f123f976e70: Pushed
56e40881e20c: Pushed
684b3747c1b8: Pushed
9b1b06e19bf1: Pushed
257a23ea050f: Mounted from library/node
52a74f30f3d6: Mounted from library/node
59ce4b011e6f: Mounted from library/node
cfd0811d364e: Mounted from library/node
e29838afe536: Mounted from library/node
b86f260e173a: Mounted from library/node
6a1ebb98b0dc: Mounted from library/node
ae56c0c5405b: Mounted from library/node
24b48387f467: Mounted from library/node
c3992d02ff0f: Pushed
ddd9ef4e5d00: Pushed
latest-img: digest: sha256:c39bc25973480a9060e9b6f37db7a8dd804bc9b1c5bbf6fde0c121330d8042ff size:
4099
Removing login credentials for https://index.docker.io/v1/
+ docker images
REPOSITORY    TAG       IMAGE ID       CREATED        SIZE
reactapp      v1        69f997d3ff5f   20 seconds ago   1.34GB
```


```

sivaprakash1998/prod-repo-reactapp  latest-img  69f997d3ff5f  20 seconds ago  1.34GB
node                                latest       07f4e626c252  6 days ago      1GB
+ docker-compose up -d
Creating network "reactjsweb-appproject_default" with the default driver
Creating reactapp ...
Creating reactapp ... done
+ docker rmi -f reactapp:v1
Untagged: reactapp:v1
+ docker rmi -f sivaprakash1998/prod-repo-reactapp:latest-img
Untagged: sivaprakash1998/prod-repo-reactapp:latest-img
Untagged: sivaprakash1998/prod-repo-
reactapp@sha256:c39bc25973480a9060e9b6f37db7a8dd804bc9b1c5bbf6fde0c121330d8042ff
+ docker images
REPOSITORY    TAG          IMAGE ID      CREATED        SIZE
node          latest      07f4e626c252  6 days ago    1GB
SSH: Connecting from host [ip-10-10-2-197]
SSH: Connecting with configuration [React-app server] ...
SSH: EXEC: completed after 601 ms
SSH: Disconnecting configuration [React-app server] ...
SSH: Transferred 0 file(s)
Finished: SUCCESS

```



Webapp runs successfully on another EC2 server with jenkins job ➡



We can manually run the Jenkins job with parameters so the Image name & version and details are will not be hotcoded ➡

Status

Changes

Workspace

Build with Parameters

Configure

Delete Project

GitHub Hook Log

GitHub

Rename

Build History

trend

Filter builds... /

#1

Apr 27, 2023 2:40 PM

Atom feed for all

Atom feed for failures

Project React JS web-app project

This build requires parameters:

GIT\_BRANCH

GitHub branch name

dev

IMAGE\_NAME

Image name that build on local

reactapp

IMAGE\_VERSION

Image version that build on local

v1

DOCKERHUB\_USERNAME

Username to login Dockerhub

sivaprakash1998

DOCKERHUB\_PASSWORD

Password to login Dockerhub

 Concealed

Change Password

DOCKER\_REPO

Docker hub Repository name to push the docker image

sivaprakash1998/prod-repo-reactapp

DOCKER\_TAG

Docker hub Repository tag to push the docker image

latest-img

Build



Search (CTRL+K)



Sivaprakash S

log out

Status

Changes

Console Output

View as plain text

Edit Build Information

Delete build '#2'

Parameters

Git Build Data

Previous Build

Console Output

```
Started by user Sivaprakash S
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/React JS web-app project
[WS-CLEANUP] Deleting project workspace...
[WS-CLEANUP] Deferred wipeout is used...
[WS-CLEANUP] Done
The recommended git tool is: NONE
using credential Github_Credential
Cloning the remote Git repository
Cloning repository https://github.com/Sivaprakash-pk/React-Js_Project.git
> /usr/bin/git init /var/lib/jenkins/workspace/React JS web-app project # timeout=10
Fetching upstream changes from https://github.com/Sivaprakash-pk/React-Js_Project.git
> /usr/bin/git --version # timeout=10
> git --version # 'git version 2.34.1'
using GIT_SSH to set credentials Github_Credential
> /usr/bin/git fetch --tags --force --progress -- https://github.com/Sivaprakash-pk/React-Js_Project.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> /usr/bin/git config remote.origin.url https://github.com/Sivaprakash-pk/React-Js_Project.git # timeout=10
> /usr/bin/git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> /usr/bin/git rev-parse refs/remotes/origin/dev^{commit} # timeout=10
Checking out Revision 50d7330f9babfa8719512f8fe638e46520a6231a (refs/remotes/origin/dev)
> /usr/bin/git config core.sparsecheckout # timeout=10
> /usr/bin/git checkout -f 50d7330f9babfa8719512f8fe638e46520a6231a # timeout=10
Commit message: "1st commit"
First time build. Skipping changelog.
[React JS web-app project] $ /bin/sh -xe /tmp/jenkins990569432259580875.sh
+ docker images -q
+ docker rmi 07f4e626c252
Untagged: node:latest
Untagged: node@sha256:342d81a2e91353e3a5e33598982xc64e9e7761b1c689245b49a1603707848
Deleted: sha256:07f4e626c252cc8c49c42220805c64220501b774446c14d9f8550026c34f496
Deleted: sha256:6d7140527100b8a0b62be606f36279d068bc6a0fa52a415f02d86d8930e4e226
```

Dashboard > React JS web-app project > #3 > Console Output

```
59ce4b011edff: Mounted from siavprakash1998/prod-repo-reactapp
e29838affe536: Mounted from siavprakash1998/prod-repo-reactapp
cfdb811d364e: Mounted from siavprakash1998/prod-repo-reactapp
b86f260e173a: Mounted from siavprakash1998/prod-repo-reactapp
6a1ebb98bdc: Mounted from siavprakash1998/prod-repo-reactapp
24b48387f467: Mounted from siavprakash1998/prod-repo-reactapp
ae56c8c5485b: Mounted from siavprakash1998/prod-repo-reactapp
791c3667c877: Pushed
22fd811fee9: Pushed
latest-img: digest: sha256:fd0d890a20012e02c30f42b5b88432ae0bf844602304aac392431d4fb1ef9dc size: 4099
Removing login credentials for https://index.docker.io/v1/
+ docker images
REPOSITORY          TAG                 IMAGE ID            CREATED             SIZE
reactapp             v1                 51494fa64f0f       20 seconds ago     1.34GB
siavprakash1998/dev-repo-reactapp latest-img          51494fa64f0f       20 seconds ago     1.34GB
node                 latest             07f4e626c252       6 days ago         1GB
+ docker-compose up -d
Creating reactapp ...
Creating reactapp ... done
+ docker rmi -f reactapp:v1
Untagged: reactapp:v1
+ docker rmi -f siavprakash1998/dev-repo-reactapp:latest-img
Untagged: siavprakash1998/dev-repo-reactapp:latest-img
Untagged: siavprakash1998/dev-repo-reactapp@sha256:fd0d890a20012e02c30f42b5b88432ae0bf844602304aac392431d4fb1ef9dc
+ docker images
REPOSITORY          TAG                 IMAGE ID            CREATED             SIZE
<none>              <none>             51494fa64f0f       20 seconds ago     1.34GB
node                 latest             07f4e626c252       6 days ago         1GB
SSH: Connecting from host [ip-10-10-2-197]
SSH: Connecting with configuration [React-app server] ...
SSH: EXEC: completed after 401 ms
SSH: Disconnecting configuration [React-app server] ...
SSH: Transferred 0 file(s)
Finished: SUCCESS
```

React App x +

← → 🔒 Not secure | 52.201.233.242

📺 (2311) YouTube 📧 Inbox (1,577) - Livi... 🟡 AWS Management... 📅 Zen Class 🟢 GUVJ | courses 🐙 GitHub 📄 Download & Watch... 🟢 New chat 💡 #devops on Hashn... 🌐 Zing - Making H++R 📄 Linux Command ch... 🔄 Commands for Proc... 📖 Tutorials List - Javat... 📖 DevOps Tutorial - j...

#	Name
---	------

Set Inbound rule in AWS security group for everyone can access react web-app using HTTP:80(port), then only I can able to access the server with my public ip using SSH:22(port) ➡

**Inbound security group rules successfully modified on security group sg-060ef26b9b1aa4c5a | my-sg-uswest1**

**Details**

Security group name: my-sg-uswest1  
 Security group ID: sg-060ef26b9b1aa4c5a  
 Description: yes  
 VPC ID: vpc-0d0c096f8e9ca6c2d  
 Owner: 465456354729  
 Inbound rules count: 2 Permission entries  
 Outbound rules count: 1 Permission entry

**Inbound rules (2)**

Name	Security group rule...	IP version	Type	Protocol	Port range	Source	Description
~	sg-0618747371039f4...	IPv4	SSH	TCP	22	117.252.134.110/32	Access servers via ssh
~	sg-0f0369c6c2c0854ed	IPv4	HTTP	TCP	80	0.0.0.0/0	-

**Edit inbound rules**

Inbound rules control the incoming traffic that's allowed to reach the instance.

**Inbound rules**

Security group rule ID	Type	Protocol	Port range	Source	Description - optional
sg-0618747371039f49b	SSH	TCP	22	Custom 117.252.134.110/32	Access servers via ssh only with my IP
sg-0f0369c6c2c0854ed	HTTP	TCP	80	Custom 0.0.0.0/0	

**Add rule** **Cancel** **Preview changes** **Save rules**

Docker Hub with pushed images →

**docker hub** Search Docker Hub Explore Repositories Organizations Help Upgrade sivaprakash1998

sivaprakash1998 Search by repository name All Content Create repository

sivaprakash1998 / dev-repo-reactapp Contains: Image   Last pushed: 28 minutes ago	Inactive 0 0 0 Public
sivaprakash1998 / prod-repo-reactapp Contains: Image   Last pushed: an hour ago	Inactive 0 0 0 Private
sivaprakash1998 / test1 Contains: No content   Last pushed: 7 days ago	Inactive 0 0 0 Public



dockerhub

Search Docker Hub

Explore

Repositories

Organizations

Help

Upgrade

sivaprakash1998

sivaprakash1998

Repositories

dev-repo-reactapp

General

Using 1 of 1 private repositories. [Get more](#)

General

Tags

Builds

Collaborators

Webhooks

Settings

sivaprakash1998 / dev-repo-reactapp

Description

dev-repo-reactapp

Last pushed: an hour ago

Docker commands

To push a new tag to this repository,

`docker push sivaprakash1998/dev-repo-reactapp:tagname`

Public View

Tags

This repository contains 1 tag(s).

Tag	OS	Type	Pulled	Pushed
latest-img		Image	---	an hour ago

[See all](#)[Go to Advanced Image Management](#)

Automated Builds

Manually pushing images to Hub? Connect your account to GitHub or Bitbucket to automatically build and tag new images whenever your code is updated, so you can focus your time on creating.

Available with Pro, Team and Business subscriptions. [Read more about automated builds](#)

Upgrade

dockerhub

Search Docker Hub

Explore

Repositories

Organizations

Help

Upgrade

sivaprakash1998

sivaprakash1998

Repositories

prod-repo-reactapp

General

Using 1 of 1 private repositories. [Get more](#)

General

Tags

Builds

Collaborators

Webhooks

Settings

sivaprakash1998 / prod-repo-reactapp

Description

prod-repo-reactapp - Repository to push the production images

Last pushed: 2 hours ago

Docker commands

To push a new tag to this repository,

`docker push sivaprakash1998/prod-repo-reactapp:tagname`

Tags

This repository contains 1 tag(s).

Tag	OS	Type	Pulled	Pushed
latest-img		Image	---	2 hours ago

[See all](#)[Go to Advanced Image Management](#)

Automated Builds

Manually pushing images to Hub? Connect your account to GitHub or Bitbucket to automatically build and tag new images whenever your code is updated, so you can focus your time on creating.



Available with Pro, Team and Business subscriptions. [Read more about automated builds](#)

Upgrade

README

Repository description is empty. [Click here](#) to edit.

AWS Cloudwatch Monitoring alarm for CPU utilization and System health check status with SNS email notification ➡





## AWS Notification - Subscription Confirmation Inbox x



**AWS Notifications** <no-reply@sns.amazonaws.com>  
to me ▾

You have chosen to subscribe to the topic:

**arn:aws:sns:us-east-1:465456354729:Default\_CloudWatch\_Alarms\_Topic**

To confirm this subscription, click or visit the link below (If this was in error no action is necessary):

[Confirm subscription](#)

Please do not reply directly to this email. If you wish to remove yourself from receiving all future SNS subscription confirmation requests please send an email to [sns-opt-out](#)

↩ Reply

➦ Forward