



# Techno Machine Tools

(MANUFACTURERS OF MACHINE TOOLS)

T SIVARAMAKRISHNA  
ME., MBA.

TMT/A To Z CNC Engineering /S0508/2025

18 -10- 2025

To,  
Syed Zeeshan  
A To Z CNC Engineering  
Click to call: [+91-6302354607](tel:+91-6302354607)  
Email: [atoz.cncengineering@gmail.com](mailto:atoz.cncengineering@gmail.com)  
Plot No 98 Survey No 374, Quthbullapur Mandal,  
Ida Kukatpally, Kukatpally, Gandhi Nagar,  
Hyderabad - 500037, Telangana, India

Dear sir,

**Sub :- Supply of COMPLETE CNC PRESS BRAKE MACHINE. 2000x4**

We are very much thankful to you for your kind conversation extended to us for detailed discussions in regard to the manufacturing of machinery that are required by you. As requested by you we are submitting hereunder the detailed specifications in item wise together with the make of standard peripherals that are connected to the respective machinery.

CNC HYDRAULIC PRESS BRAKE MACHINES ARE DESIGNED TO ACHIEVE FASTER PRODUCTION, PRECISION BENDING WITH MINIMUM MAINTENANCE AND SAFETY. THIS IS ACHIEVED BY THE FOLLOWING POINTS:

**HIGHLIGHTS OF THE MACHINE**


MINIMISED PIPING ELIMINATING PIPE BREAKAGES AND RAMS FAILING.

1. CLOSE LOOP HYDRAULIC SYSTEMS DESIGNED TO ACHIEVE AND MAINTAIN DESIRED BENDING OPERATION.
  - REDUCES ERRORS BY AUTOMATICALLY ADJUSTING THE SYSTEMS INPUT.
  - ENHANCES ROBUSTNESS AGAINST EXTERNAL DISTURBANCES TO THE PROCESS.
  - PRODUCES A RELIABLE AND REPEATABLE PERFORMANCE.
3. STRESS RELIEVING ALLOWS SYMMETRICAL MACHINING OF THE FRAME RESULTING TO ACUTE TOLERANCES.
4. HEAVY AND RIGID CONSTRUCTION MINIMISING DEFLECTION IN THE FRAME WHILE BENDING.

7. SET OF FLIPPERS WITH THE BACK GAUGE- 2 UNITS.

- BACK GAUGE 'R' AXIS WITH MANUAL MOVEMENT HANDLE TYPE
- BACK GAUGE 'Z' AXIS MOUNTED ON LINEAR GUIDE WAYS (L.M. RAILS).
- FINE TUNING KNOB FOR CALIBRATING THE FINGERS.

PLEASE REFER THE BROCHURE FOR IMAGES OF THESE EQUIPMENTS.



### **SPECIFICATIONS AND FEATURES OF CNC CONTROLLER**

**MODEL: CYBELEC - CYBTOUCH 8PS CNC CONTROLLER; SWITZERLAND**

- 8" TOUCH SCREEN COLOUR DISPLAY WITH SIMPLE PAGES, CLEAR DISPLAY AND LARGE KEYS.
- INTUITIVE AND USERFRIENDLY INTERFACE.
- EASY SINGLE BENDS WITH THE EASYBEND PAGE.
- EASY MANUAL MOVEMENT.
- 2D GRAPHIC PROFILE CREATION WITH MANUAL SEQUENCING (OPTIONAL).
- BEND ALLOWANCE CALCULATION.
- PRESSURE – CROWNING CALCULATION.
- BENDING ANGLE AND BACK GAUGE CORRECTION.
- MEMORY: 10 MATERIALS. 24 STEPS. 300 PROGRAMMES; 100 PUNCH; 100 DIES



**SPECIFICATIONS FOR THE HYDRAULIC PRESS BRAKE MACHINE WITH 2000 M.M. WIDTH AND 4 M.M. THICKNES.**

1. CNC SYNCHRO PRESS BRAKE CAPACITY 125 TON SIZE 2000 x 4 MM WITH CNC CONTROLLED BACK GAUGE & CYBELEC CYBTOUCH-8P (SWISS) MAKE CONTROLLER, BALL SCREW, A.C. SERVO MOTOR, ENCODER & ELECTRICALS BUT WITHOUT HYDRAULIC OIL AND AS PER FOLLOWING SPECIFICATIONS:

| <u>TECHNICAL SPECIFICATIONS</u>     |                  |
|-------------------------------------|------------------|
| BENDING CAPACITY (L x T)            | 2000 X 4 MM (MS) |
| TONNAGE                             | 125 TON          |
| CLEAR DISTANCE BETWEEN HOUSING (MM) | 2200 MM          |
| RAM STROKE (MM)                     | 200 MM           |
| OPEN HEIGHT (MM)                    | 400 MM           |

|                                      |                   |          |
|--------------------------------------|-------------------|----------|
| CLOSED HEIGHT (MM)                   |                   | 200 MM   |
| RAM SPEED (APPROXIMATED)             |                   |          |
|                                      | APPROACH (MM/SEC) | 70       |
|                                      | PRESSING (MM/SEC) | 8        |
|                                      | RETURN (MM/SEC)   | 50       |
| ELECTRIC MOTOR (H.P.)                |                   | 30 H.P.  |
| X AXIS TRAVEL (AUTOMATIC CNC) (APP.) |                   | 700 MM   |
| R AXIS TRAVEL                        |                   | 100 MM   |
| TOTAL UNITS OF FLIPPER               |                   | 2 UNITS  |
| QUICK CHANGING CLAMPS                |                   | 30 UNITS |
| FULL LENGTH OF GOOSENECK PUNCH       |                   | 1 UNIT   |
| FULL LENGTH OF 2 -'V' DIE            |                   | 1 UNIT   |
| FULL LENGTH OF DIE RAIL              |                   | 1 UNIT   |
| HYDRAULIC CROWNING CYLINDER          |                   | 4 UNITS  |

### **PRICE DETAILS**

PRICE OF THE MACHINE WITH CNC CONTROLLED  
R – AXIS & CYBELEC CONTROLLER, BACKGAUGE,  
BALL SCREW, A.C. SERVO MOTOR, CNC HYDRAULIC  
CROWNING, WITH ENCODER & ELECTRICALS  
BUT WITHOUT HYDRAULIC OIL  
INCLUDING ONE SET OF TOOLING

- 2 – V DIE WITH RAIL & BASE
  - SEMI GOOSE NECK PUNCH
- : Rs.26,00,0000/-

(RUPEES Twenty-Six Lakhs Only)

GENERAL TERMS & CONDITIONS:

1. Price quoted per unit ex-work. Hyderabad.
2. Following charges are additional to your account.
  - ✓ Freight Charge : As actual to be borne by you.
  - ✓ Tax : as applicable
  - ✓ Packing charge : As actual to be borne by you.
  - ✓ Insurance : As actual to be borne by you.
3. Payment : 50% advance along with order another 25% advance after 3 weeks from first advance and balance before delivery but after inspection at our works.
4. Delivery : 8-10 weeks from date of techno-commercially clear purchase order.
5. Validity : One month from the date of submission.
6. Inspection : Inspection at our works prior to dispatch.
7. Warranty : The cylinder is warranted for a period of 12 months from the date of dispatch against any manufacturing defects/faulty material or bad workmanship of any part or component but not against any kind of abnormal or improper use of machine. Defective part or component will be replaced or repaired free of cost. Electrical components are outside the scope of this warranty.
8. Commissioning : Erection & commissioning done by you, but if required technical support & guidance provide by us at additional cost.

NOTE:

1. Hyd. Oil is not in scope of our supply.
2. Raw material for trial is arrange by you at your cost.

We are sure you will find our offer in line with your requirements. Should you require any further clarification please call us on mobile number (+91) - 9246221106/ +91- 9849207176

Thanking you and assuring you of our best services.



**For TECHNO MACHINE TOOLS**

**T. SIVARAMAKRISHNA**